

OUTDOOR



F A R O
BARCELONA



Edition

A2026OUT

Art direction and design

Faro Art

All Rights Reserved

Reproduction without written permission from the publisher is strictly prohibited.



Outdoor Collection

| | |
|-------------------|-----|
| Portable | 26 |
| Floor | 48 |
| Spike & Projector | 188 |
| Suspended | 258 |
| Downlight | 302 |
| Wall | 316 |
| Recessed | 414 |
| Bulbs | 468 |
| Drivers | 478 |



Portable



Muna
30



Nara
32



Akane
34



Cage
36



Saigon
36



Cairo
38



Task
38

Post



Glint
104



Naya
120



Block
126



Shelby
132



Twist
136



Datna
139



Giza
145



Surat
152



Noboru
154



Rush
172



Screen
180

Beacon



Brot
60



Iglu
64



Cadaques
66



Gaia
68



Cuca
70



Lily
74



Grot
76



Luma
90



Klamp
92



Soleil
92



Cast
94



Brot
96



Clap
100



Spy
102



Naya
120



Bu-Oh
122



Espot
124



Block
126



Tura
128



Beret
130



Shelby
132




Giza
145



Mistu
146




Blubs
147



Moon
147



Loth
156



Keenan
158



Rush
174

Floor



Nara
50



Saigon
52



Kasp
40



Candela
42



Mavis
44



Argus
46




Toc
46



Voila
46



Brot
62



Saigon
286



Mistu
148



Muffin
148



Blubs
149



Moon
149



Mila
150



Nala
150



Mauren
152



Sete
152



Cerler
78



Til
78



Balic
80



Bast
80



Bezel
80



Lotus
82



Chandra
84



Gina
84



Glint
104



Totem
106




Alp
108



Das
110



Nanda
112



Sticker
112



Pilo
114



Saura
118



Shadow
134



Twist
136



Onze
138



Tram
138



Datna
139



Kila
140



Plim
142



Logar
144



Screen
182

Pole



Tura
128



Tram
160



Tura
160



Beret
162



Bu-Oh
162



Plaza
162




Blubs
164


Suspended



Toba
260



Narita
262



Saga
264



Nara
274



Saigon
276



Blubs
290



Muffin
290

System



Toba
268



Narita
270




Saga
272

Spike



Slot
208



Clap
213




Brot
214



Lily
216



Toni
218



Luca
218



Bezel
220



Tono
242




Cuca
244



Bambou
248



Saigon
250



Piccola
256

Recessed



Falls
416



Geiser
418




Suria
426




Grund
430



Tras
438



Kane
440



Crosby
442



Mani
452



Poma
452



Nat
454



Spark
454



Nase
455



Carter
456



Racing
456



Mistu
166



Muffin
167



Nautica
168



Rush
176



Screen
184



Mistu
291



Moon
291



Nautica
292



Clap
297



Scuba
298



Scuba
300



Spy
220



Seth
234



Foc
236



Balder
238



Sobek
238



Andy
240



Plom
240



Garten
242




Led 18
443



Taro
444



Tecno
444



Curtis
446




Salt
446



Edel
448




Nok
448



Dart
450



Soun
458



Til
458



Sedna
460



Dang
462



Uve
462



Frol
464




Gron
464



Stripe 2
466


Surface

| | | | | | | |
|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Grot 318 | Clap 323 | Lime 326 | Scuba 328 | Scuba 330 | Kov 333 | Thon 338 |
|  |  |  |  |  |  |  |
| Tinia 348 | Doro 350 | Lako 352 | Tacana 352 | Toluca 352 | Aday 354 | Kaula 354 |
|  |  |  |  |  |  |  |
| Axel 364 | Takua 364 | West 366 | Bruc 368 | Lace 368 | Ling 368 | Canon 370 |
|  |  |  |  |  |  |  |
| Ele 378 | Kela 378 | Kerala 378 | Nala 380 | Tamashi 380 | Pivot 381 | Pomo 381 |
|  |  |  |  |  |  |  |
| Tejo 389 | Fred 390 | Mol 391 | Pol 391 | Kila 392 | Orwell 392 | Tram 392 |
|  |  |  |  |  |  |  |
| Nahir 400 | Noray 402 | Timon 402 | Brow 404 | Drak 404 | Pill 404 | Dune 406 |

Ceiling

| | | | | | | |
|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Puk 305 | Goz 308 | Tami 308 | Kila 310 | Olot 310 | Tasa 310 | Scuba 312 |

Projector

| | | | | | | |
|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Puk 192 | Clap 199 | Alfa 200 | Muur 200 | Foc 202 | Lit 202 | Flow 204 |



Tond
339



Estela
340



Bronx
342



Pals
342



Steps
344




Klamp
346



Proa
346



Gina
348



Balic
356



Bu-Oh
358



Future
358



Lotus
360



View
360



Ancora
362



Sticker
362



Alp
364




Lacre
370



Tane
370



Blind
372



Log
372



Olan
372



Nairobi
374



Sunset
374



Luma
376



Half
384




Mask
384



Tom
386



Hikari
387



Kubick
387



Bonn
388



Negus
388



Natron
389



Blubs
394



Muffin
394



Mistu
396



Moon
396



Nautica
398



Wally
399



Borda
400



Cabo
400



Grant
408



Path
408



Grada
410



Must
412



Anga
314



Dakron
315



Yen
315



Oko
204



Plom
204



Slot
206



Sau
224

Collections

Agra



Post *H.200*
P. 116



Beacon *H.650*
P. 116

Alp



Beacon *H.500*
P. 108



Beacon *H.800*
P. 108



Wall
P. 364

Balic Yembarastudio



Beacon *H.580*
P. 80



Wall
P. 356

Beret



Beacon *H.500*
P. 130



Beacon *H.900*
P. 130



Pole *H.1800*
P. 162

Bezel



Beacon *H.600*
P. 80



Spike *H.600*
P. 220

Block Àlex & Manel Lluscà



Post *H.350*
P. 126



Beacon *H.700*
P. 126



Wall
P. 382

Blubs
Estudi Ribaudí



Beacon H.540
P. 147



Post H.240
P. 149



Pole 2L H.2140
P. 164



Pole 3L H.2140
P. 164



Suspended
P. 290



Wall
P. 394

Brot
Yembarastudio



Beacon H.900
P. 60



Beacon H.1800
P. 60



Portable H.900
P. 62



Portable H1800
P. 62



Beacon H.200
P. 96



Beacon H.600
P. 96



Spike H.200
P. 214



Spike H.600
P. 214

Bu-Oh
Estudi Ribaudí



Beacon H.565
P. 122



Post H.265
P. 122




Pole H.2500
P. 162



Wall
P. 358

Clap
Faro Lab




Beacon H.512
P. 100




Beacon H.1266
P. 100




Projector
P. 199



Spike H.630
P. 213



Spike H.1030
P. 213



Suspended
P. 297



Wall
P. 322



Lineal Wall/Ceiling
P. 324

Cuca
Faro Lab



Beacon H.500
P. 70



Beacon H.1000
P. 70



Spike H.500
P. 244



Spike H.1000
P. 244




Beacon H.300
P. 72



Beacon H.650
P. 72



Beacon H.1193
P. 72



Spike H.300
P. 246



Spike H.650
P. 246



Spike H.1193
P. 246

Foc



Spike H.460
P. 236



Spike H.780
P. 236



Wall H.580
P. 202



Wall
P. 202

Gina



Beacon H.700
P. 84



Wall
P. 348

Glint
Faro Lab



Post H.157
P. 104



Beacon H.400
P. 104



Beacon H.700
P. 104

Grot
Faro Lab



Beacon H.400
P. 76



Beacon H.700
P. 76



Wall
P. 318

Kila



Beacon H.400
P. 140



Beacon H.700
P. 140



Ceiling
P. 310



Wall
P. 392

Klamp

Àlex & Manel Llusçà



Beacon H.660
P. 92




Wall 2L
P. 346

Lily

Faro Lab



Beacon H.300
P. 74



Beacon H.650
P. 74



Beacon H.1190
P. 74



Spike H.300
P. 216



Spike H.650
P. 216



Spike H.1190
P. 216

Lotus

Estudi Ribaudí



Beacon H.350
P. 82



Beacon H.650
P. 82



Wall
P. 360

Luma

Faro Lab

NEW



Beacon H.300
P. 90



Beacon H.600
P. 90



Wall
P. 376

Mistu

Faro Lab



Beacon H.600
P. 146



Post H.310
P. 148



Pole 2L H.2150
P. 166



Pole 3L H.2150
P. 166



Suspended
P. 291



Wall
P. 396

Moon
Faro Lab



Beacon *H.610*
P. 147



Post *H.300*
P. 149



Suspended
P. 291



Wall
P. 396

Muffin
Àlex & Manel Llusçà



Beacon *H.559*
P. 146



Post *H.259*
P. 148



Pole 2L *H.2115*
P. 167



Pole 3L *H.2115*
P. 167



Suspended
P. 290



Wall
P. 394

Nala



Post *H.220*
P. 150



Wall
P. 380

Nara
Carrasquet



Portable
P. 32



Floor *H.1200*
P. 32



Suspended
P. 274

Nautica



Pole *H.2200*
P. 168



Pole 2L *H.2250*
P. 168



Pole 3L *H.2250*
P. 168



Suspended *W.260*
P. 292



Suspended W. 345
P. 292



Wall W. 260
P. 398



Wall W. 280
P. 398



Wall W. 350
P. 398

Plom



Spike H.332
P. 240



Wall
P. 204

Puk



Projector
P. 194



Ceiling
P. 280

Rush
Estudi Ribaudí



Post H.250
P. 172



Beacon H.800
P. 174



Pole H.3100
P. 176



Pole H.3700
P. 178

Sau XS

NEW




Beacon H.300
P. 224



Beacon H.600
P. 224

Sau S

NEW



Beacon H.300
P. 226



Beacon H.600
P. 226

Sau M

NEW



Beacon H.300
P. 228



Beacon H.600
P. 231



Wall
P. 230

Saigon
Nahtrang



Portable
P. 36



Floor H.1950
P. 56



Table H.1200
P. 56



Spike H.1370
P. 250



Suspended
P. 282



Portable
P. 288

Screen
Estudi Ribaudí



Post H.250
P. 180



Beacon H.800
P. 182



Pole H.3100
P. 184



Pole H.3700
P. 186

Scuba



Suspended
P. 300



Wall
P. 330

Scuba Louver



Suspended
P. 298



Ceiling
P. 312



Wall
P. 328

Slot
Lucid Product Design



Projector H.350
P. 206



Projector H.500
P. 206



Spike H.380
P. 208



Spike H.692
P. 208

Spy



Post H.145
P. 102



Beacon H.435
P. 102



Spike H.395
P. 220

Sticker

Lucid Product Design



Beacon H.720
P. 112



Wall
P. 362

Tram

Estudi Ribaudí



Beacon H.630
P. 138



Pole H.2500
P. 160



Wall
P. 392

Til

NEW



Beacon H.300
P. 78



Recessed
P. 458

Twist

Estudi Ribaudí



Post H.300
P. 136



Beacon H.500
P. 136



Wall
P. 382

Tura



Beacon H.650
P. 128



Beacon H.1050
P. 128



Pole H.2050
P. 160

Our purpose is to contribute to the wellbeing and happiness of people through design and the relationship we establish with the objects that surround us in our daily lives. We believe in honest and accessible design. Nuestra razón de ser es contribuir al bienestar y la felicidad de las personas a través del diseño y la relación que establecemos con los objetos que nos acompañan en nuestro día a día. Creemos en un diseño honesto, accesible y cercano.

**DESIGN FOR
EVERYONE**

**BRAND
WITH SOUL**







Our sustainability journey focuses on minimizing our environmental footprint and maximizing our positive impact on society.

Nuestro camino hacia la sostenibilidad se centra en reducir nuestro impacto negativo en el planeta y maximizar nuestro impacto social positivo.

SUSTAINABILITY

TURN OFF
THE LIGHT



Our impact report
Nuestro impacto




The expertise and knowledge of our professionals are dedicated to bringing your ideas to life, creating unique and functional spaces.

La experiencia y el conocimiento de nuestros profesionales se ponen al servicio de tus ideas para crear espacios únicos y funcionales.

SERVICES

YOUR IDEA, OUR EXPERTISE



Lighting & Fan projects / Proyectos de iluminación y ventilación
Control and connectivity / Control y conectividad
Customization and bespoke products / Personalización y productos a medida



Our commitment to quality is at the heart of everything we design. We rigorously control the quality of our products and services from conception to functionality and reliability testing. Nuestro compromiso con la calidad está presente en todo lo que diseñamos. Controlamos rigurosamente la calidad de nuestros productos y servicios desde la concepción hasta los ensayos de funcionalidad y fiabilidad.

Q-LAB

QUALITY
COMMITMENT



Quality management system based on ISO9001.

Compliance with electrical safety regulations under EN60598 (lighting) & EN60335 (fans), as well as ERP energy-efficiency requirements.

Sistema de gestión de calidad basado en la ISO9001.

Cumplimiento legislativo de las normativas de seguridad bajo la EN60598 (iluminación) y EN60335 (ventiladores de techo), así como la normativa de eficiencia energética ERP.

Parametrical Lab

Specification Compliance
Electrical Safety Tests
Integrating Sphere
Climatic Chamber
IK Tests
Endurance Test Room
Thermal Test Room

Environmental Testing Lab

Water IP Tests
Powder IP Tests
Salt Spray Chamber

Technical Assistance Service (TAS)

Customer Returns Analysis
Customer Returns Repairs
TAS Spare Parts


Quality inspections Lab

Batch inspections
Functional Tests
Product Assembly Control
Product Finish Control

Specification Compliance

Life Test
Customizations
Airflow measurements
Noise measurements

Goniophotometer Room





OUTDOOR

LIGHTING

PORTABLE



Its diffuser is covered with a removable, washable fabric sleeve that's also durable enough for outdoor use.



Muna dresses light in texture and color—a piece that unites materiality, presence, and emotion, thoughtfully designed to accompany every moment with serenity and intimacy. Muna casts a soft, enveloping glow that invites you to experience it. Light filters gently through the fabric, softly blurring edges and creating a serene, intimate atmosphere—perfect for spaces devoted to rest and well-being.




MUNA

Carrasquet

Muna


Carrasquet

IP54



| | | |
|-------|---|---------|
| 72150 | ● Structure White ● Diffuser Opal | 142,60€ |
| 72151 | ● Structure White + Orange ● Diffuser Opal | 142,60€ |

| | |
|---------------------|------------------------|
| Material | Structure Textile |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 12W |
| Bulb incl. | No |
| Recom. Bulb | 17070 |
| Class | II |
| Cable | 5m |



outdoor

Portable



Nara Portable
Carrasquet

IP65



| | | |
|-----------|---|---------|
| 72102-155 | <ul style="list-style-type: none"> ● Structure Beige ● Diffuser Opal | 445,70€ |
| 72102-156 | <ul style="list-style-type: none"> ● Structure Matt Black ● Diffuser Opal | 445,70€ |
| 72102-157 | <ul style="list-style-type: none"> ● Structure Rust Brown ● Diffuser Opal | 445,70€ |




| | |
|---------------------|------------------------|
| Material | Structure Steel |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 12W |
| Bulb incl. | No |
| Recom. Bulb | 17070 |
| Class | II |
| Cable | 2.5m |



Floor
50



Suspended
274



outdoor

Portable



Akane
Pepe Llaudet


IP44



| | | |
|-------|---|---------|
| 71262 | ● Structure Matt Black ● Shade Green | 602,90€ |
| 71263 | ● Structure Matt Black ● Shade Beige | 602,90€ |

| | |
|---------------------|---|
| Material | Structure Steel Shade PP |
| Light Source | E27 LED G125 max. 12W |
| Bulb incl. | No |
| Recom. Bulb | 17425 |
| Class | II |
| Cable | 5m |

*Only compatible with models A60, ST64, G95 and G125



outdoor

Portable




Saigon R55 Portable
Nahtrang

IP65



71584-02 ● Structure Dark Grey
 ● Shade White 246,30€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 3m |




Cage

IP65/44



75608 ● Structure Dark Grey
 ● Diffuser Opal 293,50€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 12W |
| Lumen Output | 990lm |
| Light Source | SMD LED 2700K |
| Class | I |
| CRI | ≥80 |
| Voltage | 220V-240V/50/60Hz |
| Cable | 2m |



outdoor

Portable




Task

IP54 IK08 DIM



70914 Structure Matt White 161,90€
 Diffuser Opal

| | |
|----------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 2W |
| Lumen Output | 190lm |
| Light Source | SMD LED 3000K |
| Dimmable W/lm | 0,5/16-1/103-2/263 |
| Class | III |
| CRI | ≥80 |
| Voltage | 5VDC |
| Battery | 5 Charge Max. 6 Worktime |




Cairo

IP44 DIM USB solar



74500 Structure Black 50,30€
 Diffuser Transparent
 74501 Structure Sand 50,30€
 Diffuser Transparent

| | |
|---------------------|-----------------------------|
| Material | Structure PC Diffuser PC |
| Power | 2W |
| Lumen Output | 120lm |
| Light Source | SMD LED 2700K |
| Class | III |
| CRI | ≥80 |
| Voltage | 5VDC |
| Battery | 4,5 Charge Max. 6 Worktime |



Solar lamp

outdoor

Portable



Kasp 300

IP65 IK04 DIM solar



71912 ● Structure Black
● Diffuser Transparent 209,20€

Kasp 500

IP65 IK04 DIM solar





71913 ● Structure Black
● Diffuser Transparent 213,30€

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 2,2W |
| Lumen Output | 107lm |
| Light Source | SMD LED 2700/3000K |
| Class | III |
| CRI | >80 |
| Voltage | 5VDC |
| Battery | 6 Charge Max. 10 Worktime |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 2,2W |
| Lumen Output | 128lm |
| Light Source | SMD LED 2700/3000K |
| Class | III |
| CRI | >80 |
| Voltage | 5VDC |
| Battery | 6 Charge Max. 10 Worktime |



Kasp Wall Accessory
71914 ● Black 29,50€
Material Structure Aluminium



USB-C Charger

Solar lamp

outdoor

Portable




Candela
Estudi Ribaudí

IP66 



70790 ● **Structure** Terracotta ● **Diffuser** Opal 265,50€

| | |
|---------------------|--|
| Material | Structure Polystone Diffuser PC |
| Power | 3W |
| Lumen Output | 172lm |
| Light Source | SMD LED 3000K |
| Class | III |
| CRI | ≥80 |
| Voltage | 5VDC/50/60Hz |
| Battery | 10 Charge Max. 6 Worktime |



outdoor

Portable




Mavis 200



| | | |
|-------|---|--------|
| 71920 | ● Structure Matt Black ● Diffuser Transparent | 72,40€ |
| 71921 | ● Structure Matt White ● Diffuser Transparent | 72,40€ |
| 71923 | ● Structure Matt Yellow ● Diffuser Transparent | 72,40€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 2W |
| Lumen Output | 150lm |
| Light Source | SMD LED 2700K |
| Class | III |
| CRI | ≥80 |
| Voltage | 5VDC |
| Beam angle | 180° |
| Battery | 4 Charge Max. 10 Worktime |




Touch lamp

Mavis 360



| | | |
|-------|---|--------|
| 71928 | ● Structure Matt Black ● Diffuser Transparent | 94,50€ |
| 71929 | ● Structure Matt White ● Diffuser Transparent | 94,50€ |
| 71931 | ● Structure Matt Yellow ● Diffuser Transparent | 94,50€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 3W |
| Lumen Output | 225lm |
| Light Source | SMD LED 2700K |
| Class | III |
| CRI | ≥80 |
| Voltage | 5VDC |
| Beam angle | 180° |
| Battery | 4 Charge Max. 10 Worktime |



Touch lamp

outdoor

Portable




Toc 380



- 70775 ● Structure Matt White 157,40€
● Diffuser Opal
- 70776 ● Structure Matt Black 157,40€
● Diffuser Opal
- 70777 ● Structure Matt Grey 157,40€
● Diffuser Opal

| | |
|---------------------|--------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 2W |
| Lumen Output | 180lm |
| Light Source | SMD LED 3000K |
| Class | III |
| Voltage | 5VDC |
| Battery | 5 Charge Max. 9 Worktime |




Touch lamp

Argus




- 70784 ● Structure Dark Grey 200,10€
● Diffuser Transparent

| | |
|---------------------|--------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 2W |
| Lumen Output | 220lm |
| Light Source | SMD LED 3000K |
| Class | III |
| CRI | >80 |
| Voltage | 5VDC |
| Battery | 5 Charge Max. 9 Worktime |



Voila



- 71565 ● Structure Matt Black 64,70€
● Diffuser Opal

| | |
|---------------------|--------------------------|
| Material | Structure ABS |
| | Diffuser PEMD |
| Power | 2W |
| Lumen Output | 50lm |
| Light Source | RGB LED 3000K |
| Class | III |
| Voltage | 5VDC |
| Battery | 4 Charge Max. 7 Worktime |



outdoor

Portable





OUTDOOR


LIGHTING

FLOOR



Nara Floor
Carrasquet

IP65



| | | |
|-----------|---|---------|
| 72103-155 | ● Structure Beige ● Diffuser Opal | 640,00€ |
| 72103-156 | ● Structure Matt Black ● Diffuser Opal | 640,00€ |
| 72103-157 | ● Structure Rust Brown ● Diffuser Opal | 640,00€ |

| | |
|---------------------|------------------------|
| Material | Structure Steel |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 12W |
| Bulb incl. | No |
| Recom. Bulb | 17070 |
| Class | II |
| Cable | 2.5m |



Portable 32 Suspended 274





Saigon 1950 C100
Nahtrang

IP65



| | | |
|----------|---|-----------|
| 71569-10 | ● Structure Dark Grey ● Shade Beige ● Diffuser Opal | 1.084,20€ |
| 71569-12 | ● Structure Dark Grey ● Shade Green ● Diffuser Opal | 1.084,20€ |
| 71569-14 | ● Structure Dark Grey ● Shade Ochre ● Diffuser Opal | 1.084,20€ |

| | |
|---------------------|---|
| Material | Structure Aluminium + Concrete Shade PP Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |

Saigon 1950 C70
Nahtrang

IP65



| | | |
|----------|---|---------|
| 71569-09 | ● Structure Dark Grey ● Shade Beige ● Diffuser Opal | 821,30€ |
| 71569-11 | ● Structure Dark Grey ● Shade Green ● Diffuser Opal | 821,30€ |
| 71569-13 | ● Structure Dark Grey ● Shade Ochre ● Diffuser Opal | 821,30€ |

| | |
|---------------------|--|
| Material | Structure Aluminium Shade PP Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |




Saigon 1200 C70
Nahtrang

IP65



| | | |
|----------|---|---------|
| 71575-09 | ● Structure Dark Grey ● Shade Beige ● Diffuser Opal | 803,90€ |
| 71575-11 | ● Structure Dark Grey ● Shade Green ● Diffuser Opal | 803,90€ |
| 71575-13 | ● Structure Dark Grey ● Shade Ochre ● Diffuser Opal | 803,90€ |

| | |
|---------------------|--|
| Material | Structure Aluminium Shade PP Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |





Saigon 1950 W100
Nahtrang

IP65



71569-08 ● **Structure** Dark Grey
● **Shade** Brown
● **Diffuser** Opal 1.132,10€

Saigon 1950 W70
Nahtrang


IP65



71569-07 ● **Structure** Dark Grey
● **Shade** Brown
● **Diffuser** Opal 838,90€

Saigon 1200 W70
Nahtrang

IP65






71575-07 ● **Structure** Dark Grey
● **Shade** Brown
● **Diffuser** Opal 821,50€

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium + Concrete |
| | Shade Synthetic Wicker |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |

| | |
|---------------------|-------------------------------|
| Material | Structure Aluminium |
| | Shade Synthetic Wicker |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |

| | |
|---------------------|-------------------------------|
| Material | Structure Aluminium |
| | Shade Synthetic Wicker |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |





Saigon 1950 T70
Nahtrang

IP65



| | | |
|----------|---|---------|
| 71569-05 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Cream ● Diffuser Opal | 715,90€ |
| 71569-06 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Brown ● Diffuser Opal | 715,90€ |

Saigon 1200 T70
Nahtrang



IP65



| | | |
|----------|---|---------|
| 71575-05 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Cream ● Diffuser Opal | 698,50€ |
| 71575-06 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Brown ● Diffuser Opal | 698,50€ |

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Shade Textilene |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Shade Textilene |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |



outdoor

Floor



Saigon 2000 R55
Nahtrang

IP65



71569-01 ● Structure Dark Grey
● Shade White 464,20€

Saigon 1150 R55
Nahtrang

IP65



71575-01 ● Structure Dark Grey
● Shade White 446,80€

Saigon 500 R55
Nahtrang

IP65






71576-01 ● Structure Dark Grey
● Shade White 414,60€

| | |
|---------------------|---|
| Material | Structure Aluminium Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |

| | |
|---------------------|---|
| Material | Structure Aluminium Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |

| | |
|---------------------|---|
| Material | Structure Aluminium Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |



Saigon 2100 R45
Nahtrang


IP65



71569-04 ● Structure Dark Grey
● Shade White 417,00€

Saigon 1300 R45
Nahtrang

IP65



71575-04 ● Structure Dark Grey
● Shade White 399,60€

Saigon 670 R45
Nahtrang

IP65






71576-04 ● Structure Dark Grey
● Shade White 367,40€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |



Brot 900 Pole
Yembarastudio

IP65  incl.




71253 ● Structure Black ● Diffuser Opal 281,70€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 2x6W |
| Lumen Output | 2x290lm |
| Light Source | SMD LED 2700K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 80° |



reddot winner 2021



Brot 1800 Pole
Yembarastudio

IP65  incl.




71254 ● Structure Black ● Diffuser Opal 453,70€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 3x6W |
| Lumen Output | 3x290lm |
| Light Source | SMD LED 2700K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 80° |




reddot winner 2021





Brot 900 Portable
Yembarastudio

IP65/44  incl.



71256  **Structure Black**
 **Diffuser Opal** 346,00€

Brot 1800 Portable
Yembarastudio

IP65/44  incl.



71257  **Structure Black**
 **Diffuser Opal** 535,60€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 2x6W |
| Lumen Output | 2x290lm |
| Light Source | SMD LED 2700K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Cable | 1.8m |



| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 3x6W |
| Lumen Output | 3x290lm |
| Light Source | SMD LED 2700K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Cable | 1.8m |



reddot winner 2021



reddot winner 2021



Spike included

outdoor


Floor





75650 ● Structure Grey ● Diffuser Translucent 184,00€

| | |
|---------------------|---------------------------|
| Material | Structure Concrete |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 214,7lm |
| Light Source | LED MODULE 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |




outdoor

Floor



Cadaques
Faro Lab

IP44  incl.





| | | |
|-------|--|----------------|
| 71242 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Beige ● Diffuser Opal | 281,30€ |
| 71243 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Blue ● Diffuser Opal | 281,30€ |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade Textilene |
| | Diffuser PC |
| Power | 18W |
| Lumen Output | 286lm |
| Light Source | SMD LED 2700K |
| Class | II |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Cable | 3m |



| | | |
|--------------------------------------|----------------------|---------------|
| Cadaques 2.5m Cable Accessory | | |
| 71244 | ● Black | 18,50€ |
| Material | Structure PVC | |



Floor fixing accessory included

outdoor

Floor



Gaia
Yembarastudio


IP55 IK06 incl. SEA SIDE SUITABLE IP68 CONNECTOR



| | | |
|-------|-------------------|---------|
| 75564 | ● Structure Beige | 314,10€ |
| 75563 | ● Structure Grey | 314,10€ |



| | |
|---------------------|--------------------|
| Material | Structure Concrete |
| Power | 6W |
| Lumen Output | 214lm |
| Light Source | SMD LED 2700K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



outdoor

Floor



Cuca 500 Beacon
Faro Lab

IP65 IK05  no incl.



75584 ● Structure Black
● Diffuser Opal 131,30€

Cuca 1000 Beacon
Faro Lab

IP65 IK06  no incl.




75588 ● Structure Black
● Diffuser Opal 169,30€

| | |
|---------------------|---------------------------|
| Material | Structure Stainless Steel |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >90 |
| Voltage | 24VDC |
| Cable | 0.5m |

| | |
|---------------------|---------------------------|
| Material | Structure Stainless Steel |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >90 |
| Voltage | 24VDC |
| Cable | 0.5m |

*Drivers info pag. 478


*Drivers info pag. 478





Cuca 300 24V
Faro Lab


IP65 IK06 no incl.



75580 ● Structure Black
● Diffuser Opal 127,50€

Cuca 650 24V
Faro Lab

IP65 IK06 no incl.



75558 ● Structure Black
● Diffuser Opal 170,30€

Cuca 1193 24V
Faro Lab

IP65 IK06 no incl.



75559 ● Structure Black
● Diffuser Opal 190,90€

| | |
|---------------------|---------------------------|
| Material | Structure Stainless Steel |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >90 |
| Voltage | 24VDC |
| Cable | 0.5m |




*Drivers info pag. 478

| | |
|---------------------|---------------------------|
| Material | Structure Stainless Steel |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >90 |
| Voltage | 24VDC |
| Voltage | 24V |
| Cable | 0.5m |

*Drivers info pag. 478

| | |
|---------------------|---------------------------|
| Material | Structure Stainless Steel |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >90 |
| Voltage | 24VDC |
| Voltage | 24V |
| Cable | 0.5m |

*Drivers info pag. 478




outdoor

Floor



Lily 300 24V
Faro Lab

IP65 IK06  no incl.



75620 ● Structure Black
● Diffuser Transparent 128,80€

Lily 650 24V
Faro Lab

IP65 IK06  no incl.



75621 ● Structure Black
● Diffuser Transparent 173,00€

Lily 1190 24V
Faro Lab

IP65 IK06  no incl.



75622 ● Structure Black
● Diffuser Transparent 202,40€

| | |
|---------------------|---------------------------|
| Material | Structure Stainless Steel |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >90 |
| Voltage | 24VDC |
| Cable | 0.5m |




| | |
|---------------------|---------------------------|
| Material | Structure Stainless Steel |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >90 |
| Voltage | 24VDC |
| Cable | 0.5m |

| | |
|---------------------|---------------------------|
| Material | Structure Stainless Steel |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >90 |
| Voltage | 24VDC |
| Cable | 0.5m |

*Drivers info pag. 478

*Drivers info pag. 478

*Drivers info pag. 478



outdoor

Floor



Grot 400
Faro Lab

IP55 IK06 incl. SEA SIDE SUITABLE IP68 CONNECTOR



| | | |
|-----------------------------|------------------|----------------|
| 75631 2700K 77lm | ● Structure Grey | 300,20€ |
| 75634 3000K 110lm | ● Structure Grey | 300,20€ |

Grot 700
Faro Lab



IP55 IK06 incl. SEA SIDE SUITABLE IP68 CONNECTOR



| | | |
|-----------------------------|------------------|----------------|
| 75632 2700K 77lm | ● Structure Grey | 376,20€ |
| 75635 3000K 110lm | ● Structure Grey | 376,20€ |

| | |
|---------------------|--------------------|
| Material | Structure Concrete |
| | Diffuser Glass |
| Power | 6,5W |
| Light Source | SMD LED |
| Class | II |
| CRI | ≥80 |
| Voltage | 100V-277V/50/60Hz |

| | |
|---------------------|--------------------|
| Material | Structure Concrete |
| | Diffuser Glass |
| Power | 6,5W |
| Light Source | SMD LED |
| Class | II |
| CRI | ≥80 |
| Voltage | 100V-277V/50/60Hz |



outdoor

Floor




Cerler 350

IP65 IK07 incl. DIM




| | | |
|-------|--|---------|
| 71940 | ● Structure Dark Grey ● Diffuser Transparent | 174,10€ |
| 71941 | ● Structure Rust Brown ● Diffuser Transparent | 174,10€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 9W |
| Lumen Output | 427lm |
| Light Source | SMD LED 2200/ 2700/ 3200/ 4000K |
| Class | I |
| CRI | ≥80 |
| Voltage | 220V-240V |




Cerler 600

IP65 IK07 incl. DIM




| | | |
|-------|--|---------|
| 71942 | ● Structure Dark Grey ● Diffuser Transparent | 221,40€ |
| 71943 | ● Structure Rust Brown ● Diffuser Transparent | 221,40€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 9W |
| Lumen Output | 427lm |
| Light Source | SMD LED 2200/ 2700/ 3200/ 4000K |
| Class | I |
| CRI | ≥80 |
| Voltage | 220V-240V |




Til

IP65 IK08 no incl.



| | | |
|-------|--|---------|
| 70938 | ● Structure Black ● Diffuser Transparent | 154,40€ |
| 70939 | ● Structure Rust Brown ● Diffuser Transparent | 154,40€ |

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Power | 3W |
| Lumen Output | 77lm |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >90 |
| Voltage | 24VDC |



outdoor

Floor



Balic Yembarastudio

IP65 IK06 incl. DIM



70295 ● Structure Black
● Diffuser Prism 219,60€

Bezel

IP65 IK06 incl. IP68 CONNECTOR



70247 ● Structure Matt Black
● Diffuser Transparent 173,00€

Bast

IP65 IK10 incl.



70292 ● Structure Black
● Diffuser Transparent 436,80€

| | |
|---------------------|---------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 8W |
| Lumen Output | 813/870/896lm |
| Light Source | SMD LED 2700/ 3000/ 4000K |
| Class | I |
| CRI | ≥80 |
| Voltage | 220V-240V/50/60Hz |


| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 8W |
| Lumen Output | 349lm |
| Light Source | COB LED 2700K |
| Class | I |
| CRI | 90 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 118,3° |

| | |
|---------------------|--------------------------|
| Material | Structure Aluminium + PC |
| | Diffuser PC |
| Power | 25W |
| Lumen Output | 756lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 120° |

*Choose its color temperature by pressing CCT changeable button during the installation.



Bast 180° Accessory
70293 ● Black 31,00€
Material Structure Aluminium





Lotus 350
Estudi Ribaudí

IP65 IK08 incl.



71224 ● **Structure** Dark Grey
● **Diffuser** Opal 232,90€

Lotus 650
Estudi Ribaudí



IP65 IK08 incl.



71225 ● **Structure** Dark Grey
● **Diffuser** Opal 287,80€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 18W |
| Lumen Output | 1120lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 18W |
| Lumen Output | 1120lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |





Gina

IP44



71352 ● **Structure** Dark Grey
● **Diffuser** Transparent 127,70€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Light Source | 1 GU10 LED max. 5W |
| Bulb incl. | No |
| Recom. Bulb | 17334 |
| Class | I |

Chandra

IP54

IK06




72298 ● **Structure** Dark Grey
● **Diffuser** Opal 166,10€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 7W |
| Lumen Output | 304lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |



Wall
348




outdoor

Floor



Hybrid energy for maximum efficiency

Luma features a hybrid system that seamlessly integrates solar energy with mains electricity. During the day, it recharges via its solar panel; when the battery runs low, the electrical grid takes over—without any interruption. It can also be configured to operate in solar-only mode, completely cable-free, making it ideal for reducing energy consumption and simplifying installation.



HYBRID
SOLAR+CABLE

outdoor

Floor



LUMA Faro Lab



Smart motion sensor

Luma's motion sensor offers three modes: permanent on, total off, or 20% light that ramps up to 100% when motion is detected. An intelligent system that enhances comfort, reduces consumption, and extends battery life.



A sustainable savings option
Luma optimizes every resource: solar energy to reduce consumption, advanced optics to maximize performance, and a wireless operation that simplifies installation. Technology, design, and sustainability—all in service of efficiency.



Every detail matters
The top features a subtle tilt that prevents water from pooling on the solar panel, ensuring better performance and a longer lifespan. This thoughtful detail also optimizes the solar capture angle, boosting charging efficiency and supporting more sustainable operation.

Luma 300
Faro Lab

IP65 IK06 SEA SIDE SUITABLE PIR solar



74457 ● Structure Dark Grey
● Diffuser Transparent 259,00€

Luma 600
Faro Lab



IP65 IK06 SEA SIDE SUITABLE PIR solar



74458 ● Structure Dark Grey
● Diffuser Transparent 301,50€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 5W |
| Lumen Output | 525,5lm |
| Light Source | LED MODULE 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 120° |
| Battery | 4/6 Charge |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 5W |
| Lumen Output | 525,5lm |
| Light Source | LED MODULE 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 120° |
| Battery | 4/6 Charge |






Klamp
Àlex & Manel Lluscà

IP44



74411 ● **Structure** Dark Grey
● **Diffuser** Opal 200,90€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



Soleil


IP54

IK07



70785 ● **Structure** Dark Grey
● **Diffuser** Opal 204,90€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 2W |
| Lumen Output | 157lm |
| Light Source | SMD LED 3000K |
| Class | III |
| CRI | >80 |
| Battery | 7 Charge Max. 3 Worktime |



Solar lamp

outdoor

Floor




Cast 300

IP65 IK06  incl.



74155 **Structure** Grey
 Diffuser Opal 281,50€

| | |
|---------------------|---------------------------|
| Material | Structure Concrete |
| | Diffuser PC |
| Power | 10W |
| Lumen Output | 550lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |




Cast 500

IP65 IK06  incl.



74156 **Structure** Grey
 Diffuser Opal 375,50€


| | |
|---------------------|---------------------------|
| Material | Structure Concrete |
| | Diffuser PC |
| Power | 10W |
| Lumen Output | 550lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |





Brot 200
Yembarastudio

IP65  incl. IP68 CONNECTOR



75572 **Structure** Black
 Diffuser Opal 110,80€


| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 7W |
| Lumen Output | 290lm |
| Light Source | SMD LED 2700K |
| Class | II |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 80° |
| Cable | 2m |



reddot winner 2021



Spike
214



Brot 600
Yembarastudio

IP65  incl. IP68 CONNECTOR



75573 **Structure** Black
 Diffuser Opal 118,80€


| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 7W |
| Lumen Output | 290lm |
| Light Source | SMD LED 2700K |
| Class | II |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 80° |
| Cable | 2m |



reddot winner 2021



Spike
214



outdoor

Floor



Clap
6W



FINISH

White

● Black

● Rust
Brown

COLOR TEMPERATURE

2700K CRI80

3000K CRI80

BEAM ANGLE



15°



24°



38°

ACCESSORIES




Beacon 512



Beacon 1266




Indirect Light Plate
ø310



Indirect Light Plate
ø400



Visor



24V Power Supply

With pure design and minimal structures, this family offers both direct and indirect lighting in its various versions, transforming every corner of the outdoor spaces. This lighting system offers great flexibility for project design thanks to its diverse categories: from stakes to beacons, pendant lights, or wall sconces, all with a distinctive and refined aesthetic. The indirect lighting of some versions provides high visual comfort and prevents glare, while eliminating light pollution and highlighting the surrounding vegetation.




CLAP
Faro Lab

CLAP

Projector

IP65 no incl. DIM 360° 360°

| | |
|--------------|---------------------|
| Material | Structure Aluminium |
| Power | 6W |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >80 |
| Voltage | 24VDC |
| Cable | 2m |



| Family | Finish | Color T | Beam Angle |
|-----------------------|--------------|---------|------------|
| 75702- Clap Projector | 2 Black | 2 2700K | 1 15° |
| | 3 White | 3 3000K | 2 24° |
| | 4 Rust Brown | | 3 38° |
| | | | |

| | | |
|--|--|--|
| <p>15° COB LED 6W CRI>80 481lm 2700K COB LED 6W CRI>80 496lm 3000K</p> | <p>24° COB LED 6W CRI>80 553lm 2700K COB LED 6W CRI>80 570lm 3000K</p> | <p>38° COB LED 6W CRI>80 508lm 2700K COB LED 6W CRI>80 524lm 3000K</p> |
|--|--|--|


Visor Accessory

Optional drivers *Remote drivers



| | | |
|---------|------------------------|-------|
| 75714-2 | ● Structure Black | 5,50€ |
| 75714-4 | ● Structure Rust Brown | 5,50€ |

| | | |
|-------------------|------------------------|----------|
| 24VDC 6W 220/240V | 1-5 units on/off IP67 | 98324026 |
| | 1-15 units on/off IP67 | 98324099 |




CLAP

Beacon accessories 512 / 1266



Example: 75702-223 + 75704-2
Clap projector black 2700K 38° + beacon 630

Beacon 512 *use with x2 projectors max.



Example: 75702-223 x2 + 75705-2
Clap projector black 2700K 38° + beacon 1266


Beacon 1266 *use with x3 projectors max.



75704-2 ● Black

139,40€

Beacon 630



75707-2 ● Black

88,70€


Shade 310



75705-2 ● Black

157,20€


Beacon 1266



75706-2 ● Black

91,10€

Shade 400



Spy 145

IP65 incl. 



70782 **Structure** Dark Grey
 Diffuser Opal 109,90€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 6W |
| Lumen Output | 470lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 30° |



Spy 435

IP65 incl. 



70783 **Structure** Dark Grey
 Diffuser Opal 142,80€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 6W |
| Lumen Output | 470lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 30° |





Glint 157
Faro Lab

IP55

IK06



SEA SIDE
SUITABLE

IP68
CONNECTOR



| | | |
|-------------------------------|------------------|----------------|
| 75636 2700K 68lm | ● Structure Grey | 193,70€ |
| 75639 3000K 97lm | ● Structure Grey | 193,70€ |

Glint 400
Faro Lab

IP55

IK06



SEA SIDE
SUITABLE

IP68
CONNECTOR



| | | |
|-------------------------------|------------------|----------------|
| 75637 2700K 68lm | ● Structure Grey | 300,20€ |
| 75640 3000K 97lm | ● Structure Grey | 300,20€ |

Glint 700
Faro Lab

IP55

IK06



SEA SIDE
SUITABLE

IP68
CONNECTOR






| | | |
|-------------------------------|------------------|----------------|
| 75638 2700K 68lm | ● Structure Grey | 376,20€ |
| 75641 3000K 97lm | ● Structure Grey | 376,20€ |

| | |
|---------------------|--------------------|
| Material | Structure Concrete |
| | Diffuser Glass |
| Power | 6,5W |
| Light Source | SMD LED |
| Class | II |
| CRI | ≥80 |
| Voltage | 100V-277V/50/60Hz |

| | |
|---------------------|--------------------|
| Material | Structure Concrete |
| | Diffuser Glass |
| Power | 6,5W |
| Light Source | SMD LED |
| Class | II |
| CRI | ≥80 |
| Voltage | 100V-277V/50/60Hz |

| | |
|---------------------|--------------------|
| Material | Structure Concrete |
| | Diffuser Glass |
| Power | 6,5W |
| Light Source | SMD LED |
| Class | II |
| CRI | ≥80 |
| Voltage | 100V-277V/50/60Hz |





Totem 285
Roger Vancells

IP55 IK06 incl. SEA SIDE SUITABLE IP68 CONNECTOR




| | | |
|-----------------------------|------------------|----------------|
| 75550 2700K 254lm | ● Structure Grey | 297,50€ |
| 75551 3000K 370lm | ● Structure Grey | 297,50€ |

| | |
|---------------------|--------------------|
| Material | Structure Concrete |
| Power | 6,5W |
| Light Source | SMD LED |
| Class | II |
| CRI | ≥80 |
| Voltage | 220V-240V/50/60Hz |



reddot winner 2023



Totem 611
Roger Vancells

IP55 IK06 incl. SEA SIDE SUITABLE IP68 CONNECTOR




| | | |
|-----------------------------|------------------|----------------|
| 75552 2700K 307lm | ● Structure Grey | 385,80€ |
| 75553 3000K 370lm | ● Structure Grey | 385,80€ |

| | |
|---------------------|--------------------|
| Material | Structure Concrete |
| Power | 6,5W |
| Light Source | SMD LED |
| Class | II |
| CRI | ≥80 |
| Voltage | 220V-240V/50/60Hz |



reddot winner 2023





Alp 500

IP54  incl.



74451 **Structure** Dark Grey
 Diffuser Opal 184,00€

Alp 800



IP54  incl.



74452 **Structure** Dark Grey
 Diffuser Opal 218,40€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 7W |
| Lumen Output | 502lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 180° |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 8W |
| Lumen Output | 520lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 180° |





Das 300

IP54 IK09  incl.



75519 ● **Structure** Dark Grey
● **Diffuser** Transparent 172,20€

Das 650



IP54 IK09  incl.



75520 ● **Structure** Dark Grey
● **Diffuser** Transparent 201,30€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 8W |
| Lumen Output | 480lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 180° |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 8W |
| Lumen Output | 480lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 180° |





Sticker
Lucid Product Design


IP55 IK10 incl.



75541 ● Structure Dark Grey
● Diffuser Opal 256,10€

Nanda 500

IP54 incl.



71216 ● Structure Dark Grey
● Diffuser Opal 159,40€

Nanda 800

IP54 incl.



71217 ● Structure Dark Grey
● Diffuser Opal 208,70€




| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 10W |
| Lumen Output | 889lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 12W |
| Lumen Output | 962lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 12W |
| Lumen Output | 962lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |



Wall
362






Pilo

IP65 IK06 incl. SEA SIDE SUITABLE



| | | |
|-----------------------------|-------------------------|----------------|
| 75595 2700K 242lm | ● Structure Grey | 262,30€ |
| 75596 3000K 370lm | ● Structure Grey | 262,30€ |

| | |
|---------------------|---------------------------|
| Material | Structure Concrete |
| Power | 6W |
| Light Source | SMD LED |
| Class | II |
| CRI | ≥80 |
| Voltage | 220V-240V/50/60Hz |



outdoor

Floor




Agra 200

IP65 IK08 incl.



| | | |
|-----------------------------|---|----------------|
| 70755 3000K 499lm | ● Structure Dark Grey ● Diffuser Transparent | 180,80€ |
| 70756 3000K 499lm | ● Structure Brown ● Diffuser Transparent | 180,80€ |
| 70840 2700K 350lm | ● Structure Dark Grey ● Diffuser Transparent | 180,80€ |
| 70841 2700K 350lm | ● Structure Brown ● Diffuser Transparent | 180,80€ |

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Power | 9W |
| Light Source | COB LED |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |




Agra 650

IP65 IK08 incl.



| | | |
|-----------------------------|---|----------------|
| 70753 3000K 710lm | ● Structure Dark Grey ● Diffuser Transparent | 248,30€ |
| 70754 3000K 710lm | ● Structure Brown ● Diffuser Transparent | 248,30€ |
| 70842 2700K 503lm | ● Structure Dark Grey ● Diffuser Transparent | 248,30€ |
| 70843 2700K 503lm | ● Structure Brown ● Diffuser Transparent | 248,30€ |

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Power | 9W |
| Light Source | COB LED |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |



outdoor

Floor




Saura



70774 ● Structure Dark Grey 177,60€
 ● Diffuser Opal

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 2W |
| Lumen Output | 225lm |
| Light Source | SMD LED 3000K |
| Class | III |
| CRI | >80 |
| Beam angle | 180° |
| Battery | 8 Charge Max. 2,5 Worktime |



Spike accessory included



Solar lamp

outdoor

Floor



Naya 200

IP54  incl.



71198 **Structure** Dark Grey
 Diffuser Transparent 118,20€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 8W |
| Lumen Output | 160lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 120° |




Naya 500

IP54  incl.



71199 **Structure** Dark Grey
 Diffuser Transparent 156,00€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 8W |
| Lumen Output | 160lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 120° |



outdoor

Floor



Bu-Oh 265
Estudi Ribaudí

IP65  incl.



71213  **Structure** Dark Grey
 **Diffuser** Opal 217,30€

Bu-Oh 560
Estudi Ribaudí




IP65  incl.



71214  **Structure** Dark Grey
 **Diffuser** Opal 282,30€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 12W |
| Lumen Output | 622lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 12W |
| Lumen Output | 622lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |




outdoor

Floor




Espot 350



| | | |
|-------|--|---------|
| 71946 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Diffuser Transparent | 178,60€ |
| 71947 | <ul style="list-style-type: none"> ● Structure Rust Brown ● Diffuser Transparent | 178,60€ |

| | |
|---------------------|---------------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 9W |
| Lumen Output | 1036lm |
| Light Source | SMD LED 2200/ 2700/ 3200/ 4000K |
| Class | I |
| CRI | ≥80 |
| Voltage | 220V-240V |
| Beam angle | 180° |




Espot 600



| | | |
|-------|--|---------|
| 71948 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Diffuser Transparent | 205,50€ |
| 71949 | <ul style="list-style-type: none"> ● Structure Rust Brown ● Diffuser Transparent | 205,50€ |

| | |
|---------------------|---------------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 9W |
| Lumen Output | 1036lm |
| Light Source | SMD LED 2200/ 2700/ 3200/ 4000K |
| Class | I |
| CRI | ≥80 |
| Voltage | 220V-240V |
| Beam angle | 180° |



outdoor


Floor



Block 350

Àlex & Manel Llusçà

IP65 IK06 SEA SIDE SUITABLE



| | | |
|------------------|-------------------------------------|---------|
| 74141 | ● Structure Grey ● Diffuser Opal | 306,90€ |
| 74144 NEW | ● Structure Sand ● Diffuser Opal | 306,90€ |

| | |
|---------------------|--------------------------------------|
| Material | Structure Concrete Diffuser Glass |
| Light Source | 1 E27 LED G45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |

Block 700

Àlex & Manel Llusçà

IP65 IK06 SEA SIDE SUITABLE





| | | |
|------------------|-------------------------------------|---------|
| 74142 | ● Structure Grey ● Diffuser Opal | 418,70€ |
| 74146 NEW | ● Structure Sand ● Diffuser Opal | 418,70€ |

| | |
|---------------------|--------------------------------------|
| Material | Structure Concrete Diffuser Glass |
| Light Source | 1 E27 LED G45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



Wall
382





Tura 650

IP65 IK06  incl.



75545  **Structure** Dark Grey
 **Diffuser** Translucent 237,40€

Tura 1050



IP65 IK06  incl.



75546  **Structure** Dark Grey
 **Diffuser** Translucent 310,80€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 20W |
| Lumen Output | 1745lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | 90 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 280° |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 28W |
| Lumen Output | 3036lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | 90 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 280° |





Beret 500

IP54 IK04  incl.



75522  **Structure** Dark Grey
 **Diffuser** Opal 152,80€

Beret 900

IP54 IK04  incl.





75523  **Structure** Dark Grey
 **Diffuser** Opal 177,20€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 8W |
| Lumen Output | 526lm |
| Light Source | SMD LED 4000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 8W |
| Lumen Output | 526lm |
| Light Source | SMD LED 4000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |



Pole
162






Shelby 330
Conillas

IP65  incl.



75537  **Structure** Dark Grey
 **Diffuser** Transparent 210,00€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 10W |
| Lumen Output | 758lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |




Shelby 630
Conillas

IP65  incl.



75538  **Structure** Dark Grey
 **Diffuser** Transparent 237,80€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 10W |
| Lumen Output | 758lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |



outdoor

Floor



Shadow 250
Àlex & Manel Llusçà

IP65 IK08 incl.



72311 ● **Structure** Dark Grey
● **Diffuser** Opal 299,10€

Shadow 450
Àlex & Manel Llusçà



IP65 IK08 incl.



72312 ● **Structure** Dark Grey
● **Diffuser** Opal 347,80€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 11W |
| Lumen Output | 301lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 11W |
| Lumen Output | 516lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |





Twist 300
Estudi Ribaudí

IP65  incl.



71286 **Structure** Dark Grey
 Diffuser Opal 177,10€

Twist 500
Estudi Ribaudí



IP65  incl.



71287 **Structure** Dark Grey
 Diffuser Opal 214,30€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 10W |
| Lumen Output | 527lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 10W |
| Lumen Output | 527lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |



outdoor

Floor



Tram 630
Estudi Ribaudí

IP65



75531 ● Structure Dark Grey
● Diffuser Opal 153,60€

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |




Onze

IP54 IK05



70761 ● Structure Dark Grey
● Diffuser Opal 159,50€

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Light Source | 1 E27 LED T45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17437 |
| Class | I |



Datna 300
Àlex & Manel Llusçà

IP44 IK08



74441 ● **Structure** Dark Grey
● **Diffuser** Opal 131,80€

Datna 600
Àlex & Manel Llusçà



IP44 IK08



74442 ● **Structure** Dark Grey
● **Diffuser** Opal 179,80€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



Kila 400

IP65



| | | |
|-------|---|---------|
| 71746 | ● Structure Dark Grey ● Diffuser Transparent | 230,00€ |
| 71747 | ● Structure Dark Grey ● Diffuser Smoked | 248,50€ |
| 71748 | ● Structure Dark Grey ● Diffuser Amber | 248,50€ |


| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



Ceiling
310



Wall
392




Kila 700

IP65



| | | |
|-------|---|---------|
| 71749 | ● Structure Dark Grey ● Diffuser Transparent | 294,00€ |
| 71750 | ● Structure Dark Grey ● Diffuser Smoked | 312,50€ |
| 71751 | ● Structure Dark Grey ● Diffuser Amber | 312,50€ |

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |





Plim 1

IP65  incl.



71299 ● **Structure** Dark Grey
● **Diffuser** Transparent 152,50€

Plim 2

IP65  incl.



71300 ● **Structure** Dark Grey
● **Diffuser** Opal 152,50€

Plim 3

IP65  incl.






71301 ● **Structure** Dark Grey
● **Diffuser** Transparent 152,50€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 10W |
| Lumen Output | 508lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 10W |
| Lumen Output | 400lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 10W |
| Lumen Output | 478lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |



outdoor

Floor



Logar 650

IP54 IK10  incl.



75605 **Structure** Dark Grey
 Diffuser Opal 188,20€

Logar 900



IP54 IK10  incl.



75606 **Structure** Dark Grey
 Diffuser Opal 282,70€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 12W |
| Lumen Output | 515lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 23W |
| Lumen Output | 1340lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |




Giza 265

IP54 IK05  incl.



70767 **Structure** Dark Grey
 Diffuser Opal 192,90€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 15W |
| Lumen Output | 645lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |




Giza 650

IP54 IK05  incl.



70768 **Structure** Dark Grey
 Diffuser Opal 243,70€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 15W |
| Lumen Output | 645lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |



Muffin 559
Àlex & Manel Llusçà

IP44



74434B-04 ● **Structure** Dark Grey
● **Diffuser** Opal 133,10€

Mistu 600
Faro Lab




IP44



74434B-02 ● **Structure** Dark Grey
● **Diffuser** Opal 119,40€

| | |
|---------------------|--|
| Material | Structure Aluminium Diffuser PMMA |
| Light Source | 1 E27 LED T45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17437 |
| Class | I |

| | |
|---------------------|--|
| Material | Structure Aluminium Diffuser PMMA |
| Light Source | 1 E27 LED T45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17437 |
| Class | I |




Muffin 259
Àlex & Manel Llusçà

IP44



74433S-04 ● **Structure** Dark Grey
● **Diffuser** Opal 106,90€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Light Source | 1 E27 LED T45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17437 |
| Class | I |





Mistu 310
Faro Lab

IP44



74433S-02 ● **Structure** Dark Grey
● **Diffuser** Opal 93,20€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Light Source | 1 E27 LED T45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17437 |
| Class | I |



Mila

IP65  incl.



70771 **Structure** Dark Grey
 Diffuser Opal 306,30€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 13W |
| Lumen Output | 962lm |
| Light Source | SMD LED 4000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |




Nala

IP54



70772 **Structure** Dark Grey
 Diffuser Transparent 192,90€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |





Sete

IP54

IK04



Surat

IP54

Mauren

IP44

SEA SIDE
SUITABLE



75521 ● **Structure** Dark Grey
● **Diffuser** Opal 225,80€



72310 ● **Structure** Dark Grey
● **Diffuser** Translucent 100,70€





70993 ● **Structure** Brass
● **Diffuser** Translucent 160,20€

| | |
|---------------------|--|
| Material | Structure Aluminium Diffuser PC |
| Power | 6W |
| Lumen Output | 220lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |

| | |
|---------------------|---|
| Material | Structure Brass Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



outdoor

Floor



Noboru

IP65 IK08  incl.



70576 **Structure** Dark Grey
 Diffuser Transparent 204,80€

Noboru Slim



IP67 IK08  45°



70837 **Structure** Dark Grey
 Diffuser Transparent 99,50€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 16W |
| Lumen Output | 690lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50Hz |
| Beam angle | 36° |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Light Source | 1 GU10 LED max. 8W |
| Bulb incl. | No |
| Recom. Bulb | 17334 |
| Class | I |



outdoor

Floor



Loth 1L


IP67 IK10 incl.



70285 ● Structure Matt Black
● Diffuser Opal 122,80€

Loth 2L


IP67 IK10 incl.



70286 ● Structure Matt Black
● Diffuser Opal 134,00€

Loth 4L

IP67 IK10 incl.




70287 ● Structure Matt Black
● Diffuser Opal 150,80€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 6W |
| Lumen Output | 210lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Resistance | 2000Kg |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 11,5W |
| Lumen Output | 406lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Resistance | 2000Kg |


| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 13,5W |
| Lumen Output | 472lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Resistance | 2000Kg |





Keenan 1

IP67 IK08 no incl. SEA SIDE SUITABLE



| | | |
|-------|---|--------|
| 70546 | ● Structure Matt Nickel ● Diffuser Transparent | 43,40€ |
| 70564 | ● Structure Matt Nickel ● Diffuser Transparent | 43,40€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 0,5W |
| Lumen Output | 9,3lm |
| Light Source | SMD LED 6500K |
| Class | III |
| CRI | >80 |
| Voltage | 12VDC |



Keenan 1

IP67 IK08 no incl. SEA SIDE SUITABLE



| | | |
|-------|---|--------|
| 70546 | ● Structure Matt Nickel ● Diffuser Transparent | 43,40€ |
| 70564 | ● Structure Matt Nickel ● Diffuser Transparent | 43,40€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 0,5W |
| Lumen Output | 9,3lm |
| Light Source | SMD LED 6500K |
| Class | III |
| CRI | >80 |
| Voltage | 12VDC |



outdoor

Floor




Tura 2050

IP65 IK06 incl.



75547 **Structure** Dark Grey
Diffuser Translucent 759,90€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 48W |
| Lumen Output | 4784lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | 90 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 280° |





Tram 2500 Estudi Ribaudí

IP55 IK05 incl.



75532 **Structure** Dark Grey
Diffuser Opal 798,80€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 40W |
| Lumen Output | 3000lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |





Bu-Oh 2500
Estudi Ribaudí

IP65  incl.



71209 ● Structure Dark Grey
● Diffuser Opal 919,60€

Beret 1800

IP54 IK04  incl.



75524 ● Structure Dark Grey
● Diffuser Opal 336,40€

Plaza

IP54 IK10  incl.



75607 ● Structure Dark Grey
● Diffuser Transparent 603,20€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 42W |
| Lumen Output | 3200lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 12W |
| Lumen Output | 1054lm |
| Light Source | SMD LED 4000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |


| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 24W |
| Lumen Output | 1120lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |




Beacon
122



Wall
358



Beacon
130



outdoor

Floor



Blubs 2L
Estudi Ribaudí

IP44



74435F2-03 ● Structure Dark Grey
● Diffuser Opal 556,40€

Blubs 3L
Estudi Ribaudí



IP44



74436F3-03 ● Structure Dark Grey
● Diffuser Opal 650,40€

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Light Source | 2 E27 LED T45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17437 |
| Class | I |

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Light Source | 3 E27 LED T45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17437 |
| Class | I |



outdoor

Floor



Muffin 2L

Àlex & Manel Lluscà

IP44



74435F2-04 ● **Structure** Dark Grey
● **Diffuser** Opal 538,60€

Muffin 3L

Àlex & Manel Lluscà



IP44



74436F3-04 ● **Structure** Dark Grey
● **Diffuser** Opal 623,70€

| | |
|---------------------|--|
| Material | Structure Aluminium Diffuser PMMA |
| Light Source | 2 E27 LED T45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17437 |
| Class | I |

| | |
|---------------------|--|
| Material | Structure Aluminium Diffuser PMMA |
| Light Source | 3 E27 LED T45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17437 |
| Class | I |



Nautica 1L

IP33



71116 ● Structure Rust Brown
● Diffuser Transparent 591,80€

Nautica 2L

IP33



71117 ● Structure Rust Brown
● Diffuser Transparent 750,50€

Nautica 3L

IP33



71118 ● Structure Rust Brown
● Diffuser Transparent 869,90€

| | |
|---------------------|------------------------|
| Material | Structure Steel |
| | Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |

| | |
|---------------------|------------------------|
| Material | Structure Steel |
| | Diffuser Glass |
| Light Source | 2 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |




| | |
|---------------------|------------------------|
| Material | Structure Steel |
| | Diffuser Glass |
| Light Source | 3 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



Suspended
292




Wall
398



outdoor

Floor





FINISH

● Dark Grey

COLOR TEMPERATURE

2700K CRI90

3000K CRI90

4000K CRI90

BEAM ANGLE

180°

360°

360° WIDE



Rush 250



Estudi Ribaudí

IP65  CRI90 IK10  Driver incl. optional optional  CASAMBI 

Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 14W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

| | Power | Light Source | CCT | Lumen Output | Voltage (V/Hz) | Lens | |
|---------|-------|--------------|---------|--------------|-------------------|-----------|---------|
| 750000 | 14W | 868lm | COB LED | 2700K | 100V-240V/50/60Hz | 360° | 393,30€ |
| 750000C | 14W | 868lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 511,90€ |
| 750000D | 14W | 868lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 442,10€ |
| 750001 | 14W | 1016lm | COB LED | 2700K | 100V-240V/50/60Hz | 360 WIDE° | 393,30€ |
| 750001C | 14W | 1016lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 511,90€ |
| 750001D | 14W | 1016lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 442,10€ |
| 750002 | 14W | 961lm | COB LED | 2700K | 100V-240V/50/60Hz | 180° | 403,00€ |
| 750002C | 14W | 961lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 521,50€ |
| 750002D | 14W | 961lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 451,70€ |
| 750010 | 14W | 895lm | COB LED | 3000K | 100V-240V/50/60Hz | 360° | 393,30€ |
| 750010C | 14W | 895lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 511,90€ |
| 750010D | 14W | 895lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 442,10€ |
| 750011 | 14W | 1191lm | COB LED | 3000K | 100V-240V/50/60Hz | 360 WIDE° | 393,30€ |
| 750011C | 14W | 1047lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 511,90€ |
| 750011D | 14W | 1047lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 442,10€ |
| 750012 | 14W | 1004lm | COB LED | 3000K | 100V-240V/50/60Hz | 180° | 403,00€ |
| 750012C | 14W | 991lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 521,50€ |
| 750012D | 14W | 991lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 451,70€ |
| 750020 | 14W | 922lm | COB LED | 4000K | 100V-240V/50/60Hz | 360° | 393,30€ |
| 750020C | 14W | 922lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 511,90€ |
| 750020D | 14W | 922lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 442,10€ |
| 750021 | 14W | 1078lm | COB LED | 4000K | 100V-240V/50/60Hz | 360 WIDE° | 393,30€ |
| 750021C | 14W | 1078lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 511,90€ |
| 750021D | 14W | 1078lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 442,10€ |
| 750022 | 14W | 1021lm | COB LED | 4000K | 100V-240V/50/60Hz | 180° | 403,00€ |
| 750022C | 14W | 1021lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 521,50€ |
| 750022D | 14W | 1021lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 451,70€ |



outdoor

Floor



Rush 800



Estudi Ribaudí

IP65  CRI90 IK10  Driver incl. optional optional  CASAMBI

Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 20W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

| | Power | Light Source | CCT | Lumen Output | Voltage (V/Hz) | Lens | |
|---------|-------|--------------|---------|--------------|-------------------|-----------|---------|
| 750100 | 20W | 1185lm | COB LED | 2700K | 100V-240V/50/60Hz | 360° | 542,10€ |
| 750100C | 20W | 1185lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 661,60€ |
| 750100D | 20W | 1185lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 591,60€ |
| 750101 | 20W | 1476lm | COB LED | 2700K | 100V-240V/50/60Hz | 360 WIDE° | 542,10€ |
| 750101C | 20W | 1476lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 661,60€ |
| 750101D | 20W | 1476lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 591,60€ |
| 750102 | 20W | 1343lm | COB LED | 2700K | 100V-240V/50/60Hz | 180° | 551,70€ |
| 750102C | 20W | 1343lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 670,90€ |
| 750102D | 20W | 1343lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 601,40€ |
| 750110 | 20W | 1222lm | COB LED | 3000K | 100V-240V/50/60Hz | 360° | 542,10€ |
| 750110C | 20W | 1222lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 661,60€ |
| 750110D | 20W | 1222lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 591,60€ |
| 750111 | 20W | 1647lm | COB LED | 3000K | 100V-240V/50/60Hz | 360 WIDE° | 542,10€ |
| 750111C | 20W | 1522lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 661,60€ |
| 750111D | 20W | 1522lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 591,60€ |
| 750112 | 20W | 1422lm | COB LED | 3000K | 100V-240V/50/60Hz | 180° | 551,70€ |
| 750112C | 20W | 1385lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 670,90€ |
| 750112D | 20W | 1385lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 601,40€ |
| 750120 | 20W | 1259lm | COB LED | 4000K | 100V-240V/50/60Hz | 360° | 542,10€ |
| 750120C | 20W | 1259lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 661,60€ |
| 750120D | 20W | 1259lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 591,60€ |
| 750121 | 20W | 1568lm | COB LED | 4000K | 100V-240V/50/60Hz | 360 WIDE° | 542,10€ |
| 750121C | 20W | 1568lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 661,60€ |
| 750121D | 20W | 1568lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 591,60€ |
| 750122 | 20W | 1427lm | COB LED | 4000K | 100V-240V/50/60Hz | 180° | 551,70€ |
| 750122C | 20W | 1427lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 670,90€ |
| 750122D | 20W | 1427lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 601,40€ |



outdoor

Floor



Rush 3100



Estudi Ribaudí

IP65  CRI90 IK10  Driver incl. optional optional  CASAMBI

Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 38W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

| | Power | Light Source | CCT | Lumen Output | Voltage (V/Hz) | Lens | |
|---------|-------|--------------|---------|--------------|-------------------|-----------|-----------|
| 750200 | 38W | 3738lm | COB LED | 2700K | 100V-240V/50/60Hz | 360° | 1.487,50€ |
| 750200C | 38W | 3738lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 1.600,90€ |
| 750200D | 38W | 3738lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 1.531,00€ |
| 750201 | 38W | 3748lm | COB LED | 2700K | 100V-240V/50/60Hz | 360 WIDE° | 1.487,40€ |
| 750201C | 38W | 3748lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 1.600,90€ |
| 750201D | 38W | 3748lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 1.531,00€ |
| 750202 | 38W | 3664lm | COB LED | 2700K | 100V-240V/50/60Hz | 180° | 1.496,90€ |
| 750202C | 38W | 3664lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 1.610,50€ |
| 750202D | 38W | 3664lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 1.540,70€ |
| 750210 | 38W | 3500lm | COB LED | 3000K | 100V-240V/50/60Hz | 360° | 1.487,40€ |
| 750210C | 38W | 3854lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 1.600,90€ |
| 750210D | 38W | 3854lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 1.531,00€ |
| 750211 | 38W | 4022lm | COB LED | 3000K | 100V-240V/50/60Hz | 360 WIDE° | 1.487,40€ |
| 750211C | 38W | 3864lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 1.600,90€ |
| 750211D | 38W | 3864lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 1.531,00€ |
| 750212 | 38W | 3579lm | COB LED | 3000K | 100V-240V/50/60Hz | 180° | 1.496,90€ |
| 750212C | 38W | 3777lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 1.610,50€ |
| 750212D | 38W | 3777lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 1.540,70€ |
| 750220 | 38W | 3970lm | COB LED | 4000K | 100V-240V/50/60Hz | 360° | 1.487,40€ |
| 750220C | 38W | 3970lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 1.600,90€ |
| 750220D | 38W | 3970lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 1.531,00€ |
| 750221 | 38W | 3980lm | COB LED | 4000K | 100V-240V/50/60Hz | 360 WIDE° | 1.487,40€ |
| 750221C | 38W | 3980lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 1.600,90€ |
| 750221D | 38W | 3980lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 1.531,00€ |
| 750222 | 38W | 3890lm | COB LED | 4000K | 100V-240V/50/60Hz | 180° | 1.496,90€ |
| 750222C | 38W | 3890lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 1.610,50€ |
| 750222D | 38W | 3890lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 1.540,70€ |



outdoor

Floor



Rush 3700



Estudi Ribaudí

IP65  CRI90 IK10  Driver incl. optional optional  CASAMBI 

Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 38W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

| | Power | Light Source | CCT | Lumen Output | Voltage (V/Hz) | Lens | |
|---------|-------|--------------|---------|--------------|-------------------|-----------|-----------|
| 750300 | 38W | 3943lm | COB LED | 2700K | 100V-240V/50/60Hz | 360° | 1.565,80€ |
| 750300C | 38W | 3943lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 1.679,30€ |
| 750300D | 38W | 3943lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 1.609,50€ |
| 750301 | 38W | 3997lm | COB LED | 2700K | 100V-240V/50/60Hz | 360 WIDE° | 1.565,80€ |
| 750301C | 38W | 3997lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 1.679,30€ |
| 750301D | 38W | 3997lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 1.609,50€ |
| 750302 | 38W | 3726lm | COB LED | 2700K | 100V-240V/50/60Hz | 180° | 1.575,40€ |
| 750302C | 38W | 3726lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 1.688,90€ |
| 750302D | 38W | 3726lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 1.619,10€ |
| 750310 | 38W | 3893lm | COB LED | 3000K | 100V-240V/50/60Hz | 360° | 1.565,80€ |
| 750310C | 38W | 4065lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 1.679,30€ |
| 750310D | 38W | 4065lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 1.609,50€ |
| 750311 | 38W | 4258lm | COB LED | 3000K | 100V-240V/50/60Hz | 360 WIDE° | 1.565,80€ |
| 750311C | 38W | 4121lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 1.679,30€ |
| 750311D | 38W | 4121lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 1.609,50€ |
| 750312 | 38W | 3724lm | COB LED | 3000K | 100V-240V/50/60Hz | 180° | 1.575,40€ |
| 750312C | 38W | 3841lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 1.688,90€ |
| 750312D | 38W | 3841lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 1.619,10€ |
| 750320 | 38W | 4187lm | COB LED | 4000K | 100V-240V/50/60Hz | 360° | 1.565,80€ |
| 750320C | 38W | 4187lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 1.679,30€ |
| 750320D | 38W | 4187lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 1.609,50€ |
| 750321 | 38W | 4245lm | COB LED | 4000K | 100V-240V/50/60Hz | 360 WIDE° | 1.565,80€ |
| 750321C | 38W | 4245lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 1.679,30€ |
| 750321D | 38W | 4245lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 1.609,50€ |
| 750322 | 38W | 3956lm | COB LED | 4000K | 100V-240V/50/60Hz | 180° | 1.575,70€ |
| 750322C | 38W | 3956lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 1.688,90€ |
| 750322D | 38W | 3956lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 1.619,10€ |



outdoor

Floor



Screen 250



Estudi Ribaudí



Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 14W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

| | Power | Light Source | CCT | Lumen Output | Voltage (V/Hz) | Lens | |
|---------|-------|--------------|---------|--------------|-------------------|-----------|---------|
| 751000 | 14W | 623lm | COB LED | 2700K | 100V-240V/50/60Hz | 360° | 432,00€ |
| 751000C | 14W | 623lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 550,50€ |
| 751000D | 14W | 623lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 480,70€ |
| 751001 | 14W | 778lm | COB LED | 2700K | 100V-240V/50/60Hz | 360 WIDE° | 432,00€ |
| 751001C | 14W | 778lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 550,50€ |
| 751001D | 14W | 778lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 480,70€ |
| 751002 | 14W | 601lm | COB LED | 2700K | 100V-240V/50/60Hz | 180° | 441,60€ |
| 751002C | 14W | 601lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 560,20€ |
| 751002D | 14W | 601lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 490,30€ |
| 751010 | 14W | 533lm | COB LED | 3000K | 100V-240V/50/60Hz | 360° | 432,00€ |
| 751010C | 14W | 642lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 550,50€ |
| 751010D | 14W | 642lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 480,70€ |
| 751011 | 14W | 1243lm | COB LED | 3000K | 100V-240V/50/60Hz | 360 WIDE° | 432,00€ |
| 751011C | 14W | 802lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 550,50€ |
| 751011D | 14W | 802lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 480,70€ |
| 751012 | 14W | 696lm | COB LED | 3000K | 100V-240V/50/60Hz | 180° | 441,60€ |
| 751012C | 14W | 620lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 560,20€ |
| 751012D | 14W | 620lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 490,30€ |
| 751020 | 14W | 661lm | COB LED | 4000K | 100V-240V/50/60Hz | 360° | 432,00€ |
| 751020C | 14W | 661lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 550,50€ |
| 751020D | 14W | 661lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 480,70€ |
| 751021 | 14W | 826lm | COB LED | 4000K | 100V-240V/50/60Hz | 360 WIDE° | 432,00€ |
| 751021C | 14W | 826lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 550,50€ |
| 751021D | 14W | 826lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 480,70€ |
| 751022 | 14W | 639lm | COB LED | 4000K | 100V-240V/50/60Hz | 180° | 441,70€ |
| 751022C | 14W | 639lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 560,10€ |
| 751022D | 14W | 639lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 490,30€ |



outdoor

Floor



Screen 800



Estudi Ribaudí

IP65  CRI90 IK10  Driver incl. optional optional  CASAMBI

Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 20W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

| | Power | Light Source | CCT | Lumen Output | Voltage (V/Hz) | Lens | |
|---------|-------|--------------|---------|--------------|-------------------|-----------|---------|
| 751100 | 20W | 873lm | COB LED | 2700K | 100V-240V/50/60Hz | 360° | 580,90€ |
| 751100C | 20W | 873lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 700,10€ |
| 751100D | 20W | 873lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 630,20€ |
| 751101 | 20W | 1098lm | COB LED | 2700K | 100V-240V/50/60Hz | 360 WIDE° | 580,90€ |
| 751101C | 20W | 1098lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 700,10€ |
| 751101D | 20W | 1098lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 630,20€ |
| 751102 | 20W | 855lm | COB LED | 2700K | 100V-240V/50/60Hz | 180° | 590,50€ |
| 751102C | 20W | 855lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 709,60€ |
| 751102D | 20W | 855lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 639,70€ |
| 751110 | 20W | 900lm | COB LED | 3000K | 100V-240V/50/60Hz | 360° | 580,80€ |
| 751110C | 20W | 900lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 700,10€ |
| 751110D | 20W | 900lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 630,20€ |
| 751111 | 20W | 1680lm | COB LED | 3000K | 100V-240V/50/60Hz | 360 WIDE° | 580,90€ |
| 751111C | 20W | 1132lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 700,10€ |
| 751111D | 20W | 1132lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 630,20€ |
| 751112 | 20W | 963lm | COB LED | 3000K | 100V-240V/50/60Hz | 180° | 590,50€ |
| 751112C | 20W | 881lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 709,60€ |
| 751112D | 20W | 881lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 639,70€ |
| 751120 | 20W | 927lm | COB LED | 4000K | 100V-240V/50/60Hz | 360° | 580,90€ |
| 751120C | 20W | 927lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 700,10€ |
| 751120D | 20W | 927lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 630,20€ |
| 751121 | 20W | 1166lm | COB LED | 4000K | 100V-240V/50/60Hz | 360 WIDE° | 580,90€ |
| 751121C | 20W | 1166lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 700,10€ |
| 751121D | 20W | 1166lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 630,20€ |
| 751122 | 20W | 907lm | COB LED | 4000K | 100V-240V/50/60Hz | 180° | 590,50€ |
| 751122C | 20W | 907lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 709,60€ |
| 751122D | 20W | 907lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 639,70€ |





Screen 3100



Estudi Ribaudí

IP65  CRI90 IK10  Driver incl. optional optional  CASAMBI 

Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 38W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

| | Power | Light Source | CCT | Lumen Output | Voltage (V/Hz) | Lens | |
|---------|-------|--------------|---------|--------------|-------------------|-----------|-----------|
| 751200 | 38W | 2641lm | COB LED | 2700K | 100V-240V/50/60Hz | 360° | 1.577,80€ |
| 751200C | 38W | 2641lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 1.691,30€ |
| 751200D | 38W | 2641lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 1.621,40€ |
| 751201 | 38W | 2581lm | COB LED | 2700K | 100V-240V/50/60Hz | 360 WIDE° | 1.577,80€ |
| 751201C | 38W | 2581lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 1.691,30€ |
| 751201D | 38W | 2581lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 1.621,40€ |
| 751202 | 38W | 2304lm | COB LED | 2700K | 100V-240V/50/60Hz | 180° | 1.587,40€ |
| 751202C | 38W | 2304lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 1.700,80€ |
| 751202D | 38W | 2304lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 1.632,10€ |
| 751210 | 38W | 2349lm | COB LED | 3000K | 100V-240V/50/60Hz | 360° | 1.577,80€ |
| 751210C | 38W | 2723lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 1.691,30€ |
| 751210D | 38W | 2723lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 1.621,40€ |
| 751211 | 38W | 3668lm | COB LED | 3000K | 100V-240V/50/60Hz | 360 WIDE° | 1.577,80€ |
| 751211C | 38W | 2661lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 1.691,30€ |
| 751211D | 38W | 2661lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 1.621,40€ |
| 751212 | 38W | 2367lm | COB LED | 3000K | 100V-240V/50/60Hz | 180° | 1.587,40€ |
| 751212C | 38W | 2375lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 1.700,80€ |
| 751212D | 38W | 2375lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 1.631,10€ |
| 751220 | 38W | 2805lm | COB LED | 4000K | 100V-240V/50/60Hz | 360° | 1.577,80€ |
| 751220C | 38W | 2805lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 1.691,30€ |
| 751220D | 38W | 2805lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 1.621,40€ |
| 751221 | 38W | 2741lm | COB LED | 4000K | 100V-240V/50/60Hz | 360 WIDE° | 1.577,80€ |
| 751221C | 38W | 2741lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 1.691,30€ |
| 751221D | 38W | 2741lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 1.621,40€ |
| 751222 | 38W | 2446lm | COB LED | 4000K | 100V-240V/50/60Hz | 180° | 1.587,40€ |
| 751222C | 38W | 2446lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 1.700,80€ |
| 751222D | 38W | 2446lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 1.631,10€ |





Screen 3700



Estudi Ribaudí



Structure Aluminium + PC
Diffuser Transparent PC
Light Source COB LED
Power 38W

COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

| | Power | Light Source | CCT | Lumen Output | Voltage (V/Hz) | Lens | |
|---------|-------|--------------|---------|--------------|-------------------|-----------|-----------|
| 751300 | 38W | 2578lm | COB LED | 2700K | 100V-240V/50/60Hz | 360° | 1.704,40€ |
| 751300C | 38W | 2578lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 1.817,80€ |
| 751300D | 38W | 2578lm | COB LED | 2700K | 220V-240V/50/60Hz | 360° | 1.748,10€ |
| 751301 | 38W | 2560lm | COB LED | 2700K | 100V-240V/50/60Hz | 360 WIDE° | 1.704,40€ |
| 751301C | 38W | 2560lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 1.817,80€ |
| 751301D | 38W | 2560lm | COB LED | 2700K | 220V-240V/50/60Hz | 360 WIDE° | 1.748,10€ |
| 751302 | 38W | 2429lm | COB LED | 2700K | 100V-240V/50/60Hz | 180° | 1.713,90€ |
| 751302C | 38W | 2429lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 1.827,50€ |
| 751302D | 38W | 2429lm | COB LED | 2700K | 220V-240V/50/60Hz | 180° | 1.757,70€ |
| 751310 | 38W | 2230lm | COB LED | 3000K | 100V-240V/50/60Hz | 360° | 1.704,40€ |
| 751310C | 38W | 2658lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 1.817,80€ |
| 751310D | 38W | 2658lm | COB LED | 3000K | 220V-240V/50/60Hz | 360° | 1.748,10€ |
| 751311 | 38W | 3010lm | COB LED | 3000K | 100V-240V/50/60Hz | 360 WIDE° | 1.704,40€ |
| 751311C | 38W | 2639lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 1.817,80€ |
| 751311D | 38W | 2639lm | COB LED | 3000K | 220V-240V/50/60Hz | 360 WIDE° | 1.748,10€ |
| 751312 | 38W | 2371lm | COB LED | 3000K | 100V-240V/50/60Hz | 180° | 1.713,90€ |
| 751312C | 38W | 2504lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 1.827,50€ |
| 751312D | 38W | 2504lm | COB LED | 3000K | 220V-240V/50/60Hz | 180° | 1.757,70€ |
| 751320 | 38W | 2738lm | COB LED | 4000K | 100V-240V/50/60Hz | 360° | 1.704,40€ |
| 751320C | 38W | 2738lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 1.817,80€ |
| 751320D | 38W | 2738lm | COB LED | 4000K | 220V-240V/50/60Hz | 360° | 1.748,10€ |
| 751321 | 38W | 2718lm | COB LED | 4000K | 100V-240V/50/60Hz | 360 WIDE° | 1.704,40€ |
| 751321C | 38W | 2718lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 1.817,80€ |
| 751321D | 38W | 2718lm | COB LED | 4000K | 220V-240V/50/60Hz | 360 WIDE° | 1.748,10€ |
| 751322 | 38W | 2579lm | COB LED | 4000K | 100V-240V/50/60Hz | 180° | 1.713,90€ |
| 751322C | 38W | 2579lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 1.827,50€ |
| 751322D | 38W | 2579lm | COB LED | 4000K | 220V-240V/50/60Hz | 180° | 1.757,70€ |







OUTDOOR

LIGHTING

PROJECTORS & SPIKES

Puk
4W

Puk
12.5W


Puk
25W



ø36



ø59



ø85

FINISH

● **Black**

COLOR TEMPERATURE

2700K CRI80

3000K CRI80

BEAM ANGLE

8°

15°

20°

30°

40°

50°

ACCESSORIES



Honeycomb



Visor



Spike



Tree Fixing




Concrete Fixing



Puk 36

IP65 IK06 no incl. SEA SIDE SUITABLE 90°

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 4W |
| Light Source | COB LED |
| Class | III |
| CRI | >80 |
| Voltage | 24VDC |
| Cable | 2m |



| Family | Finish | Color T | Beam Angle |
|--------------------------|---------|--------------------|------------------------|
| 75300- Puk Projector ø36 | 2 Black | 2 2700K 3 3000K | 1 8° 2 20° 3 40° |

| | | | | | |
|--|---|---|--|---|---|
|  COB LED 4W CRI>80 281lm 2700K 8° COB LED 4W CRI>80 290lm 3000K |  |  COB LED 4W CRI>80 302lm 2700K 20° COB LED 4W CRI>80 312lm 3000K |  |  COB LED 4W CRI>80 292lm 2700K 40° COB LED 4W CRI>80 302lm 3000K |  |
|--|---|---|--|---|---|

Optional drivers

| | | | | | |
|-----------|----------|------------|--------|------|-----------------|
| 24V DC 4W | 220/240V | 1-22 units | on/off | IP20 | 98324099 |
| | 220/240V | 1-22 units | on/off | IP67 | 98324100 |

Optional accessories

| Puk 36 Honeycomb Accessory | | | |
|----------------------------|----------------------------|--|-------|
| 75300H | ● Black | | 2,50€ |
| Material | Structure Aluminium | | |

| Puk 36 Visor Accessory | | | |
|------------------------|----------------------------|--|--------|
| 75300V | ● Black | | 24,80€ |
| Material | Structure Aluminium | | |

| Puk 36/59 Tree Accessory | | | |
|--------------------------|----------------------------|--|--------|
| 75300F | ● Black | | 47,50€ |
| Material | Structure Aluminium | | |


| Puk 36 Spike Accessory | | | |
|------------------------|----------------------------|--|-------|
| 75300S | ● Black | | 8,00€ |
| Material | Structure Polyamide | | |



Puk 59

IP65 IK06 incl. SEA SIDE SUITABLE 90°

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 12,5W |
| Lumen Output | 339lm |
| Light Source | COB LED |
| Class | I |
| CRI | >80 |



| Family | Finish | Color T | Beam Angle |
|--------------------------|---------|--------------------|-------------------------|
| 75302- Puk Projector ø59 | 2 Black | 2 2700K 3 3000K | 1 15° 2 30° 3 50° |

| Beam Angle | Light Source | Beam Diagram |
|------------|--|--------------|
| 15° | COB LED 12,5W CRI>80 339lm 2700K COB LED 12,5W CRI>80 349lm 3000K | |
| 30° | COB LED 12,5W CRI>80 482lm 2700K COB LED 12,5W CRI>80 496lm 3000K | |
| 50° | COB LED 12,5W CRI>80 539lm 2700K COB LED 12,5W CRI>80 555lm 3000K | |


Optional accessories

| | | | |
|--|---|--|---|
| | Puk 59 Honeycomb Accessory 75302H ● Black 4,10€ Material Structure Aluminium | | Puk 59 Visor Accessory 75302V ● Black 41,40€ Material Structure Aluminium |
| | Puk 36/59 Tree Accessory 75300F ● Black 47,50€ Material Structure Aluminium | | Puk 59/85 Spike Accessory 75302S ● Black 10,40€ Material Structure Polyamide |
| | Puk 59/85 Ground Fixing Accessory 75302F ● Satin Stainless 25,80€ Material Structure Stainless Steel | | |

Puk 85

IP65 IK08 incl. SEA SIDE SUITABLE 90°

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 25W |
| Lumen Output | 1827lm |
| Light Source | COB LED |
| Class | I |
| CRI | >80 |



| Family | Finish | Color T | Beam Angle |
|--------------------------|---------|--------------------|-------------------------|
| 75303- Puk Projector ø85 | 2 Black | 2 2700K 3 3000K | 1 15° 2 30° 3 50° |

| Beam Angle | Light Source | Beam Diagram |
|------------|--|--------------|
| 15° | COB LED 25W CRI>80 1827lm 2700K COB LED 25W CRI>80 1884lm 3000K | |
| 30° | COB LED 25W CRI>80 1888lm 2700K COB LED 25W CRI>80 1947lm 3000K | |
| 50° | COB LED 25W CRI>80 1690lm 2700K COB LED 25W CRI>80 1743lm 3000K | |

Optional accessories

| | | |
|--|-------------------------------------|-------|
| | Puk 85 Honeycomb Accessory | |
| | 75303H ● Black | 5,30€ |
| | Material Structure Aluminium | |


| | | |
|--|-------------------------------------|--------|
| | Puk 85 Visor Accessory | |
| | 75303V ● Black | 42,00€ |
| | Material Structure Aluminium | |

| | | |
|--|-------------------------------------|--------|
| | Puk 85 Tree Accessory | |
| | 75303F ● Black | 67,10€ |
| | Material Structure Aluminium | |

| | | |
|--|-------------------------------------|--------|
| | Puk 59/85 Spike Accessory | |
| | 75302S ● Black | 10,40€ |
| | Material Structure Polyamide | |

| | | |
|--|---|--------|
| | Puk 59/85 Ground Fixing Accessory | |
| | 75302F ● Satin Stainless | 25,80€ |
| | Material Structure Stainless Steel | |

Clap
6W



FINISH

White

● Black

● Rust
Brown

COLOR TEMPERATURE

2700K CRI80

3000K CRI80

BEAM ANGLE

15°

24°

38°


ACCESSORIES



Tree Fixing



Visor



24V Power Supply

With pure design and minimal structures, this family offers both direct and indirect lighting in its various versions, transforming every corner of the outdoor spaces. This lighting system offers great flexibility for project design thanks to its diverse categories: from stakes to beacons, pendant lights, or wall sconces, all with a distinctive and refined aesthetic. The indirect lighting of some versions provides high visual comfort and prevents glare, while eliminating light pollution and highlighting the surrounding vegetation.


CLAP
Faro Lab

CLAP

Projector

IP65 no incl. DIM 360° 360°

| | |
|--------------|---------------------|
| Material | Structure Aluminium |
| Power | 6W |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >80 |
| Voltage | 24VDC |
| Cable | 2m |



| Family | Finish | Color T | Beam Angle |
|-----------------------|--------------|---------|------------|
| 75702- Clap Projector | 2 Black | 2 2700K | 1 15° |
| | 3 White | 3 3000K | 2 24° |
| | 4 Rust Brown | | 3 38° |
| | | | |

| | | |
|--|--|--|
| <p>15° COB LED 6W CRI>80 481lm 2700K COB LED 6W CRI>80 496lm 3000K</p> | <p>24° COB LED 6W CRI>80 553lm 2700K COB LED 6W CRI>80 570lm 3000K</p> | <p>38° COB LED 6W CRI>80 508lm 2700K COB LED 6W CRI>80 524lm 3000K</p> |
|--|--|--|


Visor Accessory



| | | |
|---------|------------------------|-------|
| 75714-2 | ● Structure Black | 5,50€ |
| 75714-4 | ● Structure Rust Brown | 5,50€ |


Optional drivers *Remote drivers

| | | | | | | |
|-------|----|----------|------------|--------|------|----------|
| 24VDC | 6W | 220/240V | 1-5 units | on/off | IP67 | 98324026 |
| | | | 1-15 units | on/off | IP67 | 98324099 |



CLAP

Tree fixing accessory



Example: 75702-223 + 75703-2
Clap projector black 2700K 38° + tree fixing




Example: 75702-223 + 75703-2 + 75714-2
Clap projector black 2700K 38° + tree fixing + visor

Tree fixing *use with 1 projector max.



75703-2 ● Black 42,50€



Muur 250

IP65 IK06 incl. SEA SIDE SUITABLE 45°



71771 ● Structure Dark Grey
● Diffuser Transparent 389,60€

Alfa Àlex & Manel Llusçà

IP65 incl. 135°









70025 ● Structure Dark Grey
● Diffuser Transparent 179,10€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 28,5W |
| Lumen Output | 1877lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 36° |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 13W |
| Lumen Output | 845lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 80° |



Muur 250 Visor Accessory
71771V ● Dark Grey 37,00€
Material Structure Aluminium





Lit

IP54 IK06 $\angle 270^\circ$



70260 ● Structure Dark Grey
● Diffuser Transparent 79,10€

Foc 150

IP65 incl. $\angle 135^\circ$



70156 ● Structure Dark Grey
● Diffuser Transparent 170,30€

Foc 580

IP65 incl. $\angle 135^\circ$



70157 ● Structure Dark Grey
● Diffuser Transparent 181,40€






| | |
|---------------------|--------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Light Source | 1 GU10 LED PAR16 max. 8W |
| Bulb incl. | No |
| Recom. Bulb | 17333 |
| Class | I |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 16W |
| Lumen Output | 1105lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 36° |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 16W |
| Lumen Output | 1105lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 36° |



Spike 236



outdoor

Projectors & Spikes



Flow
Alegre Design

IP65 IK07 360° 360°



71546 ● Structure Matt Black
● Diffuser Opal 81,80€

Oko

IP65 IK08 incl. 90°



70161 ● Structure Dark Grey
● Diffuser Transparent 195,90€

Plom

IP64 IK06 incl.








70912 ● Structure Dark Grey
● Diffuser Transparent 145,30€

| | |
|---------------------|---|
| Material | Structure PC + Aluminium Diffuser PC |
| Light Source | 1 GU10 LED PAR16 max. 5W |
| Bulb incl. | No |
| Recom. Bulb | 17334 |
| Class | II |
| Cable | 2.5m |

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Power | 20W |
| Lumen Output | 1400lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 30° |


| | |
|---------------------|--------------------------------------|
| Material | Structure Aluminium Diffuser PMMA |
| Power | 8,5W |
| Lumen Output | 635lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 18-45° |

Flow Accessory
71548 ● Matt Black 13,60€
Material Structure Aluminium





Slot 200
Lucid Product Design



70035 ● Structure Black
● Diffuser Transparent 169,20€

Slot 500
Lucid Product Design







70036 ● Structure Black
● Diffuser Transparent 185,00€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 13W |
| Lumen Output | 944lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 28° |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 13W |
| Lumen Output | 944lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 28° |



| | | |
|-----------------------------|---------------------|--------|
| Slot Visor Accessory | | |
| 70039 | ● Black | 17,30€ |
| Material | Structure Aluminium | |





13

Slot 200 Spike
Lucid Product Design

IP65 IK08 incl. $\leftarrow 220^{\circ}$
 $\leftarrow 360^{\circ}$



70037 ● Structure Black
● Diffuser Transparent 168,70€

Slot 500 Spike
Lucid Product Design

IP65 IK08 incl. $\leftarrow 220^{\circ}$
 $\leftarrow 360^{\circ}$



70038 ● Structure Black
● Diffuser Transparent 185,60€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 13W |
| Lumen Output | 944lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 28° |
| Cable | 1.5m |



| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 13W |
| Lumen Output | 944lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 28° |
| Cable | 1.5m |



Slot Visor Accessory

70039 ● Black 17,30€

Material Structure Aluminium





Clap
6W



FINISH

White

● Black

● Rust
Brown

COLOR TEMPERATURE

2700K CRI80

3000K CRI80

BEAM ANGLE



15°



24°



38°

ACCESSORIES




Spike 630



Spike 1030



Indirect Light Plate
ø310



Indirect Light Plate
ø400



Visor



24V Power Supply

With pure design and minimal structures, this family offers both direct and indirect lighting in its various versions, transforming every corner of the outdoor spaces. This lighting system offers great flexibility for project design thanks to its diverse categories: from stakes to beacons, pendant lights, or wall sconces, all with a distinctive and refined aesthetic. The indirect lighting of some versions provides high visual comfort and prevents glare, while eliminating light pollution and highlighting the surrounding vegetation.




CLAP
Faro Lab

CLAP

Projector

IP65 no incl. DIM 360° 360°

| | |
|--------------|---------------------|
| Material | Structure Aluminium |
| Power | 6W |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >80 |
| Voltage | 24VDC |
| Cable | 2m |



| Family | Finish | Color T | Beam Angle |
|-----------------------|--------------|---------|-------------------------|
| 75702- Clap Projector | 2 Black | 2 2700K | 1 15° 2 24° 3 38° |
| | 3 White | 3 3000K | |
| | 4 Rust Brown | | |

| | | |
|--|--|--|
| <p>15° COB LED 6W CRI>80 481lm 2700K COB LED 6W CRI>80 496lm 3000K</p> | <p>24° COB LED 6W CRI>80 553lm 2700K COB LED 6W CRI>80 570lm 3000K</p> | <p>38° COB LED 6W CRI>80 508lm 2700K COB LED 6W CRI>80 524lm 3000K</p> |
|--|--|--|


Visor Accessory



| | | |
|---------|------------------------|-------|
| 75714-2 | ● Structure Black | 5,50€ |
| 75714-4 | ● Structure Rust Brown | 5,50€ |

Optional drivers *Remote drivers

| | | |
|-------------------|------------------------|-----------------|
| 24VDC 6W 220/240V | 1-5 units on/off IP67 | 98324026 |
| | 1-15 units on/off IP67 | 98324099 |




CLAP

Spike accessory 630 / 1030





Example: 75702-423 + 75708-4
Clap projector rust brown 2700K 38° + spike 630

Spike 630 *use with x2 projectors max.



Example: 75702-223 x2 + 75709-2 + 75706-2
Clap projector black 2700K 38° + spike 1030 + shade 400

Spike 1030 *use with x3 projectors max.



75708-2 ● Black 32,10€
75708-4 ● Rust Brown 32,10€

Spike 630

75707-2 ● Black 88,70€
75707-4 ● Rust Brown 88,70€



Shade 310

75709-2 ● Black 40,20€
75709-4 ● Rust Brown 40,20€

Spike 1030


75706-2 ● Black 91,10€
75706-4 ● Rust Brown 91,10€

Shade 400



Brot 200
Yembarastudio

IP65  incl. IP68 CONNECTOR




75570 ● Structure Black 98,50€


| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| Power | 7W |
| Lumen Output | 290lm |
| Light Source | SMD LED 2700K |
| Class | II |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 80° |
| Cable | 2m |



reddot winner 2021



Beacon 60 Portable 62



Brot 600
Yembarastudio

IP65  incl. IP68 CONNECTOR




75571 ● Structure Black 108,80€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| Power | 7W |
| Lumen Output | 290lm |
| Light Source | SMD LED 2700K |
| Class | II |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 80° |
| Cable | 2m |



reddot winner 2021





Lily 300
Faro Lab

IP65 IK06




| | | |
|--------------------------------|---|----------------|
| 75620-2 Driver incl. | ● Structure Black ● Diffuser Transparent | 205,40€ |
| Class | II | |
| Voltage | 24VDC/50/60Hz | |

| | | |
|-------------------------------------|---|----------------|
| 75620-1 Driver not incl.* | ● Structure Black ● Diffuser Transparent | 160,40€ |
| Class | III | |
| Voltage | 24VDC | |

| | |
|---------------------|----------------------------------|
| Material | Structure Stainless Steel |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| CRI | >90 |
| Cable | 0.5m |

*Drivers info pag. 478



Lily 650
Faro Lab

IP65 IK06




| | | |
|--------------------------------|---|----------------|
| 75621-2 Driver incl. | ● Structure Black ● Diffuser Transparent | 248,70€ |
| Class | II | |
| Voltage | 24VDC/50/60Hz | |

| | | |
|-------------------------------------|---|----------------|
| 75621-1 Driver not incl.* | ● Structure Black ● Diffuser Transparent | 204,60€ |
| Class | III | |
| Voltage | 24VDC | |

| | |
|---------------------|----------------------------------|
| Material | Structure Stainless Steel |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| CRI | >90 |
| Cable | 0.5m |

*Drivers info pag. 478



Lily 1190
Faro Lab

IP65 IK06




| | | |
|--------------------------------|---|----------------|
| 75622-2 Driver incl. | ● Structure Black ● Diffuser Transparent | 234,00€ |
| Class | II | |
| Voltage | 24VDC/50/60Hz | |

| | | |
|-------------------------------------|---|----------------|
| 75622-1 Driver not incl.* | ● Structure Black ● Diffuser Transparent | 278,10€ |
| Class | III | |
| Voltage | 24VDC | |

| | |
|---------------------|----------------------------------|
| Material | Structure Stainless Steel |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| CRI | >90 |
| Cable | 0.5m |

*Drivers info pag. 478





Toni
Alegre Design


IP65 IK07 SEA SIDE SUITABLE 90° 90°



71528 ● Structure Matt Black
● Diffuser Transparent 51,20€

Luca
Faro Lab


IP65 IK07




70298 ● Structure Black
● Diffuser Transparent 58,70€

| | |
|---------------------|--------------------------|
| Material | Structure PC |
| | Diffuser PC |
| Light Source | 1 GU10 LED PAR16 max. 5W |
| Bulb incl. | No |
| Recom. Bulb | 17334 |
| Class | II |
| Cable | 2.5m |

| | |
|---------------------|--------------------------|
| Material | Structure PC |
| | Diffuser PC |
| Light Source | 1 GU10 LED PAR16 max. 5W |
| Bulb incl. | No |
| Recom. Bulb | 17334 |
| Class | II |
| Cable | 1.5m |



Double position





Bezel

IP65

IK06



incl. CONNECTOR



70248 ● Structure Matt Black
● Diffuser Transparent 171,40€


Spy 145

IP65

IK05



incl. 355°



70787 ● Structure Dark Grey
● Diffuser Opal 140,30€

Spy 435

IP65

IK05



incl. 355°






70788 ● Structure Dark Grey
● Diffuser Opal 171,50€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 8W |
| Lumen Output | 349lm |
| Light Source | COB LED 2700K |
| Class | I |
| CRI | 90 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 118,3° |
| Cable | 1.2m |

| | |
|---------------------|--------------------------|
| Material | Structure Aluminium + PC |
| | Diffuser Glass |
| Power | 6W |
| Lumen Output | 395lm |
| Light Source | COB LED 3000K |
| Class | I |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 30° |
| Cable | 2m |

| | |
|---------------------|--------------------------|
| Material | Structure Aluminium + PC |
| | Diffuser Glass |
| Power | 6W |
| Lumen Output | 395lm |
| Light Source | COB LED 3000K |
| Class | I |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 30° |
| Cable | 2m |





Sau M Base
13W



Sau M 156
13W



Sau M 471
13W



FINISH

● **Black**

COLOR TEMPERATURE

3000K CRI90

BEAM ANGLE



ACCESSORIES



Visor



Tree projector




Honeycomb



Sau XS 85


IP65 IK05 no incl. SEA SIDE SUITABLE $\pm 160^\circ$ 60°



71780-2 ●● Structure Black + Black 76,50€
● Diffuser Transparent

Sau XS 262

IP65 IK05 no incl. SEA SIDE SUITABLE $\pm 160^\circ$ 60°



71781-2 ●● Structure Black + Black 85,60€
● Diffuser Transparent

| | |
|---------------------|---------------------------|
| Material | Structure Aluminium + ABS |
| | Diffuser PC |
| Power | 2,5W |
| Lumen Output | 144lm |
| Light Source | HIGH POWER LED 3000K |
| Class | III |
| CRI | 90 |
| Voltage | 24VDC |
| Beam angle | 30° |

| | |
|---------------------|---------------------------|
| Material | Structure Aluminium + ABS |
| | Diffuser PC |
| Power | 2,5W |
| Lumen Output | 144lm |
| Light Source | HIGH POWER LED 3000K |
| Class | III |
| CRI | 90 |
| Voltage | 24VDC |
| Beam angle | 30° |



Honeycomb Accessory
71780H ● Black 2,50€

Material Structure Aluminium





Tree Fixing Accessory
71780F ● Black 24,00€

Material Structure Textile



Visor Accessory
71780V ● Black 7,00€


Material Structure Aluminium





Sau S 90


IP65 IK06 incl. SEA SIDE SUITABLE $\uparrow 135^\circ$ $\downarrow 60^\circ$



71772 ●● Structure Black + Black 95,20€
● Diffuser Transparent

Sau S 360

IP65 IK06 incl. SEA SIDE SUITABLE $\uparrow 135^\circ$ $\downarrow 60^\circ$



71773 ●● Structure Black + Black 109,00€
● Diffuser Transparent

| | |
|---------------------|---------------------------|
| Material | Structure Aluminium + ABS |
| | Diffuser PC |
| Power | 6W |
| Lumen Output | 430lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >90 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 30° |

| | |
|---------------------|---------------------------|
| Material | Structure Aluminium + ABS |
| | Diffuser PC |
| Power | 6W |
| Lumen Output | 430lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >90 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 30° |



Honeycomb Accessory

71772H ● Black 3,50€

Material Structure Aluminium



Visor Accessory

71772V ● Black 10,50€



Material Structure Aluminium



Tree Fixing Accessory

71780F ● Black 24,00€

Material Structure Textile





Sau M 155




IP65


IK06



SEA SIDE SUITABLE



| | |
|---------------------|----------------------------------|
| Material | Structure Aluminium + ABS |
| | Diffuser PC |
| Power | 13W |
| Light Source | COB LED |
| Class | I |
| CRI | >90 |
| Voltage | 220V-240V/50/60Hz |



| Family | Finish | Color T | Beam Angle | | | | | | | | |
|--------------------------|---------|---------|--|---|-----|---|-----|---|-----|---|--------|
| 71785- Sau Projector 155 | 2 Black | 3 3000K | <table border="1"> <tr><td>1</td><td>10°</td></tr> <tr><td>2</td><td>20°</td></tr> <tr><td>3</td><td>30°</td></tr> <tr><td>4</td><td>10x60°</td></tr> </table> | 1 | 10° | 2 | 20° | 3 | 30° | 4 | 10x60° |
| 1 | 10° | | | | | | | | | | |
| 2 | 20° | | | | | | | | | | |
| 3 | 30° | | | | | | | | | | |
| 4 | 10x60° | | | | | | | | | | |

COB LED 13W
CRI>90 953,9lm
3000K
10°



COB LED 13W
CRI>90 906,6lm
3000K
20°



COB LED 13W
CRI>90 880,7lm
3000K
30°



COB LED 13W
CRI>90 802,3lm
3000K
10x60°



Optional accessories

| | | |
|--|----------------------------|----------------------------|
| | Honeycomb Accessory | |
| | 71785H ● Black | 3,50€ |
| | Material | Structure Aluminium |

| | | |
|--|------------------------|----------------------------|
| | Visor Accessory | |
| | 71785V ● Black | 18,00€ |
| | Material | Structure Aluminium |


| | | |
|--|------------------------------|--------------------------|
| | Tree Fixing Accessory | |
| | 71785F ● Black | 27,00€ |
| | Material | Structure Textile |



Sau M 156

IP65 IK06 incl. SEA SIDE SUITABLE $\pm 35^\circ$ $\pm 60^\circ$

| | |
|---------------------|----------------------------------|
| Material | Structure Aluminium + ABS |
| | Diffuser PC |
| Power | 13W |
| Lumen Output | 1313lm |
| Light Source | COB LED |
| Class | I |
| CRI | >90 |
| Voltage | 220V-240V/50/60Hz |



| Family | Finish | Color T | Beam Angle | | | | | | | | |
|--------------------------|---------|---------|--|---|-----|---|-----|---|-----|---|--------|
| 71786- Sau Projector 155 | 2 Black | 3 3000K | <table border="1"> <tr><td>1</td><td>10°</td></tr> <tr><td>2</td><td>20°</td></tr> <tr><td>3</td><td>30°</td></tr> <tr><td>4</td><td>10x60°</td></tr> </table> | 1 | 10° | 2 | 20° | 3 | 30° | 4 | 10x60° |
| 1 | 10° | | | | | | | | | | |
| 2 | 20° | | | | | | | | | | |
| 3 | 30° | | | | | | | | | | |
| 4 | 10x60° | | | | | | | | | | |

COB LED 13W
CRI>90 1313lm
3000K
10°



COB LED 13W
CRI>90 1313lm
3000K
20°



COB LED 13W
CRI>90 1313lm
3000K
30°



COB LED 13W
CRI>90 1313lm
3000K
10x60°




Optional accessories

| | | |
|---|----------------------------|----------------------------|
|  | Honeycomb Accessory | |
| | 71785H ● Black | 3,50€ |
| | Material | Structure Aluminium |


| | | |
|---|------------------------|----------------------------|
|  | Visor Accessory | |
| | 71785V ● Black | 18,00€ |
| | Material | Structure Aluminium |

| | | |
|---|------------------------------|--------------------------|
|  | Tree Fixing Accessory | |
| | 71785F ● Black | 27,00€ |
| | Material | Structure Textile |

Sau M 471



| | |
|---------------------|----------------------------------|
| Material | Structure Aluminium + ABS |
| | Diffuser PC |
| Power | 13W |
| Lumen Output | 953,9lm |
| Light Source | COB LED |
| Class | I |
| CRI | >90 |
| Voltage | 220V-240V/50/60Hz |



| Family | Finish | Color T | Beam Angle | | | | | | | | |
|---------------------------------|----------------|----------------|--|----------|-----|----------|-----|----------|-----|----------|--------|
| 71787- Sau Projector 155 | 2 Black | 3 3000K | <table border="1"> <tr><td>1</td><td>10°</td></tr> <tr><td>2</td><td>20°</td></tr> <tr><td>3</td><td>30°</td></tr> <tr><td>4</td><td>10x60°</td></tr> </table> | 1 | 10° | 2 | 20° | 3 | 30° | 4 | 10x60° |
| 1 | 10° | | | | | | | | | | |
| 2 | 20° | | | | | | | | | | |
| 3 | 30° | | | | | | | | | | |
| 4 | 10x60° | | | | | | | | | | |

COB LED 13W
CRI>90 953,9lm
3000K
10°



COB LED 13W
CRI>90 906,6lm
3000K
20°



COB LED 13W
CRI>90 880,7lm
3000K
30°



COB LED 13W
CRI>90 802,3lm
3000K
10x60°



Optional accessories


| | | |
|--|----------------------------|----------------------------|
| | Honeycomb Accessory | |
| | 71785H | ● Black 3,50€ |
| | Material | Structure Aluminium |

| | | |
|--|------------------------|----------------------------|
| | Visor Accessory | |
| | 71785V | ● Black 18,00€ |
| | Material | Structure Aluminium |

| | | |
|--|------------------------------|--------------------------|
| | Tree Fixing Accessory | |
| | 71785F | ● Black 27,00€ |
| | Material | Structure Textile |


Sau 130 GU10

IP65 IK06 \uparrow 135° \downarrow 20°




71774 ● Structure Black
● Diffuser Transparent 67,30€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Light Source | 1 GU10 LED max. 5W |
| Bulb incl. | Yes |
| Recom. Bulb | 17334 |
| Class | I |




Sau 620 GU10

IP65 IK06 \uparrow 135° \downarrow 20°




71775 ● Structure Black
● Diffuser Transparent 91,80€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Light Source | 1 GU10 LED max. 5W |
| Bulb incl. | Yes |
| Recom. Bulb | 17334 |
| Class | I |





Seth 280



70227 ● Structure Matt Black
 ○ Diffuser Transparent 89,60€



Seth 600



70226 ● Structure Matt Black
 ○ Diffuser Transparent 99,60€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 6W |
| Lumen Output | 375lm |
| Light Source | SMD LED 2700K |
| Class | II |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 40° |
| Cable | 2m |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 6W |
| Lumen Output | 375lm |
| Light Source | SMD LED 2700K |
| Class | II |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 40° |
| Cable | 2m |



outdoor

Projectors & Spikes



Foc 210 Spike

IP65  incl.  135°



70158 **Structure** Dark Grey
 Diffuser Transparent 169,90€

Foc 520 Spike



IP65  incl.  135°



70159 **Structure** Dark Grey
 Diffuser Transparent 181,41€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 16W |
| Lumen Output | 800lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50Hz |
| Beam angle | 36° |
| Cable | 0.5m |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 16W |
| Lumen Output | 800lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50Hz |
| Beam angle | 36° |
| Cable | 0.5m |





Sobek

IP65 IK06 incl. 90° 360°



70151 ● Structure Dark Grey
● Diffuser Transparent 141,70€

Balder



IP67 incl.



70469 ● Structure Matt Black
● Diffuser Transparent 120,80€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 7W |
| Lumen Output | 550lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 50° |
| Cable | 0.2m |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 212lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 36° |
| Cable | 2m |



outdoor

Projectors & Spikes



Andy

IP65



71613 ● **Structure** Satin Gold
● **Diffuser** Transparent 101,30€

Plom

IP64

IK06





70913 ● **Structure** Dark Grey
● **Diffuser** Transparent 147,80€

| | |
|---------------------|--------------------------|
| Material | Structure Steel |
| | Diffuser PC |
| Light Source | 1 GU10 LED PAR16 max. 5W |
| Bulb incl. | No |
| Recom. Bulb | 17334 |
| Class | I |
| Cable | 2m |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 8,5W |
| Lumen Output | 635lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 18-45° |
| Cable | 0.3m |



Wall
204



Zoom 18° to 45°



Tono

IP44

Garten Lampholder

IP54/44

Garten Plug

IP44



73150 ● Structure Matt Black
● Diffuser Transparent 52,30€



73111 ● Structure Matt Black 30,30€






73100 ● Structure Matt Black 46,70€

| | |
|---------------------|--------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Light Source | 1 GU10 LED PAR16 max. 8W |
| Bulb incl. | No |
| Recom. Bulb | 17334 |
| Class | I |
| Cable | 2m |

| | |
|---------------------|--------------------------|
| Material | Structure ABS |
| Light Source | 1 E27 LED PAR38 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17400 |
| Class | II |
| Cable | 2.5m |

| | |
|---------------------|---------------|
| Material | Structure ABS |
| Light Source | max. 3520W |
| Bulb incl. | Yes |
| Class | I |
| Cable | 2.5m |





Cuca 500 Spike
Faro Lab

IP65 IK06



75586 ● Structure Black
Driver incl. ● Diffuser Opal **194,90€**

Class II
Voltage 220V-240V/50/60Hz

75585 ● Structure Black
Driver not incl.* ● Diffuser Opal **162,90€**

Class III
Voltage 24VDC

| | |
|---------------------|----------------------------------|
| Material | Structure Stainless Steel |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| CRI | >90 |
| Cable | 0.5m |

*Drivers info pag. 478

Cuca 1000 Spike
Faro Lab

IP65 IK06



75590 ● Structure Black
Driver incl. ● Diffuser Opal **232,90€**



Class II
Voltage 220V-240V/50/60Hz

75589 ● Structure Black
Driver not incl.* ● Diffuser Opal **200,90€**

Class III
Voltage 24VDC

| | |
|---------------------|----------------------------------|
| Material | Structure Stainless Steel |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| CRI | >90 |
| Cable | 0.5m |


*Drivers info pag. 478





Cuca 300
Faro Lab

IP65 IK06



| | | |
|------------------------------|--------------------------------------|----------------|
| 75583 Driver incl. | ● Structure Black ● Diffuser Opal | 191,10€ |
| Class | II | |
| Voltage | 220V-240V/50/60Hz | |


| | | |
|-----------------------------------|--------------------------------------|----------------|
| 75581 Driver not incl.* | ● Structure Black ● Diffuser Opal | 159,10€ |
| Class | III | |
| Voltage | 24VDC | |

| | |
|---------------------|---|
| Material | Structure Stainless Steel Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| CRI | >90 |
| Cable | 0.5m |

*Drivers info pag. 478

Cuca 650
Faro Lab

IP65 IK06



| | | |
|------------------------------|--------------------------------------|----------------|
| 75565 Driver incl. | ● Structure Black ● Diffuser Opal | 233,90€ |
| Class | II | |
| Voltage | 220V-240V/50/60Hz | |

| | | |
|-----------------------------------|--------------------------------------|----------------|
| 75561 Driver not incl.* | ● Structure Black ● Diffuser Opal | 201,90€ |
| Class | III | |
| Voltage | 24VDC | |

| | |
|---------------------|---|
| Material | Structure Stainless Steel Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| CRI | >90 |
| Cable | 0.5m |

*Drivers info pag. 478

Cuca 1193
Faro Lab

IP65 IK06






| | | |
|------------------------------|--------------------------------------|----------------|
| 75566 Driver incl. | ● Structure Black ● Diffuser Opal | 254,50€ |
| Class | II | |
| Voltage | 220V-240V/50/60Hz | |

| | | |
|-----------------------------------|--------------------------------------|----------------|
| 75562 Driver not incl.* | ● Structure Black ● Diffuser Opal | 224,50€ |
| Class | III | |
| Voltage | 24VDC | |

| | |
|---------------------|---|
| Material | Structure Stainless Steel Diffuser Glass |
| Power | 3W |
| Lumen Output | 154lm |
| Light Source | COB LED 2700K |
| CRI | >90 |
| Cable | 0.5m |

*Drivers info pag. 478





Bambou 800

IP65 IK06 incl. IP68 CONNECTOR



75556 ● Structure Matt Black
● Diffuser Transparent 167,20€

Bambou 1000



IP65 IK06 incl. IP68 CONNECTOR



75557 ● Structure Matt Black
● Diffuser Transparent 180,40€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 8W |
| Lumen Output | 410lm |
| Light Source | LED MODULE 2700K |
| Class | I |
| CRI | ≥80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 360° |
| Cable | 0.2m |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 8W |
| Lumen Output | 606lm |
| Light Source | LED MODULE 2700K |
| Class | I |
| CRI | ≥80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 360° |
| Cable | 0.2m |






Saigon C70
Nahrang

IP65



- 71575P-09 ● Structure Dark Grey
● Shade Beige 678,20€
● Diffuser Opal
- 71575P-11 ● Structure Dark Grey
● Shade Green 678,20€
● Diffuser Opal
- 71575P-13 ● Structure Dark Grey
● Shade Ochre 663,90€
● Diffuser Opal

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Shade PP |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |





Saigon W70
Nahrang

IP65



- 71575P-07 ● Structure Dark Grey
● Shade Brown 695,80€
● Diffuser Opal

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Shade Synthetic Wicker |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |




Saigon T70
Nahrang

IP65



- 71575P-05 ● Structure Dark Grey
● Shade Cream 572,80€
● Diffuser Opal
- 71575P-06 ● Structure Dark Grey
● Shade Brown 572,80€
● Diffuser Opal

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Shade Textilene |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |





Saigon 870 R45
Nahtrang

IP65



71576P-04 ● Structure Dark Grey
● Shade White 241,70€

Saigon 1500 R45
Nahtrang



IP65



71575P-04 ● Structure Dark Grey
● Shade White 273,90€

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |





Saigon 1350 R55
Nahtrang


IP65



71575P-01 ● Structure Dark Grey
● Shade White 321,10€

Saigon 730 R17
Nahtrang

IP65



71576P-03 ● Structure Dark Grey
● Shade White 277,80€

Saigon 1370 R17
Nahtrang

IP65







71575P-03 ● Structure Dark Grey
● Shade White 260,00€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 2m |






Piccola
Faro Lab

IP65 IK08  incl.



| | | |
|-------|---|---------|
| 70245 | ● Structure Matt Black ● Diffuser Opal | 180,80€ |
| 70246 | ● Structure Matt White ● Diffuser Opal | 180,80€ |

| | |
|---------------------|--------------------------------------|
| Material | Structure Aluminium Diffuser PMMA |
| Power | 6W |
| Lumen Output | 360lm |
| Light Source | SMD LED 2700K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Cable | 1.5m |








OUTDOOR

LIGHTING

SUSPENDED

Toba
Carrasquet

IP65



| | | |
|-----------|---|---------|
| 72126-164 | ● Structure Beige ● Diffuser Opal | 212,70€ |
| 72126-165 | ● Structure Brown ● Diffuser Opal | 212,70€ |
| 72126-166 | ● Structure Orange ● Diffuser Opal | 212,70€ |
| 72126-167 | ● Structure Brown + Orange ● Diffuser Opal | 212,70€ |

| | |
|---------------------|-------------------------------------|
| Material | Structure Silicone Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 12W |
| Bulb incl. | No |
| Recom. Bulb | 17070 |
| Class | I |
| Cable | 3m |



Built to endure, made to charm

Each shade is made from individual silicone discs—durable, weather-resistant and easy to clean. Available in beige, terracotta, dark brown, and a striking combination of all three tones.



outdoor

Suspended



Narita
Carrasquet

IP65




| | | |
|-----------|---|---------|
| 72126-159 | ● Structure Beige ● Diffuser Opal | 314,60€ |
| 72126-160 | ● Structure Black ● Diffuser Opal | 314,60€ |
| 72126-162 | ● Structure Orange ● Diffuser Opal | 314,60€ |
| 72126-161 | ● Structure Rust Brown ● Diffuser Opal | 314,60€ |



Decorative design made for the outdoors

Narita distills the essence of Nara into a more compact format. Its shade, defined by an elegant linear pattern, filters the light to cast playful shadows—transforming terraces and gardens into inviting spaces full of character. Crafted from stainless steel for enhanced durability outdoors.

| | |
|---------------------|--|
| Material | Structure Stainless Steel Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 12W |
| Bulb incl. | No |
| Recom. Bulb | 17070 |
| Class | I |
| Cable | 3m |



outdoor

Suspended



Saga
Carrasquet

IP65




| | | |
|-----------|---|---------|
| 72126-169 | ● Structure Beige ● Diffuser Opal | 351,40€ |
| 72126-170 | ● Structure Black ● Diffuser Opal | 351,40€ |
| 72126-171 | ● Structure Rust Brown ● Diffuser Opal | 351,40€ |
| 72126-172 | ● Structure Orange ● Diffuser Opal | 351,40€ |

| | |
|---------------------|--------------------------------------|
| Material | Structure Aluminium Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 12W |
| Bulb incl. | No |
| Recom. Bulb | 17070 |
| Class | I |
| Cable | 3m |



Light that sets the mood


The metal shade casts a directional beam, ideal for lighting outdoor tables or bar areas. Inside, an opal diffuser conceals the light source, softening the glow to create warm, comfortable lighting with no glare.



Indoor

Suspended






Accessories

| | | | |
|---|-----------------------|----------------------|--------|
|  | Plug accessory | | |
| | 72128 | ● Black | 19,90€ |
| | Material | Structure PVC | |

| | | | |
|---|-------------------------|----------------------------|--------|
|  | Canopy accessory | | |
| | 72126 | ● Black | 45,60€ |
| | Material | Structure Aluminium | |

| | | | |
|---|----------------------------------|----------------------------------|--------|
|  | Tensor cable 5M accessory | | |
| | 72129 | ● Grey | 21,20€ |
| | Material | Structure Stainless Steel | |



Saga - Toba - Narita

SYSTEM

Toba System
Carrasquet

IP65

Flexible, warm and resilient, Toba blends naturally into its surroundings. Its gentle glow enhances outdoor living, bringing colour and character to the space.

| | | |
|-----------|---|---------|
| 72127-164 | Structure Beige Diffuser Opal | 167,10€ |
| 72127-165 | Structure Brown Diffuser Opal | 167,10€ |
| 72127-166 | Structure Orange Diffuser Opal | 167,10€ |
| 72127-167 | Structure Brown + Orange Diffuser Opal | 167,10€ |

| | |
|---------------------|-------------------------------------|
| Material | Structure Silicone Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 12W |
| Bulb incl. | No |
| Recom. Bulb | 17070 |
| Class | I |
| Cable | 3m |




Beige

Brown

Orange

Brown+Orange



outdoor

Suspended



Narita System
Carrasquet

IP65

Narita can be installed as a single pendant with a canopy, or become part of a garland system that links multiple units. Thanks to its clever clip attachment, each light can be hung, moved or removed with ease—offering full freedom to design shifting atmospheres and layered compositions at different heights.

| | | |
|-------|---|---------|
| 72120 | ● Structure Beige ● Diffuser Opal | 269,00€ |
| 72121 | ● Structure Black ● Diffuser Opal | 269,00€ |
| 72123 | ● Structure Orange ● Diffuser Opal | 269,00€ |
| 72122 | ● Structure Rust Brown ● Diffuser Opal | 269,00€ |

| | |
|---------------------|--|
| Material | Structure Stainless Steel Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 12W |
| Bulb incl. | No |
| Recom. Bulb | 17070 |
| Class | I |
| Cable | 3m |



Beige Black Rust Brown Orange



outdoor

Suspended




Saga System
Carrasquet

IP65

Operating on 220V, Saga can be connected in sequence to form hanging garlands at different heights. Whether installed with a hook or canopy, it adds a sense of movement and creative freedom to any outdoor environment.

| | | |
|-------|---|---------|
| 72135 | ● Structure Beige ● Diffuser Opal | 305,80€ |
| 72136 | ● Structure Black ● Diffuser Opal | 305,80€ |
| 72138 | ● Structure Orange ● Diffuser Opal | 305,80€ |
| 72137 | ● Structure Rust Brown ● Diffuser Opal | 305,80€ |

| | |
|---------------------|--------------------------------------|
| Material | Structure Aluminium Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 12W |
| Bulb incl. | No |
| Recom. Bulb | 17070 |
| Class | I |
| Cable | 3m |




outdoor

Suspended



Nara Fixed S
Carrasquet

IP54



| | | |
|-----------|-----------------------------------|---------|
| 72109-155 | Shade Beige Diffuser Opal | 461,70€ |
| 72109-156 | Shade Black Diffuser Opal | 461,70€ |
| 72109-157 | Shade Rust Brown Diffuser Opal | 461,70€ |

| | |
|---------------------|---|
| Material | Structure Stainless Steel Shade Steel Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 12W |
| Bulb incl. | No |
| Recom. Bulb | 17070 |
| Class | II |
| Cable | 1.2m |

Nara Fixed M
Carrasquet

IP54



| | | |
|-----------|---------------------------------------|---------|
| 72110-155 | Structure Beige Diffuser Opal | 481,20€ |
| 72110-156 | Structure Matt Black Diffuser Opal | 481,20€ |
| 72110-157 | Structure Rust Brown Diffuser Opal | 481,20€ |

| | |
|---------------------|----------------------------------|
| Material | Structure Steel Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 12W |
| Bulb incl. | No |
| Recom. Bulb | 17070 |
| Class | II |



Nara Pendant
Carrasquet

IP65



| | | |
|-----------|---------------------------------------|---------|
| 72104-155 | Structure Beige Diffuser Opal | 422,90€ |
| 72104-156 | Structure Matt Black Diffuser Opal | 422,90€ |
| 72104-157 | Structure Rust Brown Diffuser Opal | 422,90€ |

| | |
|---------------------|----------------------------------|
| Material | Structure Steel Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 12W |
| Bulb incl. | No |
| Recom. Bulb | 17070 |
| Class | II |
| Cable | 1.2m |



outdoor

Suspended




Saigon Fixed S W100
Nahtrang

IP54

Saigon Fixed M W100
Nahtrang

IP54



71621-08 ● **Structure** Dark Grey
● **Shade** Wood
● **Diffuser** Opal 819,60€

71622-08 ● **Structure** Dark Grey
● **Shade** Wood
● **Diffuser** Opal 845,80€

| | |
|---------------------|-------------------------------|
| Material | Structure Aluminium |
| | Shade Synthetic Wicker |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |



| | |
|---------------------|-------------------------------|
| Material | Structure Aluminium |
| | Shade Synthetic Wicker |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |



Floor
54



Portable
288



Saigon Fixed S C100
Nahtrang

IP54




| | | |
|----------|---|---------|
| 71621-10 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Beige ● Diffuser Opal | 771,70€ |
| 71621-12 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Green ● Diffuser Opal | 771,70€ |
| 71621-14 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Ochre ● Diffuser Opal | 771,70€ |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade Textilene |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |

Saigon Fixed M C100
Nahtrang

IP54



| | | |
|----------|---|---------|
| 71622-10 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Beige ● Diffuser Opal | 797,90€ |
| 71622-12 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Green ● Diffuser Opal | 797,90€ |
| 71622-14 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Ochre ● Diffuser Opal | 797,90€ |



| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade Textilene |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |



Floor
52



Portable
286



Saigon Fixed S C70
Nahtrang

IP54



| | | |
|----------|---|---------|
| 71621-09 | ● Structure Dark Grey ● Shade Beige ● Diffuser Opal | 652,80€ |
| 71621-11 | ● Structure Dark Grey ● Shade Green ● Diffuser Opal | 652,80€ |
| 71621-13 | ● Structure Dark Grey ● Shade Ochre ● Diffuser Opal | 652,80€ |

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Shade PP |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |

Saigon Fixed M C70
Nahtrang

IP54



| | | |
|----------|---|---------|
| 71622-09 | ● Structure Dark Grey ● Shade Beige ● Diffuser Opal | 679,00€ |
| 71622-11 | ● Structure Dark Grey ● Shade Green ● Diffuser Opal | 679,00€ |
| 71622-13 | ● Structure Dark Grey ● Shade Ochre ● Diffuser Opal | 679,00€ |

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Shade PP |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |




Saigon C70
Nahtrang

IP65



| | | |
|-----------|---|---------|
| 71579C-09 | ● Structure Dark Grey ● Shade Beige ● Diffuser Opal | 663,70€ |
| 71579C-11 | ● Structure Dark Grey ● Shade Green ● Diffuser Opal | 663,70€ |
| 71579C-13 | ● Structure Dark Grey ● Shade Ochre ● Diffuser Opal | 663,70€ |


| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Shade PP |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 1.2m |





Saigon Fixed S W70
Nahtrang


IP54



71621-07 ● **Structure** Dark Grey
● **Shade** Wood
● **Diffuser** Opal 670,40€

Saigon Fixed M W70
Nahtrang

IP54



71622-07 ● **Structure** Dark Grey
● **Shade** Wood
● **Diffuser** Opal 696,60€

Saigon W70
Nahtrang

IP65



71579C-07 ● **Structure** Dark Grey
● **Shade** Brown
● **Diffuser** Opal 681,30€

| | |
|---------------------|-------------------------------|
| Material | Structure Aluminium |
| | Shade Synthetic Wicker |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |

| | |
|---------------------|-------------------------------|
| Material | Structure Aluminium |
| | Shade Synthetic Wicker |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |

| | |
|---------------------|-------------------------------|
| Material | Structure Aluminium |
| | Shade Synthetic Wicker |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 1.2m |






Floor
54



Spike
250



Portable
288




outdoor

Suspended



Saigon Fixed S T70
Nahtrang

IP54



| | | |
|----------|---|---------|
| 71621-05 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Cream ● Diffuser Opal | 547,40€ |
| 71621-06 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Brown ● Diffuser Opal | 547,40€ |

Saigon Fixed M T70
Nahtrang

IP54



| | | |
|----------|---|---------|
| 71622-05 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Cream ● Diffuser Opal | 573,60€ |
| 71622-06 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Brown ● Diffuser Opal | 573,60€ |

Saigon T70
Nahtrang

IP65



| | | |
|-----------|---|---------|
| 71579C-05 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Cream ● Diffuser Opal | 558,30€ |
| 71579C-06 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Brown ● Diffuser Opal | 558,30€ |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade Textilene |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade Textilene |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade Textilene |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 1.2m |






Floor
56



Spike
250



Portable
288



outdoor

Suspended



Saigon R55
Nahtrang

IP65



71579-02 ● Structure Dark Grey
● Shade White 261,20€

Saigon R45
Nahtrang

IP65 IK06



71579C-04 ● Structure Dark Grey
● Shade White 259,40€

Saigon R17
Nahtrang

IP65






71579C-03 ● Structure Dark Grey
● Shade White 245,50€

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 1.2m |

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 1.2m |

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 1.2m |



outdoor

Suspended



Saigon C100 Portable
Nahtrang



| | | |
|----------|---|---------|
| 71584-10 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Beige ● Diffuser Opal | 771,50€ |
| 71584-12 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Green ● Diffuser Opal | 771,50€ |
| 71584-14 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Ochre ● Diffuser Opal | 771,50€ |



| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Shade PP |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 3m |

Saigon C70 Portable
Nahtrang



| | | |
|----------|---|---------|
| 71584-09 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Beige ● Diffuser Opal | 652,60€ |
| 71584-11 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Green ● Diffuser Opal | 652,60€ |
| 71584-13 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Shade Ochre ● Diffuser Opal | 652,60€ |

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Shade PP |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 3m |



outdoor

Suspended



Saigon W100 Portable
Nahrang



71584-08 ● **Structure** Dark Grey
● **Shade** Brown
● **Diffuser** Opal **819,40€**

Saigon W70 Portable
Nahrang



71584-07 ● **Structure** Dark Grey
● **Shade** Brown
● **Diffuser** Opal **670,20€**

Saigon T70 Portable
Nahrang






71584-05 ● **Structure** Dark Grey
● **Shade** Cream
● **Diffuser** Opal **547,20€**
71584-06 ● **Structure** Dark Grey
● **Shade** Brown
● **Diffuser** Opal **547,20€**

| | |
|---------------------|-------------------------------|
| Material | Structure Aluminium |
| | Shade Synthetic Wicker |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 3m |

| | |
|---------------------|-------------------------------|
| Material | Structure Aluminium |
| | Shade Synthetic Wicker |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 3m |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade Textilene |
| | Diffuser PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 3m |



Saigon R55 Portable
Nahtrang



71584-01 ● Structure Dark Grey
● Shade White 308,90€

Saigon R45 Portable
Nahtrang



71584-04 ● Structure Dark Grey
● Shade White 248,20€

Saigon R17 Portable
Nahtrang






71584-03 ● Structure Dark Grey
● Shade White 234,40€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 3m |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 3m |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Shade PEMD |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |
| Cable | 3m |



Nautica 260

IP33



| | | |
|-------|--|--------|
| 71106 | ● Structure Matt White + Matt Copper ● Diffuser Transparent | 98,40€ |
| 71138 | ● Structure Rust Brown ● Diffuser Transparent | 98,70€ |

| | |
|---------------------|------------------------|
| Material | Structure Steel |
| | Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |
| Cable | 1m |




Nautica 340

IP33



| | | |
|-------|--|---------|
| 71139 | ● Structure Rust Brown ● Diffuser Transparent | 138,30€ |
|-------|--|---------|

| | |
|---------------------|------------------------|
| Material | Structure Steel |
| | Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |
| Cable | 1m |




outdoor

Suspended



Nautica 71139

Clap
6W



FINISH

White

● Black

● Rust
Brown

COLOR TEMPERATURE

2700K CRI80

3000K CRI80


BEAM ANGLE

15°


24°

38°

ACCESSORIES




Suspended



Canopy




Visor



24V Power Supply

With pure design and minimal structures, this family offers both direct and indirect lighting in its various versions, transforming every corner of the outdoor spaces. This lighting system offers great flexibility for project design thanks to its diverse categories: from stakes to beacons, pendant lights, or wall sconces, all with a distinctive and refined aesthetic. The indirect lighting of some versions provides high visual comfort and prevents glare, while eliminating light pollution and highlighting the surrounding vegetation.




CLAP
Faro Lab

CLAP

Projector

IP65 no incl. DIM 360° 360°

| | |
|--------------|---------------------|
| Material | Structure Aluminium |
| Power | 6W |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >80 |
| Voltage | 24VDC |
| Cable | 2m |



| Family | Finish | Color T | Beam Angle |
|-----------------------|--------------|---------|------------|
| 75702- Clap Projector | 2 Black | 2 2700K | 1 15° |
| | 3 White | 3 3000K | 2 24° |
| | 4 Rust Brown | | 3 38° |

| | | |
|--|--|--|
| <p>15° COB LED 6W CRI>80 481lm 2700K COB LED 6W CRI>80 496lm 3000K</p> | <p>24° COB LED 6W CRI>80 553lm 2700K COB LED 6W CRI>80 570lm 3000K</p> | <p>38° COB LED 6W CRI>80 508lm 2700K COB LED 6W CRI>80 524lm 3000K</p> |
|--|--|--|


Visor Accessory



| | | |
|---------|------------------------|-------|
| 75714-2 | ● Structure Black | 5,50€ |
| 75714-4 | ● Structure Rust Brown | 5,50€ |

Optional drivers *Remote drivers

| | | |
|-------------------|------------------------|-----------------|
| 24VDC 6W 220/240V | 1-5 units on/off IP67 | 98324026 |
| | 1-15 units on/off IP67 | 98324099 |



CLAP

Suspended accessory



Example: 75702-223 x3 + 75714-2 + 75711-2 + 75713-2
Clap projector black 2700K 38° + visor + suspended + canopy

Suspended *Use with x3 projectors max.




Example: 75702-223 x3 + 75714-2 + 75711-2 + 75713-2
Clap projector black 2700K 38° + visor + suspended + canopy

Canopy *Use with x3 projectors max.


IP65  incl.



- 75711-1 ● White **90,00€**
- 75711-2 ● Black **90,00€**



- 75713-1 ● White **90,00€**
- 75713-2 ● Black **69,60€**





Scuba Louver 1200

IP65 IK10  incl.



75758-01 **Structure** Black **326,00€**
 Diffuser Transparent

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 36W |
| Lumen Output | 1575lm |
| Light Source | SMD LED 2700K |
| Class | I |
| CRI | >90 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 80x130° |
| Cable | 3m |



outdoor

Suspended



Scuba 600

IP66 IK10  incl.



75753  **Structure** Chrome
 **Diffuser** Opal 211,10€

Scuba 1200

IP66 IK10  incl.



75754  **Structure** Chrome
 **Diffuser** Opal 294,20€



| | |
|---------------------|---------------------------------------|
| Material | Structure Stainless Steel 316L |
| | Diffuser PC |
| Power | 20W |
| Lumen Output | 3200lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 120° |
| Cable | 3m |

| | |
|---------------------|---------------------------------------|
| Material | Structure Stainless Steel 316L |
| | Diffuser PC |
| Power | 36W |
| Lumen Output | 5760lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 120° |
| Cable | 3m |



Scuba Canopy Accessory
 75755  **Matt Black** 26,90€
Material **Structure** Aluminium


 Wall
 330



outdoor

Suspended





302

OUTDOOR

LIGHTING

CEILING

Puk
4.5W

Puk
7W



ø58



ø76

FINISH

White

Black

COLOR TEMPERATURE

2700K CRI90

3000K CRI90

BEAM ANGLE

15°

30°

50°

outdoor


Ceiling



Puk 58

IP65 IK06 incl. SEA SIDE SUITABLE

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 4,5W |
| Light Source | COB LED |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |




| Family | Finish | Color T | Beam Angle |
|--|---------|---------|------------|
| 75304- Puk Ceiling $\varnothing 58$ 4.5W | 1 White | 2 2700K | 1 15° |
| | 2 Black | 3 3000K | 2 30° |
| | | | 3 50° |

| | | |
|--|--|--|
| <p>15° COB LED 4,5W CRI>80 297lm 2700K</p> | <p>30° COB LED 4,5W CRI>80 341lm 2700K</p> | <p>50° COB LED 4,5W CRI>80 350lm 2700K</p> |
| <p>15° COB LED 4,5W CRI>80 307lm 3000K</p> | <p>30° COB LED 4,5W CRI>80 352lm 3000K</p> | <p>50° COB LED 4,5W CRI>80 361lm 3000K</p> |

Puk 76

IP65 IK06 incl. SEA SIDE SUITABLE

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 7W |
| Light Source | COB LED |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



| Family | Finish | Color T | Beam Angle |
|---------------------------|---------|---------|------------|
| 75305- Puk Ceiling ø76 7W | 1 White | 2 2700K | 1 15° |
| | 2 Black | 3 3000K | 2 30° |
| | | | 3 50° |

| | | |
|--|--|--|
| <p>15° COB LED 7W CRI>80 573lm 2700K</p> | <p>30° COB LED 7W CRI>80 610lm 2700K</p> | <p>50° COB LED 7W CRI>80 620lm 2700K</p> |
| <p>15° COB LED 7W CRI>80 591lm 3000K</p> | <p>30° COB LED 7W CRI>80 629lm 3000K</p> | <p>50° COB LED 7W CRI>80 640lm 3000K</p> |


Tami

IP54  incl.



70799 **Structure** Dark Grey
 Diffuser Transparent 147,70€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 9W |
| Lumen Output | 600lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 40° |




Goz

IP65  incl.



70575 **Structure** Dark Grey
 Diffuser Transparent 114,60€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 9W |
| Lumen Output | 646lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 18° |






Olot

IP44



| | | |
|-------|--|--------|
| 71372 | ● Structure Matt White ● Diffuser Transparent | 32,90€ |
| 71374 | ● Structure Dark Grey ● Diffuser Transparent | 32,90€ |

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 1 GU10 LED PAR16 max. 8W |
| Bulb incl. | No |
| Recom. Bulb | 17333 |
| Class | I |




Tasa

IP44 IK06




| | | |
|-------|--|--------|
| 70806 | ● Structure Dark Grey ● Diffuser Transparent | 58,30€ |
| 70821 | ● Structure Matt White ● Diffuser Transparent | 57,20€ |

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 1 E27 LED PAR30 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 97687127 |
| Class | I |





Kila 200


IP65



| | | |
|-------|---|---------|
| 71740 | ● Structure Dark Grey ● Diffuser Transparent | 115,00€ |
| 71741 | ● Structure Dark Grey ● Diffuser Smoked | 133,40€ |
| 71742 | ● Structure Dark Grey ● Diffuser Amber | 133,40€ |

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |





Scuba Louver 1200

IP65 IK10  incl.




75758  **Structure** Black 295,40€
 **Diffuser** Transparent

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 36W |
| Lumen Output | 2888lm |
| Light Source | SMD LED 2700K |
| Class | I |
| CRI | >90 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 80x130° |
| Cable | 3m |



Ceiling
298

Wall
328



outdoor

Ceiling




Anga 240

IP44 IK03 incl.



72353 ● Structure Dark Grey
● Diffuser Opal 139,40€

| | |
|---------------------|--------------------|
| Material | Structure Concrete |
| | Diffuser PMMA |
| Power | 18W |
| Lumen Output | 1174lm |
| Light Source | SMD LED 2700K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



Anga 295


IP44 IK03 incl.



72354 ● Structure White
● Diffuser Opal 166,70€

72355 ● Structure Dark Grey
● Diffuser Opal 166,70€

| | |
|---------------------|--------------------|
| Material | Structure Concrete |
| | Diffuser PMMA |
| Power | 24W |
| Lumen Output | 1355lm |
| Light Source | SMD LED 2700K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |




Dakron

IP65 IK10 SEA SIDE SUITABLE



70722 ● Structure Matt White
● Diffuser Opal 51,70€

| | |
|---------------------|------------------------------|
| Material | Structure ABS Diffuser PC |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |




Yen

IP54 IK10



70690 ● Structure Grey
● Diffuser Opal 68,40€

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |






OUTDOOR

LIGHTING

WALL

Grot 160 Wall
Faro Lab

IP55 IK06 incl. SEA SIDE SUITABLE IP68 CONNECTOR




| | | |
|-----------------------------|------------------|----------------|
| 75630 2700K 122lm | ● Structure Grey | 193,70€ |
| 75633 3000K 173lm | ● Structure Grey | 193,70€ |

| | |
|---------------------|--------------------|
| Material | Structure Concrete |
| Power | 6,5W |
| Light Source | SMD LED |
| Class | II |
| CRI | ≥80 |
| Voltage | 100V-277V/50/60Hz |



Beacon
76




outdoor

Surface



Clap
6W



FINISH

White

● Black

● Rust
Brown

COLOR TEMPERATURE

2700K CRI80

3000K CRI80

BEAM ANGLE

15°

24°

38°

ACCESSORIES




Wall/Projector




Lineal Wall/Ceiling



Indirect Light Plate
ø310




Indirect Light Plate
ø400



Canopy



Visor



24V Power Supply

With pure design and minimal structures, this family offers both direct and indirect lighting in its various versions, transforming every corner of the outdoor spaces. This lighting system offers great flexibility for project design thanks to its diverse categories: from stakes to beacons, pendant lights, or wall sconces, all with a distinctive and refined aesthetic. The indirect lighting of some versions provides high visual comfort and prevents glare, while eliminating light pollution and highlighting the surrounding vegetation.




CLAP Faro Lab

CLAP Projector

IP65 no incl. DIM 360° 360°

| | |
|--------------|---------------------|
| Material | Structure Aluminium |
| Power | 6W |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >80 |
| Voltage | 24VDC |
| Cable | 2m |



| Family | Finish | Color T | Beam Angle |
|-----------------------|--------------|---------|------------|
| 75702- Clap Projector | 2 Black | 2 2700K | 1 15° |
| | 3 White | 3 3000K | 2 24° |
| | 4 Rust Brown | | 3 38° |
| | | | |

15° COB LED 6W CRI>80 481lm 2700K
COB LED 6W CRI>80 496lm 3000K




24° COB LED 6W CRI>80 553lm 2700K
COB LED 6W CRI>80 570lm 3000K



38° COB LED 6W CRI>80 508lm 2700K
COB LED 6W CRI>80 524lm 3000K




Visor Accessory



| | | |
|---------|------------------------|-------|
| 75714-2 | ● Structure Black | 5,50€ |
| 75714-4 | ● Structure Rust Brown | 5,50€ |

Optional drivers *Remote drivers

| | | | | | | |
|-------|----|----------|------------|--------|------|----------|
| 24VDC | 6W | 220/240V | 1-5 units | on/off | IP67 | 98324026 |
| | | | 1-15 units | on/off | IP67 | 98324099 |



CLAP


Wall/Projector accessory



Example: 75702-223 + 75710-2
Clap projector black 2700K 38° + wall/projector black

Example: 75702-223 + 75707-2 + 75710-2
Clap projector black 2700K 38° + wall/projector black + shade 310

Wall/Projector *Use with 1 projector max.




75710-1 ● White 75,00€
75710-2 ● Black 75,00€


75707-2 ● Black 88,70€

75706-2 ● Black 91,10€


IP65



W. ø310 mm



W. ø400 mm




CLAP

Projector

IP65 no incl. DIM 360° 360°

| | |
|--------------|---------------------|
| Material | Structure Aluminium |
| Power | 6W |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >80 |
| Voltage | 24VDC |
| Cable | 2m |



| Family | Finish | Color T | Beam Angle |
|-----------------------|--------------|---------|------------|
| 75702- Clap Projector | 2 Black | 2 2700K | 1 15° |
| | 3 White | 3 3000K | 2 24° |
| | 4 Rust Brown | | 3 38° |
| | | | |

| | | |
|--|--|--|
| <p>15° COB LED 6W CRI>80 481lm 2700K COB LED 6W CRI>80 496lm 3000K</p> | <p>24° COB LED 6W CRI>80 553lm 2700K COB LED 6W CRI>80 570lm 3000K</p> | <p>38° COB LED 6W CRI>80 508lm 2700K COB LED 6W CRI>80 524lm 3000K</p> |
|--|--|--|


Visor Accessory



| | | |
|---------|------------------------|-------|
| 75714-2 | ● Structure Black | 5,50€ |
| 75714-4 | ● Structure Rust Brown | 5,50€ |


Optional drivers *Remote drivers

| | | | | | | |
|-------|----|----------|------------|--------|------|----------|
| 24VDC | 6W | 220/240V | 1-5 units | on/off | IP67 | 98324026 |
| | | | 1-15 units | on/off | IP67 | 98324099 |




CLAP

Linear Wall/Ceiling accessory



Example: 75702-223 x3 + 75712-2 + 75713-2
Clap projector black 2700K 38° + lineal wall/ceiling black + canopy

Linear Wall/Ceiling *Use with x3 projectors max.




Example: 75702-223 x3 + 75712-2 + 75713-2
Clap projector black 2700K 38° + lineal wall/ceiling black + canopy

Canopy *Use with x3 projectors max.


IP65  incl.



- 75712-1 ● White **84,10€**
- 75712-2 ● Black **84,10€**



- 75713-1 ● White **90,00€**
- 75713-2 ● Black **69,60€**




Lime 600



71800 Structure Black
 Diffuser Translucent 167,50€

| | |
|---------------------|---------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 6W |
| Lumen Output | 479/500/531lm |
| Light Source | SMD LED 2700/ 3000/ 4000K |
| Class | I |
| CRI | 90 |
| Voltage | 220V-240V/50/60Hz |




Lime 900




71803 Structure Black
 Diffuser Translucent 215,50€

| | |
|---------------------|---------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 10W |
| Lumen Output | 730/772/816lm |
| Light Source | SMD LED 2700/ 3000/ 4000K |
| Class | I |
| CRI | 90 |
| Voltage | 220V-240V/50/60Hz |



outdoor

Surface



Scuba Louver 600

IP65 IK10 incl.



75756 ● Structure Black
● Diffuser Transparent 200,50€

Scuba Louver 1200

IP65 IK10 incl.



75757 ● Structure Black
● Diffuser Transparent 279,80€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 12W |
| Lumen Output | 772lm |
| Light Source | SMD LED 2700K |
| Class | I |
| CRI | >90 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 60° |
| Cable | 1.5m |



| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 20W |
| Lumen Output | 1353lm |
| Light Source | SMD LED 2700K |
| Class | I |
| CRI | >90 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 60° |
| Cable | 1.5m |



Suspended
298



Ceiling
312





Scuba 600

IP65 IK10  incl.



75750  **Structure Chrome**
 **Diffuser Opal** 191,10€

Scuba 1200

IP65 IK10  incl.




75751  **Structure Chrome**
 **Diffuser Opal** 274,20€

| | |
|---------------------|---------------------------------------|
| Material | Structure Stainless Steel 316L |
| | Diffuser PC |
| Power | 12W |
| Lumen Output | 1575lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 120° |
| Cable | 3m |


| | |
|---------------------|---------------------------------------|
| Material | Structure Stainless Steel 316L |
| | Diffuser PC |
| Power | 20W |
| Lumen Output | 2787lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 120° |
| Cable | 3m |



Suspended
300







FINISH

- White Black

COLOR TEMPERATURE

2700K CRI80

3000K CRI80

BEAM ANGLE



outdoor


Surface



Kov R 1L

IP65 IK05 incl. SEA SIDE SUITABLE

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| Power | 6W |
| Light Source | COB LED |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



| Family | Finish | Color T | Beam Angle |
|----------------------------|--------------------|---------|------------|
| 71790- Kov Rounded 1 light | 1 White 2 Black | 2 2700K | 1 14° |
| | | 3 3000K | 2 22° |
| | | | 3 30° |

14° COB LED 6W CRI>80 747lm 2700K
COB LED 6W CRI>80 791lm 3000K



22° COB LED 6W CRI>80 785lm 2700K
COB LED 6W CRI>80 831lm 3000K




30° COB LED 6W CRI>80 835lm 2700K
COB LED 6W CRI>80 884lm 3000K



Kov R 2L

IP65 IK05 incl. SEA SIDE SUITABLE

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| Power | 2x6W |
| Light Source | COB LED |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



| Family | Finish | Color T | Beam Angle* |
|-----------------------------|---------|---------|-------------|
| 71791- Kov Rounded 2 lights | 1 White | 2 2700K | 1 14°/14° |
| | 2 Black | 3 3000K | 2 14°/22° |
| | | | 3 22°/22° |
| | | | 4 22°/30° |
| | | | 5 30°/30° |
| | | | 6 30°/14° |


*NOTE: You can choose the same or different beam angle for each side of the product

14° COB LED 2x6W CRI>80
1214lm 2700K



22° COB LED 2x6W CRI>80
1291lm 3000K

22° COB LED 2x6W CRI>80
1304lm 2700K



30° COB LED 2x6W CRI>80
1386lm 3000K

30° COB LED 2x6W CRI>80
1387lm 2700K




30° COB LED 2x6W CRI>80
1474lm 3000K

Kov SQ 1L

IP65 IK05 incl. SEA SIDE SUITABLE

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| Power | 6W |
| Light Source | COB LED |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |




| Family | Finish | Color T | Beam Angle |
|----------------------------|---------|---------|------------|
| 71792- Kov Squared 1 light | 1 White | 2 2700K | 1 14° |
| | 2 Black | 3 3000K | 2 22° |
| | | | 3 30° |

| | | | | | |
|--|--|--|--|---|--|
| <p>14°</p> <p>COB LED W CRI>80 747lm 2700K</p> <p>COB LED 6W CRI>80 791lm 3000K</p> | | <p>22°</p> <p>COB LED W CRI>80 785lm 2700K</p> <p>COB LED 6W CRI>80 831lm 3000K</p> | | <p>30°</p> <p>COB LED 6W CRI>80 835lm 2700K</p> <p>COB LED 6W CRI>80 884lm 3000K</p> | |
|--|--|--|--|---|--|

Kov R 1L

IP65 IK05 incl. SEA SIDE SUITABLE

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| Power | 2x6W |
| Light Source | COB LED |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



| Family | Finish | Color T | Beam Angle |
|-----------------------------|---------|---------|------------|
| 71793- Kov Squared 2 lights | 1 White | 2 2700K | 1 14°/14° |
| | 2 Black | 3 3000K | 2 14°/22° |
| | | | 3 22°/22° |
| | | | 4 22°/30° |
| | | | 5 30°/30° |
| | | | 6 30°/14° |

*NOTE: You can choose the same or different beam angle for each side of the product

| | | | | | |
|---|--|---|--|---|--|
| 14° COB LED 2x6W CRI>80 1259lm 2700K | | 22° COB LED 2x6W CRI>80 1304lm 2700K | | 30° COB LED 2x6W CRI>80 1387lm 2700K | |
| 14° COB LED 2x6W CRI>80 1291lm 3000K | | 22° COB LED 2x6W CRI>80 1386lm 3000K | | 30° COB LED 2x6W CRI>80 1474lm 3000K | |

Thon 1L

IP65 IK06  incl.



70283  **Structure** Dark Grey
 **Diffuser** Opal 277,20€

Thon 2L



IP65 IK06  incl.



70284  **Structure** Dark Grey
 **Diffuser** Opal 327,20€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 15W |
| Lumen Output | 825lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 18° |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 2x15W |
| Lumen Output | 2x859lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 18° |




Tond 1L

IP54 IK06 incl.



| | | |
|-------------------------------|---|----------------|
| 71915 2700K 220lm | ● Structure Dark Grey ● Diffuser Transparent | 107,10€ |
| 71916 3000K 234,9lm | ● Structure Dark Grey ● Diffuser Transparent | 107,10€ |

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Power | 6W |
| Light Source | COB LED |
| Class | I |
| CRI | ≥80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 50° |




Tond 2L

IP54 IK06 incl. SEA SIDE SUITABLE



| | | |
|--------------|---|----------------|
| 71918 | ● Structure Dark Grey ● Diffuser Transparent | 125,20€ |
|--------------|---|----------------|

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Power | 2x6W |
| Lumen Output | 422lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | ≥80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 50° |




Estela 1L

IP65



| | | |
|-------|--|--------|
| 70322 | ● Structure Black ● Diffuser Transparent | 79,90€ |
| 70324 | ● Structure Rust Brown ● Diffuser Transparent | 79,90€ |
| 70323 | ● Structure White ● Diffuser Transparent | 79,90€ |

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 1 GU10 LED max. 5W |
| Bulb incl. | No |
| Recom. Bulb | 17334 |
| Class | I |




Estela 2L

IP65



| | | |
|-------|--|--------|
| 70327 | ● Structure Black ● Diffuser Transparent | 91,50€ |
| 70329 | ● Structure Rust Brown ● Diffuser Transparent | 91,50€ |
| 70328 | ● Structure White ● Diffuser Transparent | 91,50€ |

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 2 GU10 LED max. 5W |
| Bulb incl. | No |
| Recom. Bulb | 17334 |
| Class | I |





Bronx


Àlex & Manel Llusçà

IP44



| | | |
|-------|---|--------|
| 71194 | ● Structure Brown ● Diffuser Transparent | 51,50€ |
| 71195 | ● Structure White ● Diffuser Transparent | 51,50€ |
| 71196 | ● Structure Dark Grey ● Diffuser Transparent | 51,50€ |

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 1 GU10 LED PAR16 max. 5W |
| Bulb incl. | No |
| Recom. Bulb | 17334 |
| Class | I |



Pals


Faro Lab

IP65 IK06



| | | |
|-------|---|---------|
| 70290 | ● Structure Matt White ● Diffuser Opal | 145,10€ |
| 70291 | ● Structure Dark Grey ● Diffuser Opal | 145,10€ |

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



outdoor

Surface



Steps 2L
Estudi Ribaudí

IP44 IK06



| | | |
|-------|--|--------|
| 75500 | ● Structure Matt White ● Diffuser Transparent | 69,50€ |
| 75501 | ● Structure Dark Grey ● Diffuser Transparent | 69,50€ |

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 2 GU10 LED PAR16 max. 8W |
| Bulb incl. | No |
| Recom. Bulb | 17333 |
| Class | I |


Steps 4L
Estudi Ribaudí

IP44




| | | |
|-------|--|---------|
| 75502 | ● Structure Matt White ● Diffuser Transparent | 110,20€ |
| 75503 | ● Structure Dark Grey ● Diffuser Transparent | 110,20€ |

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 4 GU10 LED PAR16 max. 8W |
| Bulb incl. | No |
| Recom. Bulb | 17333 |
| Class | I |



Blind Cap included



Blind Cap included

outdoor

Surface




Proa
Àlex & Manel Llusçà

IP44



74400 ● **Structure** Dark Grey
● **Diffuser** Transparent 56,10€

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 1 GU10 LED PAR16 max. 8W |
| Bulb incl. | No |
| Recom. Bulb | 17334 |
| Class | I |




Klamp 2L
Àlex & Manel Llusçà

IP44



74408 ● **Structure** Dark Grey
● **Diffuser** Transparent 76,60€

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 2 GU10 LED PAR16 max. 8W |
| Bulb incl. | No |
| Recom. Bulb | 17334 |
| Class | I |





Tinia

IP44



71353 ● **Structure** Dark Grey
● **Diffuser** Opal 56,20€

| | |
|---------------------|--|
| Material | Structure Aluminium Diffuser PC |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |

Gina

IP44





71363 ● **Structure** Dark Grey
● **Diffuser** Transparent 50,60€
71367 ● **Structure** Matt Black
● **Diffuser** Transparent 50,60€
71366 ● **Structure** Matt White
● **Diffuser** Transparent 50,60€

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 1 GU10 LED PAR16 max. 8W |
| Bulb incl. | No |
| Recom. Bulb | 17334 |
| Class | I |



Beacon
84



outdoor

Surface



Doro 220


IP65

IK07



| | | |
|-------|--|---------|
| 71900 | ● Structure Matt White ● Diffuser Prism | 111,40€ |
| 71901 | ● Structure Dark Grey ● Diffuser Prism | 111,40€ |
| 71902 | ● Structure Rust Brown ● Diffuser Prism | 111,40€ |
| 71899 | ● Structure Teak + Dark Grey ● Diffuser Prism | 153,30€ |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 2x6,5W |
| Lumen Output | 2x349lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



Doro 380


IP65

IK07



| | | |
|-------|--|---------|
| 71903 | ● Structure Matt White ● Diffuser Prism | 163,40€ |
| 71904 | ● Structure Dark Grey ● Diffuser Prism | 163,40€ |
| 71905 | ● Structure Rust Brown ● Diffuser Prism | 163,40€ |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 2x10W |
| Lumen Output | 2x599lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



Doro 500


IP65

IK07



| | | |
|-------|--|---------|
| 71906 | ● Structure Matt White ● Diffuser Prism | 223,10€ |
| 71907 | ● Structure Dark Grey ● Diffuser Prism | 223,10€ |
| 71908 | ● Structure Rust Brown ● Diffuser Prism | 223,10€ |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 2x14W |
| Lumen Output | 2x744lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



outdoor

Surface



Lako

IP65

IK07



Toluca

IP65

IK08



Tacana

IP65

IK08



| | | |
|-------|--|---------|
| 71909 | ● Structure Matt White ● Diffuser Prism | 105,40€ |
| 71910 | ● Structure Dark Grey ● Diffuser Prism | 105,40€ |
| 71911 | ● Structure Rust Brown ● Diffuser Prism | 105,40€ |
| 71898 | ● Structure Teak + Dark Grey ● Diffuser Prism | 157,80€ |



| | | |
|-------|--|---------|
| 71052 | ● Structure Satin Aluminium ● Diffuser Opal | 108,10€ |
|-------|--|---------|






| | | |
|-------|--|---------|
| 71049 | ● Structure Satin Aluminium ● Diffuser Opal | 147,60€ |
|-------|--|---------|

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 8W |
| Lumen Output | 246lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 90° |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 2x8W |
| Lumen Output | 2x827lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 12W |
| Lumen Output | 2x850lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |





Aday 113

IP54

IK10



| | | |
|-------|---|--------|
| 70644 | ● Structure Matt White ● Diffuser Opal | 97,70€ |
| 70645 | ● Structure Dark Grey ● Diffuser Opal | 97,70€ |

Aday 175

IP54

IK10



| | | |
|-------|---|---------|
| 70646 | ● Structure Matt White ● Diffuser Opal | 129,00€ |
| 70647 | ● Structure Dark Grey ● Diffuser Opal | 129,00€ |

Kaula 100

IP44






| | | |
|-------|--|---------|
| 70405 | ● Structure Satin Stainless ● Diffuser Opal | 116,10€ |
|-------|--|---------|

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Power | 2x3W |
| Lumen Output | 2x279lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Power | 2x6,5W |
| Lumen Output | 2x508lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |

| | |
|---------------------|---|
| Material | Structure Stainless Steel 316L Diffuser PMMA |
| Power | 2x4,5W |
| Lumen Output | 2x400lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



outdoor

Surface




Balic Wall
Yembarastudio

IP65 IK06 incl. DIM



70294 ● **Structure** Black 152,50€
○ **Diffuser** Prism

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 8W |
| Lumen Output | 813/870/896lm |
| Light Source | SMD LED 2700/ 3000/ 4000K |
| Class | I |
| CRI | ≥80 |
| Voltage | 220V-240V/50/60Hz |



outdoor

Surface

2018

Bu-Oh Wall
Estudi Ribaudí

IP65  incl.



| | | |
|-------|---|---------|
| 71212 | ● Structure Dark Grey ● Diffuser Opal | 163,50€ |
| 71215 | ● Structure Matt White ● Diffuser Opal | 160,40€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 12W |
| Lumen Output | 390lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |



Future
Estudi Ribaudí

IP44 IK08 **SEA SIDE SUITABLE**



| | | |
|-------|---|--------|
| 71516 | ● Structure Matt White ● Diffuser Opal | 68,40€ |
| 71517 | ● Structure Dark Grey ● Diffuser Opal | 68,40€ |

| | |
|---------------------|-----------------------------|
| Material | Structure PC Diffuser PC |
| Power | 15W |
| Light Source | E27 LED |
| Class | II |
| Voltage | 100V-240V/50/60Hz |



outdoor

Surface



Lotus Wall
Estudi Ribaudí

IP65 IK08  incl.



| | | |
|-------|---|---------|
| 71222 | ● Structure Matt White ● Diffuser Opal | 172,00€ |
| 71223 | ● Structure Dark Grey ● Diffuser Opal | 172,00€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 18W |
| Lumen Output | 1700lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |



View
Estudi Ribaudí

IP54 **SEA SIDE SUITABLE**



| | | |
|-------|--|--------|
| 71519 | ● Structure Dark Grey ● Diffuser Opal | 68,30€ |
|-------|--|--------|

| | |
|---------------------|-----------------------------------|
| Material | Structure ABS + PC Diffuser PP |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | II |





Sticker
Lucid Product Design

IP65 IK10  incl.



75540 ● **Structure** Dark Grey
● **Diffuser** Opal 191,10€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 13W |
| Lumen Output | 770lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

Ancora
Àlex & Manel Llusçà

IP44





74401 ● **Structure** Dark Grey
● **Diffuser** Opal 72,10€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



Beacon
112





Alp 130

IP54  incl.



74450 ● Structure Dark Grey 141,90€
● Diffuser Opal

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 8W |
| Lumen Output | 389lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

Axel

IP65  incl.



71273 ● Structure Dark Grey 93,50€
● Diffuser Transparent

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 6W |
| Lumen Output | 428lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |

Takua

IP65  incl.



71277 ● Structure Dark Grey 127,50€
● Diffuser Opal




71308 ● Structure Matt White 127,50€
● Diffuser Opal

71309 ● Structure Rust Brown 127,50€
● Diffuser Opal

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 10W |
| Lumen Output | 522lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |



Beacon
108



outdoor

Surface



West 1

IP54 IK06



70888 ● Structure Dark Grey
● Diffuser Opal 102,90€

West 2



IP54 IK06



70899 ● Structure Dark Grey
● Diffuser Opal 82,50€

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Light Source | 1 E27 LED T45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17437 |
| Class | I |

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Light Source | 1 E27 LED T45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17437 |
| Class | I |



outdoor

Surface



Lace

IP54

IK06



70811 ● Structure Dark Grey
● Diffuser Transparent 126,80€

Bruc

IP54

IK10



70828 ● Structure Dark Grey
● Diffuser Opal 175,60€

Ling

IP54

IK06






70812 ● Structure Dark Grey
● Diffuser Transparent 126,80€

70813 ● Structure Matt White
● Diffuser Transparent 126,80€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 2x3W |
| Lumen Output | 2x158lm |
| Light Source | COB LED 4000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 110° |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 13W |
| Lumen Output | 830lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 73° |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 2x3W |
| Lumen Output | 2x198lm |
| Light Source | COB LED 4000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 110° |



outdoor

Surface




Tane

IP44  incl.




72269 ● **Structure** Dark Grey
● **Diffuser** Opal 88,40€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 2x3,5W |
| Lumen Output | 2x140lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 100° |




Lacre

IP54 IK06



70802 ● **Structure** Dark Grey
● **Diffuser** Transparent 79,60€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



Canon


IP44  incl.



70566N ● **Structure** Dark Grey
● **Diffuser** Transparent 82,10€

70567N ● **Structure** Matt White
● **Diffuser** Transparent 85,10€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 4W |
| Lumen Output | 130lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 120° |



outdoor

Surface



Log

IP54

IK05



Blind

IP65

IK06



Olan

IP65

IK06



70264 ● **Structure** Dark Grey
● **Diffuser** Opal 125,20€



70267 ● **Structure** Matt White
● **Diffuser** Transparent 133,20€

70268 ● **Structure** Rust Brown
● **Diffuser** Transparent 133,20€

70634 ● **Structure** Dark Grey
● **Diffuser** Transparent 133,20€



70269 ● **Structure** Matt White
● **Diffuser** Transparent 128,60€




70270 ● **Structure** Rust Brown
● **Diffuser** Transparent 128,60€

70637 ● **Structure** Dark Grey
● **Diffuser** Transparent 128,60€

| | |
|---------------------|--|
| Material | Structure Aluminium Diffuser PC |
| Power | 9W |
| Lumen Output | 467lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Power | 2x3W |
| Lumen Output | 2x161lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Power | 2x3W |
| Lumen Output | 2x127lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |






Nairobi

IP54 IK06  incl.



70832 ● **Structure** Rust Brown 112,90€
● **Diffuser** Transparent

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 6W |
| Lumen Output | 380lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |



Sunset


IP54  incl.



70686 ● **Structure** Matt White 105,10€
● **Diffuser** Opal

70687 ● **Structure** Dark Grey 105,10€
● **Diffuser** Opal

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 2x3W |
| Lumen Output | 2x208lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



outdoor

Surface





Luma Wall
Faro Lab

IP65 IK06 SEA SIDE SUITABLE PIR   



74456  **Structure** Dark Grey 197,00€
 **Diffuser** Transparent

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 5W |
| Lumen Output | 525,5lm |
| Light Source | LED MODULE 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 120° |
| Battery | 4/6 Charge |



A sustainable savings option

Luma optimizes every resource: solar energy to reduce consumption, advanced optics to maximize performance, and a wireless operation that simplifies installation. Technology, design, and sustainability—all in service of efficiency.



Smart motion sensor

Luma's motion sensor offers three modes: permanent on, total off, or 20% light that ramps up to 100% when motion is detected. An intelligent system that enhances comfort, reduces consumption, and extends battery life.

outdoor

Surface



Ele

IP54  incl.



74419 ● Structure Dark Grey
● Diffuser Opal 143,70€

Kerala

IP54  incl.



74453 ● Structure Dark Grey
● Diffuser Transparent 206,00€

Kela

IP54 IK05  incl.






70850 ● Structure Black 167,20€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 6W |
| Lumen Output | 450lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 95° |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 13W |
| Lumen Output | 824lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| Power | 7W |
| Lumen Output | 265lm |
| Light Source | SMD LED 2700K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |





Nala

IP54




70773

● **Structure** Dark Grey
● **Diffuser** Transparent

134,60€

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



Tamashi

IP65




71303

● **Structure** Dark Grey
● **Diffuser** Transparent

90,70€

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 1 E27 LED ST64 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17428 |
| Class | I |




Pomo

IP65 IK06



71306 ● **Structure** Dark Grey
● **Diffuser** Transparent 105,70€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Light Source | 2 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17426 |
| Class | I |




Pivot

IP65 IK06  incl.



71305 ● **Structure** Dark Grey
● **Diffuser** Opal 122,90€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 10W |
| Lumen Output | 500lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |



Block 135
Àlex & Manel Llusçà

IP65 IK06 SEA SIDE SUITABLE



74139 ● Structure Grey ● Diffuser Opal 165,40€

| | |
|---------------------|------------------------|
| Material | Structure Concrete |
| | Diffuser Glass |
| Light Source | 1 E27 LED G45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17462 |
| Class | I |





Twist Wall
Estudi Ribaudí

IP65 incl.



71285 ● Structure Dark Grey ● Diffuser Opal 194,80€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 10W |
| Lumen Output | 500lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |



outdoor

Surface



Mask
Lucid Product Design

IP65 IK06 incl. SEA SIDE SUITABLE



71279 ● Structure Dark Grey
● Diffuser Opal 259,30€

Half
Nahrang



IP65 incl.



71537 ● Structure Dark Grey
● Diffuser Opal 163,00€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 15W |
| Lumen Output | 550lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 20W |
| Lumen Output | 1350lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



outdoor

Surface




Tom 190

IP65 IK10 incl. SEA SIDE SUITABLE



70665 Structure Matt White
 Diffuser Opal 47,50€

| | |
|---------------------|-------------------|
| Material | Structure ABS |
| | Diffuser PC |
| Power | 7W |
| Lumen Output | 400lm |
| Light Source | SMD LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



Tom 220


IP65 IK10 incl. SEA SIDE SUITABLE



70682 Structure Dark Grey
 Diffuser Opal 64,80€

70683 Structure Matt White
 Diffuser Opal 64,80€

| | |
|---------------------|-------------------|
| Material | Structure ABS |
| | Diffuser PC |
| Power | 11W |
| Lumen Output | 600lm |
| Light Source | SMD LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |




Kubick

IP44 IK06



| | | |
|-------|--|---------|
| 70689 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Diffuser Opal | 104,90€ |
| 70715 | <ul style="list-style-type: none"> ● Structure Grey ● Diffuser Opal | 104,90€ |

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |




Hikari

IP65 IK10 incl.



| | | |
|-------|--|---------|
| 71274 | <ul style="list-style-type: none"> ● Structure Dark Grey ● Diffuser Opal | 134,70€ |
|-------|--|---------|

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 10W |
| Lumen Output | 510lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |




Negus

IP54 IK10



70696 ● **Structure** Grey
● **Diffuser** Opal 59,30€

| | |
|---------------------|--|
| Material | Structure Aluminium Diffuser PC |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |




Bonn

IP44 IK06



70697 ● **Structure** Dark Grey
● **Diffuser** Opal 79,60€

| | |
|---------------------|--|
| Material | Structure Aluminium Diffuser PC |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



Natron

IP54 IK06



70887 ● Structure Dark Grey
● Diffuser Opal 104,00€

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 1 E27 LED T45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17437 |
| Class | I |



Tejo


IP54



70573 ● Structure Dark Grey
● Diffuser Opal 78,80€

70573B ● Structure Matt White
● Diffuser Opal 78,80€

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



Fred 200

IP65 IK10 incl. SEA SIDE SUITABLE



| | | |
|-------|---|--------|
| 70663 | ● Structure Dark Grey ● Diffuser Opal | 37,40€ |
| 70664 | ● Structure Matt White ● Diffuser Opal | 37,40€ |

| | |
|---------------------|------------------------------|
| Material | Structure ABS Diffuser PC |
| Power | 7W |
| Lumen Output | 546lm |
| Light Source | SMD LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



Fred 245

IP65 IK10 incl. SEA SIDE SUITABLE



| | | |
|-------|---|--------|
| 70667 | ● Structure Dark Grey ● Diffuser Opal | 58,50€ |
| 70668 | ● Structure Matt White ● Diffuser Opal | 58,50€ |

| | |
|---------------------|------------------------------|
| Material | Structure ABS Diffuser PC |
| Power | 11W |
| Lumen Output | 873lm |
| Light Source | SMD LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



Pol

IP54  incl.



70829  Structure Dark Grey  Diffuser Opal 125,00€

Mol



IP44



70720  Structure Dark Grey  Diffuser Opal 64,50€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Power | 8W |
| Lumen Output | 550lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |





Kila Wall

IP65



| | | |
|-------|---|---------|
| 71743 | ● Structure Dark Grey ● Diffuser Transparent | 146,00€ |
| 71744 | ● Structure Dark Grey ● Diffuser Smoked | 164,50€ |
| 71745 | ● Structure Dark Grey ● Diffuser Amber | 164,50€ |

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |





Tram Wall Estudi Ribaudí

IP44



| | | |
|-------|---|--------|
| 75533 | ● Structure Matt White ● Diffuser Opal | 85,80€ |
|-------|---|--------|

| | |
|---------------------|--|
| Material | Structure Aluminium Diffuser PMMA |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



outdoor

Surface



Blubs Wall
Estudi Ribaudí

IP44



74432A-03 ● Structure Dark Grey
● Diffuser Opal 114,40€

Muffin Wall
Àlex & Manel Lluscà





IP44



74432A-04 ● Structure Dark Grey
● Diffuser Opal 105,50€

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Light Source | 1 E27 LED T45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17437 |
| Class | I |

| | |
|---------------------|------------------------|
| Material | Structure Aluminium |
| | Diffuser PMMA |
| Light Source | 1 E27 LED T45 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17437 |
| Class | I |



outdoor

Surface





Nautica 370

IP33



71110 **Structure** Rust Brown
 Diffuser Transparent 98,40€

| | |
|---------------------|------------------------|
| Material | Structure Steel |
| | Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |

Nautica 280

IP33



71128 **Structure** Rust Brown
 Diffuser Transparent 90,40€



| | |
|---------------------|------------------------|
| Material | Structure Steel |
| | Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



Pole
168



Suspended
292




Nautica 350

IP33



71129 ● Structure Rust Brown
 ● Diffuser Transparent 131,70€

| | |
|---------------------|------------------------|
| Material | Structure Steel |
| | Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |




Wally

IP44



74261 ● Structure Rust Brown
 ● Diffuser Transparent 90,70€

| | |
|---------------------|------------------------|
| Material | Structure Steel |
| | Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |




Cabo

IP44 IK05



70998 ● Structure Brass ● Diffuser Transparent 122,00€

| | |
|---------------------|------------------------|
| Material | Structure Brass |
| | Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |




Borda

IP44



70997 ● Structure Brass ● Diffuser Transparent 119,90€

| | |
|---------------------|------------------------|
| Material | Structure Brass |
| | Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |




Nahir

IP44



70992 ● Structure Brass ● Diffuser Transparent 171,80€

| | |
|---------------------|------------------------|
| Material | Structure Brass |
| | Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



outdoor

Surface



Timon

IP44



70996 Structure Brass
 Diffuser Transparent 143,70€

| | |
|---------------------|------------------------|
| Material | Structure Brass |
| | Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



Noray

IP44 IK03



70999 Structure Brass
 Diffuser Transparent 122,00€

| | |
|---------------------|------------------------|
| Material | Structure Brass |
| | Diffuser Glass |
| Light Source | 1 E27 LED A60 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463 |
| Class | I |



outdoor

Surface



Pill

IP54

IK06



Drak

IP44

IK08



SEA SIDE
SUITABLE

Brow

IP44



| | | |
|-------|---|--------|
| 70824 | ● Structure Matt White ● Diffuser Opal | 82,80€ |
| 70825 | ● Structure Dark Grey ● Diffuser Opal | 82,80€ |
| 70826 | ● Structure Rust Brown ● Diffuser Opal | 82,80€ |



| | | |
|-------|---|--------|
| 72330 | ● Structure Brass ● Diffuser Transparent | 91,90€ |
|-------|---|--------|






| | | |
|-------|---|--------|
| 70408 | ● Structure Matt White ● Diffuser Opal | 41,20€ |
| 70409 | ● Structure Dark Grey ● Diffuser Opal | 41,20€ |

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Power | 3,5W |
| Lumen Output | 156lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

| | |
|---------------------|--------------------------------------|
| Material | Structure Aluminium Diffuser PMMA |
| Power | 4,5W |
| Lumen Output | 160lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |

| | |
|---------------------|-------------------------------|
| Material | Structure PC Diffuser PMMA |
| Power | 3W |
| Lumen Output | 145lm |
| Light Source | COB LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50Hz |



outdoor

Surface



Brow 70409

405


Dune R

IP65

IK07




SEA SIDE
SUITABLE



| | | |
|-------|--|--------|
| 71960 | ● Structure Dark Grey ● Diffuser Transparent | 84,00€ |
| 71961 | ● Structure Matt White ● Diffuser Transparent | 84,00€ |
| 71962 | ● Structure Rust Brown ● Diffuser Transparent | 84,00€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 3W |
| Lumen Output | 91/100/105/115lm |
| Light Source | SMD LED 2200/ 2700/ 3200/ 4000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 120° |




Dune SQ

IP65

IK07




SEA SIDE
SUITABLE



| | | |
|-------|--|--------|
| 71963 | ● Structure Dark Grey ● Diffuser Transparent | 84,00€ |
| 71964 | ● Structure Matt White ● Diffuser Transparent | 84,00€ |
| 71965 | ● Structure Rust Brown ● Diffuser Transparent | 84,00€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 3W |
| Lumen Output | 91/98/103/112lm |
| Light Source | SMD LED 2200/ 2700/ 3200/ 4000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 120° |




Dune RCT

IP65

IK07




SEA SIDE
SUITABLE



| | | |
|-------|--|---------|
| 71966 | ● Structure Dark Grey ● Diffuser Transparent | 104,00€ |
| 71967 | ● Structure Matt White ● Diffuser Transparent | 104,00€ |
| 71968 | ● Structure Rust Brown ● Diffuser Transparent | 104,00€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 6W |
| Lumen Output | 111/121/127/139lm |
| Light Source | SMD LED 2200/ 2700/ 3200/ 4000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 120° |



outdoor

Surface



Grant R

IP65

IK10




SEA SIDE
SUITABLE



70656 ● Structure Dark Grey 45,50€
● Diffuser Transparent

| | |
|---------------------|-------------------|
| Material | Structure ABS |
| | Diffuser PC |
| Power | 1W |
| Lumen Output | 65lm |
| Light Source | SMD LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 120° |



Grant SQ

IP65

IK10




SEA SIDE
SUITABLE



70655 ● Structure Dark Grey 45,50€
● Diffuser Transparent

| | |
|---------------------|-------------------|
| Material | Structure ABS |
| | Diffuser PC |
| Power | 1W |
| Lumen Output | 65lm |
| Light Source | SMD LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 120° |



Path

IP44


IK06



70501 ● Structure Matt White 100,00€
● Diffuser Transparent

70508 ● Structure Dark Grey 100,00€
● Diffuser Transparent

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 9W |
| Lumen Output | 590lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |





Grada 157

IP54

IK10



| | | |
|-------|---|--------|
| 70906 | ● Structure Dark Grey ● Diffuser Opal | 92,90€ |
| 70907 | ● Structure Rust Brown ● Diffuser Opal | 94,60€ |

Grada 250

IP54

IK10



| | | |
|-------|---|---------|
| 70908 | ● Structure Dark Grey ● Diffuser Opal | 120,10€ |
| 70909 | ● Structure Rust Brown ● Diffuser Opal | 122,40€ |

Grada 600

IP54

IK10






| | | |
|-------|--|---------|
| 70910 | ● Structure Dark Grey ● Diffuser Opal | 199,70€ |
|-------|--|---------|

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 43lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 6W |
| Lumen Output | 97lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 12W |
| Lumen Output | 230lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |





Must 96

IP65

IK10



SEA SIDE
SUITABLE



70657 ● Structure Dark Grey 44,90€
● Diffuser Transparent

Must 158

IP65

IK10



SEA SIDE
SUITABLE



70658 ● Structure Dark Grey 51,10€
● Diffuser Transparent

Must 217

IP65

IK10



SEA SIDE
SUITABLE






70659 ● Structure Dark Grey 53,80€
● Diffuser Transparent

| | |
|---------------------|-------------------|
| Material | Structure ABS |
| | Diffuser PC |
| Power | 2W |
| Lumen Output | 101lm |
| Light Source | SMD LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |

| | |
|---------------------|-------------------|
| Material | Structure ABS |
| | Diffuser PC |
| Power | 3W |
| Lumen Output | 161lm |
| Light Source | SMD LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |

| | |
|---------------------|-------------------|
| Material | Structure ABS |
| | Diffuser PC |
| Power | 4W |
| Lumen Output | 276lm |
| Light Source | SMD LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |



outdoor

Surface





OUTDOOR

LIGHTING

RECESSED

Falls 500


IP67 IK09  



| | | |
|-----------------------------|--|----------------|
| 71736 2700K 352lm | ● Structure Satin Stainless ● Diffuser Opal | 330,00€ |
| 71737 3000K 363lm | ● Structure Satin Stainless ● Diffuser Opal | 330,00€ |

| | |
|---------------------|---------------------------------------|
| Material | Structure Stainless Steel 316L |
| | Diffuser Glass |
| Power | 12W |
| Light Source | SMD LED |
| Class | III |
| CRI | ≥90 |
| Voltage | 24VDC |
| Cut out | 520x53x100mm |
| Resistance | 1000Kg |

*Drivers info pag. 478



Falls 500 Orientable


IP67 IK09  



| | | |
|--------------|---|----------------|
| 71733 | ● Structure Satin Stainless ● Diffuser Transparent | 410,00€ |
|--------------|---|----------------|

| | |
|---------------------|---------------------------------------|
| Material | Structure Stainless Steel 316L |
| | Diffuser Glass |
| Power | 16W |
| Lumen Output | 1413lm |
| Light Source | SMD LED 3000K |
| Class | III |
| CRI | ≥90 |
| Voltage | 24VDC |
| Beam angle | 30x60° |
| Cut out | 520x53x100mm |
| Resistance | 1000Kg |

*Drivers info pag. 478



30x60° 1413lm

outdoor

Recessed



Geiser 130 Wallwasher


IP67 IK08 incl. SEA SIDE SUITABLE incl.



70311 ● Structure Satin Stainless 168,00€

Geiser 180 Wallwasher



IP67 IK08 incl. SEA SIDE SUITABLE incl.



70312 ● Structure Satin Stainless 241,30€

| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| Power | 7,5W |
| Lumen Output | 283lm |
| Light Source | COB LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Cut out | ø120x130mm |
| Resistance | 1000Kg |

| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| Power | 12,5W |
| Lumen Output | 464lm |
| Light Source | COB LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Cut out | ø164x190mm |
| Resistance | 1000Kg |




outdoor

Recessed




Geiser 130



| | | |
|---------------------------|--|----------------|
| 70302 10° 370lm | ● Structure Satin Stainless + Matt Black ● Diffuser Transparent | 185,30€ |
| 70303 38° 393lm | ● Structure Satin Stainless + Matt Black ● Diffuser Transparent | 185,30€ |





Geiser 180



| | | |
|----------------------------|---|----------------|
| 70308 10° 1066lm | ● Structure Satin Stainless ● Diffuser Transparent | 270,80€ |
| 70309 38° 968lm | ● Structure Satin Stainless ● Diffuser Transparent | 270,80€ |

| | |
|---------------------|---|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 6,5W |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Cut out (mm) | ø90x135mm |
| Resistance | 2000Kg |

| | |
|---------------------|---|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 12,5W |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Cut out (mm) | ø165x190mm |
| Resistance | 2000Kg |




outdoor

Recessed



Geiser 130 GU10

IP67 IK08 SEA SIDE SUITABLE 25° 20° incl.



70310 ● Structure Satin Stainless 131,40€
● Diffuser Transparent

| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Light Source | 1 GU10 LED PAR16 max. 8W |
| Bulb incl. | No |
| Recom. Bulb | 17334 |
| Class | I |
| Cut out | ø125x135mm |
| Resistance | 2000Kg |

Geiser 260



IP67 IK08 incl. SEA SIDE SUITABLE 20° incl.



70306 ● Structure Satin Stainless + Matt Black 484,60€
● Diffuser Transparent 10° 1997lm

70307 ● Structure Satin Stainless + Matt Black 484,60€
● Diffuser Transparent 38° 1800lm

| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 29W |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Cut out (mm) | ø200x265mm |
| Resistance | 2000Kg |



outdoor

Recessed



Geiser 130 Ceiling

IP67 IK08 incl. SEA SIDE SUITABLE no incl.



70305 ●● Structure Satin Stainless + Matt Black
● Diffuser Transparent 183,20€

Geiser 130 GU10 Ceiling




IP67 IK08 SEA SIDE SUITABLE 40° no incl.



70304 ●● Structure Satin Stainless + Matt Black
● Diffuser Transparent 131,40€

| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 6,5W |
| Lumen Output | 242lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 38° |
| Cut out | ø80x120mm |

| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Light Source | 1 GU10 LED PAR16 max. 8W |
| Bulb incl. | No |
| Recom. Bulb | 17324 |
| Class | I |
| Cut out | ø80x120mm |



outdoor

Recessed





Suria 120

IP67 IK08 incl. SEA SIDE SUITABLE incl.



| | | |
|----------------------------|---|----------------|
| 70588 24° 319lm | ●● Structure Satin Stainless + Matt Black ● Diffuser Transparent | 121,10€ |
| 70592N 60° 272lm | ●● Structure Satin Stainless + Matt Black ● Diffuser Transparent | 121,10€ |

| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 3W |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Cut out (mm) | ø100x95mm |
| Resistance | 1000Kg |





Suria 180

IP67 IK08 incl. SEA SIDE SUITABLE incl.



| | | |
|-----------------------------|---|----------------|
| 70589 24° 981lm | ●● Structure Satin Stainless + Matt Black ● Diffuser Transparent | 233,90€ |
| 70593N 60° 1144lm | ●● Structure Satin Stainless + Matt Black ● Diffuser Transparent | 233,90€ |

| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 12W |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Cut out (mm) | ø165x125mm |
| Resistance | 1000Kg |



outdoor

Recessed




Suria 220

IP67 IK08 incl. SEA SIDE SUITABLE incl.



| | | |
|----------------------------|--|----------------|
| 70586 24° 2200lm | <ul style="list-style-type: none"> ● Structure Satin Stainless + Matt Black ● Diffuser Transparent | 306,80€ |
| 70587 60° 1270lm | <ul style="list-style-type: none"> ● Structure Satin Stainless + Matt Black ● Diffuser Transparent | 306,80€ |

| | |
|---------------------|---|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 24W |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Cut out (mm) | ø200x130mm |
| Resistance | 1000Kg |



outdoor

Recessed




Grund 21

IP67

IK07





SEA SIDE
SUITABLE



| | | |
|------------------------------|---|---------------|
| 70851 2700K 37lm | ● Structure Brushed Stainless Steel ● Diffuser Transparent | 53,20€ |
| 70852 2700K 38,4lm | ● Structure Black ● Diffuser Transparent | 53,20€ |
| 70853 3000K 37lm | ● Structure Brushed Stainless Steel ● Diffuser Transparent | 53,20€ |
| 70854 3000K 38,4lm | ● Structure Black ● Diffuser Transparent | 53,20€ |

| | |
|---------------------|----------------------------------|
| Material | Structure Stainless Steel |
| | Diffuser Glass |
| Power | 1W |
| Light Source | LED MODULE |
| Class | III |
| CRI | 92 |
| Voltage | 24VDC |
| Voltage | 220 |
| Beam angle | 36° |
| Cut out | 16mm |
| Resistance | 1000Kg |

*Drivers info pag. 478




Grund 37

IP67





SEA SIDE
SUITABLE



| | | |
|-----------------------------|--|---------------|
| 70726 3000K 110lm | ● Structure Satin Stainless + Matt Black ● Diffuser Transparent | 84,40€ |
| 70730 3000K 110lm | ● Structure Anodized Black + Matt Black ● Diffuser Transparent | 84,40€ |
| 70733 2700K 77lm | ● Structure Satin Stainless ● Diffuser Transparent | 84,40€ |
| 70735 2700K 77lm | ● Structure Anodized Black ● Diffuser Transparent | 84,40€ |

| | |
|---------------------|---|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 2W |
| Light Source | SMD LED |
| Class | III |
| CRI | >90 |
| Beam angle | 15° |
| Cut out | ø32mm |
| Resistance | 1000Kg |

*Drivers info pag. 478





Grund 80



IP67 no incl. SEA SIDE SUITABLE incl.



| | | |
|-----------------------------|--|----------------|
| 70731 3000K 420lm | ●● Structure Anodized Black + Anodized Black ● Diffuser Transparent | 146,00€ |
| 70736 2700K 191lm | ●● Structure Anodized Black ● Diffuser Transparent | 146,00€ |
| 70728 3000K 272lm | ●● Structure Satin Stainless + Matt Black ● Diffuser Transparent | 146,00€ |
| 70734 2700K 191lm | ●● Structure Satin Stainless ● Diffuser Transparent | 146,00€ |


| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 7W |
| Light Source | COB LED |
| Class | III |
| CRI | >90 |
| Beam angle | 36° |
| Cut out | ø60mm |
| Resistance | 1000Kg |

*Drivers info pag. 478



Grund 92



IP67 no incl. SEA SIDE SUITABLE incl.



| | | |
|-----------------------------|---|----------------|
| 70732 3000K 640lm | ●● Structure Anodized Black + Matt Black ● Diffuser Transparent | 177,60€ |
| 70729 3000K 640lm | ●● Structure Satin Stainless + Matt Black ● Diffuser Transparent | 177,60€ |

| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 13W |
| Light Source | COB LED |
| Class | III |
| CRI | >90 |
| Beam angle | 36° |
| Cut out | ø68mm |
| Resistance | 1000Kg |

*Drivers info pag. 478



outdoor

Recessed




Grund 80 Wallwasher

IP67

IK07




SEA SIDE
SUITABLE



| | | |
|-----------------------------|---|----------------|
| 70856 2700K 221lm | ● Structure Black ● Diffuser Transparent | 149,20€ |
| 70858 3000K 411lm | ● Structure Black ● Diffuser Transparent | 188,80€ |
| 70855 2700K 214lm | ● Structure Brushed Stainless Steel ● Diffuser Transparent | 149,20€ |
| 70857 3000K 400lm | ● Structure Brushed Stainless Steel ● Diffuser Transparent | 188,80€ |

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Power | 7W |
| Light Source | LED MODULE |
| Class | III |
| CRI | 92 |
| Voltage | 24VDC |
| Cut out | 60mm |
| Resistance | 1000Kg |

*Drivers info pag. 478




Grund 92 Wallwasher

IP67

IK07




SEA SIDE
SUITABLE



| | | |
|-----------------------------|---|----------------|
| 70860 2700K 221lm | ● Structure Black ● Diffuser Transparent | 149,20€ |
| 70862 3000K 411lm | ● Structure Black ● Diffuser Transparent | 188,80€ |
| 70859 2700K 214lm | ● Structure Brushed Stainless Steel ● Diffuser Transparent | 149,20€ |
| 70861 3000K 400lm | ● Structure Brushed Stainless Steel ● Diffuser Transparent | 188,80€ |

| | |
|---------------------|---|
| Material | Structure Aluminium Diffuser Glass |
| Power | 13W |
| Light Source | LED MODULE |
| Class | III |
| CRI | 92 |
| Voltage | 24VDC |
| Cut out | 68mm |
| Resistance | 1000Kg |

*Drivers info pag. 478



outdoor

Recessed

Grund Trimless

IP67

IK07




Grund GU10


IP67

IK08

SEA SIDE
SUITABLE



70740 ● Structure Black
 ● Diffuser Transparent 135,00€





70870 ● Structure Satin Aluminium
 ● Diffuser Transparent 99,80€

70871 ● Structure Anodized Black
 ● Diffuser Transparent 99,80€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 164,7lm |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >90 |
| Voltage | 24VDC |
| Beam angle | 36° |
| Cut out | 50mm |
| Resistance | 1000Kg |

| | |
|---------------------|---------------------------|
| Material | Structure Stainless Steel |
| | Diffuser Glass |
| Light Source | 1 GU10 LED max. 5W |
| Bulb incl. | No |
| Recom. Bulb | 17334 |
| Class | II |
| Cut out | 76mm |
| Resistance | 1000Kg |

*Drivers info pag. 478





outdoor

Recessed



Tras 2L Orientable


IP67 IK08  no incl.
 60° no incl.



71701 ● Structure Matt Black 139,50€
 ● Diffuser Transparent

Tras 4L


IP67 IK09  no incl.  no incl.



71702 ● Structure Matt Black 130,80€
 ● Diffuser Transparent

Tras 25L

IP67 IK10  no incl.  incl.



71716 ● Structure Matt Black 363,60€
 13° 2580lm ● Diffuser Transparent

71717 ● Structure Matt Black 356,50€
 40° 2580lm ● Diffuser Transparent

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 4W |
| Lumen Output | 270lm |
| Light Source | SMD LED 3000K |
| Class | III |
| CRI | ≥90 |
| Voltage | 24VDC |
| Beam angle | 13° |
| Cut out | 175x195x127mm |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 8W |
| Lumen Output | 639lm |
| Light Source | SMD LED 3000K |
| Class | III |
| CRI | ≥90 |
| Voltage | 24VDC |
| Beam angle | 13° |
| Cut out | 175x195x127mm |

| | |
|---------------------|---------------------------|
| Material | Structure Aluminium + ABS |
| | Diffuser Glass |
| Power | 25W |
| Lumen Output | 2580lm |
| Light Source | SMD LED 3000K |
| Class | III |
| CRI | ≥90 |
| Voltage | 24VDC |
| Cut out | 250x235x105mm |

*Drivers info pag. 478









Tras Housing

71703 ● Black 36,60€

Material Structure ABS

*Drivers info pag. 478

*Drivers info pag. 478




outdoor

Recessed

Kane 1



IP67 no incl. SEA SIDE SUITABLE
incl.



| | | |
|----------------------------------|---|---------------|
| 70660 3000K 18,7lm | ● Structure Satin Stainless ● Diffuser Opal | 39,60€ |
| 70660W 2700K 18,7lm | ● Structure Satin Stainless ● Diffuser Transparent | 39,60€ |


| | |
|---------------------|--------------------------------|
| Material | Structure Stainless Steel 316L |
| | Diffuser Glass |
| Power | 3W |
| Light Source | COB LED |
| Class | III |
| CRI | >80 |
| Voltage | 24VDC |
| Beam angle | 120° |
| Cut out | ø40mm |
| Resistance | 1000Kg |

*Drivers info pag. 478



Kane 2



IP67 no incl. SEA SIDE SUITABLE
incl.



| | | |
|----------------------------------|---|---------------|
| 70661 3000K 20,7lm | ● Structure Satin Stainless ● Diffuser Opal | 40,90€ |
| 70661W 2700K 20,7lm | ● Structure Satin Stainless ● Diffuser Transparent | 40,90€ |


| | |
|---------------------|--------------------------------|
| Material | Structure Stainless Steel 316L |
| | Diffuser Glass |
| Power | 3W |
| Light Source | COB LED |
| Class | III |
| CRI | >80 |
| Voltage | 24VDC |
| Beam angle | 120° |
| Cut out | ø40mm |
| Resistance | 1000Kg |

*Drivers info pag. 478



Kane 3



IP67 no incl. SEA SIDE SUITABLE
incl.



| | | |
|----------------------------------|---|---------------|
| 70662 3000K 17,6lm | ● Structure Satin Stainless ● Diffuser Opal | 42,90€ |
| 70662W 2700K 17,6lm | ● Structure Satin Stainless ● Diffuser Transparent | 42,90€ |

| | |
|---------------------|--------------------------------|
| Material | Structure Stainless Steel 316L |
| | Diffuser Glass |
| Power | 3W |
| Light Source | COB LED |
| Class | III |
| CRI | >80 |
| Voltage | 24VDC |
| Beam angle | 120° |
| Cut out | ø40mm |
| Resistance | 1000Kg |


*Drivers info pag. 478





Crosby 24V


IP67 no incl. SEA SIDE SUITABLE incl.



70453 ● Structure Satin Stainless + Matt Black
● Diffuser Opal 121,50€

Crosby

IP67 incl. SEA SIDE SUITABLE incl.







70459N ● Structure Satin Stainless + Matt Black
● Diffuser Opal 119,90€

| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 0,7W |
| Lumen Output | 12lm |
| Light Source | SMD LED 3000K |
| Class | III |
| CRI | >80 |
| Voltage | 24VDC |
| Beam angle | 120° |
| Cut out | ø90x156mm |

| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 1W |
| Lumen Output | 12lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 120° |
| Cut out | ø80x100mm |

*Drivers info pag. 478



Led18 R


IP67 IK08 incl. SEA SIDE SUITABLE incl.



71498N ● Structure Satin Stainless
● Diffuser Opal 104,90€

Led18 SQ



IP67 IK08 incl. SEA SIDE SUITABLE incl.



71499N ● Structure Satin Stainless
● Diffuser Opal 121,90€


| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 51lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Cut out | ø90x65mm |
| Resistance | 1000Kg |

| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 192lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Cut out | 80x70x80mm |
| Resistance | 1000Kg |



Taro


IP67 incl. SEA SIDE SUITABLE incl.



70449 ● Structure Satin Stainless 182,50€
 ● Diffuser Transparent

Tecno




IP67 IK08 SEA SIDE SUITABLE incl.



71489N ● Structure Satin Stainless 83,10€
 ● Diffuser Transparent

| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 7W |
| Lumen Output | 280lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 30° |
| Cut out | ø90x135mm |
| Resistance | 600Kg |

| | |
|---------------------|--|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 8W |
| Light Source | GU10 LED |
| Class | I |
| Voltage | 100V-240V/50/60Hz |
| Cut out | ø100x125mm |
| Resistance | 2000Kg |



outdoor

Recessed





Salt Asymm

IP67 IK08 incl. SEA SIDE SUITABLE incl.



70591  **Structure** Satin Stainless + Matt Black **253,60€**
 **Diffuser** Transparent

| | |
|---------------------|---|
| Material | Structure Stainless Steel 316L + Aluminium |
| | Diffuser Glass |
| Power | 9W |
| Lumen Output | 961lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | ≥80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 45° |
| Cut out | ø180x122mm |
| Resistance | 2000Kg |




Curtis Asymm

IP67 incl. SEA SIDE SUITABLE incl.



70462N  **Structure** Satin Stainless + Matt Black **128,30€**
 **Diffuser** Transparent

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser Glass |
| Power | 2W |
| Lumen Output | 180lm |
| Light Source | COB LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Cut out | ø80x100mm |



outdoor

Recessed

Nok 44

IP68

IK06



70443 ● **Structure** Satin Stainless
● **Diffuser** Transparent 195,10€

Nok 68

IP68

IK08



70444 ● **Structure** Satin Stainless
● **Diffuser** Transparent 280,40€

Edel

IP68

no incl.



70455 ● **Structure** Satin Stainless
● **Diffuser** Opal 408,90€

| | |
|---------------------|--------------------------------|
| Material | Structure Stainless Steel 316L |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 196lm |
| Light Source | SMD LED 4000K |
| Class | III |
| CRI | >80 |
| Voltage | 24VDC |
| Voltage | 3V |
| Beam angle | 30° |
| Cut out | ø234mm |







| | |
|---------------------|--------------------------------|
| Material | Structure Stainless Steel 316L |
| | Diffuser Glass |
| Power | 5W |
| Lumen Output | 348lm |
| Light Source | SMD LED 4000K |
| Class | III |
| CRI | >80 |
| Voltage | 24VDC |
| Voltage | 3V |
| Beam angle | 30° |
| Cut out | ø230mm |

| | |
|---------------------|---|
| Material | Structure Stainless Steel 316L + ABS |
| | Diffuser Glass |
| Power | 18W |
| Lumen Output | 600lm |
| Light Source | SMD LED 4000K |
| Class | III |
| CRI | 85 |
| Voltage | 24VDC |
| Beam angle | 25° |
| Cut out | ø156mm |

*Drivers info pag. 478

*Drivers info pag. 478

*Drivers info pag. 478



outdoor

Recessed



Dart SQ

IP65 IK06  



| | | |
|-----------------------------|--|---------------|
| 70272 2700K 86lm | ● Structure Matt White ● Diffuser Transparent | 82,00€ |
| 70273 2700K 86lm | ● Structure Matt Black ● Diffuser Transparent | 82,00€ |
| 70272N 3000K 83lm | ● Structure Matt White ● Diffuser Transparent | 82,00€ |
| 70273N 3000K 83lm | ● Structure Matt Black ● Diffuser Transparent | 82,00€ |



| | |
|---------------------|--------------------------------|
| Material | Structure PC Diffuser Glass |
| Power | 2W |
| Light Source | SMD LED |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 100° |
| Cut out | ø68mm |



| | | |
|--------------------|--------------|---------------|
| Dart Box SQ | | |
| 70274 | ● White | 24,20€ |
| Material | Structure PC | |



| | | |
|-----------------------------|--------------|---------------|
| Dart Box SQ Recessed | | |
| 70276 | ● Black | 15,80€ |
| Material | Structure PC | |



Dart RCT

IP65 IK06  




| | | |
|------------------------------|--|----------------|
| 70277 2700K 199lm | ● Structure Matt White ● Diffuser Transparent | 111,40€ |
| 70278 2700K 199lm | ● Structure Matt Black ● Diffuser Transparent | 111,40€ |
| 70277N 3000K 207lm | ● Structure Matt White ● Diffuser Transparent | 111,40€ |
| 70278N 3000K 207lm | ● Structure Matt Black ● Diffuser Transparent | 111,40€ |



| | |
|---------------------|--------------------------------|
| Material | Structure PC Diffuser Glass |
| Power | 5W |
| Light Source | SMD LED |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 100° |
| Cut out | 160x68mm |



| | | |
|---------------------|--------------|---------------|
| Dart Box RCT | | |
| 70280 | ● Black | 31,40€ |
| 70279 | ● White | 31,40€ |
| Material | Structure PC | |



| | | |
|------------------------------|--------------|---------------|
| Dart Box RCT Recessed | | |
| 70281 | ● Black | 16,90€ |
| Material | Structure PC | |




outdoor

Recessed




Poma

IP65 IK07 incl. SEA SIDE SUITABLE DIM incl.



71969 Structure Dark Grey 89,00€
 Diffuser Transparent

| | |
|---------------------|---------------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 3W |
| Lumen Output | 85/89/92/95lm |
| Light Source | SMD LED 2200/ 2700/ 3200/ 4000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 120° |
| Cut out | 114mm |



Mani


IP65 IK07 incl. DIM



70288 Structure White 104,00€
 Diffuser Transparent

70289 Structure Dark Grey 104,00€
 Diffuser Transparent

| | |
|---------------------|---------------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 5W |
| Lumen Output | 722lm |
| Light Source | SMD LED 2200/ 2700/ 3200/ 4000K |
| Class | I |
| CRI | ≥80 |
| Voltage | 220V-240V/50/60Hz |
| Cut out | 66x140mm |
| Cable | 0.3m |



outdoor

Recessed




Nat

IP65 IK06  




| | | |
|-------|--|---------|
| 70271 | ● Structure Matt White ● Diffuser Transparent | 102,00€ |
| 70638 | ● Structure Dark Grey ● Diffuser Transparent | 102,00€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 8W |
| Lumen Output | 496lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Cut out | 215x65x70mm |




Spark

IP65 IK10  



| | | |
|-------|---|--------|
| 70162 | ● Structure Dark Grey ● Diffuser Opal | 82,10€ |
| 70163 | ● Structure Matt White ● Diffuser Opal | 82,10€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 5W |
| Lumen Output | 277lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Cut out | 95x55x60mm |



Nase SQ

IP44  



| | | |
|-------|--|--------|
| 70395 | ● Structure Matt White ● Diffuser Transparent | 53,50€ |
| 70398 | ● Structure Dark Grey ● Diffuser Transparent | 53,50€ |

Nase RCT




IP44  



| | | |
|-------|--|--------|
| 70396 | ● Structure Matt White ● Diffuser Transparent | 56,60€ |
| 70399 | ● Structure Dark Grey ● Diffuser Transparent | 56,60€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 3W |
| Lumen Output | 109lm |
| Light Source | SMD LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 120° |
| Cut out | 92x87x80mm |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 3W |
| Lumen Output | 84lm |
| Light Source | SMD LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 120° |
| Cut out | 132x90x80mm |



Racing

IP44  



70403 **Structure** Dark Grey
 Diffuser Transparent 40,20€

Carter





IP44  



70402 **Structure** Dark Grey
 Diffuser Transparent 40,20€

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 1W |
| Lumen Output | 18lm |
| Light Source | SMD LED 4000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 45° |
| Cut out | ø76mm |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 1W |
| Lumen Output | 18lm |
| Light Source | SMD LED 4000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 45° |
| Cut out | ø76mm |



outdoor

Recessed



Soun 105

IP65

IK06



incl.

incl.



| | | |
|-------|--|---------|
| 70833 | ● Structure Dark Grey ● Diffuser Transparent | 106,20€ |
| 70834 | ● Structure Matt White ● Diffuser Transparent | 106,20€ |

Soun 193

IP65

IK06



incl.

incl.



| | | |
|-------|--|---------|
| 70900 | ● Structure Dark Grey ● Diffuser Transparent | 140,30€ |
| 70901 | ● Structure Matt White ● Diffuser Transparent | 140,30€ |

Til


IP65

IK01



no incl.

incl.








| | | |
|-------|--|--------|
| 70928 | ● Structure Black ● Diffuser Transparent | 69,50€ |
| 70929 | ● Structure Rust Brown ● Diffuser Transparent | 69,50€ |
| 70927 | ● Structure White ● Diffuser Transparent | 69,50€ |

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Power | 4,5W |
| Lumen Output | 200lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 120° |
| Cut out | 220x950x655mm |

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Power | 8W |
| Lumen Output | 630lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 120° |
| Cut out | 183x225x70mm |

| | |
|---------------------|---------------------------------------|
| Material | Structure Aluminium Diffuser Glass |
| Power | 3W |
| Lumen Output | 77lm |
| Light Source | COB LED 2700K |
| Class | III |
| CRI | >90 |
| Voltage | 24VDC |
| Cut out | 37x96mm |



outdoor

Recessed



Sedna SQ 90

IP65

IK06



incl.

incl.



70146 ● Structure Dark Grey
● Diffuser Opal 60,20€

Sedna RCT

IP65

IK06



incl.

incl.



70147 ● Structure Dark Grey
● Diffuser Opal 74,90€

Sedna SQ 140

IP65

IK06



incl.

incl.









70148 ● Structure Dark Grey
● Diffuser Opal 89,10€

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 1W |
| Lumen Output | 38lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 70° |
| Cut out | 80x75mm |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 3W |
| Lumen Output | 90lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 70° |
| Cut out | 125x58mm |

| | |
|---------------------|---------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 3W |
| Lumen Output | 90lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Beam angle | 70° |
| Cut out | 128x112mm |



outdoor

Recessed



Dang

IP67 no incl. SEA SIDE SUITABLE incl.



70446 **Structure** Satin Stainless **Diffuser** Transparent 120,50€

Uve

IP44 incl. incl.







70397 **Structure** Dark Grey **Diffuser** Transparent 42,20€

| | |
|---------------------|---|
| Material | Structure Stainless Steel 316L + Glass |
| | Diffuser Glass |
| Power | 3W |
| Lumen Output | 48lm |
| Light Source | COB LED 3000K |
| Class | III |
| CRI | >80 |
| Voltage | 24VDC |
| Beam angle | 40° |
| Cut out | ø63x115mm |

| | |
|---------------------|----------------------------|
| Material | Structure Aluminium |
| | Diffuser PC |
| Power | 2W |
| Lumen Output | 20lm |
| Light Source | SMD LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Beam angle | 120° |
| Cut out | ø78mm |

*Drivers info pag. 478




outdoor

Recessed



Frol

IP65  



70135 **Structure** Satin Nickel
 Diffuser Opal 35,70€

Gron



IP65  



70134 **Structure** Satin Nickel
 Diffuser Opal 39,90€

| | |
|---------------------|--------------------------------------|
| Material | Structure Stainless Steel 304 |
| | Diffuser PC |
| Power | 1W |
| Lumen Output | 113lm |
| Light Source | SMD LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Cut out | 92x92x50mm |

| | |
|---------------------|--------------------------------------|
| Material | Structure Stainless Steel 304 |
| | Diffuser PC |
| Power | 1W |
| Lumen Output | 114lm |
| Light Source | SMD LED 3000K |
| Class | II |
| CRI | >80 |
| Voltage | 220V-240V/50/60Hz |
| Cut out | 105x66x50mm |



outdoor

Recessed




Stripe Grid

IP54 IK07 incl.



| | | |
|-------|---|--------|
| 72094 | ● Structure Matt White ● Diffuser Opal | 52,30€ |
| 72095 | ● Structure Dark Grey ● Diffuser Opal | 52,30€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 5W |
| Lumen Output | 70lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Cut out | 230x89mm |




Stripe

IP54 IK07 incl. incl.



| | | |
|-------|---|--------|
| 72092 | ● Structure Dark Grey ● Diffuser Opal | 51,30€ |
| 72093 | ● Structure Matt White ● Diffuser Opal | 50,30€ |

| | |
|---------------------|------------------------------------|
| Material | Structure Aluminium Diffuser PC |
| Power | 5W |
| Lumen Output | 89lm |
| Light Source | SMD LED 3000K |
| Class | I |
| CRI | >80 |
| Voltage | 100V-240V/50/60Hz |
| Cut out | 230x89mm |



outdoor

Recessed



OUTDOOR

LIGHTING

BULBS

GU10 LED

| Ref. | | Power | Flux | Color T | CRI | Beam Angle | Dimm | Useful life | Width | Height | IEE | |
|------------------|---|-------|-------|---------|-----|------------|--|-------------|---------|---------|-----|---------------|
| | | (W) | (Lm) | (K) | | | | (H) | (mm/in) | (mm/in) | | |
| 17330 |  | 7W | 500lm | 3000K | ≥80 | 38° | | 15.000h | ø50/2" | 55/2.2" | E | 8,50€ |
| 17333 |  | 5W | 440lm | 2700K | ≥80 | 60° | | 15.000h | ø50/2" | 50/2" | F | 8,20€ |
| 17309 |  | 7W | 545lm | 3000K | ≥90 | 40° | | 25.000h | ø50/2" | 54/2.1" | G | 11,70€ |
| 17320 |  | 7,5W | 604lm | 2700K | ≥80 | 60° | | 25.000h | ø50/2" | 54/2.1" | G | 11,40€ |
| 17318 |  | 8W | 563lm | 2700K | ≥80 | 38° |  | 25.000h | ø50/2" | 54/2.1" | G | 13,40€ |
| 17316 |  | 7W | 632lm | 2700K | ≥80 | 38° | | 25.000h | ø50/2" | 54/2.1" | F | 11,40€ |
| 17319 |  | 8W | 560lm | 4000K | ≥80 | 38° |  | 25.000h | ø50/2" | 54/2.1" | G | 13,40€ |
| 17321 |  | 8W | 662lm | 4000K | ≥80 | 60° | | 25.000h | ø50/2" | 54/2.1" | F | 11,40€ |
| 17335 NEW |  | 5W | 504lm | 2700K | ≥90 | 38° | | 15.000h | ø50/2" | 54/2.1" | E | 8,20€ |
| 17334 |  | 5W | 440lm | 2700K | ≥80 | 60° | | 15.000h | ø50/2" | 50/2" | F | 8,20€ |
| 17337 NEW |  | 5W | 493lm | 3000K | ≥90 | 38° | | 15.000h | ø50/2" | 54/2.1" | E | 8,20€ |
| 17336 NEW |  | 5W | 493lm | 3000K | ≥90 | 60° | | 15.000h | ø50/2" | 54/2.1" | E | 8,20€ |
| 17331 |  | 8W | 560lm | 2700K | ≥80 | 60° |  | 25.000h | ø50/2" | 54/2.1" | G | 13,40€ |
| 17324 |  | 8W | 629lm | 2700K | ≥80 | 60° | | 25.000h | ø50/2" | 54/2.1" | F | 11,40€ |
| 17332 |  | 8,7W | 671lm | 4000K | ≥80 | 60° |  | 25.000h | ø50/2" | 54/2.1" | G | 13,40€ |
| 17325 |  | 7W | 610lm | 4000K | ≥80 | 25° | | 25.000h | ø50/2" | 54/2.1" | F | 11,40€ |
| 17328 |  | 7W | 560lm | 2700K | ≥80 | 120° | | 15.000h | ø50/2" | 55/2.2" | F | 6,20€ |
| 17329 |  | 7W | 560lm | 4000K | ≥80 | 120° | | 15.000h | ø50/2" | 55/2.2" | F | 6,20€ |

MR11 GU10

| Ref. | | Power | Flux | Color T | CRI | Beam Angle | Dimm | Useful life | Width | Height | IEE | |
|------------------|---|-------|------|---------|-------|------------|------|-------------|----------|---------|-----|--------------|
| | | | | | | | | | | | | |
| 17537 NEW |  | MR11 | 3W | 220lm | 2700K | ≥80 | 38° | 15.000h | ø35/1.4" | 47/1.9" | F | 6,00€ |
| 17538 NEW |  | MR11 | 3W | 230lm | 3000K | ≥80 | 38° | 15.000h | ø35/1.4" | 47/1.9" | F | 6,00€ |

G9 LED

| Ref. | | Power | Flux | Color T | CRI | Beam Angle | Dimm | Useful life | Diffuser | Width | Height | IEE | |
|-------|---|-------|-------|---------|-----|------------|---|-------------|-------------------|----------|---------|-----|---------------|
| | | | | | | | | | | | | | |
| 17443 |  | 3,5W | 350lm | 2700K | ≥80 | 360° | | 15.000h | Transparent Glass | ø16/0.6" | 50/2" | F | 9,40€ |
| 17468 |  | 3,5W | 350lm | 2700K | ≥80 | 360° |  | 15.000h | Transparent Glass | ø16/0.6" | 50/2" | F | 10,30€ |
| 17444 |  | 3,5W | 350lm | 4000K | ≥80 | 360° | | 15.000h | Transparent Glass | ø16/0.6" | 50/2" | F | 9,40€ |
| 17495 |  | 4W | 470lm | 3000K | ≥80 | 360° | | 15.000h | Transparent Glass | ø14/0.6" | 65/2.6" | E | 9,80€ |
| 17466 |  | 4,5W | 450lm | 2700K | ≥80 | 360° | | 15.000h | Transparent Glass | ø16/0.6" | 60/2.4" | F | 10,00€ |

E14

| Ref. | | Power | Flux | Color T | CRI | Beam Angle | Dimm | Useful life | Diffuser | Width | Height | IEE | |
|-------|---|-------|------|---------|-------|------------|------|-------------|-------------------|----------|----------|-----|--------------|
| | | (W) | (Lm) | (K) | | | | (H) | | (mm/in) | (mm/in) | | |
| 17427 |  | C35 | 2W | 160lm | 2200K | ≥80 | 360° | 15.000h | Transparent Glass | ø36/1.4" | 100/3.9" | G | 6,20€ |
| 17533 |  | C35 | 4W | 300lm | 2200K | >90 | 360° | 15.000h | Opal Glass | ø35/1.4" | 100/3.9" | G | 6,50€ |
| 17460 |  | C35 | 4W | 400lm | 2700K | ≥80 | 360° | 15.000h | Opal Glass | ø35/1.4" | 100/3.9" | F | 6,50€ |
| 17534 |  | C35 | 4W | 400lm | 3000K | ≥90 | 360° | 15.000h | Opal Glass | ø35/1.4" | 100/3.9" | F | 6,50€ |
| 17413 |  | G45 | 2W | 160lm | 2200K | ≥80 | 360° | 15.000h | Amber Glass | ø45/1.8" | 78/3.1" | G | 6,20€ |
| 17526 |  | G45 | 4W | 300lm | 2200K | ≥90 | 360° | 15.000h | Opal Glass | ø45/1.8" | 78/3.1" | G | 6,50€ |
| 17461 |  | G45 | 4W | 390lm | 2700K | ≥80 | 360° | 15.000h | Opal Glass | ø45/1.8" | 78/3.1" | F | 6,50€ |
| 17527 |  | G45 | 4W | 400lm | 3000K | ≥90 | 360° | 15.000h | Opal Glass | ø45/1.8" | 78/3.1" | F | 6,50€ |
| 17519 |  | G45 | 4,5W | 400lm | 2700K | ≥80 | 360° | 15.000h | Opal Glass | ø45/1.8" | 78/3.1" | F | 8,60€ |
| 17446 |  | T26 | 1W | 120lm | 2700K | ≥80 | 360° | 15.000h | Transparent Glass | ø25/1" | 58/2.3" | E | 5,20€ |

E27 LED

| Ref. | | Power | Flux | Color T | CRI | Beam Angle | Dimm | Useful life | Diffuser | Width | Height | IEE | |
|------------------|---|-------|------|---------|-------|------------|------|-------------|-------------------|----------|----------|-----|--------|
| | | (W) | (Lm) | (K) | | | | (H) | | (mm/in) | (mm/in) | | |
| 17420 |  | A60 | 4W | 470lm | 2700K | ≥80 | 360° | 15.000h | Transparent Glass | ø60/2.4" | 102/4" | E | 8,10€ |
| 17498 |  | A60 | 7W | 806lm | 2700K | ≥80 | 360° | 25.000h | Transparent Glass | ø60/2.4" | 102/4" | F | 24,20€ |
| 17528 |  | A60 | 8W | 650lm | 2200K | ≥90 | 360° | 15.000h | Opal Glass | ø60/2.4" | 102/4" | G | 9,00€ |
| 17463 |  | A60 | 8W | 800lm | 2700K | ≥90 | 360° | 15.000h | Opal Glass | ø60/2.4" | 102/4" | F | 9,00€ |
| 17485 |  | A60 | 8W | 850lm | 2700K | ≥80 | 360° | 15.000h | Opal Glass | ø60/2.4" | 102/4" | F | 15,40€ |
| 17529 |  | A60 | 8W | 810lm | 3000K | ≥90 | 360° | 15.000h | Opal Glass | ø60/2.4" | 102/4" | F | 9,00€ |
| 17530 |  | A60 | 8W | 820lm | 4000K | ≥90 | 360° | 15.000h | Opal Glass | ø60/2.4" | 102/4" | F | 9,00€ |
| 17067 |  | A60 | 9W | 850lm | 2700K | ≥80 | 270° | 15.000h | Opal PC | ø60/2.4" | 120/4.7" | F | 7,20€ |
| 17070 |  | A60 | 9W | 820lm | 2700K | ≥80 | 270° | 15.000h | Opal PC | ø60/2.4" | 110/4.3" | F | 6,90€ |
| 17074 |  | A60 | 9W | 820lm | 4000K | ≥80 | 270° | 15.000h | Opal PC | ø60/2.4" | 110/4.3" | F | 6,90€ |
| 17426 |  | A60 | 4W | 400lm | 2200K | ≥80 | 360° | 15.000h | Amber Glass | ø56/2.2" | 102/4" | F | 8,10€ |
| 17432 |  | A60 | 5W | 440lm | 2200K | ≥80 | 360° | 15.000h | Amber Glass | ø60/2.4" | 102/4" | F | 12,90€ |
| 17496 |  | A60 | 4W | 450lm | 2700K | ≥80 | 360° | 15.000h | Gloss Gold Glass | ø60/2.4" | 102/4" | E | 9,90€ |
| 17071 |  | A60 | 4W | 400lm | 2700K | ≥80 | 360° | 15.000h | Matt Black Glass | ø60/2.4" | 102/4" | F | 11,60€ |
| 17073 |  | A60 | 4W | 400lm | 2700K | ≥80 | 360° | 15.000h | Mirror Glass | ø60/2.4" | 102/4" | F | 9,20€ |
| 17417 |  | G45 | 2W | 220lm | 2700K | ≥80 | 360° | 15.000h | Transparent Glass | ø45/1.8" | 75/3" | E | 6,20€ |
| 17524 |  | G45 | 4W | 300lm | 2200K | ≥90 | 360° | 15.000h | Opal Glass | ø45/1.8" | 75/3" | G | 6,50€ |
| 17541 NEW |  | G45 | 4W | 280lm | 2200K | ≥90 | 360° | 15.000h | Opal White Glass | ø45/1.8" | 75/3" | G | 8,60€ |

E27 LED

| Ref. | | Power | Flux | Color T | CRI | Beam Angle | Dimm | Useful life | Diffuser | Width | Height | IEE | |
|------------------|---|-------|------|---------|-------|------------|------|---|-------------------|-----------|----------|-----|---------------|
| | | (W) | (Lm) | (K) | | | | (H) | | (mm/in) | (mm/in) | | |
| 17462 |  | G45 | 4W | 400lm | 2700K | ≥80 | 360° | 15.000h | Opal Glass | ø45/1.8" | 75/3" | F | 6,50€ |
| 17525 |  | G45 | 4W | 400lm | 3000K | ≥90 | 360° | 15.000h | Opal Glass | ø45/1.8" | 75/3" | F | 6,50€ |
| 17518 |  | G45 | 4,5W | 400lm | 2700K | ≥80 | 360° |  15.000h | Opal Glass | ø45/1.8" | 75/3" | F | 8,60€ |
| 17414 |  | G45 | 2W | 160lm | 2200K | ≥80 | 360° | 15.000h | Amber Glass | ø45/1.8" | 75/3" | G | 6,20€ |
| 17493 |  | G45 | 4W | 300lm | 2200K | ≥80 | 360° |  15.000h | Amber Glass | ø45/1.8" | 75/3" | G | 9,20€ |
| 17415 |  | G95 | 4W | 470lm | 2700K | ≥80 | 360° | 15.000h | Transparent Glass | ø95/3.7" | 125/4.9" | E | 13,90€ |
| 17531 |  | G95 | 8W | 650lm | 2200K | ≥90 | 360° | 15.000h | Opal Glass | ø95/3.7" | 141/5.6" | G | 12,10€ |
| 17464 |  | G95 | 8W | 800lm | 2700K | ≥80 | 360° | 15.000h | Opal Glass | ø95/3.7" | 141/5.6" | F | 12,10€ |
| 17482 |  | G95 | 8W | 900lm | 2700K | ≥80 | 360° |  25.000h | Opal Glass | ø95/3.7" | 130/5.1" | F | 17,80€ |
| 17532 |  | G95 | 8W | 810lm | 3000K | ≥90 | 360° | 15.000h | Opal Glass | ø95/3.7" | 141/5.6" | F | 12,10€ |
| 17542 NEW |  | G95 | 12W | 1200lm | 2200K | ≥90 | 360° |  15.000h | Opal White Glass | ø95/3.7" | 125/4.9" | F | 19,50€ |
| 17543 NEW |  | G95 | 12W | 1500lm | 2700K | ≥90 | 360° |  15.000h | Opal White Glass | ø95/3.7" | 141/5.6" | E | 19,50€ |
| 17429 |  | G95 | 4W | 400lm | 2200K | ≥80 | 360° | 15.000h | Amber Glass | ø95/3.7" | 125/4.9" | F | 13,90€ |
| 17072 |  | G95 | 4W | 400lm | 2700K | ≥80 | 360° |  15.000h | Matt Black Glass | ø95/3.7" | 125/4.9" | F | 15,90€ |
| 17271 |  | G95 | 4W | 450lm | 2700K | ≥80 | 360° | 15.000h | Mirror Glass | ø95/3.7" | 125/4.9" | E | 15,90€ |
| 17478 |  | G120 | 18W | 1850lm | 2700K | ≥80 | 270° | 15.000h | Opal Glass | ø120/4.7" | 158/6.2" | F | 15,60€ |
| 17479 |  | G120 | 18W | 1600lm | 2700K | ≥80 | 215° |  25.000h | Opal Glass | ø120/4.7" | 158/6.2" | F | 20,90€ |
| 17423 |  | G125 | 4W | 470lm | 2700K | ≥80 | 360° | 15.000h | Transparent Glass | ø125/4.9" | 175/6.9" | E | 17,10€ |

E27 LED

| Ref. | | Power | Flux | Color T | CRI | Beam Angle | Dimm | Useful life | Diffuser | Width | Height | IEE | | | |
|-------|---|-------|------|---------|-------|------------|------|---|-------------------|-----------|----------|-----|---------------|------|-----|
| | | | | | | | | | | | | | (W) | (Lm) | (K) |
| 17425 |  | G125 | 4W | 400lm | 2200K | ≥80 | 360° | 15.000h | Amber Glass | ø125/4.9" | 175/6.9" | F | 17,10€ | | |
| 17434 |  | G125 | 5W | 440lm | 2200K | ≥80 | 360° |  15.000h | Amber Glass | ø125/4.9" | 175/6.9" | F | 18,40€ | | |
| 17422 |  | ST64 | 4W | 470lm | 2700K | ≥80 | 360° | 15.000h | Transparent Glass | ø64/2.5" | 146/5.7" | E | 11,80€ | | |
| 17428 |  | ST64 | 4W | 400lm | 2200K | ≥80 | 360° | 15.000h | Amber Glass | ø64/2.5" | 146/5.7" | F | 11,80€ | | |
| 17433 |  | ST64 | 5W | 440lm | 2200K | ≥80 | 360° |  15.000h | Amber Glass | ø64/2.5" | 146/5.7" | F | 15,50€ | | |
| 17424 |  | ST64 | 5W | 612lm | 2700K | ≥90 | 360° | 15.000h | Amber Glass | ø64/2.5" | 146/5.7" | E | 11,80€ | | |
| 17409 |  | SP64 | 5W | 380lm | 2000K | ≥80 | 360° |  15.000h | Amber Glass | ø64/2.5" | 146/5.7" | G | 16,50€ | | |
| 17400 |  | PAR38 | 10W | 850lm | 4000K | ≥80 | 60° | 30.000h | Opal Glass | ø120/4.7" | 134/5.3" | F | 31,60€ | | |
| 17398 |  | PAR38 | 11W | 1052lm | 3000K | ≥80 | 23° | 25.000h | Transparent Glass | ø120/4.7" | 134/5.3" | F | 31,60€ | | |
| 17477 |  | R80 | 12W | 1050lm | 2700K | ≥80 | 120° | 15.000h | Opal PC | ø80/3.1" | 110/4.3" | E | 7,20€ | | |
| 17437 |  | T45 | 5W | 550lm | 3000K | ≥80 | 360° | 15.000h | Opal Glass | ø45/1.8" | 112/4.4" | E | 11,70€ | | |

E27 LED SPECIALS

| Ref. | | Power | Flux | Color T | CRI | Beam Angle | Dimm | Useful life | Diffuser | Width | Height | IEE | | | |
|-------|---|-------|------|---------|-------|------------|------|---|-------------|-----------|-----------|-----|---------------|------|-----|
| | | | | | | | | | | | | | (W) | (Lm) | (K) |
| 17445 |  | T30 | 6W | 550lm | 2200K | ≥80 | 360° | 15.000h | Amber Glass | ø28/1.1" | 300/11.8" | F | 18,50€ | | |
| 17447 |  | A160 | 5W | 280lm | 2000K | ≥80 | 360° |  25.000h | Amber Glass | ø160/6.3" | 300/11.8" | G | 70,30€ | | |
| 17449 |  | BT180 | 8W | 400lm | 2000K | ≥80 | 360° |  25.000h | Amber Glass | ø160/6.3" | 390/15.4" | G | 80,40€ | | |

G4

| Ref. | | Power | Flux | Color T | CRI | Beam Angle | Dimm | Useful life | Diffuser | Width | Height | IEE |
|-------|---|-------|-------|---------|-----|------------|------|-------------|-------------------|----------|---------|---------|
| | | (W) | (Lm) | (K) | | | | (H) | | (mm/in) | (mm/in) | |
| 17487 |  | 1,5W | 155lm | 3000K | ≥80 | 360° | | 15.000h | Transparent Glass | ø11/0.4" | 41/1.6" | F 6,00€ |
| 17494 |  | 1,5W | 90lm | 3000K | ≥80 | 360° | | 25.000h | Transparent Glass | ø11/0.4" | 33/1.3" | G 3,90€ |

R7s LED

| Ref. | | Power | Flux | Color T | CRI | Beam Angle | Dimm | Useful life | Diffuser | Width | Height | IEE |
|-------|---|-------|-------|---------|-----|------------|------|-------------|-------------------|----------|---------|----------|
| | | (W) | (Lm) | (K) | | | | (H) | | (mm/in) | (mm/in) | |
| 17499 |  | 4W | 500lm | 2700K | ≥80 | 360° | | 15.000h | Transparent Glass | ø45/1.8" | 45/1.8" | F 10,60€ |
| 17503 |  | 4W | 500lm | 4000K | ≥80 | 360° | | 15.000h | Transparent Glass | ø16/0.6" | 78/3.1" | E 10,60€ |
| 17488 |  | 5,5W | 550lm | 2700K | ≥80 | 360° | | 15.000h | Transparent PC | ø23/0.9" | 23/0.9" | F 8,80€ |
| 17497 |  | 8W | 850lm | 2700K | ≥80 | 360° | | 15.000h | Transparent Glass | ø16/0.6" | 16/0.6" | F 13,80€ |
| 17502 |  | 8W | 850lm | 4000K | ≥80 | 360° | | 15.000h | Transparent Glass | ø16/0.6" | 16/0.6" | F 14,20€ |

LINESTRA

| Ref. | | Power | Flux | Color T | CRI | Beam Angle | Dimm | Useful life | Diffuser | Width | Height | IEE |
|-------|---|-------|------|---------|-------|------------|------|-------------|------------|----------|---------|----------|
| | | (W) | (Lm) | (K) | | | | (H) | | (mm/in) | (mm/in) | |
| 17535 |  | L300 | 5W | 430lm | 2700K | ≥80 | 270° | 15.000h | Opal Glass | ø29/1.1" | 29/1.1" | F 16,00€ |
| 17536 |  | L500 | 7W | 608lm | 2700K | ≥80 | 270° | 15.000h | Opal Glass | ø29/1.1" | 29/1.1" | F 21,50€ |

GX53

| Ref. | | Power | Flux | Color T | CRI | Beam Angle | Dimm | Useful life | Diffuser | Width | Height | IEE |
|-------|---|-------|-------|---------|-----|------------|------|-------------|----------|----------|---------|----------|
| | | (W) | (Lm) | (K) | | | | (H) | | (mm/in) | (mm/in) | |
| 17340 |  | 6W | 540lm | 3000K | >80 | 120° | | 25.000h | Opal PC | ø30/1.2" | 76/3" | F 16,40€ |

**Items with special discount conditions*

| LED Bulb GU5.3 | | Socket | Power | CRI | Useful life | DIM | Beam | Flux | Color T | |
|---|----------|--------|-------|-----|-------------|-----|------|-------|---------|---------------|
| PARATHOM MR16 | | | | | | | | | | |
|  | 97686230 | GU5.3 | 8W | 92 | 40.000h | ✓ | 24° | 500lm | 3000K | 24,00€ |
| | 97686327 | | 8W | 92 | 40.000h | ✓ | 36° | 485lm | 2700K | 23,20€ |
| | 97686330 | | 8W | 92 | 40.000h | ✓ | 36° | 500lm | 3000K | 25,20€ |

| LED bulb GU10 | | | Power | CRI | Useful life | DIM | Beam | Flux | Color T | |
|---|----------|-------------|-------|-----|-------------|-----|------|-------|---------|---------------|
| MASTER LED Spot MV | | | | | | | | | | |
|  | 97685327 | SOCKET GU10 | 4W | 80 | 15.000h | ✓ | 36° | 345lm | 2700K | 7,00€ |
| | 97685330 | | 5W | 80 | 25.000h | ✓ | 36° | 365lm | 3000K | 7,00€ |
| | 97264 | | 4W | 80 | | ✓ | 60° | 355lm | 2700K | 8,80€ |
| | 97404 | | 5W | 90 | | ✓ | | | 3000K | 9,00€ |
| | 97273 | | 5W | 97 | 40.000h | ✓ | 36° | 355lm | 2700K | 15,80€ |
| | 97402 | | 5,5W | 97 | 40.000h | ✓ | 36° | 375lm | 3000K | 15,80€ |

| LED bulb GU10 | | | Power | CRI | Useful life | DIM | Beam | Flux | Color T | |
|---|-------|-------------|-------|-----|-------------|-----|------|-------|---------|--------------|
| PARATHOM GU10 | | | | | | | | | | |
|  | 97166 | SOCKET GU10 | 6W | ≥80 | 15.000h | | 36° | 575lm | 2700K | 6,00€ |
| | 97291 | | 6W | ≥80 | 15.000h | | 36° | 575lm | 3000K | 6,00€ |
| | 97292 | | 6W | ≥80 | 15.000h | | 60° | 575lm | 3000K | 6,00€ |
| | 97403 | | 6W | ≥80 | 15.000h | | 60° | 575lm | 2700K | 6,00€ |

| QR111 | | | Power | CRI | Useful life | DIM | Beam | Flux | Color T | |
|---|-------|------------|-------|-----|-------------|-----|------|-------|---------|---------------|
| PARATHOM QR111 | | | | | | | | | | |
|  | 97411 | SOCKET G53 | 15W | 97 | 40.000h | ✓ | 24° | 800lm | 2700K | 33,80€ |
| | 97412 | | 15W | 97 | 40.000h | ✓ | 24° | 800lm | 3000K | 33,20€ |
| | 97413 | | 15W | 97 | 40.000h | ✓ | 40° | 800lm | 2700K | 33,20€ |
| | 97414 | | 15W | 97 | 40.000h | ✓ | 40° | 800lm | 3000K | 33,20€ |

| PAR30 | | | Power | CRI | Useful life | DIM | Beam | Flux | Color T | |
|----------------|----------|-----|-------|-----|-------------|-----|------|-------|---------|---------------|
| PARATHOM PAR30 | | | | | | | | | | |
| | 97687127 | E27 | 10W | ≥80 | 25.000h | ✓ | 36° | 633lm | 2700K | 15,80€ |

Drivers

| | | mA | P | V | System | Driver | units | IP |
|-----------|---|-------|-----|----------|---------|------------|-------------|------|
| GRUND 2W | 70726 70730 70733 70735 | 700mA | 2W | 220/240V | on/off | 98310235 | 1-15 units | IP20 |
| | | | | | triac | 98310210 | 2-4 units | IP20 |
| | | | | | dali | 98310235D | 1-15 units | IP20 |
| | | | | | casambi | 98310538 | 4-15 units | IP20 |
| GRUND 7W | 70728 70731 70734 70736 | 350mA | 7W | 220/240V | on/off | 98310136 | 1-2 units | IP20 |
| | | | | | triac | 98310110LC | 1 units | IP20 |
| | | | | | dali | 98310136D | 1-2 units | IP20 |
| | | | | | casambi | 98310538 | 2 units | IP20 |
| GRUND 13W | 70729 70732 | 350mA | 13W | 220/240V | on/off | 98310136 | only 1 unit | IP20 |
| | | | | | triac | 98310118LC | only 1 unit | IP20 |
| | | | | | dali | 98310136D | only 1 unit | IP20 |
| | | | | | casambi | 98310538 | only 1 unit | IP20 |
| GRUND 1W | 70851 70852 70853 70854 | 24V | 1W | 220/240V | on/off | 98324031 | 1-29 units | IP67 |
| | | | | | on/off | 98324099 | 1-90 units | IP67 |
| | | | | | dali | 98324101 | 1-90 units | IP67 |
| | | | | | casambi | 98324599 | 1-90 units | IP20 |
| GRUND 7W | 70855 70856 70857 70858 | 24V | 7W | 220/240V | on/off | 98324031 | 1-4 units | IP67 |
| | | | | | on/off | 98324099 | 1-13 units | IP67 |
| | | | | | dali | 98324101 | 1-13 units | IP67 |
| | | | | | casambi | 98324599 | 1-15 units | IP20 |
| GRUND 13W | 70859 70860 70861 70862 | 24V | 13W | 220/240V | on/off | 98324031 | 1-2 units | IP67 |
| | | | | | on/off | 98324099 | 1-6 units | IP67 |
| | | | | | dali | 98324151 | 1-6 units | IP67 |
| | | | | | casambi | 98324599 | 1-6 units | IP20 |
| GRUND 3W | 70740 | 24V | 3W | 220/240V | on/off | 98324031 | 1-10 units | IP67 |
| | | | | | on/off | 98324099 | 1-30 units | IP67 |
| | | | | | dali | 98324101 | 1-30 units | IP67 |
| | | | | | casambi | 98324599 | 1-30 units | IP20 |
| KANE 3W | 70660 / 70660W 70661 / 70661W 70662 / 70662W | 24VDC | 3W | 220/240V | on/off | 98324031 | 1-10 units | IP67 |
| | | | | | on/off | 98324099 | 1-30 units | IP67 |
| | | | | | dali | 98324101 | 1-30 units | IP67 |
| | | | | | casambi | 98324599 | 1-30 units | IP20 |
| CROSBY 2W | 70453 | 24VDC | 2W | 220/240V | on/off | 98324031 | 1-16 units | IP67 |
| | | | | | on/off | 98324099 | 1-45 units | IP67 |
| | | | | | dali | 98324101 | 1-45 units | IP67 |
| | | | | | casambi | 98324599 | 1-45 units | IP20 |

| | | mA | P | V | System | Driver | units | IP |
|----------------------|--|--------|-----|----------|---------|----------|------------|------|
| TRAS 4W | 71701 | 24V DC | 4W | 220/240V | on/off | 98324031 | 1-8 units | IP67 |
| | | | | | on/off | 98324099 | 1-22 units | IP67 |
| TRAS 8W | 71702 | 24V DC | 8W | 220/240V | on/off | 98324031 | 1-4 units | IP67 |
| | | | | | on/off | 98324099 | 1-10 units | IP67 |
| TRAS 25W | 71716 71717 | 24V DC | 25W | 220/240V | on/off | 98324031 | 1 unit | IP67 |
| | | | | | on/off | 98324151 | 1-5 units | IP67 |
| DANG 3W | 70446 | 24V DC | 3W | 220/240V | on/off | 98324031 | 1-10 units | IP67 |
| | | | | | on/off | 98324099 | 1-30 units | IP67 |
| | | | | | dali | 98324101 | 1-25 units | IP67 |
| | | | | | casambi | 98324599 | 1-30 units | IP20 |
| FALLS 12W | 71736 71737 | 24V DC | 12W | 220/240V | on/off | 98324031 | 1-2 units | IP67 |
| | | | | | on/off | 98324099 | 1-7 units | IP67 |
| | | | | 220/240V | dali | 98324101 | 1-7 units | IP67 |
| | | | | | casambi | 98324599 | 1-7 units | IP20 |
| FALLS ORIENTABLE 16W | 71733 | 24V DC | 16W | 220/240V | on/off | 98324031 | 1-2 units | IP67 |
| | | | | | on/off | 98324099 | 1-5 units | IP67 |
| | | | | 220/240V | dali | 98324101 | 1-5 units | IP67 |
| | | | | | casambi | 98324599 | 1-5 units | IP20 |
| CUCA | | 24V DC | 3W | 220/240V | on/off | 98324031 | 1-10 units | IP67 |
| | | | | | on/off | 98324099 | 1-30 units | IP67 |
| | | | | | dali | 98324101 | 1-30 units | IP67 |
| | | | | | casambi | 98324599 | 1-30 units | IP20 |
| CLAP | | 24V DC | 6W | 220/240V | on/off | 98324026 | 1-5 units | IP67 |
| | | | | | on/off | 98324099 | 1-15 units | IP67 |
| LILY 300 | 75620 75620-1 75621 75621-1 75622 75622-1 | 24V DC | 3W | 220/240V | on/off | 98324031 | 1-10 units | IP67 |
| | | | | | on/off | 98324099 | 1-30 units | IP67 |
| | | | | | dali | 98324101 | 1-30 units | IP67 |
| | | | | | casambi | 98324599 | 1-30 units | IP20 |
| PUK | 75300- | 24V DC | 3W | 220/240V | on/off | 98324031 | 1-7 units | IP67 |
| | | | | | on/off | 98324099 | 1-22 units | IP67 |
| SAU | | 24V DC | 3W | 220/240V | on/off | 98324031 | 1-13 units | IP67 |
| | | | | | on/off | 98324099 | 1-36 units | IP67 |
| TIL | | 24V DC | 3W | 220/240V | on/off | 98324031 | 1-10 units | IP67 |
| | | | | | on/off | 98324099 | 1-30 units | IP67 |
| | | | | 220/240V | dali | 98324101 | 1-25 units | IP67 |
| | | | | | casambi | 98324599 | 1-30 units | IP20 |

General terms of sale

| EN | ES | FR | ITA |
|--|--|--|--|
| <p>The technical information detailed in our catalogue can be modified in order to improve the features or design of our products.</p> <p>Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints.</p> <p>The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.</p> <p>The catalogue prices are public prices.</p> <p>RATES DO NOT INCLUDE VAT.</p> <p>Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency.</p> <p>Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.</p> | <p>La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño.</p> <p>Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones.</p> <p>Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones, la versión digital siempre prevalece.</p> <p>Los precios mostrados son precios de venta al público (PVP).</p> <p>IVA NO INCLUIDO EN TARIFA</p> <p>Previa comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas.</p> <p>No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.</p> | <p>L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design.</p> <p>Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations.</p> <p>Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptible d'être modifiées ultérieurement.</p> <p>Les prix du catalogue son les prix de vente public .</p> <p>IVA NON COMPRISE DANS LE TARIF.</p> <p>Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.</p> | <p>La informazione che si riferisce ai nostri articoli può essere soggetta a modifiche con il fine di migliorare le caratteristiche, tecniche o di design, dei nostri prodotti. Faro Barcelona si riserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami.</p> <p>Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della stampa del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni.</p> <p>I prezzi indicati sono prezzi di vendita al pubblico.</p> <p>IVA NON INCLUSA IN LISTINO.</p> <p>LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di vetri rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti.</p> <p>Non si effettuano cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.</p> |
| PT | GER | NL | GRK |
| <p>A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho.</p> <p>A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações.</p> <p>As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP).</p> <p>IVA NÃO INCLUIDO NA LISTA DE PREÇOS</p> <p>Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente. Nestes casos pedimos que entrem em contacto conosco para lhes enviarmos urgentemente as peças requeridas.</p> <p>Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua recepção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.</p> | <p>Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden.</p> <p>Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte.</p> <p>Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden.</p> <p>DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGESCHLOSSEN</p> <p>Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Glasteilen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zusage der notwendigen Teile in Verbindung.</p> <p>Wir tauschen keine Waren in gutem Zustand um oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.</p> | <p>De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren.</p> <p>Faro Barcelona behoudt zich het recht voor onaanvaardig modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt.</p> <p>De voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkoopprijzen.</p> <p>Btw NIET BIJ DE PRIJS INBEGREPEN</p> <p>Lorefar aanvaardt uitsluitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen toezenden.</p> <p>Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.</p> | <p>Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου.</p> <p>Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης ή τροποποίησης οποιουδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και χωρίς αυτό να αποτελεί αιτία απαίτησης επιστροφής χρημάτων.</p> <p>Οι όροι, τα χαρακτηριστικά και οι τιμές των προϊόντων που παρουσιάζονται σε αυτόν τον κατάλογο είναι αυτά που ισχύουν κατά την ημερομηνία της εκτύπωσης του καταλόγου, εκτός τυπογραφικών λαθών, και υπόκεινται σε αλλαγές.</p> <p>Ο ΦΠΑ ΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ</p> <p>Μετά από συνεννόηση με τη Lorefar, γίνονται αποδεκτές επιστροφές μόνο αν πρόκειται για ελαττωματικά εμπορεύματα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε επείγοντως τα απαιτούμενα μέρη.</p> |
| RUS | CZ | BL | PL |
| <p>Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики.</p> <p>Faro Barcelona сохраняет за собой право аннулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб.</p> <p>Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены.</p> <p>БЕЗ УЧЕТА НДС</p> <p>В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали. Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компанией Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.</p> | <p>Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu.</p> <p>Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být předmětem jakékoliv stížnosti či reklamace.</p> <p>Podmínky, technické specifikace a ceny produktů uvedené v katalogu jsou platné ke dni vydání katalogu. Producent si vyhrazuje právo konstrukčních změn nabízených modelů, pokud tyto nepovedou k zásadním změnám charakteru výrobků. Informace z tohoto katalogu postrádjí platnosti v den vydání katalogu nového.</p> <p>VŠECHNY CENY JSOU UVEDENY BEZ DPH., Zboží může být vráceno pouze po předchozím souhlasu od společnosti PAXI, na základě poruchy nebo vady ovšem nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom Vám mohli požadované části svítidel urgentně zaslat. Výměny nebo vrácení zboží v dobrém technickém stavu je nepřijatelné.</p> | <p>Техническата информация, представена в нашият каталог, може да бъде променена с цел да подобри представянето или дизайна на продуктите.</p> <p>Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания.</p> <p>Условията, техническите характеристики и цените на продуктите показани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и са обект на възможни промени.</p> <p>Цените в каталога са публичните цени.</p> <p>ЦЕНИТЕ НЕ ВКЛЮЧВАТ ДДС.</p> <p>Връщане на закупена стока ще да бъдат приети единствено след писмено осведомяване на ЛОРЕФАР на основание дефекти и в никакъв случай на основание чулено стъкло или липсващи части. В такива случаи моля свържете се с нас, за да ви изпратим липсващите части по спешност.</p> <p>Размяна или връщане на стока в добро състояние няма да бъде извършвана. В случай на спешно приемане от ЛОРЕФАР 20 % такса ще бъде наложена за приемане и проверка, за обезценяване и класификация на продуктите.</p> | <p>Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wzornictwa produktów.</p> <p>Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego informowania i nie przyjmuje skarg z tego tytułu.</p> <p>Warunki, opis techniczny oraz ceny artykułów, które pojawiają się w katalogu są aktualne do czasu przedruku katalogu za wyjątkiem pomyłek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi.</p> <p>CENY NIE ZAWIERAJĄ STAWKI VAT.</p> <p>Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgodzie przez Lorefar na podstawie stwierdzenia, że są wadliwe, nigdy nie przyjmowane są zwroty artykułów, z powodu stłuczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym.</p> <p>Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyraźnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymanie i sprawdzenie, w celu sklasyfikowania uszkodzenia artykułu.</p> |

References index

| Ref | Pag. | Ref | Pag. | Ref | Pag. | Ref | Pag. |
|-------|------|-------|------|--------|------|--------|------|
| 17067 | 473 | 17460 | 472 | 70147 | 460 | 70304 | 424 |
| 17070 | 473 | 17461 | 472 | 70148 | 460 | 70305 | 424 |
| 17071 | 473 | 17462 | 474 | 70151 | 238 | 70306 | 422 |
| 17072 | 474 | 17463 | 473 | 70156 | 202 | 70307 | 422 |
| 17073 | 473 | 17464 | 474 | 70157 | 202 | 70308 | 420 |
| 17074 | 473 | 17466 | 471 | 70158 | 236 | 70309 | 420 |
| 17271 | 474 | 17468 | 471 | 70159 | 236 | 70310 | 422 |
| 17309 | 470 | 17477 | 475 | 70161 | 204 | 70311 | 418 |
| 17316 | 470 | 17478 | 474 | 70162 | 454 | 70312 | 418 |
| 17318 | 470 | 17479 | 474 | 70163 | 454 | 70322 | 340 |
| 17319 | 470 | 17482 | 474 | 70226 | 234 | 70323 | 340 |
| 17320 | 470 | 17485 | 473 | 70227 | 234 | 70324 | 340 |
| 17321 | 470 | 17487 | 476 | 70245 | 256 | 70327 | 340 |
| 17324 | 470 | 17488 | 476 | 70246 | 256 | 70328 | 340 |
| 17325 | 470 | 17493 | 474 | 70247 | 80 | 70329 | 340 |
| 17328 | 470 | 17494 | 476 | 70248 | 220 | 70395 | 455 |
| 17329 | 470 | 17495 | 471 | 70260 | 202 | 70396 | 455 |
| 17330 | 470 | 17496 | 473 | 70264 | 372 | 70397 | 462 |
| 17331 | 470 | 17497 | 476 | 70267 | 372 | 70398 | 455 |
| 17332 | 470 | 17498 | 473 | 70268 | 372 | 70399 | 455 |
| 17333 | 470 | 17499 | 476 | 70269 | 372 | 70402 | 456 |
| 17334 | 470 | 17502 | 476 | 70270 | 372 | 70403 | 456 |
| 17335 | 470 | 17503 | 476 | 70271 | 454 | 70405 | 354 |
| 17336 | 470 | 17518 | 474 | 70272 | 450 | 70408 | 404 |
| 17337 | 470 | 17519 | 472 | 70272N | 450 | 70409 | 404 |
| 17340 | 476 | 17524 | 473 | 70273 | 450 | 70443 | 448 |
| 17398 | 475 | 17525 | 474 | 70273N | 450 | 70444 | 448 |
| 17400 | 475 | 17526 | 472 | 70274 | 450 | 70446 | 462 |
| 17409 | 475 | 17527 | 472 | 70276 | 450 | 70449 | 444 |
| 17413 | 472 | 17528 | 473 | 70277 | 450 | 70453 | 442 |
| 17414 | 474 | 17529 | 473 | 70277N | 450 | 70455 | 448 |
| 17415 | 474 | 17530 | 473 | 70278 | 450 | 70459N | 442 |
| 17417 | 473 | 17531 | 474 | 70278N | 450 | 70462N | 446 |
| 17420 | 473 | 17532 | 474 | 70279 | 450 | 70469 | 238 |
| 17422 | 475 | 17533 | 472 | 70280 | 450 | 70501 | 408 |
| 17423 | 474 | 17534 | 472 | 70281 | 450 | 70508 | 408 |
| 17424 | 475 | 17535 | 476 | 70283 | 338 | 70546 | 158 |
| 17425 | 475 | 17536 | 476 | 70284 | 338 | 70564 | 158 |
| 17426 | 473 | 17537 | 471 | 70285 | 156 | 70566N | 370 |
| 17427 | 472 | 17538 | 471 | 70286 | 156 | 70567N | 370 |
| 17428 | 475 | 17541 | 473 | 70287 | 156 | 70573 | 389 |
| 17429 | 474 | 17542 | 474 | 70288 | 452 | 70573B | 389 |
| 17432 | 473 | 17543 | 474 | 70289 | 452 | 70575 | 308 |
| 17433 | 475 | 70025 | 200 | 70290 | 342 | 70576 | 154 |
| 17434 | 475 | 70035 | 206 | 70291 | 342 | 70586 | 428 |
| 17437 | 475 | 70036 | 206 | 70292 | 80 | 70587 | 428 |
| 17443 | 471 | 70037 | 208 | 70293 | 80 | 70588 | 426 |
| 17444 | 471 | 70038 | 208 | 70294 | 356 | 70589 | 426 |
| 17445 | 475 | 70039 | 206 | 70295 | 80 | 70591 | 446 |
| 17446 | 472 | 70134 | 464 | 70298 | 218 | 70592N | 426 |
| 17447 | 475 | 70135 | 464 | 70302 | 420 | 70593N | 426 |
| 17449 | 475 | 70146 | 460 | 70303 | 420 | 70634 | 372 |

| Ref | Pag. | Ref | Pag. | Ref | Pag. | Ref | Pag. |
|--------|------|-------|------|-------|------|-----------|------|
| 70637 | 372 | 70775 | 46 | 70912 | 204 | 71286 | 136 |
| 70638 | 454 | 70776 | 46 | 70913 | 240 | 71287 | 136 |
| 70644 | 354 | 70777 | 46 | 70914 | 38 | 71299 | 142 |
| 70645 | 354 | 70782 | 102 | 70927 | 458 | 71300 | 142 |
| 70646 | 354 | 70783 | 102 | 70928 | 458 | 71301 | 142 |
| 70647 | 354 | 70784 | 46 | 70929 | 458 | 71303 | 380 |
| 70655 | 408 | 70785 | 92 | 70938 | 78 | 71305 | 381 |
| 70656 | 408 | 70787 | 220 | 70939 | 78 | 71306 | 381 |
| 70657 | 412 | 70788 | 220 | 70992 | 400 | 71308 | 364 |
| 70658 | 412 | 70790 | 42 | 70993 | 152 | 71309 | 364 |
| 70659 | 412 | 70799 | 308 | 70996 | 402 | 71352 | 84 |
| 70660 | 440 | 70802 | 370 | 70997 | 400 | 71353 | 348 |
| 70660W | 440 | 70806 | 310 | 70998 | 400 | 71363 | 348 |
| 70661 | 440 | 70811 | 368 | 70999 | 402 | 71366 | 348 |
| 70661W | 440 | 70812 | 368 | 71049 | 352 | 71367 | 348 |
| 70662 | 440 | 70813 | 368 | 71052 | 352 | 71372 | 310 |
| 70662W | 440 | 70821 | 310 | 71106 | 292 | 71374 | 310 |
| 70663 | 390 | 70824 | 404 | 71110 | 398 | 71489N | 444 |
| 70664 | 390 | 70825 | 404 | 71116 | 168 | 71498N | 443 |
| 70665 | 386 | 70826 | 404 | 71117 | 168 | 71499N | 443 |
| 70667 | 390 | 70828 | 368 | 71118 | 168 | 71516 | 358 |
| 70668 | 390 | 70829 | 391 | 71128 | 398 | 71517 | 358 |
| 70682 | 386 | 70832 | 374 | 71129 | 399 | 71519 | 360 |
| 70683 | 386 | 70833 | 458 | 71138 | 292 | 71528 | 218 |
| 70686 | 374 | 70834 | 458 | 71139 | 292 | 71537 | 384 |
| 70687 | 374 | 70837 | 154 | 71194 | 342 | 71546 | 204 |
| 70689 | 387 | 70840 | 116 | 71195 | 342 | 71548 | 204 |
| 70690 | 315 | 70841 | 116 | 71196 | 342 | 71565 | 46 |
| 70696 | 388 | 70842 | 116 | 71198 | 120 | 71569-01 | 58 |
| 70697 | 388 | 70843 | 116 | 71199 | 120 | 71569-04 | 59 |
| 70715 | 387 | 70850 | 378 | 71209 | 162 | 71569-05 | 56 |
| 70720 | 391 | 70851 | 430 | 71212 | 358 | 71569-06 | 56 |
| 70722 | 315 | 70852 | 430 | 71213 | 122 | 71569-07 | 54 |
| 70726 | 430 | 70853 | 430 | 71214 | 122 | 71569-08 | 54 |
| 70728 | 432 | 70854 | 430 | 71215 | 358 | 71569-09 | 52 |
| 70729 | 432 | 70855 | 434 | 71216 | 112 | 71569-10 | 52 |
| 70730 | 430 | 70856 | 434 | 71217 | 112 | 71569-11 | 52 |
| 70731 | 432 | 70857 | 434 | 71222 | 360 | 71569-12 | 52 |
| 70732 | 432 | 70858 | 434 | 71223 | 360 | 71569-13 | 52 |
| 70733 | 430 | 70859 | 434 | 71224 | 82 | 71569-14 | 52 |
| 70734 | 432 | 70860 | 434 | 71225 | 82 | 71575-01 | 58 |
| 70735 | 430 | 70861 | 434 | 71242 | 66 | 71575-04 | 59 |
| 70736 | 432 | 70862 | 434 | 71243 | 66 | 71575-05 | 56 |
| 70740 | 436 | 70870 | 436 | 71244 | 66 | 71575-06 | 56 |
| 70753 | 116 | 70871 | 436 | 71253 | 60 | 71575-07 | 54 |
| 70754 | 116 | 70887 | 389 | 71254 | 60 | 71575-09 | 52 |
| 70755 | 116 | 70888 | 366 | 71256 | 62 | 71575-11 | 52 |
| 70756 | 116 | 70899 | 366 | 71257 | 62 | 71575-13 | 52 |
| 70761 | 138 | 70900 | 458 | 71262 | 34 | 71575P-01 | 254 |
| 70767 | 145 | 70901 | 458 | 71263 | 34 | 71575P-03 | 254 |
| 70768 | 145 | 70906 | 410 | 71273 | 364 | 71575P-04 | 252 |
| 70771 | 150 | 70907 | 410 | 71274 | 387 | 71575P-05 | 250 |
| 70772 | 150 | 70908 | 410 | 71277 | 364 | 71575P-06 | 250 |
| 70773 | 380 | 70909 | 410 | 71279 | 384 | 71575P-07 | 250 |
| 70774 | 118 | 70910 | 410 | 71285 | 382 | 71575P-09 | 250 |

| Ref | Pag. | Ref | Pag. | Ref | Pag. | Ref | Pag. |
|-----------|------|-----------|------|-----------|------|-----------|------|
| 71575P-11 | 250 | 71733 | 416 | 71928 | 44 | 72126-171 | 264 |
| 71575P-13 | 250 | 71736 | 416 | 71929 | 44 | 72126-172 | 264 |
| 71576-01 | 58 | 71737 | 416 | 71931 | 44 | 72127-164 | 268 |
| 71576-04 | 59 | 71740 | 310 | 71940 | 78 | 72127-165 | 268 |
| 71576P-03 | 254 | 71741 | 310 | 71941 | 78 | 72127-166 | 268 |
| 71576P-04 | 252 | 71742 | 310 | 71942 | 78 | 72127-167 | 268 |
| 71579-02 | 284 | 71743 | 392 | 71943 | 78 | 72128 | 266 |
| 71579C-03 | 284 | 71744 | 392 | 71946 | 124 | 72129 | 266 |
| 71579C-04 | 284 | 71745 | 392 | 71947 | 124 | 72135 | 272 |
| 71579C-05 | 282 | 71746 | 140 | 71948 | 124 | 72136 | 272 |
| 71579C-06 | 282 | 71747 | 140 | 71949 | 124 | 72137 | 272 |
| 71579C-07 | 280 | 71748 | 140 | 71960 | 406 | 72138 | 272 |
| 71579C-09 | 278 | 71749 | 140 | 71961 | 406 | 72150 | 30 |
| 71579C-11 | 278 | 71750 | 140 | 71962 | 406 | 72151 | 30 |
| 71579C-13 | 278 | 71751 | 140 | 71963 | 406 | 72269 | 370 |
| 71584-01 | 289 | 71771 | 200 | 71964 | 406 | 72298 | 84 |
| 71584-02 | 36 | 71771V | 200 | 71965 | 406 | 72310 | 152 |
| 71584-03 | 289 | 71772 | 226 | 71966 | 406 | 72311 | 134 |
| 71584-04 | 289 | 71772H | 226 | 71967 | 406 | 72312 | 134 |
| 71584-05 | 288 | 71772V | 226 | 71968 | 406 | 72330 | 404 |
| 71584-06 | 288 | 71773 | 226 | 71969 | 452 | 72353 | 314 |
| 71584-07 | 288 | 71774 | 232 | 72092 | 466 | 72354 | 314 |
| 71584-08 | 288 | 71775 | 232 | 72093 | 466 | 72355 | 314 |
| 71584-09 | 286 | 71780-2 | 224 | 72094 | 466 | 73100 | 242 |
| 71584-10 | 286 | 71780F | 224 | 72095 | 466 | 73111 | 242 |
| 71584-11 | 286 | 71780H | 224 | 72102-155 | 32 | 73150 | 242 |
| 71584-12 | 286 | 71780V | 224 | 72102-156 | 32 | 74139 | 382 |
| 71584-13 | 286 | 71781-2 | 224 | 72102-157 | 32 | 74141 | 126 |
| 71584-14 | 286 | 71785-231 | 229 | 72103-155 | 50 | 74142 | 126 |
| 71613 | 240 | 71800 | 326 | 72103-156 | 50 | 74144 | 126 |
| 71621-05 | 282 | 71803 | 326 | 72103-157 | 50 | 74146 | 126 |
| 71621-06 | 282 | 71898 | 352 | 72104-155 | 274 | 74155 | 94 |
| 71621-07 | 280 | 71899 | 350 | 72104-156 | 274 | 74156 | 94 |
| 71621-08 | 276 | 71900 | 350 | 72104-157 | 274 | 74261 | 399 |
| 71621-09 | 278 | 71901 | 350 | 72109-155 | 274 | 74400 | 346 |
| 71621-10 | 277 | 71902 | 350 | 72109-156 | 274 | 74401 | 362 |
| 71621-11 | 278 | 71903 | 350 | 72109-157 | 274 | 74408 | 346 |
| 71621-12 | 277 | 71904 | 350 | 72110-155 | 274 | 74411 | 92 |
| 71621-13 | 278 | 71905 | 350 | 72110-156 | 274 | 74419 | 378 |
| 71621-14 | 277 | 71906 | 350 | 72110-157 | 274 | 74427C-01 | 291 |
| 71622-05 | 282 | 71907 | 350 | 72120 | 270 | 74427C-02 | 291 |
| 71622-06 | 282 | 71908 | 350 | 72121 | 270 | 74427C-03 | 290 |
| 71622-07 | 280 | 71909 | 352 | 72122 | 270 | 74427C-04 | 290 |
| 71622-08 | 276 | 71910 | 352 | 72123 | 270 | 74432A-01 | 396 |
| 71622-09 | 278 | 71911 | 352 | 72126 | 266 | 74432A-02 | 396 |
| 71622-10 | 277 | 71912 | 40 | 72126-159 | 262 | 74432A-03 | 394 |
| 71622-11 | 278 | 71913 | 41 | 72126-160 | 262 | 74432A-04 | 394 |
| 71622-12 | 277 | 71913 | 40 | 72126-161 | 262 | 74433S-01 | 149 |
| 71622-13 | 278 | 71914 | 40 | 72126-162 | 262 | 74433S-02 | 148 |
| 71622-14 | 277 | 71915 | 339 | 72126-164 | 260 | 74433S-03 | 149 |
| 71701 | 438 | 71916 | 339 | 72126-165 | 260 | 74433S-04 | 148 |
| 71702 | 438 | 71918 | 339 | 72126-166 | 260 | 74434B-01 | 147 |
| 71703 | 438 | 71920 | 44 | 72126-167 | 260 | 74434B-02 | 146 |
| 71716 | 438 | 71921 | 44 | 72126-169 | 264 | 74434B-03 | 147 |
| 71717 | 438 | 71923 | 44 | 72126-170 | 264 | 74434B-04 | 146 |

| Ref | Pag. | Ref | Pag. | Ref | Pag. | Ref | Pag. |
|------------|------|---------|------|---------|------|---------|------|
| 74435F2-02 | 166 | 750110D | 174 | 750311 | 178 | 751111C | 182 |
| 74435F2-03 | 164 | 750111 | 174 | 750311C | 178 | 751111D | 182 |
| 74435F2-04 | 167 | 750111C | 174 | 750311D | 178 | 751112 | 182 |
| 74436F3-02 | 166 | 750111D | 174 | 750312 | 178 | 751112C | 182 |
| 74436F3-03 | 164 | 750112 | 174 | 750312C | 178 | 751112D | 182 |
| 74436F3-04 | 167 | 750112C | 174 | 750312D | 178 | 751120 | 182 |
| 74441 | 139 | 750112D | 174 | 750320 | 178 | 751120C | 182 |
| 74442 | 139 | 750120 | 174 | 750320C | 178 | 751120D | 182 |
| 74450 | 364 | 750120C | 174 | 750320D | 178 | 751121 | 182 |
| 74451 | 108 | 750120D | 174 | 750321 | 178 | 751121C | 182 |
| 74452 | 108 | 750121 | 174 | 750321C | 178 | 751121D | 182 |
| 74453 | 378 | 750121C | 174 | 750321D | 178 | 751122 | 182 |
| 74456 | 376 | 750121D | 174 | 750322 | 178 | 751122C | 182 |
| 74457 | 90 | 750122 | 174 | 750322C | 178 | 751122D | 182 |
| 74458 | 90 | 750122C | 174 | 750322D | 178 | 751200 | 184 |
| 74500 | 38 | 750122D | 174 | 751000 | 180 | 751200C | 184 |
| 74501 | 38 | 750200 | 176 | 751000C | 180 | 751200D | 184 |
| 750000 | 172 | 750200C | 176 | 751000D | 180 | 751201 | 184 |
| 750000C | 172 | 750200D | 176 | 751001 | 180 | 751201C | 184 |
| 750000D | 172 | 750201 | 176 | 751001C | 180 | 751201D | 184 |
| 750001 | 172 | 750201C | 176 | 751001D | 180 | 751202 | 184 |
| 750001C | 172 | 750201D | 176 | 751002 | 180 | 751202C | 184 |
| 750001D | 172 | 750202 | 176 | 751002C | 180 | 751202D | 184 |
| 750002 | 172 | 750202C | 176 | 751002D | 180 | 751210 | 184 |
| 750002C | 172 | 750202D | 176 | 751010 | 180 | 751210C | 184 |
| 750002D | 172 | 750210 | 176 | 751010C | 180 | 751210D | 184 |
| 750010 | 172 | 750210C | 176 | 751010D | 180 | 751211 | 184 |
| 750010C | 172 | 750210D | 176 | 751011 | 180 | 751211C | 184 |
| 750010D | 172 | 750211 | 176 | 751011C | 180 | 751211D | 184 |
| 750011 | 172 | 750211C | 176 | 751011D | 180 | 751212 | 184 |
| 750011C | 172 | 750211D | 176 | 751012 | 180 | 751212C | 184 |
| 750011D | 172 | 750212 | 176 | 751012C | 180 | 751212D | 184 |
| 750012 | 172 | 750212C | 176 | 751012D | 180 | 751220 | 184 |
| 750012C | 172 | 750212D | 176 | 751020 | 180 | 751220C | 184 |
| 750012D | 172 | 750220 | 176 | 751020C | 180 | 751220D | 184 |
| 750020 | 172 | 750220C | 176 | 751020D | 180 | 751221 | 184 |
| 750020C | 172 | 750220D | 176 | 751021 | 180 | 751221C | 184 |
| 750020D | 172 | 750221 | 176 | 751021C | 180 | 751221D | 184 |
| 750021 | 172 | 750221C | 176 | 751021D | 180 | 751222 | 184 |
| 750021C | 172 | 750221D | 176 | 751022 | 180 | 751222C | 184 |
| 750021D | 172 | 750222 | 176 | 751022C | 180 | 751222D | 184 |
| 750022 | 172 | 750222C | 176 | 751022D | 180 | 751300 | 186 |
| 750022C | 172 | 750222D | 176 | 751100 | 182 | 751300C | 186 |
| 750022D | 172 | 750300 | 178 | 751100C | 182 | 751300D | 186 |
| 750100 | 174 | 750300C | 178 | 751100D | 182 | 751301 | 186 |
| 750100C | 174 | 750300D | 178 | 751101 | 182 | 751301C | 186 |
| 750100D | 174 | 750301 | 178 | 751101C | 182 | 751301D | 186 |
| 750101 | 174 | 750301C | 178 | 751101D | 182 | 751302 | 186 |
| 750101C | 174 | 750301D | 178 | 751102 | 182 | 751302C | 186 |
| 750101D | 174 | 750302 | 178 | 751102C | 182 | 751302D | 186 |
| 750102 | 174 | 750302C | 178 | 751102D | 182 | 751310 | 186 |
| 750102C | 174 | 750302D | 178 | 751110 | 182 | 751310C | 186 |
| 750102D | 174 | 750310 | 178 | 751110C | 182 | 751310D | 186 |
| 750110 | 174 | 750310C | 178 | 751110D | 182 | 751311 | 186 |
| 750110C | 174 | 750310D | 178 | 751111 | 182 | 751311C | 186 |

| Ref | Pag. | Ref | Pag. | Ref | Pag. |
|-----------|------|---------|------|----------|------|
| 751311D | 186 | 75563 | 68 | 75709-2 | 213 |
| 751312 | 186 | 75564 | 68 | 75709-4 | 213 |
| 751312C | 186 | 75565 | 246 | 75710-1 | 323 |
| 751312D | 186 | 75566 | 246 | 75710-2 | 323 |
| 751320 | 186 | 75570 | 214 | 75711-1 | 297 |
| 751320C | 186 | 75571 | 214 | 75711-2 | 297 |
| 751320D | 186 | 75572 | 96 | 75712-1 | 325 |
| 751321 | 186 | 75573 | 96 | 75712-2 | 325 |
| 751321C | 186 | 75580 | 72 | 75713-1 | 297 |
| 751321D | 186 | 75581 | 246 | 75713-2 | 297 |
| 751322 | 186 | 75583 | 246 | 75714-2 | 100 |
| 751322C | 186 | 75584 | 70 | 75714-4 | 100 |
| 751322D | 186 | 75585 | 244 | 75750 | 330 |
| 75300F | 192 | 75586 | 244 | 75751 | 330 |
| 75300H | 192 | 75588 | 70 | 75753 | 300 |
| 75300S | 192 | 75589 | 244 | 75754 | 300 |
| 75300V | 192 | 75590 | 244 | 75755 | 300 |
| 75302F | 194 | 75595 | 114 | 75756 | 328 |
| 75302H | 194 | 75596 | 114 | 75757 | 328 |
| 75302S | 194 | 75605 | 144 | 75758 | 312 |
| 75302V | 194 | 75606 | 144 | 75758-01 | 298 |
| 75303F | 195 | 75607 | 162 | 97166 | 477 |
| 75303H | 195 | 75608 | 36 | 97264 | 477 |
| 75303V | 195 | 75620 | 74 | 97273 | 477 |
| 75304-123 | 305 | 75620-1 | 216 | 97291 | 477 |
| 75500 | 344 | 75620-2 | 216 | 97292 | 477 |
| 75501 | 344 | 75621 | 74 | 97402 | 477 |
| 75502 | 344 | 75621-1 | 216 | 97403 | 477 |
| 75503 | 344 | 75621-2 | 216 | 97404 | 477 |
| 75519 | 110 | 75622 | 74 | 97411 | 477 |
| 75520 | 110 | 75622-1 | 216 | 97412 | 477 |
| 75521 | 152 | 75622-2 | 216 | 97413 | 477 |
| 75522 | 130 | 75630 | 318 | 97414 | 477 |
| 75523 | 130 | 75631 | 76 | 97685327 | 477 |
| 75524 | 162 | 75632 | 76 | 97685330 | 477 |
| 75531 | 138 | 75633 | 318 | 97686230 | 477 |
| 75532 | 160 | 75634 | 76 | 97686327 | 477 |
| 75533 | 392 | 75635 | 76 | 97686330 | 477 |
| 75537 | 132 | 75636 | 104 | 97687127 | 477 |
| 75538 | 132 | 75637 | 104 | 97692327 | 477 |
| 75540 | 362 | 75638 | 104 | 97692330 | 477 |
| 75541 | 112 | 75639 | 104 | 97692427 | 477 |
| 75545 | 128 | 75640 | 104 | 97692430 | 477 |
| 75546 | 128 | 75641 | 104 | | |
| 75547 | 160 | 75650 | 64 | | |
| 75550 | 106 | 75701 | 392 | | |
| 75551 | 106 | 75703-2 | 199 | | |
| 75552 | 106 | 75704-2 | 101 | | |
| 75553 | 106 | 75705-2 | 101 | | |
| 75556 | 248 | 75706-2 | 101 | | |
| 75557 | 248 | 75706-4 | 213 | | |
| 75558 | 72 | 75707-2 | 101 | | |
| 75559 | 72 | 75707-4 | 213 | | |
| 75561 | 246 | 75708-2 | 213 | | |
| 75562 | 246 | 75708-4 | 213 | | |

Alphabetical index

| | | | | | | | | | | | |
|---------------|------------------|------------|-----------------|------------------|------------|---------------|------------------|------------|----------------|------------------|------------|
| Aday | <i>Wall</i> | 354 | Cadaques | <i>Floor</i> | 66 | Giza | <i>Beacon</i> | 145 | Luma | <i>Beacon</i> | 90 |
| Agra | <i>Beacon</i> | 116 | Cage | <i>Portable</i> | 36 | Giza | <i>Post</i> | 145 | Mani | <i>Recessed</i> | 452 |
| Agra | <i>Post</i> | 116 | Cairo | <i>Portable</i> | 38 | Glint | <i>Beacon</i> | 104 | Mask | <i>Wall</i> | 384 |
| Akane | <i>Portable</i> | 34 | Candela | <i>Portable</i> | 42 | Goz | <i>Ceiling</i> | 308 | Mauren | <i>Post</i> | 152 |
| Alfa | <i>Projector</i> | 200 | Canon | <i>Wall</i> | 370 | Grada | <i>Wall</i> | 410 | Mavis | <i>Portable</i> | 44 |
| Alp | <i>Wall</i> | 364 | Carter | <i>Recessed</i> | 456 | Grant | <i>Wall</i> | 408 | Mila | <i>Post</i> | 150 |
| Alp | <i>Beacon</i> | 108 | Cast | <i>Beacon</i> | 94 | Gron | <i>Recessed</i> | 464 | Mistu | <i>Suspended</i> | 291 |
| Ancora | <i>Wall</i> | 362 | Cerler | <i>Beacon</i> | 78 | Grot | <i>Wall</i> | 318 | Mistu | <i>Wall</i> | 396 |
| Andy | <i>Spike</i> | 240 | Chandra | <i>Beacon</i> | 84 | Grot | <i>Beacon</i> | 76 | Mistu | <i>Post</i> | 148 |
| Anga | <i>Ceiling</i> | 314 | Clap | <i>Beacon</i> | 101 | Grund | <i>Recessed</i> | 430 | Mistu | <i>Beacon</i> | 146 |
| Argus | <i>Portable</i> | 46 | Clap | <i>Spike</i> | 213 | Half | <i>Wall</i> | 384 | Mistu | <i>Pole</i> | 166 |
| Axel | <i>Wall</i> | 364 | Clap | <i>Wall</i> | 325 | Hikari | <i>Wall</i> | 387 | Mol | <i>Wall</i> | 391 |
| Balder | <i>Projector</i> | 238 | Clap | <i>Suspended</i> | 297 | Iglu | <i>Beacon</i> | 64 | Moon | <i>Suspended</i> | 291 |
| Balic | <i>Wall</i> | 356 | Crosby | <i>Recessed</i> | 442 | Kane | <i>Recessed</i> | 440 | Moon | <i>Wall</i> | 396 |
| Balic | <i>Beacon</i> | 80 | Cuca | <i>Spike</i> | 246 | Kasp | <i>Portable</i> | 40 | Moon | <i>Post</i> | 149 |
| Bambou | <i>Spike</i> | 248 | Cuca | <i>Beacon</i> | 70 | Kaula | <i>Wall</i> | 354 | Moon | <i>Beacon</i> | 147 |
| Bast | <i>Post</i> | 80 | Curtis | <i>Recessed</i> | 446 | Keenan | <i>Wall</i> | 158 | Muffin | <i>Suspended</i> | 290 |
| Beret | <i>Beacon</i> | 130 | Dakron | <i>Ceiling</i> | 315 | Kela | <i>Wall</i> | 378 | Muffin | <i>Wall</i> | 394 |
| Beret | <i>Pole</i> | 162 | Dang | <i>Recessed</i> | 462 | Kerala | <i>Wall</i> | 378 | Muffin | <i>Post</i> | 148 |
| Bezel | <i>Beacon</i> | 80 | Dart | <i>Recessed</i> | 450 | Kila | <i>Ceiling</i> | 310 | Muffin | <i>Beacon</i> | 146 |
| Bezel | <i>Spike</i> | 220 | Das | <i>Beacon</i> | 110 | Kila | <i>Wall</i> | 392 | Muffin | <i>Pole</i> | 167 |
| Blind | <i>Wall</i> | 372 | Datna | <i>Beacon</i> | 139 | Kila | <i>Beacon</i> | 140 | Muna | <i>Portable</i> | 30 |
| Block | <i>Beacon</i> | 126 | Datna | <i>Post</i> | 139 | Klamp | <i>Wall</i> | 346 | Must | <i>Wall</i> | 412 |
| Blubs | <i>Suspended</i> | 290 | Doro | <i>Wall</i> | 350 | Klamp | <i>Beacon</i> | 92 | Muur | <i>Projector</i> | 200 |
| Blubs | <i>Wall</i> | 394 | Drak | <i>Wall</i> | 404 | Kov | <i>Wall</i> | 333 | Nahir | <i>Wall</i> | 400 |
| Blubs | <i>Post</i> | 149 | Dune | <i>Wall</i> | 406 | Kubick | <i>Wall</i> | 387 | Nairobi | <i>Wall</i> | 374 |
| Blubs | <i>Beacon</i> | 147 | Edel | <i>Recessed</i> | 448 | Lace | <i>Wall</i> | 368 | Nala | <i>Post</i> | 150 |
| Blubs | <i>Pole</i> | 164 | Ele | <i>Wall</i> | 378 | Lacre | <i>Wall</i> | 370 | Nala | <i>Wall</i> | 380 |
| Bonn | <i>Wall</i> | 388 | Espot | <i>Beacon</i> | 124 | Lako | <i>Wall</i> | 352 | Nanda | <i>Beacon</i> | 112 |
| Borda | <i>Wall</i> | 400 | Estela | <i>Wall</i> | 340 | Led 18 | <i>Recessed</i> | 443 | Nara | <i>Portable</i> | 32 |
| Bronx | <i>Wall</i> | 342 | Falls | <i>Recessed</i> | 416 | Lily | <i>Beacon</i> | 74 | Nara | <i>Floor</i> | 50 |
| Brot | <i>Beacon</i> | 60 | Flow | <i>Projector</i> | 204 | Lily | <i>Spike</i> | 216 | Nara | <i>Suspended</i> | 274 |
| Brot | <i>Portable</i> | 62 | Foc | <i>Projector</i> | 202 | Lime | <i>Wall</i> | 326 | Narita | <i>Suspended</i> | 262 |
| Brot | <i>Spike</i> | 214 | Foc | <i>Spike</i> | 236 | Ling | <i>Wall</i> | 368 | Narita | <i>Suspended</i> | 270 |
| Brot | <i>Beacon</i> | 96 | Fred | <i>Wall</i> | 390 | Lit | <i>Projector</i> | 202 | Narita | <i>Suspended</i> | 266 |
| Brow | <i>Wall</i> | 404 | Frol | <i>Recessed</i> | 464 | Log | <i>Wall</i> | 372 | Nase | <i>Recessed</i> | 455 |
| Bruc | <i>Wall</i> | 368 | Future | <i>Wall</i> | 358 | Logar | <i>Beacon</i> | 144 | Nat | <i>Recessed</i> | 454 |
| Bu-Oh | <i>Pole</i> | 162 | Gaia | <i>Beacon</i> | 68 | Loth | <i>Wall</i> | 156 | Natron | <i>Wall</i> | 389 |
| Bu-Oh | <i>Wall</i> | 358 | Garten | <i>Spike</i> | 242 | Lotus | <i>Wall</i> | 360 | Nautica | <i>Suspended</i> | 292 |
| Bu-Oh | <i>Post</i> | 122 | Geiser | <i>Recessed</i> | 420 | Lotus | <i>Beacon</i> | 82 | Nautica | <i>Wall</i> | 398 |
| Bu-Oh | <i>Beacon</i> | 122 | Gina | <i>Beacon</i> | 84 | Luca | <i>Spike</i> | 218 | Nautica | <i>Pole</i> | 168 |
| Cabo | <i>Wall</i> | 400 | Gina | <i>Wall</i> | 348 | Luma | <i>Wall</i> | 376 | Nautica | <i>Wall</i> | 399 |

| | | | | | | | | | | | |
|---------|-----------|-----|--------|-------------------|-----|----------|-----------|-----|-------|----------|-----|
| Naya | Post | 120 | Saigon | Spike | 250 | Sticker | Wall | 362 | Voila | Portable | 46 |
| Naya | Beacon | 120 | Saigon | Suspended | 284 | Sticker | Beacon | 112 | Wally | Wall | 399 |
| Negus | Wall | 388 | Saigon | Suspended | 282 | Stripe 2 | Recessed | 466 | West | Wall | 366 |
| Noboru | Beacon | 154 | Saigon | Suspended | 280 | Sunset | Wall | 374 | Yen | Ceiling | 315 |
| Nok | Recessed | 448 | Saigon | Suspended | 289 | Surat | Beacon | 152 | | | |
| Noray | Wall | 402 | Saigon | Portable | 36 | Suria | Recessed | 428 | | | |
| Oko | Projector | 204 | Saigon | Suspended | 288 | Suria | Recessed | 426 | | | |
| Olan | Wall | 372 | Saigon | Floor | 52 | Tacana | Wall | 352 | | | |
| Olot | Ceiling | 310 | Saigon | Suspended | 286 | Takua | Wall | 364 | | | |
| Onze | Beacon | 138 | Saigon | Suspended | 278 | Tamashi | Wall | 380 | | | |
| Orwell | Wall | 392 | Saigon | Suspended | 276 | Tami | Ceiling | 308 | | | |
| Pals | Wall | 342 | Saigon | Suspended | 277 | Tane | Wall | 370 | | | |
| Path | Wall | 408 | Salt | Recessed | 446 | Taro | Recessed | 444 | | | |
| Piccola | Spike | 256 | Sau | Spike & Projector | 224 | Tasa | Ceiling | 310 | | | |
| Pill | Wall | 404 | Sau | Spike & Projector | 228 | Task | Portable | 38 | | | |
| Pilo | Beacon | 114 | Sau | Spike & Projector | 226 | Tecno | Recessed | 444 | | | |
| Pivot | Wall | 381 | Sau | Spike & Projector | 232 | Tejo | Wall | 389 | | | |
| Plaza | Pole | 162 | Sau | Spike & Projector | 229 | Thon | Wall | 338 | | | |
| Plim | Beacon | 142 | Saura | Beacon | 118 | Til | Recessed | 458 | | | |
| Plom | Projector | 204 | Screen | Post | 180 | Til | Beacon | 78 | | | |
| Plom | Spike | 240 | Screen | Beacon | 182 | Timon | Wall | 402 | | | |
| Pol | Wall | 391 | Screen | Pole | 184 | Tinia | Wall | 348 | | | |
| Poma | Recessed | 452 | Screen | Pole | 186 | Toba | Suspended | 260 | | | |
| Pomo | Wall | 381 | Scuba | Suspended | 298 | Toba | Suspended | 268 | | | |
| Proa | Wall | 346 | Scuba | Wall | 328 | Toc | Portable | 46 | | | |
| Puk | Projector | 192 | Scuba | Ceiling | 312 | Toluca | Wall | 352 | | | |
| Puk | Projector | 194 | Scuba | Wall | 330 | Tom | Wall | 386 | | | |
| Puk | Projector | 195 | Scuba | Suspended | 300 | Tond | Wall | 339 | | | |
| Puk | Ceiling | 305 | Sedna | Recessed | 460 | Toni | Projector | 218 | | | |
| Racing | Recessed | 456 | Sete | Post | 152 | Tono | Spike | 242 | | | |
| Rush | Post | 172 | Seth | Spike | 234 | Totem | Beacon | 106 | | | |
| Rush | Beacon | 174 | Shadow | Beacon | 134 | Tram | Beacon | 138 | | | |
| Rush | Pole | 176 | Shelby | Beacon | 132 | Tram | Pole | 160 | | | |
| Rush | Pole | 178 | Slot | Projector | 206 | Tram | Wall | 392 | | | |
| Saga | Suspended | 264 | Slot | Spike | 208 | Tras | Recessed | 438 | | | |
| Saga | Suspended | 272 | Sobek | Projector | 238 | Tura | Beacon | 128 | | | |
| Saigon | Floor | 58 | Soleil | Beacon | 92 | Tura | Pole | 160 | | | |
| Saigon | Floor | 59 | Soun | Recessed | 458 | Twist | Wall | 382 | | | |
| Saigon | Floor | 56 | Spark | Recessed | 454 | Twist | Beacon | 136 | | | |
| Saigon | Floor | 54 | Spy | Beacon | 102 | Twist | Post | 136 | | | |
| Saigon | Spike | 254 | Spy | Spike | 220 | Uve | Recessed | 462 | | | |
| Saigon | Spike | 252 | Steps | Wall | 344 | View | Wall | 360 | | | |

**Showroom Barcelona**

Princesa 52
08003 Barcelona
Spain
Tel +34932387373
showroom.barcelona@faro.es

Showroom Madrid

Velázquez 35 4ºD
28001 Madrid
Spain
Tel +34689583571
showroom.madrid@faro.es

Showroom Paris

7 Rue d'Uzès
75002 Paris
France
Tel +33745061553
showroom.paris@faro.es

Showroom Buenos Aires

Ven Street Center Local 30
Av. Italia 4950
1622 Dique Luján
Buenos Aires Argentina
Tel +5491171390813
showroom.argentina@faro.es

Showroom Milano

Ecosistema showroom
Via Gaetano Giardino 5
20123 Milano

Showroom Manila

699 Malate
1004 Metro, Manila
Philippines

**Logistics Headquarters**

Dinámica 1 Pol. Ind. Santa Rita
08755 Castellbisbal
Spain
Tel +34937723949
info@faro.es

Logistics China

Room 1706-05, Glory International
Finance Center
25 Guicheng Road, Nanhai District
Foshan, Guangdong Province

Logistics USA

135 West 41nd Street Suite 1002
10036 New York
USA



Request visit

Be present.
Let light guide you
to a more conscious
way of living