## **TABLE OF CONTENTS**

	AUDIO			1
	MIDI Controllers	2	Prime	50
	CD Players		Monitors	
	Players		MOM	
	DJ Turntables		COMBO	
	DJ Stands		WAMS	
	Mini Mixers		Portable PA Systems	
	DJ Mixers		MAXX	
	Installation Mixers	14	BOB	
NNECTION	Stage Mixers	15	MIC Series	
	Headphones		Microphones	
TECT	Flexilights		Wireless Mics	
	Little Helpers		Software	
	Limiter & Compressors		Wireless Mics	
	Controllers		UHF-100	
	Distributors		Wireless Mics	
	XPA Series		Multiroom	
	Mixing Amplifiers		Wireless Mics	
	Amplifiers		Public Address Systems	
	Power Amplifiers		Installation Speakers	
	Studio Monitors		Projector Speakers	
	Wall Speakers		Outdoor Speakers	
	3-Way Speakers		Controllers	
	Subwoofers		Woofer Ferrite	
	VFM Series		Woofer Neodymium	
	XKB Series		Driver Ferrite	
	AZX Series		Driver Neodymium	
	PAS Series		Fullrange Drivers	
	K Series		. all alige Dilvers	
	VIDEO			107
	Beamer Support	108		
	LIGHT			109
	Moving Heads	110	Audience Blinders	166
	Scanners		Surface Light	
	LED Lighting Effects		Theater Spots	
	Hybrid Lasers		Profile Spots	
	LED Lighting Effects		Search Lights	
	Party Room		LED Strobes	
	PAR Spots		Strobes	
	Party Spots		UV Effects	
	Slimline Spots		Umbrella	
	Multilens Spots		Effect Devices	
	Mobile Light		Laser	
	Floodlights		Battery-powered Spots	
	LED Bars		Floodlights	
	Pinspots		PAR Spots	
	PAR Spots		Floodlights	
	·		Moving Messages	
	ML Spots	TOO	14104111d 141622ade2	

LIGHTING CONTROLLERS	;	209	FLIGHTCASES	3	329
Color Chief210	DMX Tools	219	Turntable Cases / Mixer Cases332	Universal Cases3	340
Bigfoot212			Mixer Cases333	Transport Bags3	
DMX Controllers213			Racks334	For Eurolite Equipment3	
DMX Tools216		225	Combo Cases335	For Futurelight Equipment3	
DMX Splitters218			Flightcases337	Universal Cases3	
			Cases & Racks338	DIY Accessories	
SHOW EFFECTS		227	CD and Record Cases339		
Fog Machines228	Snow Machines	249	STANDS & HARDWARE	3	6!
Hazers238	Bubble Machines	250			
Low Fog Machines239	Confetti Machines	252	Clamps366	Stands & Lifters3	
Accessories242	Blowers	260	Couplers368	Lifters3	378
Fluids246			Safety Bonds370	Accessories for Stands3	380
			Cable Gliders371	Wallmountings3	38
ARTIFICIAL PLANTS		261	Slings372	Speaker-Stands3	
			Stands373	Mic-Stands & More3	
Solitary Plants262 Trees264		266	Lifters375	Diverse Stands3	38
			TRUSSING	3	93
DECO LIGHTS & DECO EF	FECTS	267			
Mirror Balls268	LED Ctring	272	DECOTRUSS ST 3396	DECOLOCK DQ4	
	·		DECOLOCK DQ1398	QUADLOCK 6082	
Rotary Motors269 Accessories270			SINGLELOCK SP 1399	TQ-390	
LED Strips271			SINGLELOCK PSP402	QUADLOCK QL-ET	
Accessories271			DECOLOCK DQ2403	TOWERTRUSS	
Accessories2/2	Decoration	200	BILOCK BQ2	Stage Elements	
INSTRUMENTS & MORE		283	BILOCK E-GL22410	Accessories Conus System	
INSTROMENTS & MORE		203	DECOLOCK NDQ3412	Truss Cover	
			DECOLOCK DQ3413	Transport System	
<b>INSTALLATION &amp; TOOLS</b>		285	TRILOCK 6082417 TRILOCK E-GL422	Accessories	
Barriers286	Cable Holders	288	LAMPS	4	ŀ5:
Stagetape287					
2011/22		004	Replacement Tubes for Strobes452	Colored Light Socket E-27	
POWER		291	Par-20, Socket E-27452	Fluorescent Tubes	
			Par-30, Socket E-27452	UV Tubes	
Power Distributors292	•		Par-38, Socket E-27452	UV Light	
Power Cable with Plug297			Par-46, Socket E-27452	Pole Burners Socket R-7s	
Extension Cables300			JTT Halogen452	Socket BA-9s/15s / Protection4	
Cable Reel301		308	HPL Socket 6-C8452	Socket E-27/-40 Discharge	
Control Cables302			Par-36, Socket G-53 STC	Socket G-9.5 Discharge	
CARLES A RILICS		200	Par-56, Socket G-53 STC / GX-16d 453	SFc-10	
CABLES & PLUGS		309	Par-64, Socket G-53 STC / GX-16d453	SFa-21	
DOA / 1		240	Socket G-5.3 with 50 mm reflector454	RX-7s	
RCA / Jack Cables310			Socket G-6.35454	Socket G-12 Discharge	
XLR Cables			Socket P-28s/P-40s454	Socket G-22 Discharge	
Adapter Cables			Socket G-9.5455	Socket G-38 Discharge	
XLR Connectors	9		Socket GU-10455	Double-sided Discharge	
Jack Connectors / Jack Adapters 315			Socket GY-16455	Special Discharge Lamps	
Jack Adapters /XLR Adapters316			Socket G-22456	Colored Socket R-7s Discharge4	
Jack Cables	9	326	Socket G-38456 Socket E-12, E-14456	Adapters	
Adapter Cables318			SUCKEL E-12, E-14450	Sockets	+0(






## REFERENCES

## Augustinerkirche // Würzburg


- 4 x Futurelight DMH-300
- 8 x Futurelight DMH-200
- 2 x Futurelight PLB-280
- 8 x Eurolite TMH X-25
- 4 x Eurolite THA-250
- 2 x Futurelight EYE-19
- 2 x Futurelight DMH-160
- Alutruss System



#### **GLOSSARY**

	LED in red <b>R</b> , green <b>G</b> , blue <b>B</b> , amber <b>A</b> , yellow <b>Y</b> , pink <b>P</b> , ultra-violet <b>UV</b> , lemon <b>L</b> , cyan <b>C</b> , multicolor, white <b>W</b> , cold-white <b>CW</b> or warm-white <b>WW</b> color	CRI>80 CRI>90	Realistic color impression
• CW • WW	LED in CW or WW	Uniform color mixture:	
O CW/WW	LED in CW/WW	CW/WW	Bicolor LED in CW/WW
• WA	LED in WA	WA	Bicolor LED in WA
● CW/UV	LED in CW/UV	CW/UV	Bicolor LED in CW/UV
CW/WW/A	LED in CW/WW/A	CW/WW/A	Tricolor LED in CW/WW/A
● RG ● RB	LED in RG or RB	RG RB	Bicolor LED in RG or RB
● ● RGB	LED in RGB	RGB	Tricolor LED in RGB
RBW	LED in RBW		
● ● ● RBY	LED in RBY	RBY	Tricolor LED in RBY
RGBW	LED in RGBW	RGBW	Quadcolor LED in RGBW
RGBWW	LED in RGBWW	RGBWW	Quadcolor LED in RGBWW
● ● ● ■ RGBA	LED in RGBA	RGBA	Quadcolor LED in RGBA
● ● ● ● RGBY	LED in RGBY	RGBY	Quadcolor LED in RGBY
RGB/UV	LED in RGB+UV	RGB/UV	Quadcolor LED in RGB+UV
RGBWA	LED in RGBWA	RGBWA	Pentacolor LED in RGBWA
RGBW/UV	LED in RGBW+UV	RGBW/UV	Pentacolor LED in RGBW+UV
RGBWY	LED in RGBWY	RGBWY	Pentacolor LED in RGBWY
RGBWP	LED in RGBWP	RGBWP	Pentacolor LED in RGBWP
RGBAL	LED in RGBAL	RGBAL	Pentacolor LED in RGBAL
RGBWA/UV	LED in RGBWA+UV	RGBWA/UV	Hexacolor LED in RGBWA+UV
RGBWAP	LED in RGBWAP	RGBWAP	Hexacolor LED in RGBWAP
RGBWAL	LED in RGBWAL	RGBWAL	Hexacolor LED in RGBWAL
RGB/CW/WW/	A LED in RGB/CW/WW/A	RGB/CW/WW/A	Hexacolor LED in RGB/CW/WW/A
		RGBCAL	Hexacolor LED in RGBCAL
RGB/CW/W	W/A/UV LED in RGB/CW/WW/A/UV	RGB/CW/WW/A/UV	Heptacolor LED in RGB/CW/WW/A/UV
RGBWAL/UV	LED in RGBWAL+UV	RGBWAL/UV	Heptacolor LED in RGBWAL+UV
RGBWAY	P/UV LED in RGBWAYP+UV	RGBWAYP/UV	Octacolor LED in RGBWAYP+UV

#### **GLOSSARY**





## **REFERENCES**

Mucial Gala // Heidenheim



## **AUDIO**



MIDI Controllers	2
CD Players	3
Players	5
DJ Turntables	6
DJ Stands	8
Mini Mixers	9
DJ Mixers	10
Installation Mixers	14
Stage Mixers	15
Headphones	17
Flexilights	18
Little Helpers	19
Limiter & Compressors	22
Controllers	23
Distributors	26
XPA Series	28
Mixing Amplifiers	29
Amplifiers	30
Power Amplifiers	32
Studio Monitors	33
Wall Speakers	34
3-Way Speakers	36
Subwoofers	37
VFM Series	38
XKB Series	40
AZX Series	42
PAS Series	44
K Series	46

#### **PLAYERS & CONTROLLERS**

#### MIDI Controllers







USB MIDI

No. 11045070

#### **OMNITRONIC FAD-9 MIDI Controller**

USB MIDI controller with 9 faders for music creators. producers and DJs



USB MIDI

No. 11045072

#### **OMNITRONIC PAD-12 MIDI Controller**

USB MIDI controller for with 12 pads music creators, producers and DJs



MIDI

No. 11045074

#### **OMNITRONIC KEY-25 MIDI Controller**

USB MIDI controller with 25 buttons for music creators, producers and DJs



MIDI

#### OMNITRONIC KEY-288 MIDI Controller

USB MIDI controller with 25 buttons, 8 pads, 4 controls and faders each, for music creators, producers and DJs





CD

USB

ID3<sup>tag</sup> USB

MIDI

DSP

No. 10602299

#### OMNITRONIC DJS-2000 DJ Player

Media player and MIDI controller for DJs + One DJ Start software



CD

SD

USB

ID3<sup>tag</sup> ANTI-SHOCK

MP3

SEAMLESS LOOP

No. 11046035

#### OMNITRONIC XMT-1400 Tabletop CD Player

DJ player for CD, USB and SD

#### **PLAYERS & CONTROLLERS**

#### **CD Players**









CD USB ID3<sup>tag</sup> ANTI-SHOCK 4 U 19" MP3 SEAMLESS LOOP No. 10602409

OMNITRONIC CMP-2000 Dual CD/MP3 Player

Dual CD/MP3 player for DJs



ANTI-SHOCK ID3<sup>tag</sup> SEAMLESS LOOP USB REMOTE 2 U MP3 CD

No. 10602411

OMNITRONIC CMP-2001 Single CD/MP3 Player

CD/MP3 player with recording function for DJs



ANTI-SHOCK CD 19" 2 U SEAMLESS LOOP

OMNITRONIC XCP-1400 CD Player

Single CD player

MP3 No. 11046020

CD

OMNITRONIC XCP-2800 Dual CD Player

ANTI-SHOCK

4 U

Dual CD player

SD USB ID3<sup>tag</sup> ANTI-SHOCK 2 U SEAMLESS LOOP

19" МР3

No. 11046010

OMNITRONIC XDP-1400 CD/MP3 player

CD and MP3 player for CD, USB and SD

CD SD USB ID3<sup>tag</sup> ANTI-SHOCK 19" МР3 4 U SEAMLESS LOOP

SEAMLESS LOOP

19"

No. 11046030

OMNITRONIC XDP-2800 Dual CD/MP3 Player

Dual CD and MP3 player for CD, USB and SD

CD

ID3<sup>tag</sup> ANTI-SHOCK SEAMLESS LOOP

MP3

19"

No. 11046005

OMNITRONIC XMP-1400 CD/MP3 player

CD and MP3 player





CD SD USB ID3<sup>tag</sup> ANTI-SHOCK

MP3 19" 2 U

No. 11046050

OMNITRONIC XDP-1502 CD/MP3 Player



CD SD USB ID3<sup>tag</sup> ANTI-SHOCK MP3 19" 4U

No. 11046051

OMNITRONIC XDP-3002 Dual CD/MP3 Player

Dual CD and MP3 player for CD, USB and SD  $\,$ 

CD SD USB ID3<sup>tag</sup> ANTI-SHOCK
MP3 19" REMOTE 1U

No. 11046052

OMNITRONIC XDP-1501 CD/MP3 Player

1 U flat CD/MP3 player with USB port, mic input and IR remote  $\,$ 



CD SD USB ID3<sup>tag</sup> ANTI-SHOCK

No. 11046053

OMNITRONIC XDP-3001 CD/MP3 Player

Double CD and MP3 player for CD, USB and SD





#### Listen to the radio without noise with DAB+

With the TUNA-NET 19", you can listen to the radio of thousands of stations worldwide in best quality. In addition to a conventional FM receiver, the device includes an Internet radio for noise-free reception of DAB+. Simply connect the TUNA to the Internet via WLAN or a LAN socket.

#### Easy operation

The TUNA can easily be controlled via the large jogdial or the supplied remote control. You can adjust the sound exactly to your ideas and your loudspeakers via various equalizer settings. You can connect an external amplifier or active speakers to the digital and analogue outputs; a headphone output is also available.

#### Transfer music with Bluetooth

If you don't like the radio program, simply use the Bluetooth function of TUNA to transfer music from your smartphone, for example.



19"

1 U

No. 11045012

OMNITRONIC TUNA-NET 19" Internet Radio with DAB+ and Bluetooth

Internet radio with DAB+ and FM tuner, Bluetooth and UPnP/DLNA support



No 11045013

**OMNITRONIC Remote control for TUNA-NET Internet** 



FΜ

19"

1 U

No. 11045009

OMNITRONIC TUNA-ONE RDS FM Tuner

FM RDS tuner incl. IR remote control



CD

ID3<sup>tag</sup> SEAMLESS LOOP ANTI-SHOCK



No. 10602413

OMNITRONIC CMP-102 CD/MP3 Player

CD/MP3 player with IR remote control and XLR connectors



1 U 19"

CD ID3<sup>tag</sup> **USB** 

No. 11045011

OMNITRONIC DMP-103RDS Media Player

CD/MP3 player with FM RDS tuner and USB port

CD SEAMLESS LOOP ANTI-SHOCK

USB 19" 1 U



ID3<sup>tag</sup>

OMNITRONIC DMP-202 Dual USB/CD Player

Dual CD and MP3 player with USB ports

USB

SEAMLESS LOOP

ID3<sup>tag</sup>

ANTI-SHOCK

FΜ



No. 11045006

SD

OMNITRONIC DMP-102 USB/SD Card Player

MP3 player for SDHC/MMC memory cards and USB devices, incl. IR remote control





## DD-5220L

In club life and music there may be some changes, but some things never change. Turntables still offer the best feel and are the standard especially with hip-hop DJs.

The quartz-controlled direct drive of this ultra-torque turntable provides for an extremely high torque. This makes the DD-5220L a reliable and powerful tool for DJs - in clubs as well as on festival stages.

Platter and motor are directly connected for highest stability. Vibrations and noises are reduced via rubber inserts and shock absorbing and vertically adjustable feet.

The output of the DD-5220L is switchable between phono and line. For easy maintenance and improved installation possibilities in cases, recessed connections for detachable RCA & grounding cables are provided.

Of course, the turntable also has standard features such as the LED stylus illumination, adjustable anti-skating, a height adjustable tone arm. three different speed levels, adjustable start and stop times as well as



No. 10603003

#### OMNITRONIC DD-5220L Turntable bk

Direct drive DJ turntable "Ultra Torque" with switchable phono/line output



No. 10603048

#### OMNITRONIC BD-1320 Turntable bk

Belt drive DJ turntable, black



No. 10603050

#### OMNITRONIC BD-1350 Turntable sil

Belt drive DJ turntable, silver



USB PC<sup>∞</sup>

No. 10603041

#### OMNITRONIC BD-1390 USB Turntable bk

Belt drive DJ turntable with USB interface and recording software, black



USB PC<sup>∞</sup>

No. 10603043

#### OMNITRONIC BD-1380 USB Turntable sil

Belt drive DJ turntable with USB interface and recording software, silver



USB

No. 10603060

#### OMNITRONIC DD-2520 USB Turntable bk

Direct-drive DJ turntable with switchable phono/line output



USB

No. 10603061

#### OMNITRONIC DD-2550 USB Turntable sil

Direct drive DJ turntable with switchable phono/line output and USB interface







No.	10620200	black
No.	10620202	white

OMNITRONIC Slipmat, anti-static, neutral

Slipmat, antistatic



No.	10605258	black
No.	10605259	silver

OMNITRONIC Headshell Universal C -empty-


Universally adaptable headshell



No. 10605262	.silver
No. 10605263	black

OMNITRONIC Headshell Universal with Weights

Headshell with weights



No. 10605271

OMNITRONIC Puck Single Center Piece Aluminum silver

Center-piece for singles



No. 10606000

OMNITRONIC S-15 Pick-up System

Inexpensive phono cartridge system for starters



No. 10606001

OMNITRONIC S-15 Headshell & Pick-up System

Headshell with pick-up system



No. 10609050

OMNITRONIC S-15 Replacement Stylus

Replacement stylus



No. 10608985

OMNITRONIC Carbon Fibre-Brush for Cleaning Records

DJ accessory







No. 32000023

#### OMNITRONIC Mobile DJ Stand XL

All-in-one lighting stand system for mobile DJ setups



No. 32000030

#### OMNITRONIC MD-1 DJ Booth Cover

Cover for Mobile DJ Stand XL



No. 32000022

#### OMNITRONIC Mobile DJ Stand w. Cover

Portable DJ table with screen for mobile applications



No. 32000017.......black No. 32000018......white

#### OMNITRONIC Spare Cover for Mobile DJ Stand

Replacement cloth



No. 32000019......black No. 32000020.....white

#### OMNITRONIC Spare Cover for DJ Booth

Replacement cloth for DJ Booth Cover



No. 32000024

#### OMNITRONIC Carrying Bag for Mobile DJ Stand XL

Nylon transport bag







## **GNOME MIXER**

#### Beauty on minimum space!

When talking about audio products and stylish design, you probably think of headphones first. But why should a mini mixer not be just as eye-catching? That was our thought when we created the Omnitronic Gnome.

But it is far more than just an eye-catcher:

Its small dimensions, just a bit larger than a large smartphone, and its little weight of merely 500 grams offer many advantages: A Gnome can be taken anywhere, as it doesn't require a lot of space – perfect as back up for mobile DJs. In many small bars, space is also a problem. Here a Gnome is really helpful, too.

You should and will always find a place for this smart mixer.

Thanks to the variety of five colors, it always matches the furniture. Our Gnome forgoes a battery. We wanted to amplify the input signal, that is why we use a cord.



No. 10006880

OMNITRONIC GNOME-202 Mini Mixer black

2-channel DJ mixer in miniature design



No. 10006881

OMNITRONIC GNOME-202 Mini Mixer silver

2-channel DJ mixer in miniature design



No. 10006882

OMNITRONIC GNOME-202 Mini Mixer gold

2-channel DJ mixer in miniature design



No. 10006883

OMNITRONIC GNOME-202 Mini Mixer red

2-channel DJ mixer in miniature design




No. 10006884

OMNITRONIC GNOME-202 Mini Mixer green

2-channel DJ mixer in miniature design





#### CM-5300 Club Mixer

The new central organ in clubs. It is not directly responsible for producing the beats, but for delivering the right volume in the right places - with the best sound possible. Predestined for this task is the Omnitronic CM-5300. The 5-channel mixer distinguishes itself especially with its well thought out equipment.

Each of the stereo input channels is equipped with gain control, 3-band kill EQ (+12/ -26 dB) and 10-digit LED level display. The 3 microphone channels offer individually controllable one knob compressors, which control the levels under different microphone handling. Besides the sub out with crossover and the two master outs, an additional zone out is integrated, for example for filling the bar in a club with mono sound - thanks to the filter, not lower than 80 Hz. All outputs have been equipped with max level controllers.



7 U TALKOVER 19"

No. 10006950

OMNITRONIC CM-5300 Club Mixer

Professional 5-channel club mixer



19" 4 U TAI KOVER

No. 10006770

OMNITRONIC EMX-5 5-Channel Club Mixer

Professional 5-channel club mixer



No. 10006819

OMNITRONIC PM-222 2-Channel DJ Mixer

2-channel DJ mixer



19" USB 4 U

No. 10006823

OMNITRONIC PM-444USB 4-Channel DJ mixer

4-channel DJ mixer with USB interface



USB MP3

No. 10006873

OMNITRONIC PM-211P DJ Mixer with Player

2-channel DJ mixer with built-in MP3 player



MP3 BLUETOOTH USB

No. 10006879

OMNITRONIC PM-311P DJ Mixer with Player

3-channel DJ mixer with built-in MP3 player



MP3 BLUETOOTH

USB TALKOVER

No 10006878

OMNITRONIC PM-422P 4 Channel DJ Mixer with Bluetooth & USB Player

4-channel DJ mixer with Bluetooth and MP3 player



MP3 BLUETOOTH USB

No. 10006874

OMNITRONIC PM-322P 3 Channel DJ Mixer with Bluetooth & USB Player

3-channel DJ mixer with Bluetooth and MP3 player

# 3 AUSGABEN PLUS PRÄMIE FÜR NUR 13,90€!

Testen Sie das Magazin für Musik, DJ-ing und Produktion im Probeabo und Sie erhalten ein Geschenk gratis dazu!



# GRATIS PRÄMIE NACH WAHL



## Natürlich auch als ePaper...

... erhältlich in der Kiosk-App "Beat" für Smartphone & Tablet.



Google play

## **Jetzt Probeabo bestellen:**

Web: www.beat.de/probeabo Tel: 0711 / 7252-292







OMNITRONIC

The TRM-202 MK3 by Omnitronic with its classic ALPS potentiometers (Blue Velvet RK27) and the integrated 3-band frequency isolator offers the classic features of a rotary mixer.

Due to its high quality components, the sound pattern is good and appealing. The large potentiometers of both input channels allow very smooth transitions, hardly realizable with a conventional mixer.

Both input channels can be switched between line and phono. A microphone input is also at hand. The kill characteristic provides a total erasure of basses, mids and highs and so enables creative mixing.

Due to its booth output and a separate volume control, the TRM-202 MK3 can also be used in clubs without a problem. Thanks to the record output, it is also possible to record own's DJ set.




#### TRM-402 4 channel rotary mixer

The very popular TRM rotary mixer is now also available with 4 channels. Its technical equipment (ALPS potentiometers etc.) is almost identical, just the two more channels and additional phones and mic inputs on the front plate have accrued.



AUDIO MIXERS DJ Mixers





## Twist and Turn, the OMNITRONIC Vintage DJ series.

When the beats learned to walk: At the beginning of the DJ and disco history there were no special DJ mixers, modified broadcast equipment was used instead. Then Rudy Bozak developed the Bozak CMA 10-2DL in 1968, referred to by many as the disco mixer par excellence.

Unlike current mixers with line-faders, the controls were all designed as rotary dials, which allowed a more precise level adjustment.

In circles of electronic dance music, the rotary mixer has been celebrating its great comeback for some time now. No wonder: Especially with electronic music, the subtle transitions which these mixers enable, makes them so attractive. The vintage series from Omnitronic satisfies the hunger for rotaries with two mixers, three isolators and an equalizer.



No. 10355922

OMNITRONIC TRM-202MK3 2-Channel Rotary Mixer

2-channel rotary mixer with 3-band frequency isolator for DJs



No. 10355930

**OMNITRONIC TRM-402 4-Channel Rotary Mixer** 

4-channel rotary mixer with 3-band frequency isolator for DJs

19"

1 U

No. 10355902

OMNITRONIC ISO-23FX DJ Isolator

3-band frequency isolator EQ with kill cut and FX loop for DIs

N- 1025

1 U

No. 10355900

OMNITRONIC ISO-23 MK2 DJ Isolator

3-band frequency isolator EQ with kill cut and bypass for DIs

19"

1 U

No. 10355911

OMNITRONIC EQ-25 MK2 DJ Equalizer

5-band stereo equalizer for DJs


AUDIO MIXERS Installation Mixers





19" 1U





Microphone/line mixer, 6 mono channels + 3 stereo channels



19" 1 U

No. 10007075.....silv No. 10007076.....bla



#### OMNITRONIC EM-260 Entertainment Mixer

6-channel microphone/line mixer



TALKOVER 19" 2 U

No. 10007100......silve No. 10007101.....blac



OMNITRONIC EM-550 Entertainment Mixer

Multifunctional 5+2-channel installation mixer



TALKOVER 19" 4 U

No. 10007105.....silve
No. 10007106.....black



3-zone installation mixer



TALKOVER 19" 2 U

No. 10007110.....silve No. 10007111....blac



Multifunctional 5+2-channel mixer with 3 zones

AUDIO MIXERS Stage Mixers





## **LMC-Series**

#### Live Mixer

High quality control with the new **LMC mixer** series by Omnitronic. The mixers convince with their very solid workmanship, their warm and balanced sound (also thanks to British-style EQs) and their extensive equipment.

A compressor can be applied to each input channel (mic / line). The mic pre-amplifiers have high headrooms and dynamics. The integrated USB interface enables a quick recording of the session, for example in the home studio or rehearsal room.

All three mixers are equipped with an effect unit, which offers faultless and variation-free resonance. 16 editable effects can be routed to single channels or buses, as well as to the master signal. The effect section also offers a tap function and storable user settings.

The series is especially suited for those, who prefer live mixers for smaller gigs with very manageable dimensions, variety and easy handling and also have an eye for the costs.



USB DSP 19"

No. 10040280

OMNITRONIC LMC-1422FX USB Mixing Console

Professional audio mixer with British-style EQ, compressor, effect unit and USB interface



USB DSP 19"

No. 10040283

OMNITRONIC LMC-2022FX USB Mixing Console

Professional audio mixer with British-style EQ, compressor, effect unit and USB interface



USB DSP

No. 10040285

OMNITRONIC LMC-2642FX USB Mixing Console

19"

Professional audio mixer with British-style EQ, compressor, effect unit and USB interface



USB DSP

No. 10040287

OMNITRONIC LMC-3242FX USB Mixing Console

Professional audio mixer with British-style EQ, compressor, effect unit and USB interface





USB

No. 10040270

OMNITRONIC MRS-502USB Recording Mixer

Miniature audio mixer with USB interface



USB

No. 10040271

OMNITRONIC MRS-1002USB Recording Mixer

Compact audio mixer with 10 inputs and USB interface

#### **AUDIO MIXERS** Stage Mixers





USB

SD

DSP REMOTE CONTROL

3 U

19"



No. 10040300

OMNITRONIC RM-1422FX USB Rack Mixer

Professional 19" mixer with 12 channels, DSP FX unit and MP3 player





CLASS AB ACTIVE

No. 10060050

OMNITRONIC LS-622A Powered Live Mixer

6-channel powered live mixer mit 2 x 150 W/4 ohms



CLASS AB ACTIVE

No. 10060100

OMNITRONIC LS-822A Powered Live Mixer

8-channel powered live mixer with 2 x 200 W/4 ohms



CLASS AB

ACTIVE

No. 10060200

OMNITRONIC LS-1222A Powered Live Mixer

Universal 12-channel live mixer with 2 x 300 W/4 ohms

#### **HEADPHONES & ACCESSORIES**

#### Headphones











No. 14000311

OMNITRONIC SHP-5000 DJ Headphones

Top-class DJ stereo headphones



No. 14000329

OMNITRONIC SHP-600 Hi-Fi Headphones

Hi-fi stereo headphones



No. 14000330

OMNITRONIC SHP-900 Monitoring Headphones

High-class monitor stereo headphones



No. 1400039F

OMNITRONIC SHP-2000 MK2 DJ Headphones

Comfortable DJ stereo headphones



No. 14006503

OMNITRONIC Headphone Extension 3m with Adapter Set

Headphone extension cord with various adaptors



No. 14006504

OMNITRONIC Headphones Extension 5m with Adapter Set

Headphone extension cord with various adaptors

#### Flexilights







LED

No. 80702220

EUROLITE Flexilight LED Gooseneck, XLR

LED gooseneck light with XLR plug



LED

No. 80702222

EUROLITE Flexilight LED Gooseneck, BNC

LED gooseneck light with BNC plug



LED

No. 80702227

**EUROLITE Flexilight LED Table Lamp** 

LED gooseneck table lamp



19"

LED 1U

No. 80702236......white LEDs No. 80702237.....mulitcolor LEDs

**EUROLITE Flexilight LED Racklight** 

Illumination unit for rack installation



LED

No. 80702405

EUROLITE Flexilight LED Gooseneck SMD, XLR

LED gooseneck light with XLR plug



No. 80702351

**EUROLITE Flexilight Gooseneck Lamp BNC round** 

Gooseneck lamp with a round reflector



No. 80702353

EUROLITE Flexilight Gooseneck Lamp XLR SM-3a

Gooseneck lamp with a rectangular reflector



LED

No. 80702410

EUROLITE Flexilight LED Gooseneck SMD RGBAW, XLR

LED gooseneck light with XLR plug



No. 80702375

**EUROLITE Flexilight XLR Lamp Base with Transformer** 

Table base for gooseneck lamps



19"

No. 80702370

**EUROLITE Flexilight Racklight XLR Front Panel** 

19" front panel for connection of 2 gooseneck lamps with  $\ensuremath{\mathsf{XLR}}$ 

#### **AUDIO PROCESSORS**

#### Little Helpers





No. 10355010

#### OMNITRONIC LH-010 4-Channel Mixer passive

4-channel mini mixer, passive



No. 10355015

#### OMNITRONIC LH-015 2-Channel Mic/Line Mixer

2-channel miniature mic/line mixer



No. 10355020

#### OMNITRONIC LH-020 3-Channel Mic Mixer

3-channel microphone mixer



No. 10355026

#### OMNITRONIC LH-026 3-Channel Stereo Mixer

3-channel stereo mixer, RCA



No. 10355030

#### OMNITRONIC LH-030 Headphone Amplifier

4-channel headphone amplifier, 6.3 mm jack



No. 10355031

#### OMNITRONIC LH-031 Headphone Amplifier

4-channel headphone amplifier, RCA and 6.3 mm jack



No. 10355040

#### **OMNITRONIC LH-040 Phono Preamplifier**

1-channel stereo phono preamplifier



No. 10355042

#### OMNITRONIC LH-042 Line/Phono Converter

Passive stereo line/phono converter



No. 10355045

#### **OMNITRONIC LH-045 Microphone Preamplifier**

1-channel microphone preamplifier



No. 10355050

#### OMNITRONIC LH-050 Phantom Power Adapter

Phantom power for microphones



No. 10355051

#### OMNITRONIC LH-051 Dual Phantom Power Adapter

Phantom power for 2 microphones



No. 10355053

#### OMNITRONIC LH-053 Passive DI Box

Passive 1-channel DI box, Black

#### Little Helpers





No. 10355055

#### OMNITRONIC LH-055 PRO DI Box Passive

Passive 1-channel DI box, Silver



No. 10355060

#### OMNITRONIC LH-060 PRO Passive Dual DI Box

Passive 2-channel DI box/splitter, Silver



No. 10355061

#### OMNITRONIC LH-061 PRO Passive Dual DI Box

Passive 2-channel DI box/splitter, Black



No. 10355065

#### OMNITRONIC LH-065 Active DI Box

1-channel DI box, active



No. 10355082

#### OMNITRONIC LH-082 Stereo Isolator XLR

Stereo line isolator with XLR connectors



No. 10355083

#### OMNITRONIC LH-083 Stereo Isolator RCA S

Stereo line isolator with RCA connectors



No. 10355084

#### OMNITRONIC LH-089 Cable Tester System

Tester (separable) for XLR, jack, DIN, RCA, Speaker, RJ45/11, BNC, banana



No. 10355085

#### OMNITRONIC LH-085 Cable Tester

Cable tester for XLR, jack, DIN, RCA, Speaker



No. 10355086

#### **OMNITRONIC LH-086 Cable Tester**

Cable tester for XLR, jack, CAT5, DIN, Cinch, Speaker



No. 10355095

#### OMNITRONIC LH-095 Speaker Checker

Speaker testing device with adjustable sinus frequency



No. 10355125

#### OMNITRONIC LH-125 IR Volume Controller

Stereo volume controller with IR remote control







No. 10355795 OMNITRONIC VC-1 Volume Controller passive



No. 10360605 OMNITRONIC SLM-250 SPL Meter Mini sound level meter with A weighting



No. 10360611 OMNITRONIC SLM Calibration Tool Calibrator for sound level meters



#### Limiter & Compressors



19" 1U 19" No. 10355522 No. 10355526 OMNITRONIC GEQ-2150 Equalizer 2x15-Band OMNITRONIC GEQ-2310 Equalizer 2x31-Band 2 x 15-band equalizer 2 x 31-band equalizer 3 U 19" No. 10355536 OMNITRONIC GEQ-2310XL Equalizer 2x31-Band 2 x 31-band equalizer with XL faders 1 U 1 U 19" 19" No. 10355591 No. 10356250 **OMNITRONIC DYN-220 Compressor/Limiter** OMNITRONIC SPL-1 SPL Guard + Measure Mic 2-channel compressor/limiter with noise gate Guard system for limiting the sound pressure level 19" 1 U 19" No. 10356251 No. 10356252 OMNITRONIC SPL-1 Indicator Wall Mount OMNITRONIC SPL-1 Indicator Rack Mount Warning indicator for SPL-1 Warning indicator for SPL-1 19" 1 U 19" 1 U No. 10355627 No. 10355636 OMNITRONIC XO-230 Active Crossover **OMNITRONIC XO-300 Active Crossover** Active crossover, stereo 2-way and mono 3-way Active crossover, stereo 3-way operation operation

- I s. c. sc. cc. c. c. cc. cc. -

19" 1U


No. 10355640


OMNITRONIC LXO-23 Active Crossover

High-quality active stereo crossover with limiter









## FIR DSP USB **DXO** Software No. 10356301 OMNITRONIC SMARD-24RCA Digital DSP Controller

Digital signal processor (DSP) in miniature format, software included


## **SMARD-24RCA**


## Digital dignal processor (DSP) in miniature format

The Smard-24RCA is a flexible pocket size digital system processor (DSP). It stands out with its excellent sound characteristic and compact design.

2 analog cinch inputs and 4 analog cinch outputs are waiting for you. You can easily adjust all important settings with the included software on your PC or MAC. Settings are for example the frequency-filter, signal mixing/routing, in and output equalizing, signal delay and the limiter/compressor. You can safe up to 50 user presets on the device and protect them from unwanted access via a multi-level lock function. The integrated RTA and the FIR filter complete the package. After you are done with the setup you operate the Smard-24RCA standalone with an optional power supply.

The system processor is perfect for speaker equalization and the adjustment of your speaker system to the listening room. The device also leaves nothing to be desired for HiFi fans and those who build the systems themselves. You can embed several subwoofers in every system and have the possibility to do an extensive room correction. Disturbing waves in the bassline you can eliminate as well as disturbing booming on your desktop speakers via frequency correction. The Smard-24RCA is even well prepared for car Hifi because of its small size.









The free app DXO Control allows users to **control the digital PA controllers by PSSO directly via iPad**. DXO Control facilitates the work of event technicians when setting up and managing PA systems.

This user-friendly app makes adjustments far more convenient. Users can freely move around the room instead of fiddling with the front panel controls. Once compatible units are **connected to a WiFi network**, users have full control over the **built-in DSP modules** and it is possible to activate presets and make individual adjustments. DXO Control comes with all the features normally provided by the PC software. Thus, it will be no problem at all to control **equalizer**, **delay or limiter and filter functions by the tip of your fingers**.

The app is now available in the app store and supports the DXO-26PRO and DXO-48PRO controllers and the PRIME system amplifier.







## DXO

#### Digital loudspeaker management systems

Developed and assembled in Germany, the DXOs offer all functions that can be expected from a DSP-based loudspeaker management system: The signal routing can be flexibly adjusted to all standard PA applications based on various stereo and mono setups. The common frequency filter types Bessel, Butterworth and Linkwitz-Riley are available for splitting up the audio signal. The slope of each filter can be selected in steps from 6 to 24 dB/octave. The unit offers 8 full-parametric EQs, phase adjustment, and a limiter per output. Additionally, a delay function of up to 7 msec per signal path is included in case of differences in running time for different speaker distances.

The supplied PC software allows convenient control of all functions via a computer and serves as administration tool guasi for an unlimited number of user presets. The software is constantly being developed and enhanced with additional functions. Frequency crossovers and equalizers can be constantly monitored and modified with a clear graphical display. The software automatically recognizes which unit is connected and calls up the matching user interface.















1 U





No. 10356321

OMNITRONIC DXO-24E Digital Controller

Digital stereo active crossover with 2 inputs and 4 outputs, incl. software



No. 10356341

OMNITRONIC DXO-26E Digital Controller

Digital stereo active crossover with 2 inputs and 6 outputs, incl. software







USB

19"



No. 10356344

OMNITRONIC DXO-48E Digital Controller

Digital stereo active crossover with 4 inputs and 8 outputs, incl. software

No. 10356362

PSSO DXO-26 PRO Digital Controller

Digital speaker management system with real-time network communication, 2 inputs and 6 outputs





DSP









No. 10356364

PSSO DXO-48 PRO Digital Controller

Digital speaker management system with real-time network communication, 4 inputs and 8 outputs

#### **AUDIO PROCESSORS**

#### Distributors

-----



- 01 01 01 01 01 01

19" 1 U

No 10304105

OMNITRONIC ZD-160 Zone Distributor

Practical distributor with 1 input and 6 outputs

19"

1 U

No. 10304110

OMNITRONIC ZD-250 Zone Distributor

Practical distributor with 2 inputs and 5 outputs

3 U 19"

No. 10304115

OMNITRONIC MZD-860 Matrix Zone Distributor

8-channel mixer with 6 outputs and matrix

19"

2 U

No. 10304120

OMNITRONIC MZD-88 Matrix Zone Distributor

8-channel audio mixer with 8 outputs and matrix

1 U 19"

No. 10304150

OMNITRONIC MLM-81 Microphone/Line Mixer

Microphone line mixer, 8 channels

1 U 19"

No. 10304153

**OMNITRONIC AM-801 Automatic Mixer** 

Processor-controlled automatic mixer



19" 1 U

No. 10355735

OMNITRONIC SD-28 Signal Distributor

8-way signal distributor

CLASS D REMOTE CONTRO

RJ45

19"

No. 10452480

OMNITRONIC MCS-1250 MK2 6-Zone PA Amplifier

6-zone audio amplifier with matrix assignment, 2 x 50 W / 4 ohms per zone



RJ45

No. 10452483

OMNITRONIC MCS-1250 MK2 Keypad

MCS-1250 MK2 touch pad wall controller



RJ45

No. 10452484

OMNITRONIC MCS-1250 MK2 Hub

MCS-1250 MK2 hub



..Remote Control No. 10452486.

OMNITRONIC MCS-1250 MK2

MCS-1250 MK2 IR remote control/IR remote

#### **AUDIO PROCESSORS**

#### Distributors





19" 2 U

 No. 10453007
 LUB-27

 No. 10453008
 Y-Cable

 No. 10453009
 IR-Extension



#### OMNITRONIC LUB-27 Speaker Switch Box

Speaker/amplifier switch box with IR remote control



19" 1 U

No. 10453051



OMNITRONIC MPP-24B Mini Patch Panel

Combined patch panel and power supply



19" 1 U

No. 10453050

OMNITRONIC MPP-24 Mini Patch Panel



Combined patch panel and power supply



19" 1 U

No. 30226750

NEUTRIK NYS-SPP-L1 Patchpanel

Neutrik NYS-SPP-L1 patchbay

Transportation of the second

19" 1 U

No. 10453010......silver No. 10453012.....black



#### OMNITRONIC DB-100 Decibel Level Meter

Level display for audio signals with stereo cinch in and output



19" 1 U



#### OMNITRONIC DB-200 Decibel Level Meter

2-channel level display for audio signals with  $2\ x$  stereo cinch in and output



19" | 2 U

No. 10355790

OMNITRONIC AN-31XL Audio Analyzer

31-band analyzer for audio signals





## **XPA** Series

## Lowest price in its class

You need reliable amplifiers and don't want to spend a fortune for them? The new XPA series from Omnitronic combines well-tried with innovative technology and offers you high performance for an affordable price.

Rely on the well-proven class A/B or H circuit of these amplifiers: It provides distortion-free and efficient amplifying of the given signal. Thanks to the well-thought-out cooling concept with modern fans, the devices of the **XPA series** work reliably even with high voltages. Security is your priority number one? All **XPA amplifiers** are equipped with an integrated limiter and a complete protection set against short-circuit, overheat, DC voltage and power on/off transients.

**XPA amplifiers** are perfectly suited for rack integration (2 HU) and permanent installations in bars, clubs and smaller discotheques. Even for live events, you can rely on these amplifiers.



CLASS AB 19" 2 U

No. 10451031

**OMNITRONIC XPA-350 Amplifier** 

PA amplifier with limiter,  $2 \times 175 \text{ W} / 4 \text{ ohms}$ ,  $2 \times 130 \text{ W} / 8 \text{ ohms}$ 



CLASS AB 19" 2 U

No. 10451032

OMNITRONIC XPA-700 Amplifier

PA amplifier with integrated limiter, 2 x 350 W / 4 ohms, 2 x 240 W / 8 ohms



CLASS AB 19" 2 U

No. 10451033

OMNITRONIC XPA-1000 Amplifier

PA amplifier with integrated limiter, 2 x 500 W / 4 ohms,  $2 \times 375$  W / 8 ohms



CLASS AB 19" 2 U

No. 10451034

OMNITRONIC XPA-1200 Amplifier

PA amplifier with integrated limiter, 2 x 600 W / 4 ohms,  $2 \times 420$  W / 8 ohms



CLASS AB | 19" | 2 U

No. 10451036

OMNITRONIC XPA-1800 Amplifier

PA amplifier with integrated limiter, 2 x 900 W / 4 ohms,  $2 \times 650$  W / 8 ohms



CLASS AB 19" 2 U

No. 10451037

OMNITRONIC XPA-2700 Amplifier

PA amplifier with integrated limiter, 2 x 1350 W / 4 ohms,  $2 \times 1080$  W / 8 ohms



class H 19" 2U

No. 10451038

**OMNITRONIC XPA-3004 Amplifier** 

4-channel PA amplifier with integrated limiter,  $4 \times 750 \text{ W}$  / 4 ohms,  $4 \times 500 \text{ W}$  / 8 ohms







#### Control music - easily and comfortably

Are you looking for an easy way to control the sound in your restaurant, gym or shop? No need to look any further: The DJP-900P is a compact mixing amplifier with integrated audio player that lets you play and control music from multiple sources.



#### Various connections

Connect up to four line sources, connect your smartphone to the amplifier via Bluetooth, insert an SD card or USB stick or use the AUX connection for an MP3 player, for example. The various possibilities for connection give you flexibility.

A potentiometer makes it easy to select from the connected sources. A microphone input with an extra volume control also allows you to make announcements and speeches.



#### Quiet and practical

The amplifier is fanless and therefore absolutely quiet during operation. Thanks to its low overall height, it can be easily installed without taking up a lot of space. Its sturdy steel chassis also provides the necessary robustness for daily use.



100V CLASS D USB SD BLUETOOTH

No. 10451603

OMNITRONIC DJP-900P Class D Amplifier

Compact stereo mixing amplifier with player + Bluetooth,  $2 \times 460 \text{ W} / 4 \text{ ohms}$ 





## XDA Series High power – low weight!

With the devices of the XDA series, you get PA amplifiers with high power, but low weight. Besides that, you won't need much space in your rack for mounting them, as both models are only one unit high (44 mm).

The smaller version, the **XDA-1002**, offers  $2 \times 510$  watts at 4 ohms (RMS) – and a weight of only 4 kilograms. Its bigger brother, the **XDA-2402**, has  $2 \times 1200$  watts at 4 ohms (RMS) and won't make your back hurt either with its weight of only 6.4 kg.

Despite its low weight and the manageable dimensions, you won't need to lower your sights regarding sound or safety. The XDA series convinces even very skeptical users with excellent sound characteristics and highly effective, high quality protection circuits. Both amplifiers are also 2 ohm stable. Let us give you this advice: Slim down your amplifier rack now!



class d 19" 1U

No. 10451635

OMNITRONIC XDA-1002 Class D Amplifier

Stereo PA amplifier with SMPS, 2 x 510 W / 4 ohms, 2 x 300 W / 8 ohms



10451636

OMNITRONIC XDA-2402 Class D Amplifier

Stereo PA amplifier with SMPS, 2 x 1200 W / 4 ohms, 2 x 880 W / 8 ohms

1 U





19"

2 U

No. 10451696



PA amplifier with SMPS,  $4 \times 1600 \text{ W} / 2 \text{ ohms}$ ,  $4 \times 1400 \text{ W} / 4 \text{ ohms}$ 

CLASS I

19"

2 U

No. 10451697

PSSO QCA-10000 4-Channel SMPS Amplifier

PA amplifier with SMPS, 4 x 2150 W / 2 ohms, 4 x 2100 W / 4 ohms





## DDA QDA Serie

## Professional equipment High resistance, low weight, low height (2 U) and the integrated switching

power supply: these are the advantages of the PSSO DDA and QDA Class D power amplifiers. The amplifiers also have a limiter and loudspeaker switchon delay as well as 3 adjustable operating modes (stereo, parallel, bridge).

The robust steel housing contains LEDVU meters for each channel and LEDs for Protect, Clip and Signal. The highly efficient air flow from front to rear and the temperature-controlled fans prevent thermal problems during operation.





19" 2 U CLASS D

No. 10451684

PSSO DDA-1700 Amplifier

Stereo PA amplifier with SMPS, 2 x 850 W / 4 ohms



19" 2 U

PSSO DDA-2500 Amplifier

Stereo PA amplifier with SMPS, 2 x 1250 W / 4 ohms



19" 2 U CLASS D

No. 10451687

PSSO DDA-3500 Amplifier

Stereo PA amplifier with SMPS, 2 x 1750 W / 4 ohms



2 U 19" CLASS D

No. 10451695

PSSO QDA-4400 4-Channel Amplifier

PA amplifier with SMPS,  $4 \times 1100 \text{ W} / 4 \text{ ohms}$ ,  $4 \times 650 \text{ m}$ W/8 ohms







CLASS D 19" 2 U

OMNITRONIC A-3603 Class-D 2.1 Amplifier

3-channel PA amplifier with crossover network - 4 ohms: 1  $\times$  2000 W, 2  $\times$  800 W

## A-3603

Powerful 3-channel amplifier – for classic 2.1 applications with two top and one sub speaker. The A-3603 produces enough power to supply large speaker system with up to a maximum of 3600 watts, 4 ohms (2000 W sub and 2 x 800 W tops). Enough potential you can use in clubs, lounges, restaurants, dancing schools and fitness studios and the like.

Set the frequency between the tops and subs with the inbuilt crossover. It also features a bypass function, which enables you to connect ahead a DSP speaker management system. You can as well switch from 2 stereo input channels to 3 separate channels.

Save weight when you have to move it and save space when you mount it – the Class D construction and the switching power supply technology helps you to do so.



## **MCD** Series

The new, really powerful Omnitronic multi-channel amplifiers are called MCD. 3 models with 4, 6 or 8 channels enable you to realize versatile multi zones setups, for example for retail-shops, gastronomy locations or multi-purpose halls. You can even think of club installations with sub-woofers and tops. The only thing you need to do so properly is the digital speaker management system of the Omnitronic DXO series. 500 watts @ 4 ohms per channel is what each of the models is offering you. If you are working with demanding subs you can simply bridge each channel pair and get 1000 watts @ 8 ohms.

A real benefit for your rental and touring business: all members of the **MCD** series are lightweights, thanks to class D architecture and efficient switch mode power supplies. In addition you can save money with the automatic standby function, which reduces the power consumption while you do not use the amp.



CLASS D 19" 2U

No. 10452411

OMNITRONIC MCD-2004 4-Channel Amplifier

4-channel PA amplifier with SMPS, 4 ohms:  $4 \times 500$  W, 8 ohms:  $4 \times 250$  W

No. 10452412

OMNITRONIC MCD-3006 6-Channel Amplifier

6-channel PA amplifier with SMPS, 4 ohms:  $6 \times 500$  W, 8 ohms:  $6 \times 250$  W

CLASS D 19" 2U

No. 10452413

OMNITRONIC MCD-4008 8-Channel Amplifier

8-channel PA amplifier with SMPS, 4 ohms:  $8 \times 500$  W, 8 ohms:  $8 \times 250$  W

Danan



## **Neutral Sound**

### ARM-6.5 2-Way Studio Monitor

The high-resolution active speaker system is ideally suitable as monitor system in studios and for all other applications requiring crystal clear and precise sound reproduction. The ribbon technology enables playback in its most natural form. This monitor sounds as natural and detailed as a studio monitor should. It has a 16.5 cm bass-midrange speaker with Kevlar cone for rich and defined bass response and separate power amplifiers (class A/B) for efficient control of the woofer and ribbon transducer. 3 EQ selectors are provided to adapt to various acoustic conditions. The click type rotary volume control at the front allows for precise level adjustment.

Black high-gloss surface

Crystal clear and precise listening experience through built-in 5 cm velocity ribbon tweeter (2") with wave guide

16.5 cm bass-midrange speaker (6.5") with Kevlar cone

Max. SPL: 102 dB Frequency range: 45 Hz - 22 kHz Crossover frequency: 2,8 kHz

Separate power amplifiers for bass speaker and tweeter (bi-amping) with efficient class AB circuitry

Dimensions (LxWxH): 275 x 230 x 358 mm Weight: 7 kg



Click type rotary volume control at front for precise level adjustment



BIAMP

ACTIVE

No. 11036458

OMNITRONIC ARM-6.5 2-Way Studio Monitor

Active 2-way reference studio monitor with ribbon transducer and Kevlar woofer



No. 8070265R.....

...... 50 mm, 50x50 cm

OMNITRONIC Accoustic Foam, Pyramid





MOUNTING incl.

#### OMNITRONIC C-40

Passive 2-way speaker pair with mount, 4" woofer and  $35~\mathrm{W}~\mathrm{RMS}$ 



MOUNTING incl.

No. 11036714......black No. 11036715.....white

#### **OMNITRONIC C-50**

Passive 2-way speaker pair with mount, 5" woofers and 40 W RMS  $\,$ 



MOUNTING incl. ACTIVE

No. 11036716.......black No. 11036717......white

#### OMNITRONIC C-50A active black 2x

Active 2-way speaker pair with mount, 5" woofers and  $50~\mathrm{W}~\mathrm{RMS}$ 



MOUNTING incl.

No. 11036718......black No. 11036719.....white

#### **OMNITRONIC C-60**

Passive 2-way speaker pair with mount, 6.5" woofers and 50 W RMS  $\,$ 



No. 11036580

#### **OMNITRONIC Subwoofer for Control Systems**

Passive subwoofer with crossover, 6,5" woofer, 50 W RMS / 4 ohms





MOUNTING incl.

No. 11038983

#### OMNITRONIC LI-206B MK2 2-Way Top

Speaker with mount,, 6.5" full-range speaker and 1" horn tweeter, 50 W RMS




MOUNTING incl.

No. 11038987

#### OMNITRONIC LI-206W MK2 2-Way Top

Speaker with mount,, 6.5" full-range speaker and 1" horn tweeter, 50 W RMS





## **OD-Serie**

It does not matter if you want to bring sweet sound to your bar, bistro or fashion shop, with the Omnitronic OD series you will get everything you need. The classy wall speakers come with swivel wall mount to allow you hassle free mounting. With their first class sound the speakers are also a compact alternative in the home audio field. You can choose between a low-ohm version (8 ohms) and

a 100 V version.

The version with 8 ohms and 100 V of the OD-4, OD-5 and OD-6 are weather-proofed (IP-65). Therefore they are the best solution for your beer garden or your outdoor lounge.



MOUNTING incl. IP44

No. 11036900......black No. 11036901......white



Speaker pair with mount, 2.5" full-range speakers and 15 W RMS  $\,$ 



MOUNTING incl. IP44

No. 11036906 blac No. 11036907 whit

#### OMNITRONIC OD-22 Wall Speaker 80hms

2 speakers with mount, 2.5" full-range speakers and 15 W RMS  $\,$ 



MOUNTING incl. IP65

No. 11036912.....blac
No. 11036913.....whit

#### OMNITRONIC OD-4 Wall Speaker 80hms 2x

Weatherproof speaker pair with mount, 4" woofers 0.5" tweeter and 30 W RMS



MOUNTING incl. IP65

No. 11036918......black No. 11036919.....white

#### OMNITRONIC OD-5 Wall Speaker 80hms 2x

2 weatherproof speakers with mount, 5.25" woofers 0.5" tweeter and 35 W RMS  $\,$ 



MOUNTING incl. IP65

No. 11036924......blacl

#### OMNITRONIC OD-6 Wall Speaker 80hm black 2x

2 weatherproof speakers with mount, 6.5" woofers 1" tweeter and 40 W RMS  $\,$ 



MOUNTING incl. IP65

 No. 11036930...
 black

 No. 11036931...
 white

 No. 11036932...
 black, 100 V

 No. 11036933...
 white 100V

#### OMNITRONIC OD-8 Wall Speaker 80hm 2x

2 weatherproof speakers with mount, 8" woofers 1" tweeter and 50 W RMS  $\,$ 





No. 11037055

#### OMNITRONIC DX-822 3-Way Speaker 300 W

Rugged full-range speaker-system with 8" woofer and 300 watts power



8 ohm

No. 11037061

#### OMNITRONIC DX-1022 3-Way Speaker 400 W

Rugged full-range speaker-system with 10" woofer and 400 watts power  $\,$ 



8 ohm

No. 11037071

#### OMNITRONIC DX-1222 3-Way Speaker 600 W

Rugged full-range speaker-system with 12" woofer and 600 watts power



8 ohm

No. 11037081

#### OMNITRONIC DX-1522 3-Way Speaker 800 W

Rugged full-range speaker-system with 15" woofer and 800 watts power



4 ohm

No. 11037085

#### OMNITRONIC DX-2022 3-Way Speaker 800 W

Rugged full-range speaker-system with 2x10" woofer and 800 watts power



4 ohm

No. 11037087

#### OMNITRONIC DX-2222 3-Way Speaker 1000 W

Rugged full-range speaker-system with 2x12" woofer and 1000 watts power



4 ohm

No. 11037091

#### OMNITRONIC DX-2522 3-Way Speaker 1200 W

Rugged full-range speaker-system with 2x15" woofer and 1200 watts power



8 ohm

No. 11037635

#### OMNITRONIC TX-1220 3-Way Speaker 700W

Full-Range speaker-system for disco or live music with 12" woofer and 700 watts power



8 ohm

No. 11037638

#### OMNITRONIC TX-1520 3-Way Speaker 900W

Full-Range speaker-system for disco or live music with 15" woofer and 900 watts power



4 ohm

No. 11037644

#### OMNITRONIC TX-2520 3-Way Speaker 1400W

Full-Range speaker-system for disco or live music with 2 x 15" woofer and 1400 watts power



8 ohm

No. 11038571

#### OMNITRONIC TMX-1230 3-Way Speaker 800W

Full-Range speaker-system for disco or live music with 12" woofer and 800 watts power



8 ohm

No. 11038581

#### OMNITRONIC TMX-1530 3-Way Speaker 1000W

Full-Range speaker-system for disco or live music with 15" woofer and 1000 watts power

#### Subwoofers









8 ohm

No. 11037705

OMNITRONIC BX-1250 Subwoofer 600W

12" Subwoofer with 600 watts power



4 ohm

No. 11037711

OMNITRONIC BX-1550 Subwoofer 800W

15" Subwoofer with 800 watts power



8 ohm

No. 11037731

OMNITRONIC BX-1850 Subwoofer 1200W

18" Subwoofer with 1200 watts power



4 ohm

No. 11037745

OMNITRONIC BX-2250 Subwoofer 800W

2x12" Subwoofer with 800 watts power



4 ohm

No. 11037751

OMNITRONIC BX-2550 Subwoofer 1200W

 $2 \times 15$ " Subwoofer with 1200 watts power



## VFM series

## Active and passive speaker systems with audio player and bluetooth

Your perfect mixture, the **VFM series**: The plastic cabinets are both lightweight and rugged, feature a powerful and rich sound as well as a fair price – the right tool for mobile DJs or musicians.

According to your demands you can choose the fitting VFM. You have 6 different sizes and 3 different equipment versions to choose from: The single versions with 8", 10", 12", and 15" and the double 12" and 15" versions.

There is an active and a passive version of each size. The double versions only feature active systems with additional audio player, bluetooth, SD card slot and USB port.

The two biggest VFMs have been equipped with wheels for easy transport. 8" and 10" models weigh less than 10 kg and can be transported comfortably with handles. The RMS varies from 80 to 180 watts.





- Built-in audio player and Bluetooth function
- Class A/B circuitry: optimum sound and power at low weight and compact dimensions
- LCD display indicates audio source and replay status
- 1/2 Mic inputs with separate level controls
- Line input, RCAMaster control with 2-way tone control, clip and power LED
- Line output for linking further active speaker systems

• Speaker outputs

- Class A/B circuitry: optimum sound and power at low weight and compact dimensions
- 1/2 Mic inputs with separate level controls
- Line input, RCA
- Master control with 2-way tone control, clip and power LED
- Line output for linking further active speaker systems





No. 11038765

OMNITRONIC VFM-208 2-Way Speaker

Passive speaker, 8" woofer, 1" driver, 80 W RMS, 8 ohms



ACTIVE

REMOT

USB

BLUETOOTH

No. 11038766

No. 11038767..... with player & Bluetooth

OMNITRONIC VFM-208A 2-Way Speaker, active

Aktive speaker, 8" woofer, 1" driver, 80 W RMS



8 ohm

No. 11038768

OMNITRONIC VFM-210 2-way Speaker

Passive speaker, 10" woofer, 1" driver, 90 W RMS, 8 ohms



ACTIVE

Έ 🖺 R

USB

SD

SD

BLUETOOTH

No. 11038769

No. 11038770..... with player & Bluetooth

OMNITRONIC VFM-210A 2-Way Speaker, active

Aktive speaker, 10" woofer, 1" driver, 90 W RMS



8 ohm

No. 11038771

OMNITRONIC VFM-212 2-Way Speaker

Passive speaker, 12" woofer, 1" driver, 140 W RMS, 8 ohms



ACTIVE

REMO

E USB

SD

BLUETOOTH

No. 11038772

No. 11038773..... with player & Bluetooth

OMNITRONIC VFM-212A 2-Way Speaker, active

Aktive speaker, 12" woofer, 1" driver, 140 W RMS



8 ohm

No. 11038774

OMNITRONIC VFM-215 2-Way Speaker

Passive speaker, 15" woofer, 1" driver, 150 W RMS, 8 ohms



ACTIVE

USB

B | |

SD | BLUETOOTH

No. 11038775

No. 11038776..... with player & Bluetooth

OMNITRONIC VFM-215A 2-Way Speaker, active

Aktive speaker, 15" woofer, 1" driver, 150 W RMS



8 ohm

No. 11038777

OMNITRONIC VFM-2212 2-Way Speaker

Passive speaker, 2 x 12" woofer, 1" driver, 150 W RMS, 8 ohms



ACTIVE

REMOTE

USB

C

SD BLUETOOTH

No. 11038778

OMNITRONIC VFM-2212AP 2-Way Speaker, active

Speaker with 2 x 12" woofer, 1" driver, 150 W RMS player and Bluetooth



8 ohm

No. 11038779

OMNITRONIC VFM-2215 2-Way Speaker

Passive speaker, 2 x 15" woofer, 1" driver, 180 W RMS, 8 ohms



ACTIVE

CON

ITROL US

USB

SD

BLUETOOTH

No. 11038792

OMNITRONIC VFM-2215AP 2-Way Speaker, active

Speaker with 2 x 15" woofer, 1" driver, 180 W RMS player and Bluetooth





## Convincing sound at an affordable price:

## **Omnitronic XKB Series**

You have high demands on your speakers, but a small budget? If so, the XKB series by Omnitronic offers just the right boxes for you. With their equipment and their sound, they keep up with much more expensive systems. They are perfectly suited for mobile events with live bands and DJs.

Powerful bass, clear mids and highs define the sound of the XKB boxes.





Active version 208A and 210A



Thanks to the well thought-out placement of the handles, the speakers can be carried comfortably with only one hand without tipping.

You can also use the boxes as floor monitor – that works just as well as mounting them on a stand or on a wall holder.




The active XKB-212A and 215A offer presets, which make it easier for you to contour the sound. An integrated Bluetooth player, a DSP-controlled biamp amplifier, 3-band EQ and an adjustable high-pass filter round up the equipment.

The active XKB-208A and XKB-210A feature a 2-band EQ, a XLR combination connector fír line and mic in and an aux/Bluetooth input, They also show an XLR connector for looping-through the signals to another speaker. A Bluethooth player can be found as well.









No. 11038761

OMNITRONIC XKB-208 2-Way Speaker

Passive speaker with 8" woofer, 1" driver and 100 W RMS



CLASS D BIAMP

ACTIVE BLUETOOTH

No. 11038793

OMNITRONIC XKB-208A 2-Way Speaker, active,

Active speaker with 8" woofer, 1" driver, LF: 70 W RMS, HF: 35 W RMS



8 ohm

No. 11038763

OMNITRONIC XKB-210 2-Way Speaker

Passive speaker with 10" woofer, 1,35" driver and 250 W RMS



CLASS D E

BIAMP ACTIVE

BLUETOOTH

No. 11038794

OMNITRONIC XKB-210A 2-Way Speaker, active, Bluetooth

Active speaker with 10" woofer, 1,35" driver, LF: 175 W RMS, HF: 75 W RMS



8 ohm

No. 11038797

OMNITRONIC XKB-212 2-Way Speaker

Passive speaker with 12" woofer, 1.35 driver and 300 W  $\,$  RMS  $\,$ 



CLASS D BIAMP

ACTIVE

DSP

No. 11038795

OMNITRONIC XKB-212A 2-Way Speaker, active, DSP

Active speaker with 12" woofer, 1,35" driver, LF: 300 W RMS, HF: 60 W RMS



8 ohm

No. 11038798

OMNITRONIC XKB-215 2-Way Speaker

Passive speaker with 15" woofer, 1.75 driver and 300 W RMS  $\,$ 



CLASS D

BIAMP

ACTIVE

DSP

No. 11038796

OMNITRONIC XKB-215A 2-Way Speaker, active, DSP

Active speaker with 12" woofer, 1,75" driver, LF: 300 W RMS, HF: 60 W RMS





### Good sound at a fair price

The AZX Series from Omnitronic offers you robust, reliable speakers with balanced sound at a fair price. Thanks to their multifunctional design, the speakers are suitable for a wide range of applications: as party PA, in youth centres, for the live performance of your band or for mobile use as a DJ

- \_Balanced, good sound in active or passive versions
- \_Flexible use: Installation, stage, mobile use
- \_Tops can be mounted on subs, on stands or also suspended
- \_Double flange enables mounting with an angle of 0° or 5°
- \_Stable wooden housings (15 mm MDF) with structured lacquer, acoustic foam behind the metal grilles







#### **AZX** Series





8 ohm

No. 11039020

OMNITRONIC AZX-208 2-Way Top 100W

Passive speaker with 8" woofer, 1" driver and 100 W RMS



8 ohm

No. 11039024

OMNITRONIC AZX-210 2-Way Top 200W

Passive speaker with 10" woofer, 1" driver and 200 W



8 ohm

No. 11039028

OMNITRONIC AZX-212 2-Way Top 200W

Passive speaker with 12" woofer, 1.35" driver and 200 W RMS



CLASS D BIAMP

No. 11039029

BIAMP ACTIVE

OMNITRONIC AZX-212A 2-Way Top active 250W

Active speaker with 12" woofer, 1.35" titanium driver, LF 200 W RMS, HF 50 W RMS



8 ohm

No. 11039032

OMNITRONIC AZX-215 2-Way Top 300W

Passive speaker with 15" woofer, 1.75" driver and 300 W RMS



CLASS D BIAMP

No. 11039034

OMNITRONIC AZX-215A 2-way top active 350W

ACTIVE

Active speaker with 15" woofer, 1.75" titanium driver, LF 300 W RMS. HF 50 W RMS



8 ohm

No. 11039036

OMNITRONIC AZX-112 PA Subwoofer 350W

12" bassreflex subwoofer with 350 W RMS, 8 ohms



CLASS D ACTIVE

No. 11039038

OMNITRONIC AZX-112A PA Subwoofer active 300W

Active 12" PA bassreflex subwoofer, 300 W



8 ohm

No. 11039040

OMNITRONIC AZX-115 PA Subwoofer 400W

15" bassreflex subwoofer with 400 W RMS, 8 ohms



CLASS D ACTIVE

No. 11039042

OMNITRONIC AZX-115A PA Subwoofer active 400W

Active 15" PA bassreflex subwoofer, 400 W



8 ohm

No. 11039044

OMNITRONIC AZX-118 PA Subwoofer 450W

18" bassreflex subwoofer with 450 W RMS, 8 ohms



CLASS D

No. 11039046

ACTIVE

OMNITRONIC AZX-118A PA Subwoofer active 400W

Active 18" PA bassreflex subwoofer, 400 W





## **PAS Series**

The **PAS Series** has the highest level of the Omnitronic speaker system range. It features stable wooden cabinets and high quality components. Outstanding, next to the price, is the excellent sound, the high sensitivity and the rugged construction.

There are active and passive versions of the subwoofers and the tops. All subs are bassreflex systems. The tops are multifunctional boxes and score with their mixture between first class workmanship, low weight and balanced sound. The built-in tweeter drivers from P.Audio are securely protected against overload by PTCs.

Active versions (Tops):



DSP with EQ presets



Rotatable constant directivity horn (asymmetrical) with coil-driver



Flange for stand installation



Can be used lying, standing, on a subwoofer, on a speaker stand or stand or suspended









No. 11039436

OMNITRONIC PAS-210+ 2-Way Top

PA speaker with 10" woofer, 1.4" horn and 250 W RMS, 8 ohms



8 ohm

No. 11039437

OMNITRONIC PAS-212+ 2-Way Top

PA speaker with 12" woofer, 1.4" horn and 300 W RMS, 8 ohms



CLASS D ACTIVE

No. 11039441

OMNITRONIC PAS-212+A 2-Way Top, active, DSP

DSP

Active PA speaker with 15", 1.4" horn and 400 W RMS



8 ohm

No. 11039438

OMNITRONIC PAS-215+ 2-Way Top

PA speaker with 15" woofer, 1.4" horn and 400 W RMS, 8 ohms



CLASS D

ACTIVE DSP

No. 11039630

OMNITRONIC PAS-151A PRO DSP Active Subwoofer

Active 15" PA bassreflex subwoofer, 500 W



CLASS D

ACTIVE DSP

No. 11039631

OMNITRONIC PAS-181A PRO DSP Active Subwoofer

Active 18" PA bassreflex subwoofer, 600 W RMS





7 tops, 9 subwoofers and 3 monitors are part of the **K series**. It has been designed for small to middle-sized events with high demands regarding sound fidelity.

Besides the four 2-way-tops from 8" to 15" and the double version with 15", each with a rotatable 1" horn, there is also the top of the range, the K-315HD for biamp operation and equipped with 15"/ 6.5"/ 1.4".

The corresponding bassreflex subwoofers are available equipped either singly (12", 15", 18" or 21") or doubly (10", 12", 15" and 18"). The double 18 is also available as horn-loaded version.

The 2-way coaxial monitor speakers are available in three different versions: 10" with 1" voice coil, 12" with 1.4" voice coil and 15" with 2.8" voice coil.

The K series is designed for mobile use and permanent installations and comes completely equipped with Neutrik connectors.











#### K Series





8 ohm

No. 11041098

#### PSSO K-208 2-Way Top 200W

Pro PA speaker with 8" woofer, 1" horn and 200 W RMS, 8 ohms



8 ohm

No. 11041100

#### PSSO K-210 2-Way Top 300W

Pro PA speaker with 10" woofer, 1" horn and 300 W RMS. 8 ohms



8 ohm

No. 11041104

#### PSSO K-212 2-Way Top 300W

Pro PA speaker with 12" woofer, 1" horn and 300 W RMS, 8 ohms



8 ohm

No. 11041108

#### PSSO K-215 2-Way Top 400W

Pro PA speaker with 15" woofer, 1" horn and 400 W RMS, 8 ohms



8 ohm

No. 11041109

#### PSSO K-215SE 2-Way Top 600W

Pro PA speaker with 15" woofer, 1,5" horn and 600 W RMS, 8 ohms




4 ohm

No. 11041096

#### PSSO K-215DPX 2-Way Top 1000W

Pro PA speaker with 2 x 15" woofer, 1" horn and 100 W RMS, 4 ohms





8 ohm

No. 11041115

#### PSSO K-210CM 2-Way Coaxial Wedge 300W

Pro PA speaker, 10" woofer, 1" horn, 300 W RMS / 8 ohms



8 ohm

No. 11041117

#### PSSO K-212CM 2-Way Coaxial Wedge 400W

Pro PA speaker, 12" woofer, 1.4" horn, 400 W RMS / 8 ohms



8 ohm


No. 11041119

#### PSSO K-215CM 2-Way Coaxial Wedge 400W

Pro PA speaker, 15" woofer, 1.4" horn, 400 W RMS / 8 ohms









No. 11041126

PSSO K-121 Subwoofer 400W

Pro PA bassreflex sub, 12" woofer, 400 W RMS, 8 ohms



4 ohm

No. 11041128

PSSO K-102 Subwoofer 600W

Pro PA bassreflex sub, 2 x 10" woofer, 600 W RMS, 4 ohms



4 ohm

No. 11041130

PSSO K-122 Subwoofer 800W

Pro PA bassreflex sub, 2 x 12" woofer, 800 W RMS, 4 ohms



8 ohm

No. 11041131

PSSO K-151 Subwoofer 500W

Pro PA bassreflex sub, 15" woofer, 500 W RMS, 8 ohms



4 ohm

No. 11041132

PSSO K-152 Subwoofer 1000W

Pro PA bassreflex sub, 2 x 15" woofer, 1000 W RMS, 4 ohms



8 ohm

No. 11041136

PSSO K-181 Subwoofer 1000W

Pro PA bassreflex sub, 18" woofer, 1000 W RMS, 8 ohms



4 ohm

No. 11041140

PSSO K-182 Subwoofer 2000W

Pro PA bassreflex sub, 2 x 18" woofer, 2000 W RMS, 4 ohms



4 ohm

No. 11041142

PSSO K-211 Subwoofer 1600W

Pro PA horn-loaded sub, 21" woofer, 1600 W RMS, 4 ohms





#### Set including:

- 2x 11041098: PSSO K-208 2-Way Top 200W
- 2x 11041126: PSSO K-121 Subwoofer 400W
- 1x 10451635: OMNITRONIC XDA-1002 Class D Amp
- 1x 10451636: OMNITRONIC XDA-2402 Class D Amp
- 1x 10356321: OMNITRONIC DXO-24E Digital Controller
- 2x 60004554: OMNITRONIC Distance Tube Subwoofer/Satellite
- 1x 30109784: ROADINGER Amplifier Rack PR-2, 4U, 47cm deep
- 4x 3022790C: PSSO Speaker cable Speakon 2x1.5 5m
- 4x 30227840: PSSO XLR cable 3pin 1m bk Neutrik
- 1x 30100150: OMNITRONIC Front Panel Z-19U-shaped, steel, black 1U
- 2x 59007073: EUROLITE SPA-10L Adapter



#### Set including:

- 2x 11041098: PSSO K-208 2-Way Top 200W
- 2x 11041130: PSSO K-122 Subwoofer 800W
- 1x 10451635: OMNITRONIC XDA-1002 Class D Amp
- 1x 10451636: OMNITRONIC XDA-2402 Class D Amp
- 1x 10356321: OMNITRONIC DXO-24E Digital Controller
- 2x 60004554: OMNITRONIC Distance Tube Subwoofer/Satellite 120cm
- 1x 30109784: ROADINGER Amplifier Rack PR-2, 4U, 47cm deep
- 4x 3022790C: PSSO Speaker cable Speakon 2x1.5 5m
- 4x 30227840: PSSO XLR cable 3pin 1m bk Neutrik
- 1x 30100150: OMNITRONIC Front Panel Z-19U-shaped, steel, black 1U
- 2x 59007073: EUROLITE SPA-10L Adapter



#### Set including:

- 2x 11041104: PSSO K-212 2-Way Top 300W
- 2x 11041132: PSSO K-152 Subwoofer 1000W
- 1x 10451635: OMNITRONIC XDA-1002 Class D Amp
- 1x 10451636: OMNITRONIC XDA-2402 Class D Amp
- 1x 10356321: OMNITRONIC DXO-24E Digital Controller
- 2x 60004554: OMNITRONIC Distance Tube Subwoofer/Satellite 120cm
- 1x 30109784: ROADINGER Amplifier Rack PR-2, 4U, 47cm deep
- 4x 30227915: PSSO Speaker cable Speakon 2x2.5 15m bk
- 4x 30227840: PSSO XLR cable 3pin 1m bk Neutrik
- 1x 30100150: OMNITRONIC Front Panel Z-19U-shaped, steel, black 1U







#### High-quality sound solution for clubs

The name suggests it: The PSSO Prime Club System is a professional sound system that meets all requirements of modern club culture. What makes it so unique is the mixture of high-quality technical components - all premium drivers come from the French manufacturer CELTO Acoustique - and an extravagant design.









#### Extraordinary design

The octagonal shape deliberately stands out and provides variety in the otherwise rather monotonous appearance of loudspeaker systems. The color of the individual parts (body, grille) can be freely selected on the basis of the RAL classic system. In this way, a better integration into an existing interior is possible.





#### Components in different sizes

The main systems available are a double-8 (with 1" horn), a double-12 (with 1.5" horn) and a double-15 (with 6.5" horn for the mids, dual 1.5" horn for the trebles). The Prime-212 and -315 are operated bi-amp. A double-18 (PRIME-182) and a double-15 (PRIME-152) take over the lower frequency range. They feature RMS outputs of 3 kW and 1.4 kW respectively. The maximum sound pressure levels are 142 dB and 136 dB.







**PRIME** 152







**PRIME** 182








PRIME 12CX

The two coaxial systems (10" woofer, 1" horn or 12"/1.4") form a supporting background system. In smaller rooms, however, they can also function as the main system. Their narrow dimensions allow simple and space-saving installation.

The Prime system is completed by an amplifier specially developed for it. Perfectly matched, the components achieve the best possible performance together.









No. 11041174

PSSO PRIME-10CX Coaxial Speaker, 300W

Pro PA speaker, 10" woofer, 1" horn, 300 W RMS, 8 ohms



8 ohm

No. 11041175

PSSO PRIME-12CX Coaxial Speaker, 400W

Pro PA speaker, 12" woofer, 1" horn, 400 W RMS, 8 ohms



4 ohm

No. 11041168

PSSO PRIME-208 Club Speaker System

Pro PA speaker system (2 x 8") with 400 watts power



BIAMP

No. 11041170

PSSO PRIME-212 Club Speaker System

Pro PA speaker,  $2 \times 12$ " woofer, 1.5" horn, 1100 W RMS (Biamp)



BIAMP

No. 11041172

PSSO PRIME-315 Club Speaker System

Pro PA speaker,  $2 \times 15$ " woofer, 6.5" +  $2 \times 1.4$ " horn-loaded, 1800 W RMS (Biamp)



4 ohm

No. 11041178

PSSO PRIME-182 Subwoofer 3000W

Pro PA bassreflex subwoofer, 2 x 18" woofer, 3000 W RMS, 4 ohms



4 ohm

No. 11041177

PSSO PRIME-152 Subwoofer 1400W

Pro PA bassreflex subwoofer,  $2 \times 15$ " woofer, 1400 W RMS, 4 ohms



19"

2 U

No. 10451701

PSSO PRIME System Amplifier DSP

6 channel PA amp with SMPS, 2 x 2400 W, 4 x 800 W

#### Monitors







8 ohm

No. 11038011

OMNITRONIC M-1220 Monitor 600W

2-way stage monitor with 12" woofers and 600 watts power



8 ohm

No. 11038012

OMNITRONIC M-1230 Monitor 600W

2-way stage monitor with 12" woofers and 600 watts power



8 ohm

No. 11038038

OMNITRONIC KM-110 Stage Monitor, coaxial

Monitor with 10" woofer, 1.35" driver and 200 W RMS /  $8\ ohms$ 



ACTIVE

No. 11038035

OMNITRONIC KM-110A Active Stage Monitor, coaxial

Monitor, 10" woofer, 1,35" driver, LF: 150 W RMS, HF: 50 W RMS



8 ohm

No. 11038039

OMNITRONIC KM-112 Stage Monitor, coaxial

Monitor with 12" woofer, 1.35" driver and 250 W RMS / 8 ohms



ACTIVE

No. 11038036

OMNITRONIC KM-112A Active Stage Monitor, coaxial

Monitor, 12" woofer, 1,35" driver, LF: 250 W RMS, HF: 50 W RMS



8 ohm

No. 11038040

OMNITRONIC KM-115 Stage Monitor, coaxial

Monitor with 15" woofer, 1.35" driver and 250 W RMS / 8 ohms



ACTIVE

No. 11038037

OMNITRONIC KM-115A Active Stage Monitor coaxial

Monitor, 15" woofer, 1,35" driver, LF: 250 W RMS, HF: 50 W RMS







## **MOM-10BT4**

### Wireless PA system


A small mobile PA system with a modular structure - that's the MOM-10BT4. Are you a street musician or want to use the box at conferences? The 2-way system (10") can be perfectly adapted and expanded to meet your requirements. You need more microphones or a battery after all? Basic, business or fully loaded: Equip the MOM according to your ideas.

In the basic configuration (mainframe), MOM has a Bluetooth interface, 2 microphone inputs (with tone control and reverb function) and a line input (XLR or jack). With the mixer unit you regulate the individual components.

The following add-ons (described in more detail on the next page) are available:

- CD / MP3 player module
- Wireless microphone module
- Battery module
- Audio-Link module

The mobile system offers you additional features. You'll find talkover function (Voice Priority), a 5V 2A USB interface that lets you charge your mobile devices, a built-in trolley handle for easy transport, and a speaker stand flange. A protective transport cover with storage space for cables and UHF transmitters is optionally available.







Cover for transport protection with storage compartment available (item 13106977) - can be used during live performance as well

Trolley function for easy transport



#### Bluetooth

Stream music wirelessly from your mobile devices (e.g. smartphone, tablet)

#### CD player module

Unit with USB player and remote control (item 13106978)

#### Audio link module

That slot can be used for a receiver or transmitter module. You can receive wireless signals or link the mixer signal (mono/stereo R) to other speakers (with receiver module).

#### Receiver modules:

Up to 4 receiver modules with 16 channels can optionally be installed (item 13106971). They can be used with handheld mic (item 13106973) or bodypack (item 13106974) with headset (item 13106975) or with lavalier mic (item 13106976).

Mixing section for all inputs with additional 2-band EQ for master signal.

3 analog inputs with switchable line channel (mono/stereo)

Unique selection for line-in signals (wired/wireless) to link them in mono or stereo output.

Power bank function with integrated 5V 2A fast charger.

Switchable voice priority (talkover) function for ideal teaching or moderation use



#### Battery module

Battery for wireless power optionally available

LONG DISTANCE MONO SETUP



Heavy duty wheels









CLASS D

ACTIVE

BLUETOOTH

LICENSE FREE

No. 13106970

OMNITRONIC MOM-10BT4 Modular Wireless PA System

Mobile PA system with battery operation and different equipment options



No. 13106977

OMNITRONIC MOM-10BT4 Speaker Bag

Protective bag for the MOM-10BT4 modular PA system



LICENSE FREE

No. 13106971

OMNITRONIC MOM-10BT4 Receiver Module

Receiving module for UHF frequencies (microphone + audio link signal)



LICENSE FREE

No. 13106972

OMNITRONIC MOM-10BT4 Audio Link Module

Modul to transmit the audio signal to other receiving speakers



USB

SD

No. 13106978

OMNITRONIC MOM-10BT4 CD Player with USB & SD

CD/MP3 player inserion module with SD card slot and USB port



No. 13106975

OMNITRONIC MOM-10BT4 Headset Microphone

Lightweight black headset microphone



No. 13106976

OMNITRONIC MOM-10BT4 Lavalier Microphone

Black, inconspicuous tie-clip microphone



LICENSE FREE

No. 13106973

OMNITRONIC MOM-10BT4 Wireless Microphone

Dynamic microphone with 16 UHF frequencies (823-832 & 863-865 MHz)



LICENSE FREE

No. 13106974

OMNITRONIC MOM-10BT4 Bodypack Transmitter

Bodypack transmitter with 16 UHF frequencies (823-832 & 863-865 MHz)











# **COMBO-160BT**On the road again

Are you a mobile DJ or solo entertainer or do you need a small PA for your band? The Combo-160BT is the ideal all-in-one PA system for mobile live and DJ applications. Thanks to its well thought-out design, it is particularly practical and easy to carry. The system includes two full-range speakers, each equipped with a 20cm woofer and a 2.5cm tweeter, as well as a bass reflex system. In addition, there is a middle section with carrying handle to which the two speakers can easily be attached for transport. This middle section also houses the 6-channel power mixer.

Two mono inputs (mic/line) with 2-band EQ and adjustable reverb and one stereo line and one stereo AUX input are available as connections. You can also connect your smartphone to the system via Bluetooth, for example, and play music wirelessly. An optional USB dongle allows you to use two additional wireless microphones. Both loudspeaker boxes are equipped with flanges for tripod mounting.

You can store cables and accessories in a storage compartment in one of the two speakers. Practically plugged together, the entire system can be carried with one hand.











## WAMS-08BT MK2

#### Compact, lightweight and useful: Mobile PA with battery

The WAMS-08BT MK2 is a portable all-in-one system with rechargeable battery for mobile use. Whether for street musicians, at lectures, family celebrations or in the aerobics group: Thanks to the versatile connection options you are flexible on the road. The box has a 3-channel power mixer with 40 W RMS power. The 2-way bass reflex system with 20 cm woofer (8") provides powerful sound despite the small size. The WAMS-08BT MK2 is equipped with an MP3 player with SD card slot and USB connection.



Thanks to Bluetooth, you can also play music (for example from your smartphone) wirelessly. You can also use the USB port to connect two optional wireless microphones or charge your mobile devices. A stereo input channel for line sources (e.g. CD player or notebook) and two mono input channels for an instrument or microphone provide additional flexibility. The 2-band EQ lets you control bass and treble. The WAMS-08BT is easy to carry thanks to a carrying handle and weighs only 7 kg. It is prepared for tripod mounting with a mounting flange.

### <del>-</del>

#### Wireless microphones

An optional USB dongle allows you to use two additional wireless microphones



#### Inputs:

Mic (XLR), line (stereo RCA)



IR remote control

4-channel power mixer (40 W RMS) and MP3 player with Bluetooth receiver





No. 13107006

#### OMNITRONIC WAMS-08BT MK2 Wireless PA System

Mobile 8" PA system with battery operation audio player and Bluetooth











OMNITRONIC WAMS-08BT Wireless PA System

Portable 8" PA system with UHF receiver unit, audio player,Bluetooth and 60 watts power



LICENSE FREE

No. 13106992

OMNITRONIC WAMS-08BT Bodypack Transmitter 863.975MHz

Pocket transmitter with headset microphone for WAMS-08BT







No. 13107003

OMNITRONIC WAMS-65BT Wireless PA System

Portable 6.5" PA with UHF receiver unit, audio player, Bluetooth and 40 W RMS



LICENSE FREE

No. 13107005

OMNITRONIC WAMS-65BT Bodypack Transmitter incl. Headset

Pocket transmitter with headset microphone for WAMS-65BT  $\,$ 



LICENSE FREE

No. 13107004

OMNITRONIC WAMS-65BT Wireless Microphone

Spare microphone for model WAMS-65BT PA system









No. 13106955

#### OMNITRONIC MES-12BT2 Wireless PA System

Portable PA system with 2 UHF receiver units, audio player and Bluetooth







No. 13106961

#### OMNITRONIC MES-15BT2 Wireless PA System

Portable 15" PA system with 2 UHF receiver units, audio player and Bluetooth



ACTIVE USB SD BLUETOOTH
Optional REMOTE CONTROL
UICENSE FREE


No. 11038759

OMNITRONIC XFM-212AP Active 2-Way Speaker Set with Wireless Microphone

Active speaker system set with audio player, Bluetooth and wireless microphone, 150 W RMS









No. 13107021

OMNITRONIC BeatRevel S

Mobile Bluetooth speaker system with built-in light effect



No. 11038882

OMNITRONIC BHD-02 Waistband Amplifier

Extremely compact 5 W waistband amplifier






With the MAXX-1508DSP, you get a compact, active PA system with the power of 800 Watts RMS. Are you a mobile DJ, solo entertainer or a small band? Then this mobile PA with its high-quality sound and good level stability is your ideal companion.

The 15" subwoofer with Class D amplifier in a bass reflex cabinet delivers powerful, dry bass. The two satellite loudspeakers with 8" bass/midrange drivers and 1" compression drivers are equipped with a passive crossover (2-way) including PTC tweeter protection and ensure a well-rounded sound experience.

3 EQ presets (DSP-controlled), combined XLR and 6.3 mm jack connectors with XLR parallel output (for additional systems) and an additional RCA input with level adjustment are available. An integrated Bluetooth receiver also allows you to enjoy wireless music from your smartphone or tablet, for example. The built-in USB port allows you to conveniently charge your mobile devices at the same time.

Separate volume control for subwoofer and satellites





CLASS D DSP ACTIVE BLUETOOTH

No. 11038832

OMNITRONIC MAXX-1508DSP 2.1 Active System

High-power active PA system with DSP, Bluetooth, 700 watts (15" sub, 8" tops)







No. 11038826

OMNITRONIC MAXX-1000DSP MK2 2.1 Active System

High-power active PA (15" sub, 8" tops) with DSP, 1000 watts









No. 11038831

OMNITRONIC MAXX-1200DSP 2.1 Active System


High-power active PA system with DSP, 1200 watts (18" sub, 10" tops)

## ONE FOR ALL

Compact loudspeaker system for a wide range of applications

With the boxes of the BOB-series you get a compact, efficient and economical PA-system, which is suitable for various applications. Use it as a fullrange PA for small gigs, as a keyboard or e-drum monitor, for installation or as a compact system for DJs.







Choose a BOB speaker system to entertain your audience of up to 50 people. In the blink of an eye, you can mount your speakers on a pole and a tripod stand that allows you to perfectly align your satellites with your audience. You can also use BOB as your personal monitor. The "Twin Set" with two BOBs is the perfect package for your performance in front of up to 100 people.



# LECTURES AND

The BOB system is also ideal for presentations and lectures. In most cases you only need the basic system for presentations and speeches. Simply place the satellites on the subwoofer and you're ready to go. Or mount the satellites on a tripod to align the system with the audience.



HI, MY NAME IS




Connect the two satellites to a compact mono system with higher sound pressure or separate the two in a stereo rig. If the party turns out to be a bigger thing, simply connect two BOB subs with a simple stereo cable.

















No. 11038872

OMNITRONIC BOB-4 Top 16 Ohm black 2x

2 x 4" satellite speakers with bracket for the BOB series



16 ohm

No. 11038873

OMNITRONIC BOB-4 Top 16 Ohm white 2x

2 x 4" satellite speakers with bracket for the BOB series



CLASS D ACTIVE DSP BLUETOOTH

No. 11038870

OMNITRONIC BOB-10A Subwoofer active black

10" subwoofer with DSP and Bluetooth for the BOB series



CLASS D ACTIVE DSP BLUETOOTH

OMNITRONIC BOB-10A Subwoofer active white

10" subwoofer with DSP and Bluetooth for the BOB series



8 ohm

No. 11038863

OMNITRONIC BOB-82X Subwoofer black

Passive dual 8" subwoofer for the BOB series



8 ohm

No. 11038864

OMNITRONIC BOB-82X Subwoofer white

Passive dual 8" subwoofer for the BOB series



No. 11038874 No. 11038875

**OMNITRONIC BOB-4 Extension Bracket 2x** 

.black



Accessory kit for connecting 2 BOB-4 speakers



No. 11038876 .black No. 11038877



Adapter with stand sleeve for 35 mm tube, M8 thread



No. 11038867 No. 11038869 . Distance Tube

**OMNITRONIC BOB-4 Tripod/Distance Tube** 

Accessory for the BOB series



No. 11038878

**OMNITRONIC BOB-4 Transport Bag** 

Accessory for BOB-4 speakers



## Welcome MIC!

Is it possible to produce microphones at a fair price, which feature a first class workmanship, a high reliability and a premium sound? Omnitronic's MIC responds clearly: Yes, it is possible! Under the name MIC, vocal microphones, speech microphones and microphones for musical instruments are united – surely the best quality Omnitronic has ever supplied. Most of the articles come with ample and very helpful accessory.



No. 13030900

OMNITRONIC MIC 77-7LMH Drum Microphone Set

Complete 7-part microphone set for drum kits



No. 13030902

OMNITRONIC MIC 77L Bass Drum Microphone

Dynamic microphone for bass instruments like kick drums



No. 13030903

OMNITRONIC MIC 77M Rack Drum Microphone

Dynamic microphone for toms and snare drums



No. 13030904

OMNITRONIC MIC 77H Overhead Drum Mic

Condenser microphone for overhead and instrument recording



No. 13030905

OMNITRONIC MIC 77LM Holder

Rim clamp



.

No. 13030907

**OMNITRONIC MIC CM-4 Condenser Microphone** 

 $\label{professional} \mbox{Professional condenser microphone with cardioid pattern}$ 



No. 13030908

OMNITRONIC MIC CM-53 Condenser Microphone

Professional condenser microphone with interchangeable characteristic



No. 13030918

OMNITRONIC MIC CM-77 Condenser Microphpone

Condenser microphone for professional studio and live applications





No. 13030909

### OMNITRONIC MIC 78PRO-C Condenser Microphone

Professional vocal condenser microphone with cardioid characteristic



No. 13030911

# OMNITRONIC MIC 75PRO Dynamic Instrument Microphone

Professional dynamic instrument microphone for studio and stage



No. 13030913.....

....with Switch

No. 13030914

### **OMNITRONIC MIC 85 Dynamic Microphone**

Dynamic vocal microphone for studio and stage



No. 13030912

### **OMNITRONIC MIC 85PRO Dynamic Microphone**

Professional dynamic vocal microphone for studio and stage



No. 13030917

### OMNITRONIC MIC VS-1 Microphone Set

Complete microphone set for studio and stage



No. 13030916

# OMNITRONIC MIC SHD-1 Gooseneck Microphone

Dynamic gooseneck microphone





No. 13030926

### OMNITRONIC MIC SHC-2 Gooseneck Microphone

Electret gooseneck microphone



No. 13030915

### OMNITRONIC MIC SHC-1 Gooseneck Microphone

Electret gooseneck microphone



USB

No. 13030923

# OMNITRONIC MIC MM-2USB USB Condenser Measurement Mic

Precise USB measuring microphone with flat frequency response



No. 13030919

### OMNITRONIC MIC MM-1C Condenser Measurement Mic

Precise measuring microphone with flat frequency response

## **MICROPHONES & WIRELESS MICS**

# Microphones





No. 13000450

### OMNITRONIC Partymic-1 Dynamic Microphone

Simple dynamic microphone including XLR/jack cable



No. 13995010

#### OMNITRONIC CMK-10 Microphone Kit

Low-price microphone set for studio and stage



No. 13000445

#### **OMNITRONIC M-60 Dynamic Microphone**

Dynamic microphone for studio and live applications



USB

No. 13000417

### OMNITRONIC M-100 USB Dynamic Microphone

Dynamic USB microphone



USB

No. 13000419

### OMNITRONIC M-22 USB Dynamic Microphone

Dynamic USB microphone with stand



No. 13000420

### **OMNITRONIC M-22 Dynamic Microphone**

Unidirectional microphone with 3 m jack cable



No. 13030705

### OMNITRONIC IC-1100 PRO Instrument Mic

Professional condenser microphone for wind instruments, with spring clamp



No. 13030700

### OMNITRONIC IC-1000 PRO Instrument Mic

Professional condenser microphone for wind instruments



No. 13056020

### **OMNITRONIC LS-1000 XLR Lavalier Mic**

Inconspicuous tie-clip microphone



No. 13056030

### OMNITRONIC HS-1000 XLR Headset Microphone

Lightweight headset microphone (electret)



No. 13056035

### OMNITRONIC HS-1100 XLR Headset Microphone

Lightweight skin-coloured headset microphone (condenser)



No. 13056041

### **OMNITRONIC SHS-1 Sports Headset Microphone**

Headset condenser microphone for sports use





No. 13063010

OMNITRONIC Belt for Pocket Receivers/Transmitters

Belt for pocket receivers/transmitters



No.	13063012	black
No.	13063013	skin-colored

OMNITRONIC Microphone Cable Clip, 5x



No. 13063031

OMNITRONIC AAB-10 Active Antenna Booster, Battery-powered

Compact rechargeable antenna booster (470-930 MHz)



No. 13063002

OMNITRONIC Mounting Frame for Receiver DR-1000

Rack mounting frame



No.	13063034	1 m
No.	13063036	3 m
No.	13063038	5 m
No.	13063040	10 m

### **OMNITRONIC Antenna Cable BNC Set**

BNC antenna cable



No. 13063044	5 m
No. 130630461	0 m

OMNITRONIC Antenna Cable TNC Set

TNC antenna cable



19" 1U

No. 13063048

OMNITRONIC BNC-Set Rack Mount

BNC mounting set




19" 1U

No. 13063050

OMNITRONIC TNC-Set Rack Mount

TNC mounting set







# — Real Sound Always


For more than 20 years, Relacart has provided professional, reliable wireless technology for events and gatherings of all kinds. From the start, the Chinese manufacturer focused on microphones, conference systems and mixing consoles. Meanwhile, digital components and further additions have complemented the range.

For the production of systems, German SMT technology is used. Production meets the standards of CE, FCC, UL and ISO9001-2008. In the development and for quality control, a fully equipped sound laboratory is employed. Relacart is a pioneer in its home country and can easily keep up with European standards.

The results are products that are easy to use, durable enough for everyday wear "on tour", yet affordable. The functionality and quality of the systems set the standard in this price range.







- to set up free and compatible frequencies for multi-channel systems.
- The software can monitor the transmitter's battery status, AF/RF level and Antenna A/B strength.
- Multiple receivers can be linked and connected to a computer with the U485 USB interface.
- Remotely control up to 12 wireless receivers simultaneously (number is limited due to the frequency range used) from up to 300 meters away.



# **HR-31S**

# Wireless microphone system with PC control

The HR-31S is a premium true diversity system in the UHF spectrum that can fully exploit its strengths, in particular in connection with the RWW software. The transmission takes place either in the professional switchable band 731-790 MHz or in the license-free range 823-832 MHz. The other features also convince: quick setup via infrared and an exceptionally long service life of the transmitter from up to 15 hours on just one set of batteries.



19"	1U	LICENSE FREE	PCconnect

**RELACART HR-31S 1-Channel True Diversity System** 

Wireless microphone system with PC control, 731-790 + 863-865 MHz



LICENSE FREE

No. 13055203

RELACART T-31 Bodypack for HR-31S with Headset

Pocket transmitter with PLL multifrequency transmitter, 731-790 + 823-832 MHz






### MagicEQ software

MagicEQ enables amazing microphone modeling of the hand-held microphones. Users can create their own sound and choose from 7 presets based on world-known microphone models (e835®, beta58®, e935®, D5®, SM57®, N/D767a®, SM58®)\* and 2 user-definable presets.

\*All product names are registered trademarks of the respective manufacturers, who are not connected to Relacart or Steinigke Showtechnic on any way. These trademarks are only mentioned to reference products of which sound and performance have been analyzed and imitated by Relacart. Sennheiser, e835 and e935 are registered trademarks of Sennheiser Electronic GmbH & Co. KG. Shure, SM57, SM58 and Beta 58 are registered trademarks of Shure Incorporated. AKG and D5 are registered trademarks of AKG Acoustic GmbH. N/D767a and Electro-Voice are registered trademarks of Bosch Communication Systems.





- "System" menu
- Connection status
- Feedback killer on/off
- Presets Favorite 1 and 2, freely adjustable
- IP address receiver
- Preset Relacart, freely adjustable
- Presets Capsule 1-7, fixed
- Set filter frequency
- Set gain
- Equalization on/off
- 11 Bypass/activate adjustments
- Reset adjustments
- Set filter quality factor
- Select filter type
- Frequency curve
- Level control receiver unit 1/2





# UR-260D

system with DSP for microphone modeling and PC software, 823-832 + 863-865 MHz

The UR-260D is a dual-channel true diversity UHF system with a host of innovative features. In addition to automatic frequency scanning for interference-free transmission, one also finds an intelligent feedback suppression system. With MagicEQ, various sound characteristics of world-known microphone capsules can be emulated or created by yourself. The presets can be changed from a computer via software - even during live operation.



DSP	RJ45		19"	PCconnect
LICENSE	FREE	1	U	

No. 13055208. .UH-222C Mikrofon No. 13055210 ..Empfänger No. 13055212.

### RELACART UR-260D 2-Channel UHF System

system with DSP for microphone modeling and PC software, 823-832 + 863-865 MHz



LICENSE FREE

No. 13055211

### RELACART UT-222 Bodypack with HM-800S Headset

Pocket transmitter with PLL multifrequency transmitter, 823-832 + 863-865 MHz



No. 13055218

### RELACART HM-800S Headset

Lightweight skin-coloured headset microphone



No. 13055193

### RELACART R-M2 Rack Mount Kit

Rack mounting set for 2 receiver units





1U		LICENSE FREE	DSP	
No. 13055	52	15	 	Receiver
No. 13055	52	16	 	Transmitte
No. 13055	52	17	 	Svstem

### RELACART PM-160 Diversity In-Ear-Monitor System

In-ear stereo system with diversity technology, 823-832 MHz. 863-865 MHz



No. 13055197

**RELACART R-M1 Rack Mount Kit** 

Rack mounting set for 1 receiver unit



The WAM-400 is a wireless, DSP-based conference system that subtly and automatically carries out a number of functions in the background. Thus, it is also suitable for environments without present technical personnel such as video conferencing, large meetings or public sessions. Voice signals are detected intelligently, feedback and background noise thus successfully prevented. The WAM-400 is very flexible thanks to numerous accessories.



19"	10	LICENSE FREE DSF	
		Automatic Mixe	
1120552			

RELACART Set 1x WAM-400 and 4x UB-200 System

Digital conference system, 4-channel mixer & 4 UHF mics, 823-832 + 863-865 MHz



19" 1U LICENSE FREE DSP

No. 13055222.....UHF-Gooseneck Microphone

### RELACART Set 1x WAM-400 and 4x UD-200 System

Digital conference system, 4-channel mixer and 4 UHF mics, 823-832 + 863-865 MHz



No. 13055219

RELACART UH-200 UHF Handheld Microphone for WAM-400

Microphone with PLL multifrequency transmitter for WAM-400, 823-832 + 863-865 MHz



No. 13055225

RELACART UT-200 Bodypack with HM-800S Headset

Pocket transmitter with PLL multifrequency transmitter,  $823-832+863-865\,\text{MHz}$ 



19" 1U

1U | LICENSE FREE

No. 13055226

RELACART WAM-402 4CH Digital UHF Automatic Mixer

Digital UHF automatic mixer with DSP for up to 4 microphones



No. 13055227

RELACART UD-1 UHF Gooseneck Microphone for WAM-402

UHF gooseneck microphone for model WAM-402, 823-832 + 863-865 MHz



No. 13055228

RELACART UH-1 UHF Handheld Microphone for WAM-402

Microphone with PLL multifrequency transmitter for WAM-402, 823-832 + 863-865 MHz



No. 13055229

RELACART ET-60 Bodypack with Lavalier Microphone for WAM-402

UHF pocket transmitter for model WAM-402, 823-832 + 863-865 MHz





1U LICENSE FREE

#### **RELACART UR-222S 1-Channel UHF System**

True diversity wireless microphone system, 823-832 MHz + 863-865 MHz




19"

1U

LICENSE FREE

#### RELACART UR-222D 2-Channel UHF System

True diversity wireless microphone system with two channels. 823-832 MHz + 863-865 MHz





19"

1U

No. 13055194.....R-14D Antenna Distribution System No. 13055195.....R-22AU Wide-band directional active Antenna 2x

### RELACART R-14D Antenna Distribution System

Antenna distributor (470 - 900 MHz)



No. 13055196

### RELACART R-12S Antenna Divider/Hub

Passive antenna divider, 2-way (470 - 900 MHz)



No. 13055191

### **RELACART LM-C420 Lavalier unidirectional**

Inconspicuous electret lavalier microphone



USB

No. 13055199

### RELACART U485 USB-Interface

USB/RS-485 converter for model HR-31S





# Talk to me!

Good, affordable and reliable: these are no opposites, but the attributes of our the **UHF-100 series**. Altogether, there are eight frequencies to choose from. For a better overview, all microphones are marked with a color – and every color stands for a specific frequency.

There are three different models of receivers: a one channel version, a two channel and a four channel receiver. Using the two channel or four channel

versions, you can also give out a signal mixed of several microphones directly, besides the usual single output. For all receiver types, there are matching rack installation brackets. Using them, you can build one or two receivers into a rack with only one unit in height. Pocket transmitters, lavalier and headset microphones for each frequency are available.

- Very easy to use
- · License free and future-proof in large parts of the EU
- Bodypack optionally available
- XLR and jack output
- Rack angles availbale for one or two systems



LICENSE FREE 1U

OMNITRONIC UHF-101 Wireless Mic System

1-channel UHF PLL microphone system

No. 13063260	863.	1MHz
No. 13063261	864.8	8MHz
No. 13063262	864.	1MHz
No. 13063263	863.	8MHz
No. 13063264	823.	5MHz
No. 13063265	828.	1MHz
No. 13063266	825.	3МН2
No. 13063267	830.	3MH



LICENSE FREE

1U

OMNITRONIC UHF-102 Wireless Mic System

2-channel UHF PLL microphone system

No. 13063268	823.5/863.1MHz
No. 13063269	828.1/864.8MHz
No. 13063270	825.3/864.1MHz
No. 13063271	830.3/863.8MHz



LICENSE FREE

1U

OMNITRONIC UHF-104 Wireless Mic System

Complete 4-channel UHF PLL microphone system







### **OMNITRONIC UHF-100 Handheld Microphone**

Hand-held microphone for UHF-100 receivers

No. 13063274	823.5MHz (pink)
No. 13063275	863.1MHz (purple)
No. 13063276	828.1MHz (red)
No. 13063277	864.8MHz (orange)
No. 13063280	830.3MHz (green)
No. 13063281	863.8MHz (blue)
No. 13063278	825.3MHz (yellow)
No. 13063279	864.1MHz (grey)



### OMNITRONIC UHF-100 BP Bodypack

Pocket transmitter with lavalier microphone

No. 13063282	823.5MHz (pink
No. 13063283	863.1MHz (purple
No. 13063284	828.1MHz (red
No. 13063285	864.8MHz (orange
No. 13063286	825.3MHz (yellow
No. 13063287	864.1MHz (grey
No. 13063288	830.3MHz (green
No. 13063289	



No. 13063290

### OMNITRONIC UHF-100 HS Headset Microphone

Lightweight skin-coloured headset microphone (condenser)



No. 13063292

# OMNITRONIC UHF-100 LS Lavalier Microphone

Black, inconspicuous tie-clip microphone



No. 13063291.....skin-coloured

### OMNITRONIC UHF-100 Windshield, 10x

Microphone windscreen



1U

No. 13063294

OMNITRONIC UHF-100 RM-1 Rackmount Kit for 1x UHF-101/UHF-102

Rack mounting set one unit



No. 13063296

OMNITRONIC UHF-100 RM-3 Rackmoung Kit for 1x UHF-104

Rack mounting set two units



No. 13063295

OMNITRONIC UHF-100 RM-2 Rackmount Kit for 2x UHF-101/UHF-102

Rack mounting set one unit





# UHF-300 Wireless microphone system with UHF PLL technology

The UHF-300 series offers wireless microphone systems for one up to four channels. Thanks to UHF PLL technology, it is characterized by an extraordinarily stable transmission and good sound quality.

The system's infrared interface allows you to synchronise the microphone quickly and accurately with the receiver and set the appropriate frequencies. You can manually select between 93 preset channels in ten channel groups. The clear LCD display shows the selected group, frequency and channel. When in visual contact, the system has a range of approx. 60 meters. The UHF-300 system operates in the frequency ranges 823-832 MHz and 863-865 MHz and is therefore free of registration and fees in Germany and large parts of the EU.



LICENSE FREE 1U

No. 13063300

OMNITRONIC UHF-301 1-Channel Wireless Mic System 823-832/863-865MHz

1-channel UHF PLL microphone system



No. 13063310......black

**OMNITRONIC UHF-300 Headset Microphone** 

Headset microphone for UHF-300 pocket transmitter



LICENSE FREE

1U

No. 13063302

OMNITRONIC UHF-302 2-Channel Wireless Mic System 823-832/863-865MHz

2-channel UHF PLL microphone system



No. 13063312

**OMNITRONIC UHF-300 Lavalier Microphone** 

Lavalier microphone for UHF-300 pocket transmitter



LICENSE FREE

19"

111

No. 13063304

OMNITRONIC UHF-304 4-Channel Wireless Mic System 823-832/863-865MHz

4-channel UHF PLL microphone system



No. 13063308

No. 13063313.....Guitar Adapter Cable

OMNITRONIC UHF-300 Bodypack 823-832/863-865MHz

Pocket transmitter for UHF-300 receivers



No. 13063306

OMNITRONIC UHF-300 Handheld Microphone 823-832/863-865MHz

Hand-held microphone for UHF-300 receivers



No. 13063314

OMNITRONIC UHF-300 Microphone Holder

Microphone holder for wireless microphones

Multiroom





# Wireless multi-room streaming adapter

# Music for the entire apartment

With the multiroom streaming adaptor made by Omnitronic, you can enjoy your music in every room. After the **CNP-1** has been connected to your audio system, you can stream music from your mobile phone, tablet or PC via Wi-Fi and play it on your system. Additionally, other speakers in other rooms can be equipped with such an adaptor and play your music synchronously.

The **CNP** app makes it possible to easily select the speakers for playing. Furthermore it can be used as remote control for your own music library and stream music from online radio stations in the best HiFi quality. The app can be downloaded from iTunes and Google Play for free.



WLAN 2,4

**2,4** GHz

USB

RJ45

No. 13072201

OMNITRONIC CNP-1 WLAN Multi-Room Streaming System

Wireless multi-room streaming adapter






# Enjoy music wirelessly throughout the house

Transfer music wirelessly from your PC or MP3 player to speakers anywhere in the house in first-class CD quality!

# One transmitter, unlimited number of receivers

With the WS-1 digital transmission system, you listen to your favorite music, the latest podcast or an audio book anywhere in the house - without the hassle of wiring. You simply connect the transmitter to the signal source, for example a smartphone or CD player, via a mini USB or line connection. The receivers are plugged into your stereo, your passive or active speakers. You can use an unlimited number of receivers simultaneously and connect them to the transmitter with the touch of a button.



# **High Sound Quality**

This way, you can sound several rooms at the same time wirelessly in first-class quality. The range of the WS-1 is 30 meters indoors and up to 50 meters outdoors. The system operates in the 2.4 GHz range, enabling high sound quality and interference-free operation. In addition, you can operate it worldwide free of registration and fees.

## **MICROPHONES & WIRELESS MICS**

### Wireless Mics





WLAN 2,4 GHz USB

No 13072210

OMNITRONIC WS-1T 2.4GHz Transmitter

Digital audio transmission system 2.4 GHz, with USB



WLAN 2,4 GHz

No. 13072211

OMNITRONIC WS-1R 2.4GHz Receiver

Digital audio transmission system 2.4 GHz



WLAN 2,4 GHz

No. 12072212

OMNITRONIC WS-1RA 2.4GHz Receiver, active

Digital audio transmission system 2.4 GHz,  $2 \times 20$  watts/4 ohms



WLAN

RJ45

USB

No. 13072202

OMNITRONIC CIA-40WIFI WLAN Multi-Room Amplifier Streaming System

Wireless multi-room amplifier, 2 x 25 W



USB

No. 13072332

OMNITRONIC UWM-2HH USB Wireless Mic Set with two Handheld Microphones

Accessory kit for compatible Omnitronic products



**2,4** GHz

LICENSE FREE

No. 13072003

OMNITRONIC WM-224 2-Channel Wireless Microphone System 2.4GHz

Digital 2-channel wireless microphone system, 2.4 GHz



LICENSE FREE

BLUETOOTH

No. 13072198

OMNITRONIC WDT-5.0 AptX HD Bluetooth 5.0 Transceiver

Bluetooth transmitter and receiver with aptX HD, aptX Low Latency and dual link



No. 13072230

OMNITRONIC WMT-1M UHF Transmitter, mono

Wireless mono audio transmission system, 823-832 MHz  $\,$ 



No. 13072231

OMNITRONIC WMR-1M UHF-Receiver, mono

Wireless mono audio transmission system, 823-832 MHz



No. 14013241

OMNITRONIC STR-1000 Bodypack Receiver for IEM-1000

Optional pocket receiver for IEM-1000, 823-832 MHz



No. 6000623N

OMNITRONIC Microphone Windshield skin-colored HS 10x

Microphone windscreen



# Reliable wireless microphone system at an affordable price

The VHF-100 series offers you reliable wireless microphone systems with one or two channels at an affordable price. Since the systems are operated with fixed frequencies, operation is extremely simple: connect, switch on, get started!

The range of the system is approx. 30 meters with visual contact.



LICENSE FREE	1U	
No. 13073020	215.85 ١	МНz
No. 13073021	214.35 N	МHz
No. 13073022	212.35 N	МHz
No. 13073023	209.80 ١	МHz
No. 13073024	207.55 N	МHz
No. 13073025	201.60 N	МHz
No. 13073026	200.10	МHz
No. 13073027	205.75 N	МHz

OMNITRONIC VHF-101 Wireless Mic System

VHF wireless microphone system



No. 13073050	215.85 MHz
No. 13073051	214.85 MHz
No. 13073052	212.35 MHz
No. 13073053	209.80 MHz
No. 13073054	207.55 MHz
No. 13073055	201.60 MHz
No. 13073056	200.10 MHz
No. 13073057	205.75 MHz

OMNITRONIC VHF-100 Handheld Microphone

Hand-held microphone for VHF-100 receivers



LICENSE FREE		1U
--------------	--	----

No. 13073040	. 215.85/207.55 MHz
No. 13073041	. 214.35/201.60 MHz
No. 13073042	212.35/200.10 MHz
No. 13073043	

OMNITRONIC VHF-102 Wireless Mic System

2-channel VHF wireless microphone system





LICENSE FREE

No. 13073014

OMNITRONIC VHF-250 Wireless Mic Set 214

Complete VHF diversity wireless microphone system



No.	13075006	VHF	179.000
No.	13075008	VHF	214.000
Nο	13075013	VHF	174 000

**OMNITRONIC TM-250 Transmitter VHF** 

VHF pocket transmitter set for TM-250



No. 13073006. No. 13073007...

**OMNITRONIC VHF-450 Handheld Microphone** 

Replacement microphone for model VHF-450



LICENSE FREE

1U

No. 13073009

OMNITRONIC VHF-450 Wireless Mic System

Complete 2-channel wireless microphone system



Jetzt bestellen auf www.ppvmedien.de

Telefon +49 8131 565568 | bestellung@ppvmedien.de







#### Rluetooth

Stream music wirelessly from your mobile devices (e.g. smartphone, tablet)

# **CP-Serie**

ELA mono mixing amplifiers with a compact design for applications where only little space is available, this is how the **Omnitronic CP** series is described best. The amps are available with 30, 60 and 120 watts. They are equipped with an audio player with USB-port and SD-slot and also a Bluetooth receiver as well as a FM-tuner with auto scan.

You can choose between mains and 24 V operation and between speaker connections for 70 V, 100 V and also low-resistance speakers. In combination with the remote control you can call the CP mixing amps little multi talents.





No. 80709601

### OMNITRONIC CP-30P PA Mixing Amplifier

PA mono mixing amplifier with audio player and Bluetooth, 30 watts





### OMNITRONIC CP-60P PA Mixing Amplifier

PA mono mixing amplifier with audio player and Bluetooth, 60 watts





# OMNITRONIC CP-120P PA Mixing Amplifier

PA mono mixing amplifier with audio player and Bluetooth, 120 watts



No. 80709604

### **OMNITRONIC Remote Control for CP Amplifiers**

Spare parte for models CP-30P60P/120P



100V CLASS AB 2U 19"
----------------------

**OMNITRONIC PAP PA Amplifier** 

PA power amplifier

No. 80709804	PAP-60, 60	watts
No. 80709806	PAP-120, 120	watts
No. 80709808	PAP-240, 240	watts
No. 80709810	PAP-350, 350	watts
No. 80709820	PAP-650, 650	watts
No. 80709830	.PAP-1000, 1000	watts





2U 19" 100V CLASS AB

**OMNITRONIC MP PA Mixing Amplifier** 

PA mono mixing amplifier

No. 80709610	MP-60, 60 watt
No. 80709620	MP-120, 120 watt
No. 80709630	MP-180, 180 watt
No. 80709640	MP-250. 250 watt



100V CLASS AB USB SD 2U MP3 19"

OMNITRONIC MP PA Mixing Amplifier

PA mono mixing amplifier with MP3 player and IR remote control

No. 80709611	MP-60P, 60	) watt
No. 80709621	MP-120P, 120	) watt
No. 80709631	MP-180P, 180	) watt
No. 80709641	MP-250P, 250	) watt
No. 80709645	MP-350P, 350	) watt
No. 80709650	MP-500P, 500	) watt
No. 80709655	MP-650P 650	) watte



2U 100V CLASS AB 19"

**OMNITRONIC MPZ PA Mixing Amplifier** 

6-zone PA mono mixing amplifier, zones switchable

No. 80709721	MPZ-180.6, 180 watts
No. 80709731	MPZ-250.6, 250 watts
No. 80709741	MPZ-350.6, 350 watt
No. 80709751	MP7-500 6 500 watte



100V CLASS AB USB SD MP3

**OMNITRONIC MPZ PA Mixing Amplifier** 

6-zone PA mono mixing amplifier, MP3 player & IR remote, zones switchable

No. 80709719	MPZ-120.6P,	120 wat	ts
No. 80709722	MPZ-180.6P,	180 wat	ts
No. 80709732	MPZ-250.6P,	250 wat	ts
No. 80709742	MPZ-350.6P,	350 wat	ts
No. 80709752	MPZ-500.6P,	500 wat	ts
No 907007EE	MD7 GEO GD	CEO wat	+-

No. 80709781.....MPVZ-180.6, 180 watts



2U 100V CLASS AB

**OMNITRONIC MPVZ PA Mixing Amplifier** No. 80709786.....MPVZ-250.6, 250 watts No. 80709791..... .....MPVZ-350.6, 350 watts 6-zone PA mono mixing amplifier, adjustable zones



100V CLASS AB USB SD MP3 19"

OMNITRONIC MPVZ PA Mixing Amp

6-zone PA mono mixing amp, MP3 player & IR remote, zones switchabel

No. 80709783	MPVZ-120.6P, 120	) watts
No. 80709782	MPVZ-180.6P, 180	) watts
No. 80709787	MPVZ-250.6P, 250	) watts
No. 80709792	MPVZ-350.6P. 350	) watts



# **ODP Series**

You want reliable and balanced sound for your bar, restaurant, shop or the conference area of your hotel? You need indoor and outdoor speakers? With the **OPD** series you get powerful installation speakers that meets all your requirements.

The speakers have a brilliant sound pattern and are available in a low-ohm (16 ohms) and in a  $100 \, \text{V}$  version. These two cover both small and large installations.

A rotatable mounting bracket is included in the delivery. A swivel wall mount with matching colors is optionally available. With their weatherproof (IP54) plastic cabinet, the **ODP speakers** are well prepared for outdoor use, indoor use is of course also possible.





### OMNITRONIC Wall Bracket for ODP



IP54 MOUNTING incl. 16 ohm

No. 11036951

OMNITRONIC ODP-204 Installation Speaker 16 ohms 2x

white

2 weatherproof 4" wall speakers with mount and 40 W  $\,$  RMS  $\,$ 



#### OMNITRONIC ODP-204T Installation Speaker 100V 2x

2 weatherproof 4" wall speakers with mount, 10/20/40 W RMS



IP54 MOUNTING incl. 16 ohm

No. 11036954.......black No. 11036955.....white



IP54 MOUNTING incl. 100V

No. 11036956......black No. 11036957.....white



OMNITRONIC ODP-206 Installation Speaker 16 ohms 2x

2 weatherproof 6" wall speakers with mount and 80 W RMS



OMNITRONIC ODP-206T Installation Speaker 100V 2x

2 weatherproof 6" wall speakers with mount, 20/40/80 W RMS



IP54 MOUNTING incl. 16 ohm

No. 11036958......black No. 11036959.....white

OMNITRONIC ODP-208 Installation Speaker 16 ohms

Weatherproof 8" wall speaker with mount and 150 W RMS



IP54 MOUNTING incl. 100V

No. 11036960......black No. 11036961.....white

### OMNITRONIC ODP-208T Installation Speaker 100V

Weatherproof 8" wall speaker with mount, 37.5/75/150 W RMS



IP56 MOUNTING incl. 100V

No. 11036962

OMNITRONIC ODX-208T Installation Speaker 100V

Weatherproof 8" wall speakers with mount, 150 W RMS



IP56 MOUNTING incl. 100V

No. 11036964

OMNITRONIC ODX-212T Installation Speaker 100V

Weatherproof 12" wall speakers with mount, 300 W RMS



- Das unabhängige Webportal für Musik und Equipment
- Über zehntausend informative Testberichte und umfassende Vergleichstests

 Ständig neue Produkt-News, spannende Interviews und Künstlerportraits







# **Projector Speakers**

Bring sound unobtrusively to a garden, a theme park, a pool area or a golf course. With these projector speakers, you can handle both small and large projects. The latter can be realized with a transformer that brings the signal up to 100 volts.

This small series consists of 2.5" speakers (black and white) and a subwoofer. For attaching the speakers you can choose between a ground stake and a wall mount which you can also attach to trees

or signs. You can dig the subwoofer in the ground, so that the mushroom-like umbrella stands out.

Not only do the garden speakers perfectly blend with the environment. They also sound clean and provide a pleasant listening experience. The interplay of subwoofer and speakers results in an astonishing acoustic pattern.



IP65 8 ohm

No. 80710375

OMNITRONIC PS-2.5GS Projector Speaker, 2x

2 weather-proof 2.5" garden speakers with ground stake, 70 W RMS/  $\!8$  ohms



IP65 8 ohm

No. 80710376......whit No. 80710377.....blac

OMNITRONIC PS-2.5WB Projector Speaker, 2x

2 weatherproof speakers, with mount, 70 W RMS / 8 ohms



IP54 8

54 8 ohm

No. 80710155

OMNITRONIC GSUB-8 In-Ground Subwoofer

Weatherproof 8" subwoofer with 180 W RMS / 8 ohms



IP44 100V

No. 80710848......GSG 20 W

OMNITRONIC GSG Garden Speaker

2-way coaxial speaker system, 100 V 10/20 W RMS

# **Projector Speakers**





IP44 100V

No. 80710362

OMNITRONIC PS-05 Projector Speaker

Bidirectional speaker with mount, 100 V 5/10W RMS



IP44 100V

No. 80710366

**OMNITRONIC PS-15 Projector Speaker** 

Weatherproof 5" speaker with mount, 100 V 5/10 W



IP44 100V

No. 80710368

**OMNITRONIC PS-20 Projector Speaker** 

Weatherproof 6.5" speaker with mount, 100 V 10/20 W



IP44 100V

No. 80710374

**OMNITRONIC PS-30S Projector Speaker** 

Weatherproof 5" speaker with mount, 100 V 3.8/7.5/30 W RMS



IP44 100V

No. 80710370

**OMNITRONIC PS-25 Projector Speaker** 

Bidirectional speaker (2 x 5") with mount, 100 V 5/10 W RMS



100V IP44

No. 80710372

OMNITRONIC PS-30 Projector Speaker

Bidirectional speaker (2 x 6.5") with mount, 100 V 10/20 W RMS



100V

No. 80710209

OMNITRONIC CS-3 Ceiling Speaker, white, 2x

3" flush-mount speaker, 15 W RMS / 8 ohms, Ø 90 mm



IP44 100V

No. 80710401

OMNITRONIC WP-1H Ceiling Speaker

Weatherproof 8" speaker, 100 V, 20 W RMS



IP44

100V

No.	80710404	10	W
No.	80710406	15	W
No.	80710408	20	W
Nο	80710410	25	W

OMNITRONIC WP Ceiling Speaker

Ceiling speaker in white aluminum housing



# Outdoor speakers





IP44 100V

No. 80710750

OMNITRONIC PCW-10 Column Speaker IP44

Weatherproof column speaker, 100 V, 15 W RMS



IP44 100V

No. 80710760

OMNITRONIC PCW-20 Column Speaker IP44

Weatherproof column speaker, 100 V, 30 W RMS



IP44 100V

No. 80710770

OMNITRONIC PCW-30 Column Speaker IP44

Weatherproof column speaker, 100 V, 45 W RMS



IP44 100V

No. 80710780

OMNITRONIC PCW-40 Column Speaker IP44

Weatherproof column speaker, 100 V, 60 W RMS



IP44 100V

No. 80710811

OMNITRONIC HS-35 PA Horn Speaker

Weatherproof horn speaker, 100 V 7.5/15 W RMS



IP44 100V

No. 80710821

OMNITRONIC HS-45 PA Horn Speaker

Weatherproof horn speaker, 100 V 15/30 W RMS



IP44 100V

No. 80710822

OMNITRONIC HS-50 PA Horn Speaker

Weatherproof 5" speaker 100 V 15/30 W RMS



IP44 | 100V

No. 80710824

OMNITRONIC HS-60 PA Horn Speaker

Weatherproof horn speaker with tweeter, 100 V 4.5/9/12.5/25/50 W RMS



IP44 100V

No. 80710826

OMNITRONIC HSO-50 PA Horn Speaker

Weatherproof horn speaker, 100 V 25/50 W RMS



IP44 100V

No. 80710828

OMNITRONIC HS-80 PA Horn Speaker

Weatherproof speaker, LF: 6.5" HF: 1" - 100 V 20/40/80 W RMS



IP44 | 100V

OMNITRONIC HR PA Horn Speaker

Weatherproof horn speaker, 100 V RMS  $\,$ 



IP44 100V

No. 80710874......EH-400 No. 80710877.....EH-560

OMNITRONIC EH Horn

Swivel-mounted horn made of aluminum, without driver

# Outdoor speakers





IP44 | 100V

OMNITRONIC WF Flush-Mount Speaker

Weatherproof 2-way speaker



IP44 100V

No. 80710890

**OMNITRONIC ED-60T Horn Driver** 

Weatherproof driver, 70/100 V or 16 ohms, 60 W RMS



IP44 100V

No. 80710891

**OMNITRONIC ED-100T Horn Driver** 

Weatherproof driver, 70/100 V or 16 ohms, 100 W RMS



IP44 8 ohm

No. 80710951

OMNITRONIC NOH-15R PA Horn Speaker

Horn speaker with 15 W RMS, 8 ohms



IP44 8 ohm

No. 80710953

OMNITRONIC NOH-40R PA Horn Speaker

Horn speaker with 40 W RMS, 8 ohms



IP44

8 ohm

No. 80710954

OMNITRONIC NOH-25S PA Horn Speaker

Horn speaker with 25 W RMS, 8 ohms



IP44

8 ohm

No. 80710955

OMNITRONIC NOH-35S PA Horn Speaker

Horn speaker with 35 W RMS, 8 ohms



IP44

8 ohm

No. 80710956

OMNITRONIC NOH-40S PA Horn Speaker

Horn speaker with 40 W RMS, 8 ohms



IP44

\_ \_\_\_

8 ohm

No. 80710958

OMNITRONIC NOH-30R PA Horn Speaker

Horn speaker, 30 watt RMS, 8 ohms





### OMNITRONIC PA Volume Controller, mono wh

PA volume controller with 24 V emergency priority relay

No. 80711001	5 W mono
No. 80711002	10 W mono
No. 80711003	20 W mono
No. 80711004	30 W mono
No. 80711005	45 W mono
No. 80711006	60 W mono
No. 80711007	120 W mono



### OMNITRONIC PA Volume Controller mono sil

PA volume controller with 24 V emergency priority relay

No. 80711015	10	W	mono
No. 80711016	45	W	mono



No. 80711071

#### OMNITRONIC PA Program Selector mono wh

PA program controller with 24 V emergency priority relay



No. 80711072

### OMNITRONIC PA Program Selector mono bk

PA program controller with 24 V emergency priority relay



No. 80711073

# OMNITRONIC PA Program Selector mono sil

PA program controller with 24 V emergency priority relay



### OMNITRONIC PA Vol Contr/Prog Select mono wh

PA program selector and PA volume controller with 24 V emergency priority relay



No. 80711165

### OMNITRONIC PA Volume Controller 10W stereo sil

Stereo volume controller



## OMNITRONIC PA Surface Housing

Surface-mount housing



100V

### OMNITRONIC ELA-T Transformer

100 V audio transformer

No. 80711401	T5, 5 W
No. 80711402	T10, 10 W
No. 80711403	T20, 20 W
No. 80711404	T30, 30 W
No. 80711405	T50, 50 W
No. 80711406	T75, 75 W
No. 80711407	T100, 100 W





IP65 100V

No. 80711410

OMNITRONIC ELA-T200D Transformer 20W IP65

Weather-proof 100 V audio transformer



100V

No. 80711500

OMNITRONIC ELA-100V-2-L Transformer

100 V transformer to units with line input



ACTIVE

No. 80710910

**OMNITRONIC MP-5 Megaphone** 

Small 5 watts megaphone with melody and recording function



ACTIVE

No. 80710920

**OMNITRONIC MP-10 Megaphone** 

Small 10 watts megaphone with melody



ACTIVE

No. 80710930

**OMNITRONIC MP-15 Megaphone** 

High-power 14 watts megaphone with melody



ACTIVE

No. 80710932

**OMNITRONIC MP-18 Megaphone** 

High-power 18 watts megaphone with siren



ACTIVE

No. 80710934

OMNITRONIC MP-25 Megaphone

High-power 25 watts megaphone with siren





# The transducer for your most challenging projects

Lavoce is based in Italy. It is a dynamic company specialized in LF/HF transducer design and production for the pro audio market. The experienced Italian R&D team is known for its outstanding technical know-how.


Lavoce trusts on the strictest standards and tools in testing and validation, a modern and efficient production system with a carefully balanced level of automation and an extraordinary quality management. All products have the ISO 9001 certification and strike with their aesthetical design.

The Lavoce experts believe that sound reproduction is a refined mix of technology and art, to which they devote their passion and professionalism, to satisfy the requirements and expectations of the customers.

Each Lavoce product is a masterpiece of electroacoustic excellence with reliability second to none, coming from the experience of the Italian R&D team and their passionate love for music.







**NEODYMIUM** 

LOW FREQUENCY

**TRANSDUCERS** 

FERRITE HIGH FREQUENCY COMPRESSION DRIVERS SMALL SIZE FULLRANGES

SOFT DOME TWEETERS





FERRITE LOW FREQUENCY TRANSDUCERS

COAXIALS

NEODYMIUM HIGH FREQUENCY COMPRESSION DRIVERS

BASS GUITAR AND GUITAR SPEAKERS







No. 12603320

LAVOCE HD1004 1" Aluminiumhorn



No. 12603321

LAVOCE HD1403 1,4" Aluminiumhorn



8 ohm

No. 12602510

LAVOCE WSF041.00 4" Woofer Ferrite Magnet Steel Basket Driver

40 W AES, 8 ohms, 90 dB, 90-6000 Hz



8 ohm

No. 12602511

LAVOCE WSF051.02 5" Woofer Ferrite Magnet Steel Basket Driver

60 W AES, 8 ohms, 91.5 dB, 100-5000 Hz



8 ohm

No. 12602512

LAVOCE MSF051.22 5" Midrange-Woofer Ferrite Magnet Steel Basket Driver

140 W AES, 8 ohms, 92 dB, 140-10000 Hz



8 ohm

No. 12602513

LAVOCE WSF061.52 6.5" Woofer Ferrite Magnet Steel Basket Driver

125 W AES, 8 ohms, 94.5 dB, 90-5000 Hz



8 ohm

No. 12602514

LAVOCE WAF061.80 6.5" Woofer Ferrite Aluminium Basket Driver

150 W AES, 8 ohms, 91 dB, 65-6000 Hz



8 ohm

No. 12602515

LAVOCE WSF081.82 8" Woofer Ferrite Magnet Steel Basket Driver

175 W AES, 8 ohms, 97 dB, 75-3000 Hz



8 ohm

No. 12602516

LAVOCE SSF081.50 8" Subwoofer Ferrite Magnet Steel Basket Driver

200 W AES, 8 ohms, 90 dB, 50-5000 Hz



8 ohm

No. 12602517

LAVOCE SSF082.00L 8" Subwoofer Ferrite Magnet Steel Basket Driver

350 W AES, 8 ohms, 87 dB, 50-5000 Hz



8 ohm

No. 12602518

LAVOCE WAF082.00 8" Woofer Ferrite Magnet Aluminium Basket Driver

200 W AES, 8 ohms, 95.5 dB, 80-3000 Hz



8 ohm

No. 12602519

LAVOCE WSF101.82 10" Woofer Ferrite Magnet Steel Basket Driver

150 W AES, 8 ohms, 97.5 dB, 63-3000 Hz

## **LOUDSPEAKERS**

## Woofer Ferrite





8 ohm

No. 12602520

LAVOCE WSF102.00 10" Woofer Ferrite Magnet Steel Basket Driver

175 W AES, 8 ohms, 97 dB, 60-4000 Hz



8 ohm

No. 12602521

LAVOCE SSF102.40 10" Subwoofer Ferrite Magnet Steel Basket Driver

250 W AES, 8 ohms, 92 dB, 40-500 Hz



8 ohm

No. 12602522

LAVOCE WAF102.50 10" Woofer Ferrite Magnet Aluminium Basket Driver

250 W AES, 8 ohms, 97 dB, 70-4000 Hz



8 ohm

No. 12602523

LAVOCE WAF102.50A 10" Woofer Ferrite Magnet Aluminium Basket Driver

250 W AES, 8 ohms, 97 dB, 70-4000 Hz



8 ohm

No. 12602524

LAVOCE SSF102.50L 10" Subwoofer Ferrite Magnet Steel Basket Driver

400 W AES, 8 ohms, 90.5 dB, 50-500 Hz



8 ohm

No. 12602525

LAVOCE WSF122.02 12" Woofer Ferrite Magnet Steel Basket Driver

200 W AES, 8 ohms, 97.5 dB, 50-3000 Hz



8 ohm

No. 12602526

LAVOCE WSF122.50 12" Woofer Ferrite Magnet Steel Basket Driver

250 W AES, 8 ohms, 97.5 dB, 50-3000 Hz



8 ohm

No. 12602527

LAVOCE SSF122.50L 12" Subwoofer Ferrite Magnet Steel Basket Driver

400 W AES, 8 ohms, 93 dB, 40-500 Hz



8 ohm

No. 12602528

LAVOCE WAF122.50 12" Woofer Ferrite Magnet Aluminium Basket Driver

350 W AES, 8 ohms, 97 dB, 55-3000 Hz



8 ohm

No. 12602529

LAVOCE WAF123.01 12" Woofer Ferrite Magnet Aluminium Basket Driver

500 W AES, 8 ohms, 99 dB, 60-3000 Hz



8 ohm

No. 12602530

LAVOCE WAF123.00 12" Woofer Ferrite Magnet Aluminium Basket Driver

 $500~W~AES,\,8~ohms,\,99.5~dB,\,50\text{--}2500~Hz$ 



8 ohm

No. 12602531

LAVOCE WSF152.02 15" Woofer Ferrite Magnet Steel Basket Driver

200 W AES, 8 ohms, 98 dB, 45-3000 Hz

### Woofer Ferrite





8 ohm

No. 12602532

LAVOCE WSF152.50 15" Woofer Ferrite Magnet Steel Basket Driver

250 W AES, 8 ohms, 97.5 dB, 45-3000 Hz



8 ohm

No. 12602533

LAVOCE SSF153.00 15" Subwoofer Ferrite Magnet Steel Basket Driver

400 W AES, 8 ohms, 97 dB, 45-2000 Hz



8 ohm

No. 12602534

LAVOCE WAF153.00 15" Woofer Ferrite Magnet Aluminium Basket Driver

500 W AES, 8 ohms, 99 dB, 45-3000 Hz



8 ohm

No. 12602535

LAVOCE WAF154.02 15" Subwoofer Ferrite Magnet Aluminium Basket Driver

800 W AES, 8 ohms, 96 dB, 40-1000 Hz



8 ohm

No. 12602536

LAVOCE WAF154.01 15" Subwoofer Ferrite Magnet Aluminium Basket Driver

1000 W AES, 8 ohms, 97 dB, 40-1000 Hz



8 ohm

No. 12602537

LAVOCE WAF154.00 15" Subwoofer Ferrite Magnet Aluminium Basket Driver

1500 W AES, 8 ohms, 96.5 dB, 40-1000 Hz



8 ohm

No. 12602538

LAVOCE SSF184.00 18" Subwoofer Ferrite Magnet Steel Basket Driver

1000 W AES, 8 ohms, 97 dB, 30-800 Hz



8 ohm

No. 12602539

LAVOCE SAF184.01 18" Subwoofer Ferrite Magnet Aluminium Basket Driver

700 W AES, 8 ohms, 99 dB, 30-1500 Hz



8 ohm

No. 12602540

LAVOCE SAF184.02 18" Subwoofer Ferrite Magnet Aluminium Basket Driver

1200 W AES, 8 ohms, 97 dB, 40-1000 Hz



8 ohm

No. 12602541

LAVOCE SAF184.03 18" Subwoofer Ferrite Magnet Aluminium Basket Driver

1500 W AES, 8 ohms, 96 dB, 30-1000 Hz



8 ohm

No. 12602542

LAVOCE SAF184.04 18" Subwoofer Ferrite Magnet Aluminium Basket Driver

1500 W AES, 8 ohms, 95 dB, 35-1000 Hz



8 ohm

No. 12602543

LAVOCE WSF102.50 10" Woofer Ferrite Magnet Steel Basket Driver

250 W AES, 8 ohms, 97.5 dB, 60-2000 Hz

## **LOUDSPEAKERS**

### Woofer Ferrite





8 ohm

No. 12602544

LAVOCE WSN102.50 10" Woofer Ferrite Magnet Steel Basket Driver

300 W AES, 8 ohms, 96 dB, 75-3000 Hz



8 ohm

No. 12602545

LAVOCE WAF102.51 10" Woofer Ferrite Magnet Aluminium Basket Driver

350 W AES, 8 ohms, 96 dB, 60-4000 Hz



8 ohm

No. 12602546

LAVOCE WAF102.52 10" Woofer Ferrite Magnet Aluminium Basket Driver

350 W AES, 8 ohms, 96 dB, 60-4000 Hz



8 ohm

No. 12602547

LAVOCE WAF123.02 12" Woofer Ferrite Magnet Aluminium Basket Driver

500 W AES, 8 ohms, 99 dB, 45-3000 Hz



8 ohm

No. 12602548

LAVOCE WAF123.03 12" Woofer Ferrite Magnet Aluminium Basket Driver

500 W AES, 8 ohms, 99 dB, 50-3000 Hz



8 ohm

No 12602549

LAVOCE WAF124.01 12" Woofer Ferrite Magnet Aluminium Basket Driver

1000 W AES, 8 ohms, 95 dB, 40-1000 Hz



8 ohm

No. 12602550

LAVOCE WXF15.350 15" Woofer Ferrite Magnet
Aluminium Basket Driver

350 W AES, 8 ohms, 99 dB, 50-3000 Hz



8 ohm

No. 12602551

LAVOCE WXF15.800 15" Woofer Ferrite Magnet Aluminium Basket Driver

800 W AES. 8 ohms. 98 dB. 40-2000 Hz



8 ohm

No. 12602552

LAVOCE SAF184.04 21" Subwoofer Ferrite Magnet Aluminium Basket Driver

2000 W AES, 8 ohms, 97 dB, 30-1000 Hz



8 ohm

No. 12602610

LAVOCE WSN061.52 6.5" Woofer Neodymium Magnet Steel Basket Driver

125 W AES, 8 ohms, 94.5 dB, 90-5000 Hz



8 ohm

No. 12602611

LAVOCE MAN061.80 6.5" Midrange-Woofer Neodymium Magnet Aluminium Basket Driver

150 W AES, 8 ohms, 95.5 dB, 170-6000 Hz



8 ohm

No. 12602612

LAVOCE WAN082.00 8" Woofer Neodymium Magnet Aluminium Basket Driver

200 W AES, 8 ohms, 95.5 dB, 75-3000 Hz

## Woofer Neodymium





8 ohm

No. 12602613

LAVOCE WAN082.50 8" Woofer Neodymium Magnet Aluminium Basket Driver

250 W AES, 8 ohms, 94 dB, 75-2000 Hz



8 ohm

No. 12602614

LAVOCE WSN102.00 10" Woofer Neodymium Magnet Steel Basket Driver

150 W AES, 8 ohms, 96 dB, 60-4000 Hz



8 ohm

No. 12602615

LAVOCE WAN102.50 10" Woofer Neodymium Magnet Aluminium Basket Driver

300 W AES, 8 ohms, 97 dB, 75-4500 Hz



8 ohm

No. 12602616

LAVOCE WAN103.00 10" Woofer Neodymium Magnet Aluminium Basket Driver

450 W AES, 8 ohms, 93 dB, 50-1500 Hz



8 ohm

No. 12602617

LAVOCE WSN122.50 12" Woofer Neodymium Magnet Steel Basket Driver

250 W AES, 8 ohms, 98 dB, 50-3000 Hz



8 ohm

No 12602618

LAVOCE WAN123.00 12" Woofer Neodymium Magnet Aluminium Basket Driver

500 W AES, 8 ohms, 99 dB, 50-3000 Hz



8 ohm

No. 12602619

LAVOCE WSN152.50 15" Woofer Neodymium Magnet Steel Basket Driver

250 W AES. 8 ohms. 97 dB. 45-3000 Hz



8 ohm

No. 12602620

LAVOCE SSN153.00 15" Subwoofer Neodymium Magnet Steel Basket Driver

400 W AES, 8 ohms, 98 dB, 50-3000 Hz



8 ohm

No. 12602621

LAVOCE WAN153.00 15" Woofer Neodymium Magnet Aluminium Basket Driver

500 W AES, 8 ohms, 98.5 dB, 45-3000 Hz



8 ohm

No. 12602622

LAVOCE WAN154.01 15" Woofer Neodymium Magnet Aluminium Basket Driver

1000 W AES, 8 ohms, 98 dB, 40-1000 Hz



8 ohm

No. 12602623

LAVOCE WAN154.02 15" Woofer Neodymium Magnet Aluminium Basket Driver

700 W AES, 8 ohms, 99 dB, 40-3000 Hz



8 ohm

No. 12602624

LAVOCE WAN154.00 15" Subwoofer Neodymium Magnet Aluminium Basket Driver

1500 W AES, 8 ohms, 95.5 dB, 40-1000 Hz

## **LOUDSPEAKERS**

## Woofer Neodymium





8 ohm

No. 12602625

LAVOCE SAN184.02 18" Subwoofer Neodymium Magnet Aluminium Basket Driver

1200 W AES, 8 ohms, 96.5 dB, 40-1000 Hz



8 ohm

No. 12602626

LAVOCE SAN184.03 18" Subwoofer Neodymium Magnet Aluminium Basket Driver

1500 W AES, 8 ohms, 96 dB, 35-1000 Hz



8 ohm

No. 12602627

LAVOCE SAN214.50 21" Subwoofer Neodymium Magnet Aluminium Basket Driver

1700 W AES, 8 ohms, 98.5 dB, 30-1000 Hz



8 ohm

No. 12602628

LAVOCE WSN041.00 4" Woofer Neodymium Magnet Steel Basket Driver

40 W AES, 8 ohms, 92 dB, 100-10000 Hz



8 ohm

No. 12602629

LAVOCE MAN062.00 6.5" Midrange-Woofer Neodymium Magnet Aluminium Basket Driver

250 W AES, 16 ohms, 95 dB, 100-4000 Hz



8 ohm

No. 12602630

LAVOCE WAN102.50LD 10" Woofer Neodymium Magnet Aluminium Basket Driver

300 W AES, 8 ohms, 92 dB, 55-4000 Hz



8 ohm

No. 12602631

LAVOCE WAN103.01 10" Woofer Neodymium Magnet Aluminium Basket Driver

450 W AES. 8 ohms. 98 dB. 70-3500 Hz



8 ohm

No. 12602632

LAVOCE WAN124.01 12" Woofer Neodymium Magnet Aluminium Basket Driver

1000 W AES, 8 ohms, 96 dB, 40-2000 Hz



### 8 ohm

No. 12602710

LAVOCE DF10.10LM 1" Compression Driver Ferrite

15 W AES, 8 ohms, 107 dB, 1500-18000 Hz



8 ohm

No. 12602711

LAVOCE DF10.10L 1" Compression Driver Ferrite

20 W AES, 8 ohms, 107 dB, 1500-18000 Hz



8 ohm

No. 12602712

LAVOCE DF10.14LM 1" Compression Driver Ferrite Magnet

25 W AES, 8 ohms, 106 dB, 1500-20000 Hz



8 ohm

No. 12602713

LAVOCE DF10.14M 1" Compression Driver Ferrite Magnet

25 W AES, 8 ohms, 106 dB, 1500-20000 Hz





8 ohm

No. 12602714

LAVOCE DF10.14 1" Compression Driver Ferrite Magnet

30 W AES, 8 ohms, 106 dB, 1500-20000 Hz



8 ohm

No. 12602715

LAVOCE DF10.17 1" Compression Driver Ferrite Magnet

60 W AES, 8 ohms, 108 dB, 1200-18000 Hz



8 ohm

No. 12602716

LAVOCE DF10.17T 1" Compression Driver Ferrite Magnet

60 W AES, 8 ohms, 106 dB, 1200-18000 Hz



8 ohm

No. 12602717

LAVOCE DF10.17M 1" Compression Driver Ferrite Magnet

55 W AES, 8 ohms, 108 dB, 1200-18000 Hz



8 ohm

No. 12602718

LAVOCE DF10.101LM 1" Compression Driver Ferrite Magnet

15 W AES, 8 ohms, 107 dB, 1500-18000 Hz



8 ohm

No. 12602719

LAVOCE DF10.101L 1" Compression Driver Ferrite

20 W AES, 8 ohms, 107 dB, 1500-18000 Hz



8 ohm

No. 12602720

LAVOCE DF10.142LK 1" Compression Driver Ferrite Magnet

30 W AES, 8 ohms, 106 dB, 1500-20000 Hz



8 ohm

No. 12602721

LAVOCE DF10.17LM 1" Compression Driver Ferrite Magnet

55 W AES, 8 ohms, 108 dB, 1200-18000 Hz



8 ohm

No. 12602722

LAVOCE DF14.30T 1,4" Compression Driver Ferrite

110 W AES, 8 ohms, 107.5 dB, 500-18000 Hz



8 ohm

No. 12602723

LAVOCE DF20.30T 2" Compression Driver Ferrite Magnet

110 W AES, 8 ohms, 107.5 dB, 500-18000 Hz



8 ohm

No. 12602810

LAVOCE DN10.14M 1" Compression Driver Neodymium Magnet

25 W AES, 8 ohms, 107 dB, 1500-20000 Hz



8 ohm

No. 12602811

LAVOCE DN10.14 1" Compression Driver Neodymium Magnet

30 W AES, 8 ohms, 107 dB, 1500-20000 Hz

### **Driver Neodymium**





8 ohm

No. 12602812

LAVOCE DN10.140 1" Compression Driver Neodymium Magnet

30 W AES, 8 ohms, 109 dB, 1500-20000 Hz



8 ohm

No. 12602813

LAVOCE DN10.17 1" Compression Driver Neodymium Magnet

55 W AES, 8 ohms, 110 dB, 1200-18000 Hz



8 ohm

No. 12602814

LAVOCE DN10.17M 1" Compression Driver Neodymium Magnet

50 W AES, 8 ohms, 110 dB, 1200-18000 Hz



8 ohm

No. 12602815

LAVOCE DN10.17T 1" Compression Driver Neodymium Magnet

55 W AES, 8 ohms, 107 dB, 1200-18000 Hz



8 ohm

No. 12602816

LAVOCE DN14.25T 1.4" Compression Driver Neodymium Magnet

80 W AES, 8 ohms, 108 dB, 1000-18000 Hz



8 ohm

No. 12602817

LAVOCE DN14.30T 1.4" Compression Driver Neodymium

110 W AES, 8 ohms, 108 dB, 500-18000 Hz



8 ohm

No. 12602818

LAVOCE DN07.10LM 0,7" Compression Driver **Neodymium Magnet** 

10 W AES, 8 ohms, 109 dB, 1500-18000 Hz



8 ohm

No. 12602910

LAVOCE FSF020.50 2" Fullrange Ferrite Magnet Steel **Basket Driver** 

10 W AES, 8 ohms, 84.5 dB, 200-20000 Hz



8 ohm

No. 12602911

LAVOCE FSN020.71 2" Fullrange Neodymium Magnet Steel Basket Driver

15 W AES, 8 ohms, 87 dB, 200-20000 Hz



8 ohm

No. 12602912

LAVOCE FSN020.71F 2" Fullrange Neodymium Magnet Steel Basket Driver

15 W AES, 8 ohms, 87 dB, 200-20000 Hz



8 ohm

No. 12602913

LAVOCE FSN020.72 2" Fullrange Neodymium Magnet Steel Basket Driver

15 W AES, 8 ohms, 85 dB, 200-20000 Hz



8 ohm

No. 12602914

LAVOCE FSN021.00 2" Fullrange Neodymium Magnet Steel Basket Driver

20 W AES, 8 ohms, 88 dB, 200-20000 Hz

### Fullrange Driver





8 ohm

No 12602915

LAVOCE FSF030.70 3" Fullrange Ferrite Magnet Steel **Basket Driver** 

30 W AES, 8 ohms, 87.5 dB, 120-21000 Hz



8 ohm

No. 12602916

LAVOCE FSN030.71 3" Fullrange Neodymium Magnet Steel Basket Driver

30 W AES, 8 ohms, 89 dB, 120-21000 Hz



8 ohm

No. 12602917

LAVOCE FSN030.72 3" Fullrange Neodymium Magnet Steel Basket Driver

30 W AES, 8 ohms, 91 dB, 130-20000 Hz



8 ohm

No. 12602918

LAVOCE FAN030.71 3" Fullrange Neodymium Magnet Aluminium Basket Driver

30 W AES, 8 ohms, 89.5 dB, 120-21000 Hz



8 ohm

No 12602919

LAVOCE FSF041.00 4" Fullrange Ferrite Magnet Steel **Basket Driver** 

40 W AES, 8 ohms, 88 dB, 100-18000 Hz



8 ohm

No 12602920

LAVOCE FSN041.00 4" Fullrange Neodymium Magnet Steel Basket Driver

40 W AES, 8 ohms, 91 dB, 110-20000 Hz



8 ohm

No. 12603012

LAVOCE CSF051.21 5" Coaxial Ferrite-Neodymium Magnet Steel Basket Driver

50 W AES, 8 ohms, 92 dB, 100-22000 Hz



8 ohm

No. 12603013

LAVOCE CSF061.21 6.5" Coaxial Ferrite-Neodymium Magnet Steel Basket Driver

50 W AES, 8 ohms, 92.5 dB, 80-22000 Hz



8 ohm

No. 12603110

LAVOCE TN100.70 1" Soft Dome Tweeter Neodymium

7.5 W AES, 8 ohms, 90 dB, 1500-30000 Hz



8 ohm

No. 12603111

LAVOCE TN131.00 1.3" Soft Dome Tweeter Neodymium

15 W AES, 8 ohms, 92 dB, 1250-30000 Hz



8 ohm

No. 12603210

LAVOCE FBASS10-18 10" Bass Guitar Woofer Ferrite Magnet Steel Basket Driver

150 W AES, 8 ohms, 96 dB, 55-5200 Hz



8 ohm

No. 12603211

LAVOCE NBASS10-20 10" Bass Guitar Woofer Neodymium Magnet Steel Basket Driver

150 W AES, 8 ohms, 96 dB, 50-5000 Hz

### **Fullrange Driver**





8 ohm

No. 12603212

LAVOCE LBASS12-15 12" Bass Guitar Woofer Ferrite Magnet Steel Basket Driver

100 W AES, 8 ohms, 96 dB, 40-4000 Hz



8 ohm

No. 12603213

LAVOCE FBASS12-20 12" Bass Guitar Woofer Ferrite Magnet Steel Basket Driver

200 W AES, 8 ohms, 97 dB, 50-3000 Hz



8 ohm

No. 12603214

LAVOCE NBASS12-30 12" Bass Guitar Woofer Neodymium Magnet Steel Basket Driver

400 W AES, 8 ohms, 98 dB, 50-3000 Hz



8 ohm

No. 12603215

LAVOCE LBASS15-15 15" Bass Guitar Woofer Ferrite Magnet Steel Basket Driver

100 W AES, 8 ohms, 97 dB, 35-3000 Hz



8 ohm

No. 12603216

LAVOCE FBASS15-20 15" Bass Guitar Woofer Ferrite Magnet Steel Basket Driver

200 W AES, 8 ohms, 98 dB, 40-4000 Hz



8 ohm

No. 12603217

LAVOCE NBASS15-30 15" Bass Guitar Woofer Neodymium Magnet Steel Basket Driver

400 W AES, 8 ohms, 98 dB, 40-4000 Hz



8 ohm

No. 12603218

LAVOCE FBASS08-18 8" Bass Guitar Woofer Ferrite Magnet Steel Basket Driver

150 W AES, 8 ohms, 93 dB, 50-5000 Hz



8 ohm

No. 12603219

LAVOCE NBASS08-20 8" Bass Guitar Woofer Neodymium Magnet Steel Basket Driver

200 W AES, 8 ohms, 92 dB, 55-4000 Hz



8 ohm

No. 12603310

LAVOCE WSF121.70G 12" Guitar Woofer Ferrite Magnet Steel Basket Driver

100 W AES, 8 ohms, 99 dB, 70-5000 Hz




No. 11300040

OMNITRONIC AP-110 Piezo



No. 11300050

OMNITRONIC AP-210 Piezo horn






**CELTO Acoustique** introduces the **CCA10**, next generation of ultra compact 10" coaxial array speaker that offers the same performance of industry standard dual 8" but 60% smaller and 40% lighter!!!

From 100 to 20,000 persons audience, CCA10 is the perfect solution that combines portability, pristine sound quality and unmatched SPL to size ratio.





### Beamer support






No.	80901125	4:3. 200 x 150 cm	
	80901127		
No.	80901130	16:9, 200 x112.5 cm	
Nο	80901132	16.9 300 x 168 cm	

#### **EUROLITE Projection Screen**

Pull-down screen with spring-roller



No. 80901135	4:3, 240 x 180 cm
No. 80901138	4:3, 300 x 220 cm
No. 80901140	4:3, 360 x 270 cm
No. 80901160	16:9 240 x 135 cm
No. 80901163	16:9 300 x 168 cm
No. 80901167	16:9 360 x 200 cm
No. 80901405	switch for projection screens

#### **EUROLITE Motor Projection Screen**

Screen with motor



CONTROL	
No. 80901175	IR 4:3, 240 x 180 cm
No. 80901177	IR 4:3, 300 x 220 cm
No. 80901179	IR 4:3, 360 x 270 cm
No. 80901185	
No. 80901187	IR 16:9, 300 x 168 cm
No. 80901189	IR 16:9, 360 x 200 cm

#### **EUROLITE Motor Proj.Screen IR**

Screen with motor and remote-control



No. 80901195

EUROLITE Remote control motor projection screen (remote plus receiver)

IR remote control for motor projection screens



No. 3022803C

REMOTE

SOMMER CABLE HDMI cable 1.5m Ergonomic

Sommer Cable HIE-HDHD0150 multimedia cable



RJ45

No. 80503130

**EUROLITE PCI sending card and software** 

Network control system LED Studio for LED displays



No. 3022803G

SOMMER CABLE HDMI cable 5m Ergonomic

Sommer Cable HIE-HDHD0500 multimedia cable



No. 3022803E

SOMMER CABLE HDMI cable 3m Ergonomic

Sommer Cable HIE-HDHD0300 multimedia cable



No. 81012528

**OMNITRONIC BST-1 Beamer Stand** 

Compact steel stand, height adjustable 85-145 cm



No. 81012529

OMNITRONIC BST-1K Beamer Stand

Compact steel stand, height adjustable 80-135 cm



No. 81012530

**OMNITRONIC BST-2 Projector Stand** 

Compact steel stand, height adjustable 90-130 cm



# **LIGHT**

Moving Heads	110
Scanners	122
LED Lighting Effects	123
Hybrid Lasers	126
LED Lighting Effects	128
Party Room	130
PAR Spots	133
Party Spots	135
Slimline Spots	136
Multilens Spots	140
Mobile Light	142
Floodlights	147
LED Bars	148
Pinspots	156
PAR Spots	158
ML Spots	163
Color Foils	164

Audience Blinders	166
Surface Light	168
Theater Spots	170
Profile Spots	176
Search Lights	178
LED Strobes	180
Strobes	183
UV Effects	184
Umbrella	187
Effect Devices	188
Laser	194
Battery-powered Spots	196
Floodlights	200
PAR Spots	204
Floodlights	207
Moving Messages	208





FROST MOTOR, ZOOM

MOTOR, FOCUS

IRIS



output.









No. 51841975

#### FUTURELIGHT DMH-200 LED Moving Head

PRO beam/wash Moving Head with 200 W COB LED and large zoom

With optional upgrade WIRELESS SOLUTION MADE IN SWEDEN



no discharge lamp is used, but a 200 watt LED. This can easily replace MSR lamps with 1200 watts of power. Even modern discharge lamps like the Platinum 15R or the Sirius HRI 280 are not inferior in light

Outstanding is the huge zoom range. With the DMH 200, you can adjust the beam angle from narrow 7.5 degrees to a very wide 40°. From the narrow beam in fog, a huge projection on a screen can be seen in a fraction of a second. In addition, the spotlight has a stepless frost filter, which you can also use as a washlight. Despite the filter, the soft light is still bright and assertive.

You can access a total of 14 images that are on 2 gobo wheels. There are 7 rotating gobos on the first wheel and they are interchangeable. Replacing these gobos is quite easy, thanks to a slot system. You do not ecen need special tools.

The choice of gobos is such, that you have interesting images for both projections and beam shows at your disposal. By the way, if two gobos lie on top of each other, you can use the motor focus to create perfect morphing. The one gobo is thus like in a cross-fade into the other gobo. With the rotating 3-facet prism you can triple the images and create an additional dynamic. Colors are provided by 8 dichroic color filters.














# Color mixing with three color wheels

The LED used is cold white. You bring colors into play with the CMY module: This consists of three large color wheels, each of which steplessly displays one of the three primary colors cyan (turquoise), magenta (pink) and yellow. Each of these three colors can be added to the color mixture in any intensity. In this way you create completely different colors than with RGB-based color mixing. At the same time, you are not bound to the given, limited colours of a conventional color wheel. Intense shades such as blue or dark red can be produced in particular.





No. 51841980

#### FUTURELIGHT DMH-300 CMY Moving Head

PRO beam/wash Moving Head with 270 W COB LED, large zoom and CMY color mixing



size, it is more than remarkable.

The gobo wheel offers you 7 different images that you can easily exchange for individual representations. A especially beautiful effect is the 16- facet prism, which multiplies the image and creates additional movement through its rotation.

8 dichroic color filters you create colored accents. The DMH-80 is your ideal solution for clubs and venues that need smaller devices but do not want to forego professionalism.

MOTOR. FOCUS



OPTIONAL WDMX











No. 51841841

#### **FUTURELIGHT DMH-80 LED Spot**


PRO Moving Head with 75 W LED and unique 16-facet prism













# EYEs wide open

The biggest EYE, for the really big stages. After the successes with the Eye 7 and Eye 19, Futurelight presents you the EYE-37. With this zoom wash and its 37 x 10 watts LED by Osram you get a powerful companion for the big shows.

Great colors, great zoom The big EYE's color mixture is extraordinarily good. It is based on special RGBW LED units

that mix perfectly congruent and evenly.

Outstanding in the entire EYE series is the huge zoom range from 6 ° to 60°. Additionally, if desired, you can control the pixels individually or ready-made patterns and can access animations via macros. Absolutely worth mentioning is the volume of the entire Eye series. It is simply imperceptible. The spotlights have a fan, but it runs so clean and slowly that it can not be heard even in an absolutely quiet room.

# Future light















No. 51841314

FUTURELIGHT EYE-37 RGBW Zoom LED Moving Head Wash

PRO washlight with RGBW color mixing, and very large zoom range and Art-Net












FROST



The PLB-280 is the fairy godmother among moving heads, as it makes three wishes come true: It's a spot, beam and washlight at the same time. The moving head is equipped with a 280 W strong Osram Sirius discharge lamp and convinces with its powerful performance and of course with its flexibility.

In beam mode, it demonstrates an extremely narrow beam angle of 2°, which can be increased to 10° with the motorized focus. The built-in 8-fold prism multiplies the sharp image and arranges it in a circle, while the 6-fold prism creates a linear image. 14 gobos and 13 colors on the color wheel add more creative possibilities.

Using the moving head as spot, the zoom makes it possible to adjust the beam angle between 5.5° and 23°. In addition to the functions mentioned above, a gobo wheel with 9 rotating gobos can now be used. Gobos can be changed easily and quickly.

Even the desire for a powerful washlight is completely fulfilled by the PLB-280: Via DMX command, the frost filter is moved in front of the discharge lamp. Noteworthy is the fact, that the filter does not absorb as much light as you've seen in other spots. The power of the discharge lamp is large enough to produce a very bright and convincing wash effect. Of course, using the zoom is possible here, too.

Despite the various possibilities this spot offers, the single modes are controllable with only 14 to 23 DMX channels. All told, the PLB-280 is a perfect allin-one package with powerful performance.






MOTOR, FOCUS

PRO spot, beam and washlight Moving Head with 280 W discharge lamp

FUTURELIGHT PLB-280 Moving Head Spot/Beam



MOTOR, ZOOM











No. 51841972

FUTURELIGHT DMH-160 MK2 LED Moving Head

PRO Moving Head with a 150 W COB LED and extensive features



MOTOR. FOCUS

wheel











EUROLITE LED TMH-60 MK2 Moving Head Spot COB

Bright spot with 60 W LED, 2 gobo wheels, color wheel and prism







No. 51786065

**EUROLITE LED TMH-17 Moving Head Spot** 

Handy-size spotlight with 30 W LED, gobos and color wheel



MOTOR, FOCUS









No. 51785992

EUROLITE LED TMH-X12 Moving-Head Spot

Bright spot with 120 W LED, rotating gobos, color wheel and prism



MOTOR, ZOOM

MOTOR, FOCUS

IRIS



No. 51785987

**EUROLITE LED TMH-X20 Moving Head Spot** 

Bright spot with 200 W LED, zoom, gobo wheels, color wheel, 2 prisms

# eurolite

### Moving Heads

# Future light











No 51785897

#### EUROLITE LED TMH-51 Hypno Moving-Head Beam

Mini-Beam with 60 W COB LED, RGBW color mixing and hypno ring in 4 segments





No 51785954

#### EUROLITE LED TMH FE-300 Beam/Flower Effect

Handy RGBW Moving Head flower with rotating lens and 12 W LEDs









#### EUROLITE LED TMH FE-600 Beam/Flower Effect

RGBW Moving Head flower with large zoom range and 6 x 12 W LEDs









#### EUROLITE LED TMH FE-1800 Beam/Flower Effect

RGBW Moving Flower with large zoom range and 18 x12 W LEDs











No. 51785988

#### **EUROLITE LED TMH-X1 Moving Head Beam**

60 W beam, compact, narrow angle, beautiful RGBW colors







RGBW



No. 51785989

#### **EUROLITE LED TMH-X3 Moving Head Beam**

60 W beam, compact, RGBW color mixing, large zoom, 8-facet prism















No. 51785905

#### EUROLITE LED TMH-X Bar 5 Moving-Head Beam

Narrow angle LED Moving Bar with 5 RGBW LEDs (15 W each) and unlimited TILT













#### EUROLITE LED TMH-X10 Moving-Head Beam

Beam spot with 150 W LED, color wheel, gobos and rotating 8-facet prism






MOTOR, FOCUS







PRO beam Moving Head with 150 W COB LED and many features



FROST













#### EUROLITE TMH XB-130 Moving-Head-Beam

Bright, extremely narrow beam with Osram Sirius HRI 132 W lamp

eurolite® **LIGHT EFFECTS** Moving Heads



# **TMH-75**

With the TMH 75 you get two spots in one. It is not only a very good spotlight with a decorative LED ring. The LED ring itself is so bright that it is also a full-fledged wash light.

Within the ring nine 8-watt LEDs are used. These are based on the colors red, green, blue, white, amber and UV and leave nothing for you to be desired. In the middle of the LED ring is a lens, behind which a 75 watt white LED ensures a powerful performance.

The hybrid is equipped with a gobo wheel composed of 6 rotating images, 7 dichroic filters on a color wheel and a rotating 3- facet prism. With the motorized focus you can always set the desired sharpness. Take a real close look at this fully-fledged at a low price - it's worth it.





EUROLITE LED TMH-75 Hybrid Moving-Head Spot/ Wash COB

Bright spotlight and full-fledged washlight with 75 W LED



# **TMH-X7/TMH-X19**

7 colors in one single LED - including lemon and UV. The two moving head X7 and X19 are the first ones with this unique color mixture. The combination guarantees stunning light effects. A zoom, highquality components and other useful features are also included.





### Lemon and the wow factor

The very special feature: lemon. This color, a flamboyant yellow merging a bit with green, is not a monochromatic color, but very broadband. In a mixture with the broadband white and the other colors, you can not only produce particularly vibrant yellows and oranges. The whiteness meets even the most demanding requirements of professionals. So you get a warm white with a CRI of over 90. Ideal as a front light or for application in theaters.

### 7 colors

Precise colours can be achieved by using a mixture of the LEDs: red, green, blue, amber, white, lemon and UV. UV gives the colour spectrum its final touch, making fluorescent materials glow and producing unique, almost sparkling light effects by specialist blending.





MOTOR. ZOOM







No. 51785900

EUROLITE LED TMH-X7 Moving-Head Wash Zoom

Compact washlight, 7 intense 25 W LEDs (7in1), unique color mixing



MOTOR. ZOOM











CRI>90 No. 51785903

EUROLITE LED TMH-X19 Moving-Head Wash Zoom

Washlight with 19 intense 25 W LEDs (7in1) and unique color mixing



Future light














RDM

No. 51841802

#### FUTURELIGHT DMB-50 LED Moving-Head


PRO beam Moving Head with a 50 W LED and very good RGB color mixing





not common and makes this beam something

extraordinary.







eurolite<sup>®</sup> Moving Heads LIGHT EFFECTS





# Powerful beam

With the TMH-X18, you get a beamlight with an extremely narrow beam angle of only 1°. Thanks to its white 150 W COB LED, the compact moving head produces a sharply defined light beam that is also very effective on larger stages.





# Versatile possibilities

Multiply the sharp image with the 8-fold rotating prism or use the gobo wheel with 13 static gobos (plus open). The colour wheel with 13 dichroic colour filters, the frost filter and strobe effect provide additional options for your light design.

# **Excellent value for money**

Ultimately, this beam moving head scores with its excellent mix of high-quality components, strong light output and fair price. It is particularly suitable for medium-sized stages, clubs and discotheques that want to get the most out of their financial possibilities.



No. 51785908

#### EUROLITE LED TMH-X18 Moving-Head Beam

Beam spot with 1° beam angle, 150 W LED, color wheel, gobos and rotating prism

eurolite® **LIGHT EFFECTS** Moving Heads















**EUROLITE LED TMH-41 Hypno Moving Head Spot** 


Narrow angled spotlight with 3 hypno rings, 30 W LED, gobo and color wheel



# HYPNOtize me.

Let the Hypnos cast a spell over yourself and your audience. Benefit from the unique arrangement of LED rings around the primary light source - become a hypnotist!

Control the rings individually or via automatic programs. You have many possibilities to use the different LEDs. But, despite your enthusiasm, do not forget the powerful main illuminants. They are true eye-catchers themselves - just like the rings!







RDM







OPTIONAL WDMX

No. 51841308

FUTURELIGHT EYE-7 RGBW Zoom LED Moving Head Wash

PRO washlight, compact with RGBW color mixing and very large zoom range





RGBCAL (C)

RDM








No. 51841313

FUTURELIGHT EYE-19 HCL Zoom LED Moving Head

PRO washlight with RGBCAL color mixing and very large zoom range











EUROLITE LED TMH-46 Moving-Head Wash

Compact Moving Washlight with 6in1 LEDs





No. 51785973

EUROLITE LED TMH-7 Moving Head Wash

Compact washlight with 3 W tricolor LEDs and RGB color mixing









No. 51785977

EUROLITE LED TMH-14 Moving Head Zoom Wash

Compact washlight with 12 W RGBW LEDs and large zoom range



MOTOR. ZOOM







No. 51785978

**EUROLITE LED TMH-16 Moving Head Zoom Wash** 

Compact washlight with 10 W RGBW LEDs and large zoom range



MOTOR. ZOOM







No. 51785990

**EUROLITE LED TMH-X5 Moving Head Wash Zoom** 

Washlight with 12 W COB LEDs, RGBW color mixing and large zoom range



RGBW (0) (3°





No. 51785991

**EUROLITE LED TMH-X25 Moving Head** 

5x5 Matrix Panel, bright 12 W RGBW LEDs, narrow beam angle



MOTOR, ZOOM







No. 51785910

EUROLITE LED TMH-X25 Zoom Moving-Head

5x5 Matrix Panel, bright 12 W RGBW LEDs, large zoom

#### eurolite<sup>®</sup> **LIGHT EFFECTS** Scanners















No. 51786119

**EUROLITE LED TSL-150 Scan COB** 

Handy scanner with 30 W LED, gobo and color wheel











No. 51786123

**EUROLITE LED TSL-200 Scan COB** 

Scanner with 20 W COB LED, rotating gobos and color wheel



MOTOR, FOCUS











No. 51786190

### **EUROLITE LED TSL-1200 Scan**

Scanner with 120 W LED, gobos, rotating prism, color wheel, motorized focus













No. 51918682

#### EUROLITE LED MFE-20 Hybrid Beam Effect

Flower scanner with colorful beams in RGBW + 6 cold white strobe LEDs













No. 51786101

### **EUROLITE LED TBL-10 Barrel Effect**

Very compact mirror effect with 10 W LED in RGBW















No. 51786105

### **EUROLITE LED TBL-60 Barrel Effect**

Very compact mirror effect with 60 W COB LED in RGBW

### LED Lighting Effects

# eurolite®







No. 51918671

#### **EUROLITE LED SCY-5 Hybrid Beam Effect**

2in1 LED effect light with RGB+UV LEDs, dynamic color effects and stroboscope





No. 51918672

#### **EUROLITE LED SCY-50 Hybrid Beam Effect**

2in1 LED effect light with RGBAW+UV LEDs, dynamic color effects and stroboscope





No. 51918225

#### **EUROLITE LED Light Liner**

LED beam effect with RGB color mixing and stroboscope





No. 51918320

#### **EUROLITE LED BR-60 Beam Effect**

Beam effect with rotating mirror and 60 W COB LED (RGBW)





#### EUROLITE LED MSB-8i Bar

Moving Bar, with narrow beams & 4 lenses on the front & 4 on the backside





No. 51812596

#### **EUROLITE LED S-20 Laser simulator**

Laser effect simulator with 20 W LED, directs beam via mirror, with DMX





STROBE

No. 51918198 **EUROLITE LED Mini D-6 Hybrid Beam Effect** 

RGB

CW

Handy effect with derby and strobe in one device






No. 51918201

**EUROLITE LED Mini D-5 Beam Effect** 

Mini beam effect with LEDs in R, G, B, and W

### LED Lighting Effects

# eurolite®







No. 51918202

EUROLITE LED Mini D-20 Hybrid Beam Effect

Handy effect with derby, strobe and DMX





**EUROLITE LED D-30 Hybrid Beam Effect** 

Lighting effect with Derby (RGBAWP), strobe (white SMD LEDs) and DMX





No. 51918210

**EUROLITE LED D-400 Beam Effect** 

Derby with LEDs in R, G, B, A and W and with DMX





No. 51918317

**EUROLITE LED D-2000 Beam Effect** 

Extremely bright Derby with 5 x 10 W RGBAW LED





No. 51918221

**EUROLITE LED Z-1000 Beam Effect** 

Mushroom with DMX and beams in the colors R, G, B, A, W and P





No. 51918524

**EUROLITE LED Z-20 Beam Effect** 

Compact beam effect with beams in 6 colors (RGBAW+UV)





Color intensive beam-effect with hexacolor LEDs (6in1) RGBAW+UV





No. 51918666

**EUROLITE LED SDR-8 Beam Effect** 

RGBW Beam Effect with 2 separately tiltable bars and 8 beams





No. 51918676

**EUROLITE LED SCY-400 Beam Effect** 

RGBAW beam effect with remote control and DMX





No. 51918683

EUROLITE LED PUS-7 Beam Effect

RGBW beam effect with broad beams and IR remote control

### LED Lighting Effects

# eurolite®









No. 51918806

**EUROLITE LED BC-6 Beam Effect** 

Compact mirror ball effect with a radiating plexiglas dome



DMX STAND RGBWA

No. 51918807

EUROLITE LED BC-7 Beam effect with DOT-Effect

Compact mirror ball effect with a radiating plexiglas dome (matt) and DMX





RGBWA/UV

No. 51918951

EUROLITE LED B-40 HCL Beam Effect

LED beam effect with RGBAW+UV color mixing



Lighting effects with built-in show lasers are becoming increasingly popular. Therefore, Eurolite offers a whole series of such effects. What makes Eurolite devices so special, is that the laser class is 2M (except LED FE-6). They do not have to be registered and also no laser safety specialist must be present during operation. Ideal for mobile use and applicable by everyone.

# **LED Triple FX Laser Box**

The LED Triple FX Laser Box provides you with three powerful lighting effects in one box. The first is a Derby which creates a multitude of light rays in red, green, blue and white, which dance around in the room. Additionally, there are 105 LEDs with RGB color mixing arranged in a circle. These you can use as colored atmospheric lighting and stroboscope. The third effect is a laser that creates red and green laser animations on walls and ceilings with various shapes and movements.







# **LED Laser Slim FX Spot**

This compact and flat spotlight not only houses 6 bright LEDs with RGBW color mixing. Inside, there is a ring of 12 cold white, extremely bright LEDs. You can control them in three groups and use them as a blinder and stroboscope. Right in the center is a show laser that lets red and green dots dance around in the room.

# LED Mini FE-5 Laser Goboflower

In this compact housing you will discover 3 different lighting effects. The first consists of five 1 watt LEDs in the colors red, green, blue, amber and white, which create a nice atmosphere. The colorful gobos form effect 2. These patterns, which supply light rays and projections in different colors, then provide the dynamics. The third effect is a laser that produces red and green laser spots and lets them dance.



#### **LUMINAIRES Hybrid Lasers**

# eurolite<sup>®</sup>







No. 51741071

#### EUROLITE LED Mini FE-4 Hybrid Laser Flower

Party light effect with laser (cl 2M), mirror ball, strobe and wash effects





**EUROLITE LED Penta FX Hybrid Laser Effect** 

Spotlight with 5 effects: flower, wash, UV, 2 lasers (2M),





No. 51741074

#### **EUROLITE LED Laser Slim FX Spot**

Flat PAR spot with additional RG laser (2M) and stroboscope





No. 51741075

#### **EUROLITE LED Multi FX Laser Bar**

Lighting effect with RGBAW LED matrix, UV, RG laser (2M) and stroboscope





No. 51741076

#### EUROLITE LED Mini FE-5 Laser Goboflower

Small party light effect with LED flower, RG laser (2M) and stroboscope





No. 51741077

### **EUROLITE LED Triple FX Laser Box**

3in1 lighting effect with derby, RG laser (2M) and stroboscope





No. 51741083

#### **EUROLITE LED FE-1750 Hybrid Laserflower**

4in1 LED effect light with derby, washlight, laser (2M) and stroboscope





### EUROLITE LED FE-2500 Hypno Hybrid Laser Effect

3in1 LED effect light with RGB+UV washlight, 3 hypno rings and laser (2M)





No. 51741086

#### **EUROLITE LED Laser Derby**

Lighting effect with derby and showlaser (laser class 2M)





No. 51741087

#### **EUROLITE LED B-40 Laser Beam Effect**

LED beam effect with RGBW color mixing and RG laser

### **LED Lighting Effects**

# eurolite<sup>®</sup>





No 51918330

#### **EUROLITE LED Gobo Derby Hybrid**

Lighting effect with rotating gobos, UV LEDs, white strobe LEDs and DMX





No. 51918574

#### EUROLITE LED QDF-Bar RGBAW Light Set

Spotlight bar with 4 LED heads, LEDs in RGBAW and DMX





No. 51918590

#### **EUROLITE LED Flash Flower**

Powerful effect with 3 rotating prisms and integrated





#### **EUROLITE LED FE-700 Flower Effect**

RGBAWP lighting effect with DMX and IR remote control





No. 51918561

#### **EUROLITE LED DMF-2 Hybrid Flower Effect**

Double flower effect with matrix projections and 2 strobe effects





No 51918698

#### **EUROLITE LED H20 TCL Water Effect**

Compact water effect with RGB color mixing and IR remote control





#### **EUROLITE LED H2O Water Effect**

Compact water effect with RGB color mixing





No. 51918701

#### EUROLITE LED H2O Water Effect IR

Compact water effect with RGB color mixing and infrared remote-control





Projection effect for water reflections, RGBW color mixing, DMX





No. 51799331

#### **EUROLITE LED IP LP-7 Logo Projector**

Weatherproof (IP54), simple logo projector with 6 patterns





Logo projector with 3 W LED






LED gobo projector with 20 W LED, QuickDMX, strobe, dimmer and gobo rotation



#### **PARTY ROOM** Party Room









EUROLITE LightBeat 1 Bluetooth Speaker with Laser **Effect** 

Portable Bluetooth speaker with laser effect + blue mood lighting

Small light effects attached to speaker systems are not sensationally new. But a Bluetooth speaker with an integrated laser and a light blue, blurred mini water effect surely is something extraordinary. This small effect with its 5 watts speaker and its 4 hours of battery operation time is perfectly suited for nurseries, barbecue parties and recreation rooms. The laser is free from registration, of course, and be used by everybody.



WITHOUT FAN



No. 42110210

**EUROLITE LED PK-3 TCL Spot** 

Small spot with 6 LEDs and RGB color change



LASER 2M

IP65

No. 51741116

EUROLITE LAS-17 IP Solar Garden Laser Dot RG

Weatherproof garden laser (red/green), ground stake, stand + wall bracket





No. 51799307

EUROLITE LED LP-4 Party Logo Projector

Simple logo projector with 4 LEDs (RGBW) and 4 party motifs





No. 51812262

**EUROLITE LED MDB-12 Mini Double Ball** 

Simple light effect with rotation around 2 axis with RGB colors









No. 51918531

**EUROLITE LED FE-19 Flower Effect** 

Simple flower effect with matrix projections













No. 51918533

**EUROLITE LED CPE-4 Flower Effect** 

RGBA lighting bar with 3 W LEDs

### **PARTY ROOM**

### Party Room

# eurolite®









**EUROLITE LED FE-41 Flower Effect** 

Simple flower effect with 41 LEDs in red, green and blue





No. 51918539

**EUROLITE LED FE-13 Battery-Powered Flower Effect** 

Mini flower (RGB) with battery operation





No. 51918801

OMNILUX LED BC-1 E-27 Beam Effect RGB

Disco effect luminary





No. 51918802

**EUROLITE LED BC-2 Beam Effect** 

Compact mirror ball effect with a radiating plexiglas dome





No. 51918803

**EUROLITE LED BC-3 Beam Effect** 

Extremely compact mirror ball effect with a radiating plexiglas dome





No. 51918804

**EUROLITE LED BCW-4 Beam Effect** 

Compact mirror ball effect with a radiating plexiglas dome and LED ring









No. 51918808

**EUROLITE LED BC-8 Beam Effect MP3** 

Compact mirror ball effect with integrated speaker and MP3 player





No. 51918989

**EUROLITE LED BC-4 Beam Effect** 

Compact mirror ball effect (RGBW+orange+violet) with radiating plexiglas dome



STAND ALONE

No. 51919250.. ...Nice Flower No. 51919252.. .. Kucky Star

OMNILUX LED GM-10 E-27

LED effect lamp colorfully illuminates the housing







vellow	No. 50603020
	No. 50603025
blue	No. 50603027
areer	No. 50603030

#### **EUROLITE Police Light DE-1**

Classic warning beacon inclusive 230 V/18 W lamp



red	No. 50603026
blue	No. 50603028
green	No. 50603031
yellow	No. 50603021
	FUDOLITE LED D

#### **EUROLITE LED Police Light DE-1**

Classic decorative effect with LED lamp





#### **EUROLITE LED Buzzer Police Light**

LED warning beacon, activates with a push on the plastic





#### **EUROLITE LED Mini Police Beacon USB/Battery**

Mini LED rotating beacon for 3 x AA 1.5 V battery or USB



STAND ALONE			
No. 51931 No. 51931	,	 	 

#### **EUROLITE LED Police Light 108 LEDs Classic**

LED police beacon with 108 LEDs



blue	lo. 50603510	N
red	lo. 50603512	N
orange	lo. 50603514	N
green	lo. 50603516	N

#### EUROLITE Police Beacon STA-1221 12V/21W

Warning beacon with magnetic holder and cable for the cigarette lighter



No. 50603520

EUROLITE Police Beacon COL-1221 blue 12V/21W

Warning beacon with magnetic holder and cable for the cigarette lighter



No. 50603600

**EUROLITE Strobe Police Beacon Round blue 12V** 

Flashing blue light with connection cable for the cigarette lighter



No. 50603630

EUROLITE LED Police Light PRO 12V amber High Power

Luminaire in orange with different programs



No.	51100640	Triangle
No.	51100650	Hexopus

### **EUROLITE Triangle Base black**

Design base with E-27 socket



30,5 cm STAND ALONE

No. 80600120

**EUROLITE Plasma Disc 30cm blue** 

Plasma-Disc



TAND	<b>■&gt;&gt;</b>	

No. 80600102. ..ball 20 cm No. 80600112.. ..tube 40 cm

**EUROLITE Plasma sound** 

Extraordinary effect light

#### eurolite® **LUMINAIRES PAR Spots**







#### **EUROLITE LED PAR-30 COB RGB 30W**

PAR Spot with 30 W COB LED (RGB) & adjustable beam angle (15%28°)





#### **EUROLITE LED PAR-56 COB RGB 25W**

PAR Spot with 25 W COB LED (RGB) & adjustable beam angle (60%20°)

black





No. 41607220

#### EUROLITE LED PAR-56 COB RGB 100W bk


PAR spot with 100 W COB LED and RGB color mixing





PAR-56 Spot with 9 x 8 W 4in1 LED and RGBW color mixing





PAR-56 Spot with 9 x 10 W 6in1 LED and RGBAW+UV













### **EUROLITE LED PAR-64 HCL Hypno floor**

PAR spot with 7 x 12 W 6in1 LED (RGBAW&UV) and 3 RGB hypno rings



# It's more than you see at first sight!

At first glance, this spotlight looks like a classic PAR-64, but it has a few key advantages that make it stand out: An extremely bright COB LED is used in its centre, with a light output equivalent to that of a 1000 watt spotlight.

# Warm white version with high CRI

The light of the warm white version is not only particularly bright, but also scores with a colour rendering index (CRI) of over 90. Another advantage of this spot: You can set the dimmer frequency from 900 to 25,000 Hertz. The spotlight is therefore very suitable even for sensitive applications such as video productions.







# Zoom and dimming

In contrast to the classic Par-64, the spotlight also offers a manual zoom from 11° to 35° and a very homogeneous light image. Of course it can be controlled directly via DMX. Its dimming works cleanly and evenly up to complete darkness.

# Two versions

The LED PAR-64 COB Zoom is available in a pure warm white version and as RGB version. A great spotlight that can be used as front light for concerts as well as for trade fairs, video and photo productions and simple theater tasks. And best of all: You get the complete package at a sensationally low price.



DMX









No. 41603600

EUROLITE LED PAR-64 COB 3000K 100W Zoom bk

PAR spot with warm white 100 W COB LED and manual zoom















No. 41603605

EUROLITE LED PAR-64 COB RGBW 120W Zoom bk

PAR spot with 120 W RGBW LED and manual zoom



















No. 42110192

EUROLITE LED PARty Spot

Compact spotlight with 12 x 1 W LED in RGBW and DMX control











No. 42110193

**EUROLITE LED PARty TCL Spot** 

Compact spotlight with  $12 \times 3 \text{ W}$  3in1 LEDs in RGB and DMX control













No. 42110195

**EUROLITE LED Big PARty Spot** 

Spotlight with 54 x 1 W LED in R, G, B, W and DMX control













No. 42110196

**EUROLITE LED Big PARty TCL Spot** 

Spotlight with 54 x 3 W LED in RGB and DMX control



DMX

STROBE











**EUROLITE LED PARty Hybrid Spot** 

LED effect light with RGB LEDs and stroboscope

















No. 42110199

**EUROLITE LED Party Panel RGB+UV** 

LED party panel with RGB+UV color mixing and DMX

#### eurolite® **LUMINAIRES** Slimline Spots









**EUROLITE LED SLS-144 RGBW Floor** 

Flat spotlight with 144 LEDs in the colors red, green, blue









#### **EUROLITE LED SLS-6 TCL Spot**

Flat spotlight with 6 x 8 W 3in1LED with RGB color mixing





No. 51915358

#### **EUROLITE LED SLS-603 TCL + UV Floor**

Flat spotlight with 5 x 3 W 3in1 LED (RGB) & one 3 W **UV LED** 





No. 51915377

#### EUROLITE LED SLS-7 QCL 7x10W Floor

Flat spotlight with 7 x 10 W 4in1 LED with RGBW color mixing







No. 51915379

#### **EUROLITE LED SLS-7 HCL Floor**

Flat spotlight with 7 x 10 W 6in1 LED with RGBAW+UV color mixing





No. 51915381

#### **EUROLITE LED SLS-12 HCL MK2 Floor**

Flat spotlight with 12 x 10 W 6in1 LED with RGBAW+UV color mixing





#### **EUROLITE LED SLS-9 Hybrid HCL**

Flat spotlight with strobe and UV effects, incl. IR remote control





No. 51915271

#### **EUROLITE LED SLS-10 Hybrid HCL**

Flat spotlight with RGBAW+UV LEDs (6in1) and stroboscope





# **PRO Slim Par**

The Pro Slim Par series from Futurelight stands for professional technology without compromises. The spotlights have an extremely robust metal housing that also allows effective convection cooling. So there are no fans and therefore no noise and no dirt that gets inside. The power connections are via PowerCon or the compatible P-Con system and each spotlight also has a power out socket.





















No. 51842548

FUTURELIGHT PRO Slim PAR-7 Hypno HCL

Flat PRO spot with RGBAW+UV LEDs (6in1) and RGB SMD ring







WITHOUT FAN




No. 51842564

FUTURELIGHT PRO Slim PAR-6 COB RGB

Professional slimline LED spot with 6 x 30 W COB (RGB) without fan



WITHOUT FAN



No. 51842561

FUTURELIGHT PRO Slim PAR-12 MK2 HCL

Flat PRO LED spot with 12 x 10 W 6in1 LED (RGBAW+UV) without fan



WITHOUT FAN









No. 51842562

FUTURELIGHT PRO Slim PAR-12 MK2 TCL

Flat PRO LED spot with 12 x 9 W 3in1 LED (RGB) without fan



WITHOUT FAN

CW/WW/A



No. 51842563

FUTURELIGHT PRO Slim PAR-12 MK2 CW/WW/A

Flat PRO white light spot with LEDs in cold white, warm white and amber



MOTOR, ZOOM

**RGBW** 





No. 51916501

EUROLITE LED Z-PAR RGBW 4x10W

Zoom spot with 4 x 10 W 4in1 LED (RGBW), beam angle from 6-29°

eurolite<sup>®</sup> **LUMINAIRES** Slimline Spots



# Unlimited design possibilities

The 7C in the name of these LED spotlights stands for unlimited possibilities of color design: 7 colors are available for color mixing. In addition to red, green and blue, these are amber, cold white, warm white and UV.

No matter which color you want to create, this spotlight leaves nothing to be desired. Even white light can be created thanks to the color mixing with an excellent CRI value in any desired color temperature.







eurolite® **LUMINAIRES** Slimline Spots

# Fanless and qiet

The spotlights are available in two versions: with 7 or 12 nine-watt LEDs. The spots do not require a fan and therefore do not produce any annoying noises. The compact metal housing is very sturdy.

The power is connected via a P-Con input and you can also loop the power through to other devices. A USB socket is available for wireless transmission of the DMX signal, into which a wireless Quick DMX receiver can be plugged directly.















No. 51915320

**EUROLITE LED 7C-7 Silent Slim Spot** 

Inaudible 7in1 PAR spotlight in a space-saving design









No. 51915321

EUROLITE LED 7C-12 Silent Slim Spot

Inaudible 7in1 PAR spotlight in a space-saving design

#### **LUMINAIRES** Multilens Spots





DMX



RGBWA



No. 41607311

EUROLITE LED ML-46 COB RGBAW 50W Floor bk

ML spot with 50 W COB LED and RGBAW color mixing









No. 41607315

EUROLITE LED ML-46 COB CW/WW 50W Floor bk

ML spot with 50 W COB LED in cold and warm white







No. 41604019 .black No. 41604044.

EUROLITE LED ML-56 COB 5600K 100W Floor

ML spot with 100 W COB LED in cold white







No. 41604022 No. 41604047.

EUROLITE LED ML-56 COB 3200K 80W Floor

ML spot with 80 W COB LED in warm white







No. 41607370

EUROLITE LED ML-56 COB CW/WW 100W Floor bk

ML spot with 100 W COB LED in cold and warm white



RGB

No. 41607301

EUROLITE LED ML-56 COB RGB 100W Floor bk

ML spot with 100 W COB LED and RGB color mixing





RGBWA/UV









EUROLITE LED ML-56 COB RGBAWUV Hypno Floor bk ML spot with RGBAW+UV LED (6in1) and RGB SMD ring



DMX No. 41607310..

No. 41607330.

RGBWA ( 39°

EUROLITE LED ML-56 COB RGBAW 100W Floor

ML spot with 100 W COB LED and RGBAW color mixing



No. 51913691

silver No. 51913692. . black

**EUROLITE Filter Frame LED ML-56** 

Recommended accessory



No. 51913697. No. 51913698... .silver

**EUROLITE Barndoors LED ML-56 spot** 

Recommended accessory



No. 51913846 No. 51913847.

**EUROLITE Filter Frame LED ML-30** 

Recommended accessory

www.osram.com



# Light is spectacular SIRIUS HRI® series

回料

Compact reflector lamps with high light output for spectacular light effects – developed for small moving heads.

To check if you've purchased a genuine OSRAM SIRIUS HRI® lamp, simply visit www.osram.com/trust-sirius and enter the unique serial code which you can find on the reflector.

Light is OSRAM OSRAM



eurolite® **LUMINAIRES** Mobile Light

# eurolite<sup>®</sup>

# THE ORIGINAL

# KLS LED compact light set

It's not for nothing that the Eurolite KLS series bears this byname – as pioneer of mobile light sets with flat spots it has set the standard. Especially among mobile DJs, combos, small bands and solo entertainers it has been the epitome of mobile light sets for years.



Many compact light systems are prepared for the installation of further devices - on top of the bar via locking screw. The KLS Kombo Packs already consist of a selected KLS and additional light effects - all on one stand.





KLS systems require only little space, but they are able to bring far enough light to dance floors and rooms – in doing so, they are very versatile. Since its launch the variety of KLS has been greatly extended. Everything from a small fourfold spot with only 3 kg weight up to an effect bar with integrated laser is offered.



All systems are delivered pre-assembled, most of them in a protective transport bag. Using remote controls or foot switches for operation is possible with many models. Versions with Quick-DMX can also be operated via wireless

#### **LUMINAIRES** Mobile Light

## eurolite®

















#### **EUROLITE LED KLS PARty Compact Light Set**

Compact LED spotlight set including transport bag













No. 42109620

#### **EUROLITE LED KLS-170 Compact Light Set**

Bar with 4 RGB spots, cold white + UV strobe LEDs, foot switch and bag



















#### **EUROLITE LED KLS-180 Compact Light Set**

Bar with 4 RGBW spots and 4 white strobe LEDs, with 5-pin QuickDMX connector





No. 51741092

#### **EUROLITE Foot Switch KLS Compact Light Set**

Wireless foot switch for KLS Compact Light Sets





No. 51741093

#### **EUROLITE Foot Switch KLS Compact Light Set MK2**

Wireless foot switch for KLS Compact Light Sets











**RGB** 





No. 51741090

#### **EUROLITE LED KLS Laser Bar FX Light Set**

Bar with 2 derbies, 2 spots, white strobe LEDs, laser (RG, 2M), foot switch





RGB













No. 51741091

#### EUROLITE LED KLS Laser Bar PRO FX Light Set

Bar with 2 strong derbies and spots, white/UV strobe LEDs, laser (RG, 2M)





eurolite<sup>®</sup> **LUMINAIRES** Mobile Light



# eurolite<sup>®</sup> THE ORIGINAL

KLS LED compact light set

**KLS-190** 

Classic looks, powerful light

A KLS with COB LEDs that convinces with its classic appearance and its powerful and homogeneous light: With the KLS-190, Eurolite now offers exactly such a spotlight bar.

#### **Equipment**

4 spots with 30 watts each and RGB color mixing are used. The wide beam angle can be limited from 42° to narrow 9° by using a lens included in delivery. The mounting of the lens is very simple and can be done in seconds. In addition, 4 cold white LEDs are installed in the bar, which can be used for stroboscope effects.



#### Flexible setup

The special mounting system of the KLS-190 not only allows the bar to be mounted on a stand, it also allows the stand rod to be pushed through to attach a spotlight or loudspeaker box on top. Up to 4 additional spotlights or effects can also be mounted on the KLS-190 itself. The power supply for these devices can be provided via the cold device output of the bar. A transport bag is included.



#### Control and stand-alone programs

The compact light set is controlled via DMX. For operation via wireless DMX, the KLS-190 offers a USB socket into which a Quick DMX receiver can be plugged. But even without external control, 19 well thought-out stand-alone and audio programs each provide a variety of effects. The strobe LEDs can be switched on if desired in addition to the programs.





No. 42109608

**EUROLITE LED KLS-190 Compact Light Set** 

Bar with 4 RGB spots and 4 white strobe LEDs, equipped with QuickDMX USB port

eurolite<sup>®</sup> Mobile Light **LUMINAIRES** 



# KLS-30021EXT

#### The next generation of KLS

With the KLS-3002 Next, Eurolite presents the next stage of the compact light evolution: with powerful spots and RGBAWUV color mixing.

#### Proven concept, modern technology

The well-proven combination of 4 spots on a bar, familiar from older KLS models, has remained the same. The most modern versions of LEDs are now being used: 28 units with 10 watts each and a high level of effectiveness ensure high light output. Thanks to color mixing in 6 colors, particularly beautiful shades are possible: in addition to red, green and blue, white and amber provide great pastel and yellow shades. With the UV LEDs, even black light effects are now possible.





#### Control

If you want to control your system via wireless DMX, you will be happy to have a new USB socket. A Quick DMX receiver can easily be plugged in here. If you want to work completely without any external control, you will be happy about the many well thoughtout stand-alone programs. In addition, a static color can now be set for each spot separately for use without a controller. The supplied carrying bag is particularly robust and makes the system easy to transport.

#### Silent and flexible


But also the hardware has changed a lot: For example, the brackets of the individual spots are now even more massive and the power cable is much longer than before. The bar can now also be mounted flying (for example on a traverse). The connectors for this can be attached in seconds with quick-release fasteners. Despite the high light output, the system does not require a fan, so it is absolutely noiseless and does not suck in any dust. Further lighting effects can be screwed onto the bar, two sockets are available for the power connection.






**EUROLITE LED KLS-3002 Next Compact Light Set** 

Bar with 4 RGBAW/UVspots, QuickDMX support, foot switch and bag



The delivery includes numerous mounting accessories such as TV spigots, sleeves, feet or hanging cubes. This means that the system can not only be placed on tripods, but can also be used vertically or horizontally suspended or standing on the floor.



Two types of LEDs are used: Each segment consists of 5 powerful 15 Watt RGBW LEDs. The entire system therefore consists of 20 LEDs for the colored light. Each of these LEDs is individually controllable. The beam angle of the LEDs is 8 degrees, but you can widen it considerably using the frost filter supplied. The colored LEDs are optically complemented by a total of 80 warm white LEDs, which provide structure on the left and right and can be controlled separately for each segment.

#### **Control**

The control can be done via different DMX modes. But even without external control, the possibilities are manifold: 95 different standalone programs designed by a German lighting designer can be set directly via the menu. These can run with or without the white ambient LEDs, at different speeds or music-controlled.





#### **EUROLITE LED Pixel Tower**

Multifunctional vertical light effect with mounting option on the supplied case

eurolite<sup>®</sup> Floodlights **LUMINAIRES** 





# **Stage Panels**

Moodlight for stages, tv studios or theaters, that is what the Eurolite Stage Panels provide you with. Both middle range floodlights color in the respective location quickly and beautiful - without acting like a real wide flood.

They are equipped with 16 and 32 LEDs respectively and feature a very good RGBAW&UV color mixture. Stage Panel 16 has a beam angel of 32°, its bigger brother radiates closer with 16°.

You can control the LEDs in 4 or 8 segments and thus create diversified effects. The 4 barn doors help you avoid glaring the audience. And they also serve as transport protection.

The Stage Panels a great spots, if you like to be mobile and produce quite some light with only a few devices. They are made for bands, mobile DJs or solo entertainers. And as they work flicker free and very silently, tv studios and theaters will have fun with them as well.





**EUROLITE Stage Panel 16 HCL LED** 

Light effect bar with RGBAW+UV color mixing, with 5-pin QuickDMX connector





**EUROLITE Stage Panel 32 HCL LED** 

Light effect bar with RGBAW+UV color mixing, with 5-pin QuickDMX connector






EUROLITE LED CLS-18 QCL RGBW 18x8W 12°

Compact QCL spot light with 18 x 8 W LED



EUROLITE Barndoors for LED CLS-18x8W 4in1 RGBW







No. 51915450

#### EUROLITE LED TL-3 TCL 3x3W Trusslight

Spot with 3 x 3W RGB LEDs, mounting hole and IR remote control





EUROLITE LED TL-4 QCL RGB+UV Trusslight Variable truss light and uplight with bright 4 x 8 W

RGB+UV LEDs



RGBWA/UV











#### **EUROLITE LED PS-4 HCL Spot**

Compact, fanless spot with 12 W 6in1 LEDs (RGBAW+UV)



#### Full broadside!

Broad, wide-angled light with absolutely homogeneous RGB color mixing: this is what the CBB bars from Eurolite offer you. They are available in three sizes: with two, four or six LEDs each

In addition to the three models with RGB color mixing, the series also includes a version with two warm white LEDs (CBB-2 WW). This is characterised by its high color rendering index (CRI) of over 90 and is therefore also ideal for natural lighting, for example in theatres.

On all models, the power can be looped through so that up to eight devices can be wired in a chain. The strips are controlled either by radio remote control or DMX. The CBB-2 and CBB-6 also have a Quick DMX socket for connecting a receiver for wireless DMX.

















#### **EUROLITE LED CBB-2 COB RGB Bar**

LED light effect bar with RGB color mixing, incl. IR remote control













#### EUROLITE LED CBB-2 COB WW Bar

LED light effect bar with WW COB LEDs, incl. IR remote control















#### EUROLITE LED CBB-4 COB RGB Bar

LED light effect bar with RGB color mixing, incl. IR remote control

















LED light effect bar with RGB color mixing, incl. IR remote control

eurolite® **LUMINAIRES LED Bars** 



# **STP Bars**

You can see them on huge show stages as well as on small musician's stages or with mobile DJs: LED bars with white LEDs that project towards the audience. They produce either very narrow

beams or wide surfaces. It was high time to take up this basic idea and expand upon it with some new Eurolite STP versions.





#### LED STP-7 Beam Wash Bar


Narrow and wide radiating LEDs in one bar - also this LED bar is something very special. It is equipped with 14 LED units. Half of them are extremely narrow-angled with 2°. These cold white LEDs permeate fog beautifully.

The other half radiate with an extremely broad 40° and provide

the basic color atmosphere. The color mixing of these LEDs is based on red, green and blue. You can control the narrow, white LEDs individually. The mix of colorful atmospheric light and narrow white LEDs is absolutely fascinating. Incidentally, the bars are designed to fit seamlessly together.



LED light bar with 7 LEDs for beam and 7 LEDs for wash effects




# eurolite® LED STP-10 ABL Sunbar


Sunbar with ambient light. At first glance, this bar looks like a normal sunbar. It has 10 warm white LEDs, which you can control individually. The special feature lies between the LEDs.

The black front cover is translucent. Behind it 60 SMD LEDs are arranged with RGB color mixing. As a result, the entire bar can light

up in color. This is something new and really striking. If you like, you can control each of these 60 LEDs individually, in every color. You can control the bar via DMX and via Artnet as well. With the small DMX mode you can already create beautiful and surprising effects.




















No. 42103492

**EUROLITE LED STP-10 ABL Sunbar** 

Sunbar with ambient light

Future light eurolite<sup>®</sup> **LUMINAIRES LED Bars** 

















EUROLITE LED STP-10 Sunbar 3200K 10x5W Light Bar 6°

LED light bar with warm white beam effects and narrow beam angle





**EUROLITE LED STP-14 Sunbar** 

3in1 LED sunbar with warm white beams effects, stroboscope and ambient light

RGB















No. 51930286

EUROLITE LED PMB-8 COB RGB 30W Bar

Bright bar with 8 x 30 W COB LED, good RGB color mixture, wide beam angle

















FUTURELIGHT Stage Pixel Bar 10 WW

Highpower LED bar with 17 W white light LEDs and dimto-warm function
















No. 51841358

FUTURELIGHT Stage Pixel Bar 5

Bar with narrow beam  $5 \times 15 \text{ W}$  RGBW LED and frost plate

eurolite<sup>®</sup> **LUMINAIRES LED Bars** 



# **ZOOM4BAR**

## LED Bar with impressive zoom

The Zoom4Bar is a spotlight bar that stands out for its impressive motorized zoom. It can be adjusted individually for each of the four lenses from a beam angle of 5° to 75° (from very narrow to very wide). Thanks to this flexibility, you can use the Zoom4Bar for a wide range of lighting purposes: Use the bar as backlight, uplight or eye-catching show effect.

## Creative lighting design

You can achieve a special effect by having the zoom of the four lenses become narrower and wider at different times: Especially in combination with fog, waves and patterns of light are created. When used in this way, the Zoom4Bar is also an effective show

#### Color mixture

You can adjust the color for each of the 4 lenses individually. This allows you to create either absolutely congruent color mixes or multicolor effects with the 4 lenses.









No. 51913896

EUROLITE Zoom4Bar QCL Bar

LED zoom effect bar with RGBW color mixing, incl. IR remote control

#### eurolite® **LUMINAIRES I FD Bars**





DMX STAND RGB 20°







EUROLITE LED BAR-252 RGB 10mm 20° black

LED bar with 252 LEDs in red, green and blue, 110 cm length and 20°









No. 51930439

No. 51930395

**EUROLITE LED PIX-144 RGB Bar** 

Bar (100 cm) with 144 wide beam SMD LEDs (RGB), 8









No. 51930441

**EUROLITE LED Bar Rainbow** 

Unique rainbow effect with different color changes and strobe effects








RGBWA/UV

**EUROLITE LED BAR-3 HCL Bar** 

Compact (26 cm) bar with 3 x 12 W 6in1 LED with RGBAW+UV color mixing



RGB/UV





















No. 51930393

EUROLITE LED BAR-12 QCL RGB+UV Bar

Light effect bar (1 m) with RGB+UV color mixing



No. 51930394

WITHOUT FAN

EUROLITE LED BAR-6 QCL RGB+UV Bar

DMX

Light effect bar (60 cm) with RGB+UV color mixing



WITHOUT FAN



**RGBA** 

No. 51930397

EUROLITE LED BAR-6 QCL RGBA Bar

Spotlight bar (60 cm) with 6 x 4 watt 4in1 LED (RGBA)









No. 51930396

EUROLITE LED BAR-12 QCL RGBA Bar

Spotlight bar (110 cm) with 12 x 4 watt 4in1 LED (RGBA)

#### **LUMINAIRES LED Bars**








No. 51930399

EUROLITE LED BAR-6 QCL RGBW Bar

Spotlight bar (60 cm) with 6 x 4 watt 4in1 LED (RGBW)



Spotlight bar (110 cm) with 12 x 4 watt 4in1 LED (RGBW)







**EUROLITE LED PIX-6 HCL Bar** 

Spotlight bar (44 cm) with 6 x 10 W 6in1 LED (RGBAW+UV), pixel control



Spotlight bar (100 cm) with 12 x 10 W 6in1 LED (RGBAW+UV), pixel control








No. 51930407

EUROLITE LED PIX-7 Hybrid SCL Bar

Light effect bar with RGBA/CW/WW+UV LEDs and pixel control

#### eurolite® **LUMINAIRES Pinspots**







No. 51916000. No. 51916100. 6000 K .3200 K

#### **EUROLITE LED PST-3W Spot**

Narrow-beam pinspot with 3 W LED in cold white





No. 51916147

#### EUROLITE LED PST-5 QCL Spot bk

Narrow-beam pinspot with 5 W 4in1 LED in RGBW





No. 51916200

#### EUROLITE LED PST-9W TCL DMX Spot

Narrow-beam pinspot with 9 W 3in1 LED in RGB and DMX









No. 51916202

#### EUROLITE LED PST-9W TCL IR Spot

LED pinspot with RGB color mixing and IR remote control





#### EUROLITE LED PST-15W MK2 COB RGBW Floor Spot/Wash

Pinspot with 15 W COB LED, beam angles 4%6%20° (frost filter)













No. 51916252

#### EUROLITE LED PST-15W MK2 WW Floor Spot/Wash

DMX-pinspot with warm white 15 W LED, beam angles 4°/10°/25° (frost filter)



No 51916210 No. 51916211.

EUROLITE DMX-Adapter Jack 3,5/XLR 1m

DMX adapter cable for PST-3













No. 51916158. 6400K No. 51916159.

#### EUROLITE LED IP PST-10W Pinspot

Weather-proof pinspot (IP65) with strong 10 W LED



WITHOUT FAN

**EUROLITE T-36 Pinspot with Cable** 

Pinspot for PAR-36 6 V/30 W lamp



WITHOUT FAN [

AN DO

No. 50800365 black No. 50800410 silver

**EUROLITE T-36 Pinspot with Plug** 

Pinspot for 6 V/30 W PAR-36 lamp



No. 50800440

**EUROLITE Stand for Pinspot, black** 

Tripod for Pinspot



STAND ALONE

No. 50805090

**EUROLITE Color Wheel with Motor For T-36** 

Color wheel for pinspots



WITHOUT FAN

No. 50900480

**EUROLITE TP-36 Rotatable Spot** 

Rotatable pinspot for 6 V/30 W PAR-36 lamp



WITHOUT FAN

STAND ALONE

No. 50800530

EUROLITE Color-Changer-Set + PAR-36 Pinspot

For starters

Ausführliche Testberichte

Hol Dir 10 Ausgaben EVENT, zum Sonderpreis bequem nach Hause

**Tipps von Profis** 

Spannende Reportagen

**Branchennews** 

Einfach online bestellen unter: WWW.leikro.de



#### PAR Spots





No. 50850100	silve
No. 50850200	black
No. 50850300	weiß

#### **EUROLITE PAR-16 Spot MR-16**

PAR-16 housing with GX-5.3 socket for 12 V MR-16



silver	50850340	No.
black	50850350	No.
white	50850352	No.

#### **EUROLITE PAR-16 Spot GU-10**

PAR-16 housing with GU-10 socket (with plug + cable)



Vo. 5	50850850	black
No. 5	50850860	silver
No. 5	50850870	white

#### **EUROLITE Barndoors PAR-16 Spot**

Barn door for PAR-16 housing



No. 42103580. No. 42103582..

#### **EUROLITE PAR-20 Spot**

PAR-20 housing with E-27 socket (with plug + cable)



No. 42103600. .black No. 42103610...

#### **EUROLITE Barndoors PAR-20 Spot**

Recommended accessory



No. 42103615

#### **EUROLITE Filter Frame PAR-20 Spot**

Recommended accessory for PAR-20 spots



No. 42103520.. .black

#### **EUROLITE PAR-30 Spot**

PAR-30 housing with E-27 socket (with plug + cable)



No. 42103530.. No. 42103535...

#### **EUROLITE Barndoors PAR-30 Spot**

Recommended accessory



No. 42103540. .black No. 42103545.. .silber

#### **EUROLITE Filter Frame PAR-30 Spot**

Recommended accessory



No. 41929100. .silver No. 41929130...

#### **EUROLITE PAR-38 Spot**

PAR-38 housing with E-27 socket (with plug + cable)



No. 41929300.

#### **EUROLITE Barndoors PAR-38 Spot**

Recommended accessory



No. 41930100... No. 41930200...

#### EUROLITE PAR-46 Spot E-27

PAR-46 housing with E-27 socket (with plug + cable)





No. 41930430

**EUROLITE Filter Frame PAR-46 Spot bk** 

Filter frame



۷o.	41931850	)	black
Nο	41931900	)	silver

**EUROLITE Barndoors PAR-46 Spot** 

Recommended accessory



No. 42000420

**EUROLITE PAR-56 Lite Spot Set** 

PAR-56 housing including 300 W lamp, color filter frame and 4 color foils



No. 42000800.. No. 42000810..

**EUROLITE PAR-56 Spot Short with Cable** 

PAR-56 housing with silicone cable and open cable ends



No. 42000802. No. 42000812.

**EUROLITE PAR-56 Spot Short with Plug** 

PAR-56 housing, delivery with cable and plug



No. 42000552. No. 42000582...

**EUROLITE PAR-56 Spot Long with Plug** 

PAR-56 spotlight housing long with plug



D 55°

No. 42000910... .silver

EUROLITE PAR-56 Spot CDM150

Long PAR-56 housing for CDM-T 150 discharge lamps



No. 42000815...

**EUROLITE Filter Frame PAR-56 Spot Short** 


Filter frame with grille



No. 42000730 No. 42000750...

**EUROLITE Filter Frame PAR-56 Spot 4 edges** 

Filter frame



No. 42000840... . black

**EUROLITE Barndoors PAR-56 Spot** 

Recommended accessory



No. 51000780

EUROLITE Raylight PAR-56, E-27

Reflector for PAR-56 housing, enabling installment of E-27 lamps





No. 42101072. No. 42101092. ..silver

**EUROLITE PAR-64 Spot Short** 

PAR-64 spotlight housing short



No. 42100950. No. 42100960.

EUROLITE PAR-64 Spot Long with Cable

Long PAR-64 housing (open cable ends)



No. 42100952. .silver No. 42100963.

**EUROLITE PAR-64 Spot Long with Plug** 

Long PAR-64 housing (with cable and plug)



No. 42100995. ..black No. 42100996.

**EUROLITE Filter Frame PAR-64 Spot** 

Filter frame



No. 42102050. .black No. 42102080.. .silver

**EUROLITE Barndoors PAR-64 Spot** 

Recommended accessory



No. 51000750 EUROLITE Raylight PAR-64,GY-9.5 Socket long

The alternative to traditional lamps



No. 51000790

EUROLITE Raylight PAR-64, E-27

Reflector for PAR-64 housing, enabling installment of E-27 lamps

# Das Beste für Ihre ventplanung

Künstler - Shows - Service

Jetzt Katalog gratis bestellen unter: www.gedu.com

# Kunstler

& EVENT-Service

Katalog

Künstler und Dienstleistungen für Shows & Events 2019



















Jetzt auch als eKatalog Kostenlos testen unter: kuenstler-katalog.com



eurolite<sup>®</sup> **LUMINAIRES** 





# Halogen and LED: A combination to win!

The halogen lamp's dead? Not at all! The two spots ML-300 and ML-600 are ambient spotlights that combine the advantages of the halogen lamp and the LED. The white light comes from a central halogen bulb. At full power it is bright white, when dimmed it takes on an orange-gold hue. In case of the ML-600, the light output comes from a 600watt lamp, in case of the ML-300 from a 300-watt lamp.

In addition, both headlamps feature a ring of RGB LEDs that can color the reflector in. This way, beautiful moods can be created. With the ML-600, the colorful light is divided into two segments, which can also be controlled individually. The ML spots are ideal for atmospheric stage sets or as an eye-catcher in the club.



#### **LUMINAIRES** ML Spots

# eurolite<sup>®</sup>





No. 41600005

#### EUROLITE ML-300 ABL Spot

Midsize spotlight with halogen lamp and LED ambient illumination



WITHOUT FAN

DMX



RGB

No. 41600001

#### **EUROLITE ML-600 ABL**

Large spotlight with halogen lamp and LED ambient illumination



No. 41600080 black No. 41600082.

#### EUROLITE ML-575 MSR Multi Lens Spot

Spot for MSR-575 discharge lamp with 4 lenses/beam



WITHOUT FAN

No. 41600100 .black No. 41600120...

#### **EUROLITE ML-64 GKV Multi Lens**

Spot for GKV halogen lamp with 4 lenses/beam angles



12 - 27°

No. 41600122 No. 41600124.

#### EUROLITE ML-64 ZOOM GKV Multi Lens Spot

Spot for GKV halogen lamp with double lens for zoom setting from 12°-27°



No. 41600125 No. 41600130..

#### **EUROLITE ML-56 CDM Multi Lens Spot**

Spot for CDM-T 150 discharge lamp with 4 lenses/beam angles



Ø 16,5 cm

No. 41600138. .black No. 41600139

#### EUROLITE Filter Frame ML-56/64

Recommended accessory



No. 41600180.. No. 41600184....

#### **EUROLITE Barndoors ML Multi Spot**

Recommended accessory



No. 51913685. silver No. 51913686... .black

#### EUROLITE Filter Frame 189x189mm

Recommended accessory



No. 51913687.. silver No. 51913688.....

#### **EUROLITE Barndoors 213x213mm**

Recommended accessory



No. 51913836. No. 51913837

#### **EUROLITE Barndoors for ML-46**

Recommended accessory



No. 51913838. No. 51913839..

#### **EUROLITE Filter Frame 157x158mm**

Recommended accessory





No. 51104446	T5, blue, 113,9 cm
No. 51104447	T5, orange, 113,9 cm
No. 51104690	T8, red, 119 cm
No. 51104691	T8, pink, 119 cm
No. 51104692	T8, yellow, 119 cm
No. 51104693	T8, violet, 119 cm
No. 51104694	T8, green, 119 cm
No. 51104695	T8, turquoise , 119 cm
No. 51104696	T8, blue, 119 cm
No. 51104697	T8, orange, 119 cm
No. 511046A0	T8, red, 59 cm
No. 511046A1	T8, pink, 59 cm
No. 511046A2	T8, yellow, 59 cm
No. 511046A3	T8, violet, 59 cm
No. 511046A4	T8, green, 59 cm
No. 511046A5	T8, turquoise , 59 cm
No. 511046A6	T8, blue, 59 cm
No. 511046A7	T8, orange, 59 cm
No. 511046B0	T8, red, 59 cm
No. 511046B1	T8, pink, 59 cm
No. 511046B2	T8, yellow, 59 cm
No. 511046B3	T8, violet, 59 cm
No. 511046B4	T8, green, 59 cm
	T8, turquoise , 59 cm
No. 511046B6	T8, blue, 59 cm
No. 511046B7	T8, orange, 59 cm

#### **EUROLITE Blue Color Filter neon tube**

Color filter to slip onto white neon tubes



No. 94000101	Color code 101, yellow
No. 94000104	Color code 104, deep amber
No. 94000105	Color code 105, orange
No. 94000106	Color code 106, primary red
	Color code 111, dark pink
	Color code 113, magenta red
No. 94000115	Color code 115, peacock blue
	Color code 116, blue green
	Color code 119, dark blue
	Color code 120, deep blue
	Color code 122, fern green
	Color code 124, dark green
	Color code 126, mauve
	Color code 128, bright pink
No. 94000132	Color code 132, medium blue
	Color code 135, deep gold
	Color code 139, green
	Color code 158, depp orange
	Color code 164, flame red
	Color code 165, dayblue
No. 94000181	Color code 181, congo blue

#### EUROLITE Color Foil 122x100cm

High-quality color foils



No. 94001030 No. 94001040 No. 94001050	Color code 101, yellow Color code 103, straw Color code 104, deep amber Color code 105, orange
	Color code 106, primary red
	Color code 110, middle rose
	Color code 111, dark pink
	Color code 113, magenta red
	Color code 115, peacock blue
	Color code 116, blue green
	Color code 118, light blue
	Color code 119, dark blue
	Color code 120, deep blue
	Color code 121, james green
	Color code 122, fern green
	Color code 124, dark green
	Color code 126, mauve
	Color code 128, bright pink
	Color code 129, heavy frost
No. 9400132A	Color code 132, medium blue
	Color code 135, deep gold
	Color code 139, primary green
	Color code 147, apricot
	Color code 148, bright rose
	Color code 156, chocolate
	Color code 158, deep orange
	Color code 161, slate blue
	Color code 164, flame red
	Color code 165, dayblueColor code 170, deep lavender
	Color code 170, deep lavender
	Color code 181, congo blueColor code 182, light red
	Color code 182, light red
110. 94001830	Color code 183, moonlight

#### EUROLITE Color Foil 61x50cm

High-quality color foils



No. 94010170	Color code 021, gold
No. 94011010	Color code 101, yellow
	Color code 102, light ambe
No. 94011040	Color code 104, deep ambe
No. 94011050	Color code 105, orange
No. 94011060	Color code 106, red
No. 94011110	Color code 111, dark pink
	Color code 113, magenta rec
No. 94011150	Color code 115, peacocl
	Color code 119, dark blue
	Color code 120, deep blue
	Color code 121, james greer
	Color code 122, fern greer
	Color code 124, dark greer
	Color code 126, mauve
	Color code 128, bright pink
	Color code 129, heavy fros
	Color code 132, medium blue
	Color code 134, gold ambe
	Color code 139, prim greer
	Color code 142, pale viole
	Color code 152, pale gold
	Color code 158, deep orange
	Color code 164, navy blue
	Color code 170, dp lavende
	Color code 179, orange
	Color code 182, light rec
	Color code 187, cosm. rouge
	Color code 202, 1/2 CT blue
	Color code 203, 1/4 CT blue
	Color code 253, fros
	Color code 280, black wrap
	Color code F2, fros
	Color code 206, 1/4 CTC
No 94012744	

#### ACCESSORY Color Foil Roll 122x762cm

High-quality color foils



No. 94009957 **ACCESSORY Color Foil Samples** 

Samples for choosing a color foil



No. 58000380

EUROLITE Colorfoil Clamp

#### **LUMINAIRES** Color Foils





No. 9410027A . 19 x 19 cm No. 9410045A .. 24 x 24 cm

#### EUROLITE Color-Foil Set, four colors

High-quality color-foils



No.	94100300	19	Х	19	cm
No.	9410050A	24	x :	24	cm

#### EUROLITE Color-Foil Set, six colors

High-quality color-foils



No. 9415010T .. Color code 010, medium yellow ......Color code 015, deep straw/orange .......Color code 046, dark magenta .......Color code 058, lavender No. 9415015T.. No. 9415046T.. No. 9415058T. No. 9415079T . Color code 079, just blue No. 9415116T.. No. 9415118T.. No. 9415119T. No. 9415121T ..Color code 122, lee green No. 9415124T. ..Color code 124, dark green

#### LEE HT-Foil 50x58cm

High-quality color foils



No. 94151310	Color code 010, medium yellow
No. 94151360	Color code 046, dark magenta
No. 94151370	Color code 058, lavender
No. 94151380	Color code 079, just blue
No. 94151390	Color code 116, medium bluegreen
No. 94151400	Color code 118, light blue
No. 94151420	Color code 122, lee green

#### LEE HT-Foil 117x400cm

High-quality color foils



No. 94151620

LEE CL104 Cool Led Deep Amber 762x122cm

High-quality color foils



red	No. 94201100
yellow	No. 94201200
deep green	No. 94201300
light green	No. 94201350
blue	No. 94201400
orange	No. 94201450
mauve	
nink	No 94201550

**EUROLITE Color Cap for PAR-36** 

Color cap



No. 94201700

EUROLITE Color Cap Set for PAR-36, 4 colors

Set



No. 94201750

EUROLITE Color Cap Set for PAR-36, 8 colors

Set



# **Audience Blinder**

Cold and warm white LEDs united! Which color temperature should a blinder have? The naturally warm white of the classic halogen version that would probably be the most given answer. But does this still apply with an LED Blinder, like the two new Eurolite versions, which can also serve as a stroboscope? This question also would be answered clearly: warm white and cold white at once.



Now you can get this mixture with the new COB blinders. They are available as 2-fold and 4-fold versions and are both equipped with cold white and warm white LEDs. So you can easily choose the desired color temperature yourself. Each LED has a whopping 100 watt COB power and a really wide beam angle. Power is supplied via P-Con connections and you can feed it through to the next device via an output socket.



#### **LUMINAIRES**

# eurolite®











No. 41606122

EUROLITE Audience Blinder 2x100W LED COB CW/WW

Audience blinder, wide beam, warm/cold white



**Audience Blinders** 









No. 41606147

EUROLITE Audience Blinder 4x100W LED COB CW/WW

Audience blinder, wide beam 4 x 100 W COB LED (warm/ cold white)





EUROLITE Audience Blinder 2xPAR-36 DMX sil

Audience blinder for 2 PAR 36 120V/650W lamps (with dimmer)



No. 42103412

EUROLITE Audience Blinder 2xPAR-36 bk

Audience blinder for 2 PAR 36 120V/650W lamps (with



DMX

No. 42103413

EUROLITE Audience Blinder 2xPAR-36 DMX bk

High-quality stage version



No. 42103420

EUROLITE Audience Blinder 4xPAR-36 sil

Audience blinder for 4 PAR 36 120V/650W lamps



No. 42103432

EUROLITE Audience Blinder 4xPAR-36 bk

Audience blinder for 4 PAR 36 120V/650W lamps

eurolite® Surface Light **LUMINAIRES** 



#### **EUROLITE LED PLL-360 Panel**

#### All wide now!

Expansive light is indispensable for many applications. In photography, film, exhibitions and even on stage, a bright, planar and absolutely uniform light has to be used quite often.

With the PLL-360 panel, Eurolite has just such a spotlight in the range. Or rather two spotlights, because you can choose between a warm-white and a cool-white version. It is controlled via DMX.

Both panels have excellent color rendition and a CRI of over 90. The spotlights work absolutely fan-free and therefore silent. You can dim them steplessly. There are 4 dimmer speeds available. And they are also flicker-free for filming.

Via 4 barn doors, you can limit light and avoid glare. And in addition, the doors are also a good transport protection for the milky front surface of the PLL 360.









#### **EUROLITE LED PLL-360 Panel**

Surface light with 360 LEDs and DMX







**CRI>90** No. 40001895

#### EUROLITE LED PLL-480 CW/WW Panel

DMX-controlled surface light with 240 cold white and 240 warm white LEDs

# **Trungsram**

Innovation is our heritage EST.1896



# GE Lighting EMEA became Tungsram



eurolite® **LUMINAIRES Theater Spots** 







# Theater spotlights

For years now, LED theater spotlights from Eurolite have been more than just an insider tip. Because here you get state-of-the-art technology with highest reliability and excellent optical values. And you get all that at a very fair price.

Even against specialized manufacturers, Eurolite has established itsself more and more often. The vast majority of devices is whisper quiet or even without fans. And all are flicker-free, therefore suitable for television studios or professional theaters.









.black

No. 41602000

#### EUROLITE LED Theatre 36x3W CW/WW

LED spot with barn doors and 36 x 3 W LEDs (cold white/ warm white)





#### EUROLITE LED THA-20PC TRC Theater-Spot bk

Fanless PC spot with 17 W white light LED, color rendering index (CRI) >90





No. 41602081

#### **EUROLITE LED THA-40PC Theater-Spot**

Fanless PC spot (DMX), 57 W LED in warm white, color rendering index (CRI) > 90





No. 41602082

#### EUROLITE LED THA-40PC TRC Theater-Spot bk

Fanless PC spot with 57 W white light LED, color rendering index (CRI) >90





#### **EUROLITE LED THA-40PC DL Theater-Spot**

Fanless PC spot (DMX), 50 W LED in neutral white, color rendering index (CRI) > 90







No. 41602100

#### **EUROLITE LED THA-50F Theatre-Spot**

Fresnel spot (fresnel lens), 50 W warm white LED, extremely quiet, DMX

#### **LUMINAIRES**

#### **Theater Spots**

# eurolite<sup>®</sup>









No. 41602110

#### **EUROLITE LED THA-60PC Theater-Spot**

PC spot with 60 W COB LED (RGBW), extremely quiet,











No. 41602125

#### EUROLITE LED THA-100F Theatre-Spot

Fresnel spot (fresnel lens), 100 W warm white LED, extremely quiet, DMX



DMX





No. 41602126

#### EUROLITE LED THA-100F MK2 Theater-Spot

Fresnel spot (fresnel lens), 100 W warm white LED, CRI > 90, quiet, DMX





RGBW

No. 41602130

#### **EUROLITE LED THA-120PC Theater-Spot**

Fresnel spot (fresnel lens), 120 W COB LED (RGBW), extremely quiet, DMX





MOTOR, ZOOM

CW/WW No. 41602135

No. 41602144

..Barndoors

#### EUROLITE LED THA-250F 2700K-6500K Theater Spot

Fresnel spot, 250 W LED, variable color temperature, CRI > 90, zoom



MOTOR. ZOOM WW

DMX

No. 41602140 No. 41602141

Barndoors

#### **EUROLITE LED THA-250F Theater-Spot**

Fresnel spot (fresnel lens), 200 W warm white LED, CRI > 90, quiet, DMX



No. 41602142

#### **EUROLITE Barndoors for THA-40/60PC**

Recommended accessory



No. 41602584

#### **EUROLITE Filter Frame LED THA bk**

Recommended accessory



No. 41602585

#### **EUROLITE Barndoors for STL/THA bk**

Recommended accessory



WITHOUT FAN

STROBE

No. 41602595

RGB

#### EUROLITE LED PML-80 COB RGB 80W Spot/Wash

Spotlight with 80 W COB LED (RGB), beam angle 16/36° (lens)



DMX

STROBE



CW/WW

Barndoors

No. 41607600 No. 41607601.

#### EUROLITE LED SFR-100 COB CW/WW 100W Floor

Silent spotlight with 100 W COB LED in cold white and warm white

eurolite® **LUMINAIRES Theater Spots** 





## Light for golden hours

The THA-150F is a Fresnel lens spotlight with a special 170 watt LED that produces light in warm white and amber. These two colors can be chosen separately on request, but can also be controlled with just one channel in the so-called dim-to-warm function. This means that the color temperature also decreases with decreasing brightness. This perfectly imitates the behaviour of an ordinary light bulb which, when dimmed, also produces golden-orange light.

In order to produce very even gradients, it is also possible to dim the overall brightness in 16-bit resolution. In this case, 255 individual steps of brightness control become more than 65,000 steps.

The THA-150F also offers a motorized zoom that changes the beam angle from 8° to 39° using DMX commands. Thanks to its high color rendering index of over 90, the spot is ideally suited for the use in

Included in the scope of delivery are rotatable barn doors, which allow shading in all directions.





# Theater Spots CECO CENT MESSEBAU UND MIETMÖBEL

10% auf Miet-Mobiliar\*

\*Dieser Rabatt ist auf eine Buchung von Miet-Mobiliar unter Vorlage Ihrer Steinigke-Kundennummer einlösbar.







#### decorent

Langhausstraße 1 97294 Unterpleichfeld

Tel. 09367 – 98 77 95 40 Fax 09367 – 98 77 95 88 Mail info@decorent.de Web www.decorent.de

#### QUALITÄT UND DESIGN FÜR IHRE VERANSTALTUNG

Wählen Sie aus unserem Sortiment die passende Ausstattung für Ihre Veranstaltungen oder Ihren Messeauftritt. Es erwartet Sie eine große Auswahl an Mietmöbeln und Event-Equipment. Die unterschiedlichen Produktgruppen beschreiben Design, Form und Farbe. Außerdem vereinfachen wir Ihnen die passende Zusammenstellung. Wir legen großen Wert auf Qualität und Design unserer Mietmöbel.

#### DAS PASSENDE EQUIPMENT FÜR:

- >> Kunden-Events
- >> Präsentationen
- >> Firmenveranstaltungen
- >> Messebau

#### **LUMINAIRES**

#### **Theater Spots**

# eurolite®







Fresnel	No. 41900520.
Antihalo	No. 41900525.
Filter Frame	No. 41900533.
Paradoors	Vo 41000525

#### **EUROLITE Theatre Spot 300/500 bk**

Theatre spot for halogen lamp with 300 or 500 watt power



X 10	-	40°

No. 41901020	Fresnel
No. 41901023	Antihalo
No. 41901027	Filter Frame
No. 41901029	Barndoors

#### EUROLITE Theatre Spot 650/1000 bk

Theatre spot for halogen lamp with 650 or 1000 watt



D 10 - 40°

No. 41901050. No. 41901053.

#### EUROLITE Theatre Spot 2000 bk

Theatre spot for halogen lamp with 2000 Watt power



WITHOUT FAN



No. 41907160

#### EUROLITE Pro-Flood 1000S sym, R7s + Filter Frame

Symmetrical floodlight for halogen pole burner with a maximum of 1000 W



WITHOUT FAN

No. 41907170

#### EUROLITE Pro-Flood 1000A asym, R7s + Filter Frame

آ100°

Asymmetrical floodlight for halogen pole burner with a maximum of 1000 W



No. 41907190

No. 41907191 .MK2

**EUROLITE Barndoors, Pro-Flood 1000** 

Recommended accessory

#### eurolite® **LUMINAIRES Theater Spots**













No. 40001765..

EUROLITE LED PFE-10 3000K Profile Spot bk

Handy stage spotlight with 13 W LED by CREE





No. 40001800

EUROLITE LED PFE-50 3000K Profile Spot

Handy stage spotlight with 50 W COB LED in modular construction system, CRI > 80





**EUROLITE Lens Tube for LED PFE-50** 

Lens tube for EUROLITE LED PFE-50 3000K Profile Spot

26° 36°



No. 40001816

**EUROLITE Iris for LED PFE-50** 

Recommended accessory



DMX

No. 40001815

**EUROLITE DMX-Interface for LED PFE-50** 

Control module with DMX interface for EUROLITE LED PFE-50 3000K Profile Spot



No. 40001818

EUROLITE 230V Cable for LED PFE-50 1,5m

Connecting cable for power connection of several PFE-50 spots



No. 40001817

EUROLITE Power Cable LED PFE-50, 1,5m, 230V

Recommended accessory



## Profile 200

#### **Excellent profiler**

With the Futurelight Profile 200 series you can combine the benefits of LEDs with your high expectations. Especially when it comes to profile spotlights, very high standards are often set. And often enough, LED versions could not meet the expectations. But this is a thing of the past.

The two profile versions differ in their zoom range. Both do have the same excellent optical properties and very quiet operation. The warm-white light is not only very bright thanks to a 200 watt LED. It also has an excellent color rendering. The CRI value is over 90. Gobo frame and 4 shutter blades are included in delivery.






No. 51840925	Iris
No. 51840926	Gobo Holder
No. 51840927	Filter Frame

#### **FUTURELIGHT Iris for Profile 200**

Recommended accessory

















No. 40001981

EUROLITE LED PFE-120 3000K Profile Spot

PRO profile spotlight, 120 W warm white LED, zoom, shutter blades











No. 40001970

EUROLITE LED PFE-250 3000K Profile Spot

PRO profile spotlight, 250 W warm white LED, zoom, shutter blades, CRI > 90















No. 40001982

#### EUROLITE LED PFE-100 RGBW Profile Spot

PRO profile spotlight, 100 W 4in1 LED (RGBW), zoom, shutter blades



۱o.	40001983	Iris
۱o.	40001984	Gobo Holder
۱o.	40001985	Filter Frame

#### **EUROLITE Iris for LED PFE-100/120**



No. 40002500	19°
No. 40002510	26
No. 40002520	369
No. 40002530	
110. 10002000	

#### EUROLITE FS-600 Spot GKV-600 bk

Profile spotlight with shutter blades for GKV 600 halogen lamp



WITHOUT FAN	20 - 40°	
No. 40001961		

#### EUROLITE Profile-Spot 650W 20-40°

Easy-to-handle profile spot





## They are extremly compact and yet extremely bright.

The 300 watts LED of the SL-350 wins a brightness competition against a 1200 watt discharge lamp. Yet it is considerably lighter and by far smaller. LED spots have dramatically gained quality in the past years. So, there is no need to haul the 80 kilograms of a classic follow spot on the Z-bridge (illumination bridge). If you go for the SL-350 you only have to lift 10 kilograms.

It does not have to lie quiet regarding the quality of light and the equipment like a color wheel, CTO correction filter, iris, dimmer, focus or a mounting bracket. The operation is classic via control panel on the spotlight. There is also a DMX version that can be also controlled from the lighting console.

## Even more power, SL-400

The bigger brother of the SL-350, the SL-400, gets even more power out of its 300 watts LED. And in addition, it features warm-white LED. In the past, the large follow spots have been equipped with cold-white LEDs, but only because it was technically impossible to do otherwise.

Now things have changed and you get a warm-white follow spot with good color rendering (CRI > 80), adjustable zoom and a control panel with dimmer, shutter, iris and color settings. Wherever the spot should fit into the overall picture and not stand out, than it is used ideally. The SL-400 can be controlled via panel or DMX command.






## Even more distance, the SL-600

For the really big distances Eurolite can now offer you an LED follow spot. The SL-600 DMX is equipped with a 600 watts LED and is designed for distances of up to 100 meters.

It shows a cold-white LED as light source. You can adjust the beam angle from 7 ° to 13 ° and additionally narrow it via an iris. The dimmer, shutter, iris, a color wheel and a color correction wheel can be controlled via control panel, as well as via DMX.

#### eurolite® **LUMINAIRES** Search Lights























No. 51787311 EUROLITE LED SL-160 Search Light

Follow spot with cold white 160 W LED for small to medium distances













No. 51787315

EUROLITE LED SL-350 Search Light

Follow spot with cold white 300 W LED for small to medium distances



IRIS













No. 51787316

EUROLITE LED SL-350 DMX Search Light

Follow spot with cold white 300 W LED for medium distances











No. 51787320

EUROLITE LED SL-400 DMX Search Light

Follow spot with 300 W warm white LED for medium distances, zoom, CRI >80



IRIS

DMX











No. 51787330

EUROLITE LED SL-600 DMX Search Light

Follow spot with 600 W cold white LED for long distances, zoom, DMX

#### **EFFECT DEVICES LED Strobes**









No. 52200590

#### **EUROLITE LED Party strobe 36**

Ultra-compact party stroboscope with powerful LEDs



#### No. 52200648

#### **EUROLITE LED Disco Strobe white economic**

Compact strobe with 24 LEDs and adjustable speed



WITHOUT FAN



No. 52200650

#### **EUROLITE LED Disco Strobe white, sound**

Compact strobe with 24 LEDs and sound control







No. 52200652

#### **EUROLITE LED Disco Strobe COB white, sound**

Ultra compact Disco Strobe with powerful 20 W LED







No. 52200656

#### EUROLITE LED Disco Strobe COB multicolor, Sound

Ultra compact Disco Strobe with powerful multicolor 20 W LED



No. 52200822

#### EUROLITE LED Strobe 12x1W 6400K

Compact decoration strobe with 12 white 1 W LEDs







No. 52200828

#### **EUROLITE LED Techno Strobe 250 EC**

Compact strobe with 62 x 10 mm LED and adjustable flash frequency









No. 52200830

#### **EUROLITE LED Techno Strobe 250 Sound**

Compact strobe with 74 x 10 mm LED and adjustable flash freuquency







No. 52200864

#### EUROLITE LED Strobe SMD 270x5050 6400K

Compact strobe with 270 powerful SMD LEDs, adjustable flash freuquency





No. 52200867

#### EUROLITE LED Strobe COB 2x20W

Compact strobe with 2 x 20 W COB LED adjustable flash freuquency



DMX STAND ALONE







No. 52200870

#### EUROLITE LED Strobe COB PRO 8x20W DMX

LED strobe with 8 x 20 W COB LED and adjustable flash freuquency












No. 52200872

#### EUROLITE LED Strobe COB PRO 8x20W DMX RGB

Strobe with 8 x 20 W COB LED with RGB color mixing



# eurolite® SUPER STROBE ABL

## I want it all! Strobe and Ambient Light in one device

Why only use a stroboscope when you can have a great Ambient Light at the same time? The LED Super Strobe ABL combines both: 216 cold white, extremely bright SMD LEDs provide the typical stroboscope effect. They can also be permanently lit and used as blinders. In addition,

144 SMD LEDs with RGB color mixing illuminate the reflective surface and provide pleasant mood lighting. These LEDs can be controlled as one, four or even 48 individual segments.





#### eurolite **EFFECT DEVICES LED Strobes**





DMX STAND ALONE



CW

No. 52200878

EUROLITE LED Strobe COB PRO 16x10W DMX

Strobe with 16 x 10 W COB LED and adjustable flash



WITHOUT FAN DMX STAND ALONE

RGB

No. 52200913

EUROLITE LED Strobe SMD PRO 132 DMX RGB

Multifunctional strobe/flood/blinder with 132 bright SMD RGB LEDs



REMOTE DMX STAND ALONE





No. 52200915

EUROLITE LED Strobe SMD PRO 540 DMX RGB

Multifunctional strobe/flood/blinder with 540 bright SMD RGB LEDs



DMX CW

No. 52200921

**EUROLITE LED Super Strobe** 

Strobe with 480 bright SMD 5050 LEDs and DMX



REMOTE DMX STAND ALONE

No. 52201092

**EUROLITE LED SLS-98 Strobe SMD** 

Compact strobe with 98 SMD LEDs & DMX, each ring individually controlable





DMX STAND

• CW

No. 52201086

**EUROLITE LED Mini Strobe Cluster SMD 48** 

Compact strobe with 48 SMD LEDs, adjustable flash freuquency + DMX



No. 5220060P

**EUROLITE Disco Strobe 25** 

Simple, compact strobe



STAND ALONE

No. 52200611

**EUROLITE Disco Strobe 50** 

Simple, compact strobe



STAND 4,8 cm

No. 5220070L

EUROLITE Strobe with E-27 Base, clear

Strobe lamp for E-27 socket

#### **EFFECT DEVICES**

#### **Strobes**

## eurolite®









No. 52200710

**EUROLITE Strobe with Cable and Plug clear** 

Practical decoration strobe



STAND ALONE

No. 52201070

**EUROLITE Techno Strobe 250** 

Compact strobe with 40 W flash-tube and adjustable flash rate



STAND ALONE

No. 52202167

**EUROLITE Superstrobe 1500** 

Classic strobe with 1500 W flash-tube



STAND ALONE

No. 52202174

**EUROLITE Superstrobe 2700** 

Classic strobe with 1500 W flash-tube & analog controller connection



WITHOUT FAN

DMX

No. 52202176

**EUROLITE DMX Superstrobe 2700** 

Classic strobe with 1500 W flash-tube & DMX control



DMX STAND ALONE

No. 52202179

**EUROLITE DMX Megastrobe 3000** 

Classic strobe with 3000 W flash-tube & DMX control

#### **UV Effects**





No. 51100701

#### **EUROLITE UV-Spot with UV LED 5W**

Compact UV spot with E-27 socket including 5 W UV







No. 42110194

#### **EUROLITE LED PARty UV Spot**

Compact UV spotlight with 30 W COB LED and DMX control





No. 5110060A

#### EUROLITE Black Gun UV-spot for E-40/400W

Black light housing with narrow beam for E-40/400 W UV-lamp



No. 51100801

#### **EUROLITE Black Floodlight 160W**

Black light housing with wide beam for E-27/160 W UV





No. 51100805

#### **EUROLITE Black Floodlight 250W**

Black light housing with wide beam for E-40/250 W UV lamp





No. 5110080A

#### **EUROLITE Black Floodlight 125W**

Black light housing with wide beam for E-27/125 W UV lamp





No. 51100810

#### **EUROLITE Black Floodlight 400W**

Black light housing with wide beam for E-40/400 W UV lamp



No. 51101505	45 cm, 15 W
No. 51101510	60 cm, 18 W
No. 51101520	120 cm, 36 W

#### EUROLITE UV Fixture metal UV-Tube

Complete set with UV tube



No.	5110120V	45	cm.	15 W
		60 cm.		
Nο.	5110140U	120 cm.	36-	40 W

#### **EUROLITE Fixture with Neon Tube**

Fixture with fluorescent tube



No. 51101442. ..60 cm. 13 W No. 51101444... .... 120 W, 28 W

#### **EUROLITE UV Tube Complete Fixt. ultra slim**

Set, ready for connection with tube, mounting materials + power cord



•					
	No. 51101450	45	cm,	15	W
	No. 51101452	60	cm,	18	W
	No. 51101454	120	cm,	36	W
١	No. 51101456	150	cm,	58	W

#### **EUROLITE UV-Tube Complete Fixture slim**

Set, ready for connection with UV tube



No. 51101460	45 cm, 15 W
No. 51101462	60 cm, 18 W
No. 51101464	120 cm, 36 W

#### **EUROLITE Complete Fixture slim UV and white**

Set, ready for connection with UV tube and cold white fluorescent tube

#### **EFFECT DEVICES**

#### **UV Effects**

## eurolite®











No. 51100819

#### ANTARI DarkFX Spot 670

PRO DMX UV spot with 9 x 1.9 W UV LED, deep wavelength (365 nm)









No. 51100818

#### ANTARI DarkFX Drive 4

DMX control for a total of 4 Antari DarkFX Strips or DarkFX Spots



WITHOUT FAN



DMX





#### **EUROLITE LED FLD-144 UV 10mm Flood**

LED UV floodlight, incl. IR remote control









#### **EUROLITE LED FLD-1508 UV Panel**

Extremely bright UV spot with  $15 \times 8$  W LED, incl. IR remote control



WITHOUT FAN

IP56

No. 51914539

#### **EUROLITE LED IP FL-8 UV**

Weatherproof (IP56) UV spot with 8 x 1 W COB UV LED



WITHOUT FAN

No 51914549

#### **EUROLITE LED IP FL-10 COB UV**

Weatherproof (IP54) UV spot with 10 W COB UV LED



WITHOUT FAN









No. 51914559

#### **EUROLITE LED IP FL-30 COB UV**

Weatherproof (IP54) UV spot with 30 W COB UV LED



WITHOUT FAN





No. 51914619

#### **EUROLITE LED IP FL-50 COB UV**

Weatherproof (IP65) UV spot with 50 W COB UV LED



WITHOUT FAN

IP65





No. 51914629

#### EUROLITE LED IP FL-100 COB UV

Weatherproof (IP65) UV spot with 100 W COB UV LED



REMOTE DMX



No. 51915282

#### **EUROLITE LED SLS-6 UV Floor**

DMX controlled UV spot with 6 x 3 W UV LED



DMX



No. 51915287

EUROLITE LED SLS-180 UV 18x1W Floor DMX controlled UV spot with  $8 \times 1 \text{ W}$  UV LED



DMX





No. 51915289

#### EUROLITE LED SLS-360 UV 36x1W Floor

DMX controlled UV spot with 36 x 1 W UV LED

#### **EFFECT DEVICES UV Effects**













No. 51100820

#### ANTARI DarkFX Wash 2000

PRO DMX UV spot with 27 x 1.9 W UV LED, deep wavelength (365 nm)









No. 51100821

#### ANTARI DarkFX Spot 510 IP

Weatherproof PRO UV spot with 6 x 1.9 W UV LED, wavelength (365 nm)





#### **EUROLITE LED Party UV Bar-9**

Simple UV lighting bar with 9 x 1 W UV LED





No. 51930306

#### **EUROLITE LED Party UV Bar-18**

Simple UV lighting bar with 18 x 1 W UV LED





No. 51930332 481 FD 60cm No. 51930334. .96LED 120cm

**EUROLITE UV-Bar Complete Fixture classic slim** 

Slim UV tube with LEDs





No. 51930320

#### EUROLITE LED ML-56 COB UV 80W Floor bk

DMX controlled UV floodlight with 80 W COB LED









No. 51100823

#### ANTARI DarkFX Spot 1750

PRO DMX UV spot with 4 x 16 W UV LED, deep wavelength (365 nm)





No. 51100822

#### ANTARI DarkFX Strip 510

PRO UV spot with 6 x 1.9 W UV LED, deep UV wavelength (365 nm)



No 51107994 ..transparent red. 50 ml No. 51107995... ...transparent blue, 50 ml ...transparent gelb, 50 ml

#### **EUROLITE UV-active Stamp Ink, transparent**

UV-active stamping ink





No. 51107998. ... transparent red, 100 ml No. 51107999. .. transparent blue, 100 ml No. 51108000. ... transparent yellow, 100 ml

#### **EUROLITE UV-active Stamp Ink**

UV-active stamping ink





No. 51108003. ... transparent red, 250 ml No. 51108005... ...... transparent blue, 250 ml No. 51108006.. ...transparent yellow, 250 ml

#### **EUROLITE UV-active Stamp Ink**

UV-active stamping ink





No. 51108010

ACCESSORY Ink Cushion without ink 110 x 70mm

Ink cushion



## Under my umbrella

An attractive design object for the stage, which you can set up in the shortest possible time, which is very easy to operate and takes up very little space during transport: This is the new Eurolite LED Umbrella.

#### **COOPERATION**

The LED screen is the result of a cooperation between Eurolite and the renowned lighting designer Christian Schatz (klinkertor studios). He developed this umbrella as a basic version of his exclusive original (theREALthing#1, built by LichtLogistik LED Support GmbH) together with Eurolite.



#### THE STAGE IS SET UP IN A MINUTE.

What is special about the umbrellas? They are set up in no time at all and an original stage design is created without great effort. A few of them are sufficient to fill even large stages or to set specific accents. They take up very little space during transport and 6 umbrellas fit into the trunk of a normal car without any problems.

#### **TWO VARIANTS**

The Eurolite LED Umbrella is available in two sizes: With 140 or 95 cm diameter. Both versions are space-saving, transportable and are ideal as eye-catchers on stages.











## LED PIXEL TUBE 360°

## Flexible light design

The clear Eurolite Pixel Tubes are available in two different lengths (1 meter and 1.5 meter). In addition to these tubes with a diameter of 50 mm, there is an extra slim version with a diameter of only 28 mm and a length of one meter - for even more flexibility in creative installations.

## Three-dimensional effect

In conjunction with the MADRIX control software, 3D effects can be easily displayed: MADRIX enables the programming of threedimensional applications such as wave, radar or cube movements. The projections become really impressive with a higher number of tubes used.

## Absolutely flexible

It doesn't matter whether you hang as a square, rectangle or circle all you have to do is tell the software how many pixels you have and how they are arranged.



#### **EFFECT DEVICES**

#### **Effect Devices**

## eurolite®



.1.5 m





EUROLITE LED Pixel Tube 360° clear

LED tube for truss installation or ceilings



DMX

No. 51928780	24V/10
No. 51928782	24V/4

EUROLITE LED PSU DC LED Tube 360°

Controller for EUROLITE LED Pixel Tube 360





No. 51928783.

EUROLITE LED PSU Artnet/DMX

Controller for EUROLITE LED Pixel Tubes 360°



No. 51930447	.5 m
No. 51930448	2 m

**EUROLITE Extension Cord for PSI-1** 

4-pin extension cord for PSI-1 controller









No. 51928710

EUROLITE LED PSU-4A Artnet/DMX

Controller for EUROLITE LED Pixel Poles













EUROLITE LED PT-100 DMX Pixel Tube

DMX-controllable pixel tube













No. 51930452

EUROLITE LED Space Ball 35 + HST-150

Innovative decorative and lighting possibilities













No. 80503400

**EUROLITE CRT-120 LED-Curtain** 

LED curtain with 120 LEDs RGB+yellow and suitable DMX controller (3 x 2 m)



DMX STAND ALONE

No. 80503420

**EUROLITE Controller for CRT-120 LED-Curtain** 

Compact controller for easy application



DMX

STAND ALONE



No. 80503425

EUROLITE CRT-190 LED-Curtain 6x4m

LED curtain with 190 RGBA LEDs and matching DMX controller (6 x 4 m)



**Ø** 47 cm

No. 51116100

EUROLITE AC-300 Air Effect

Light sculpture with ventilator base, top piece and illuminant

No.	51116150	2 m, white
No.	51116152	2 m, blue
No.	51116160	

**EUROLITE Spare-Cone for AC-300** 

Accessory for AC-300

..2 m, white .... 2 m, blue No. 51116170. No. 51116172.

**EUROLITE Spare-Cylinder for AC-300** 

Accessory for AC-300









IP44





No. 51114540

**EUROLITE AKKU FL-1 LED Flamelight** 

Weatherproof LED flame light effect





BLUETOOTH









No. 51114541

EUROLITE AKKU FL-2 LED Flamelight with Bluetooth Speaker

Weatherproof Bluetooth speaker with LED flame light effect

## **EFFECT DEVICES**





No. 51114510 No. 88212014

..spare lamp

**EUROLITE FL-201 Flamelight** 

Decorative flame effect light



**Effect Devices** 

**9**,5 cm

No. 51114508

**EUROLITE LED FL-101 Flamelight** 

Mini flame caldron with a red LED, for standing installation



**Ø**20 cm

No. 51114520

**EUROLITE LED FL-250 Flamelight** 

Flame caldron with LED illumination, for standing or hanging installation



RB

No. 51114410

**EUROLITE LED FL-1500 Flamelight** 

Flame effect with LED illumination (flame height 150 cm)




DMX REMOTE CONTROL

RGB

No. 51114411

EUROLITE LED FL-1300 Flamelight with DMX

DMX-controllable flame effect with RGB LEDs, flame height 150 cm





WITHOUT FAN

LASER 2M

IP44



No. 51741115

EUROLITE LAS-16 IP Garden Laser Dot RG

Weatherproof garden laser (red/green), ground stake, stand + wall bracket

EFFECT DEVICES Effect Devices eurolite



# Pro Media News. de Das Fachportal für die AV- und Event-Branche


Case Studies • Produkte • Business • Heads • Stellenmarkt • Events • Live-Kommunikation • Veranstaltungstechnik • AV-Systemintegration

Presse- und Nachrichtenportal für die professionelle AV- und Event-Branche

#### **EFFECT DEVICES**

Laser







LASER 3B



No. 51743201

#### LASERWORLD EL-60G MKII

Show laser class 3 with 60 mW power in green



LASER 3B

No. 51743202

LASERWORLD EL-120R MKII

Show laser class 3 with 120 mW power in red



LASER 3B

DMX





No. 51743203

#### LASERWORLD EL-200RGB

Show laser class 3 with 200 mW power and three lenses for red, green, blue



LASER 3B

DMX

No. 51743204

#### LASERWORLD EL-230RGB

Show laser class 3 with 230 mW power in red, green, blue





LASER **3B** REMOTE DMX





● ● ■ RGB



#### LASERWORLD EL-500RGB KeyTEX

RGB text projection laser (500 mW), with keyboard & infrared remote control



LASER 3B

DMX





No. 51743206

#### LASERWORLD EL-400RGB

Show laser class 3 with 400 mW power in red, green, blue



LASER 3B

DMX





No. 51743207

#### LASERWORLD EL-900RGB

Show laser class 3B with 900 mW power in red, green, blue



LASER 3B

No. 51743212

#### LASERWORLD EL-150B

Show laser class 3 with 150 mW power in blue









No. 51743220

#### LASERWORLD CS-1000RGB MK2

Show laser class 4 with 1000 mW power in red, green, blue






No. 51743221

#### LASERWORLD CS-2000RGB MK2

Show laser class 4 with 2000 mW power in red, green,







No. 51743240

#### LASERWORLD PRO-1600RGB

PRO-show laser class 4 with 1600 mW power in red, green and blue





Diode laser with analog color modulation



LASER 4 ILDA DMX ● ● ■ RGB

No. 51743252

#### LASERWORLD DS-2000RGB

Diode laser with analog color modulation





No. 51743254

ILDA

#### LASERWORLD DS-3000RGB

Diode laser with analog color modulation



LASER 3R IP65

No. 51743260

#### LASERWORLD GS-400RGB

Diode laser with adjustable rotation



No. 51741493	5 m
No. 51741494	10 m
No. 51741495	20 m

#### **EUROLITE ILDA cable**

ILDA cable DB25





## **Totally free**

That is the motto of the akku series. No more annoying cables disrupting your assembly and wasting your time. Simply turn them on and get it going! Many different spots from Eurolite and Futurelight are available with battery. Truss light, LED bar, wall effect, pinspots or a gobo projector: a great variety is guaranteed.

All models are equipped with IR remote control (except PST-3W & BC-9) for pro DMX – some even feature a wireless DMX receiver.



#### **LUMINAIRES**

#### Battery-powered Spots

## eurolite®









black

#### EUROLITE AKKU Flat Light 1

Flat spotlight with 15 W RGBW LED, QuickDMX transceiver & bracket







No. 41700050

#### EUROLITE AKKU IP Flat Light 1 cr

Flat chrome spotlight with 15 W RGBW LED, QuickDMX transceiver & bracket



No. 41700055

#### EUROLITE Charger 4x Akku Flat Light Series

Power supply with cable, simultaneous charging of 4 x Akku Flat Light 1/3





#### **EUROLITE AKKU Mini PARty RGBW Spot**

DMX spotlight with 12 x 1 W LED in the colors red, green, blue and white







No. 41700501

#### EUROLITE AKKU TL-3 TCL Trusslight QuickDMX

Spot for lighting within trussing, 3 x 3 W 3in1 LED, QuickDMX transceiver



No. 41700502

#### **EUROLITE Rain Cover for AKKU TL-3 Trusslight** QuickDMX

Weatherproof cover for the Akku TL-3 Trusslight QuickDMX





No. 41700700

#### **EUROLITE AKKU PAR 6 QCL**

Battery-powered LED spotlight with RGBW color mixing, incl. IR remote control



#### Battery-powered Spots



















No. 41700540

#### EUROLITE AKKU UP-4 QCL Spot QuickDMX

Bright Uplight with 4 x 8 W 4in1 LED and QuickDMX transceiver



No. 41700541

#### EUROLITE Rain Cover for AKKU UP-4 QuickDMX

Weatherproof cover for AKKU UP-4 QCL Spot QuickDMX



















#### EUROLITE AKKU UP-1 QCL Flex Spot QuickDMX

LED Uplight with 15 W 4in1 LED, tiltable head and QuickDMX transceiver



No. 41700507

#### EUROLITE Rain Cover for AKKU UP-1 QCL Flex Spot QuickDMX

Weatherproof cover for Akku UP-1 Flex Spot (not for the Glow version)

















No. 41700506

#### EUROLITE AKKU UP-1 Glow QCL Flex Spot QuickDMX

LED uplight with 15 W 4in1 LED, tiltable head, QuickDMX & mood light





Quick**DMX** 









No. 41700542

#### EUROLITE AKKU IP UP-4 QCL Spot QuickDMX

Weatherproof (IP65), Uplight with 4 x 10 W 4in1 LED, QuickDMX & diffusor disk

















#### EUROLITE AKKU Bar-6 Glow QCL Flex QuickDMX

Tiltable battery-powered LED bar and mood light with 4in1 LEDs and QuickDMX











No. 51914204

#### EUROLITE AKKU LED IP FL-10 COB SOS Lamp

Rechargeable emergency light with 5400 mAh power bank, IP44















#### **EUROLITE AKKU Mini PST-10 QCL Spot**

Pinspot with 10 W 4in1 LED in RGBW with DMX









No. 41700312

#### EUROLITE AKKU BEK-10 Kaleidoscope black

Handy battery-powered kaleidoscope effect













No. 41700302

#### **EUROLITE AKKU BEL-15 Beam black**

Handy battery-powered beam effect with up to 5 beams

#### **LUMINAIRES**



WITHOUT FAN



No. 50603750

**EUROLITE LED SOS Battery-Powered Warning Light** 

Battery-powered LED warning light Ø 10 cm













No. 51918811

EUROLITE AKKU Mini BCW-4 RGB Flower

Portable disco ball with loudspeaker, Bluetooth and IR remote control











EUROLITE AKKU LED IP FL-20 COB RGB Spot

Weatherproof floodlight with battery, 20 W RGB LED and





WITHOUT FAN







No. 51914203

**EUROLITE AKKU LED IP FL-5 COB 3200K** 

Weatherproof floodlight with rechargeable battery and

## Light wherever you want it:

The AKKU IP UP-4 Plus gives you absolute freedom for creative lighting design - no matter where: thanks to IP 65 equipment, you can easily use it outside, even in bad weather.



You are independent of power connections, because the powerful uplight runs on a rechargeable battery. It can be changed quickly and easily and recharged in the matching transport case.

You can also do without the DMX cables: Thanks to WDMX equipment, you can control the AKKU IP UP-4 Plus wirelessly. If you need a quick solution, you can simply fall back on the numerous stand-alone programs designed by a German lighting designer.











RGBWA/UV

No. 41700580

EUROLITE AKKU IP UP-4 Plus HCL Spot WDMX

IP65 Uplight with removable battery, 6in1-LEDs (RGBAW+UV), WDMX, IR remote control and OLED display




No. 31005163

ROADINGER Flightcase 4x AKKU IP UP-4 Plus HCL Spot WDMX with Charging Function

PRO flightcase for 4 x Eurolite AKKU IP UP-4 Plus HCL Sot WDMX with Charging Function









The first model in the series is the Multiflood Pro IP SMD RGBW. This spotlight uses 1320 SMD LEDs. These are divided into 6 individually controllable segments. Due to the very wide radiation with 120°, it is ideally suited as stroboscope, blinder and wide floodlight. In addition, it can also be used as a spotlight without external control: you then choose from 36 different automatic programs with 16 colors and 2 color effects.



The second model, the Multiflood Pro IP RGBW, is equipped with 36 15-watt LEDs. With the included frost filter, its beam angle can be changed from 16° to 25° or 45° in seconds. A Wireless Solution W-DMX receiver is built in for wireless control.

Both spotlights are equipped with IP T-Con power connections as well as IP XLR connections and have Omega brackets for suspension, which are connected with quick-release fasteners.







EUROLITE Multiflood Pro IP SMD RGBW Strobe/Wash

Weatherproof (IP65) 3in1 LED effect light with RGBW color mixing





**EUROLITE Multiflood Pro IP RGBW Wash & Frost** 

Bright LED outdoor spot with wireless DMX receiver

Future light Floodlights **OUTDOOR** 



## Bright, efficient, low maintenance

The two architecture spotlights are IP 65 certified, so they are dustproof and protected against jet water. They have no fans or other mechanical parts that need to be serviced. Therefor they are ideal, even permanently, for outdoor use. The floods are equipped with 72, or respectively 96, state-of-the-art high-performance LEDs. The diodes generate tremendous brightness with very low power consumption.

The light radiates very wide with 120  $^{\circ}$  and is therefore suitable for the illumination of large buildings and surfaces. The color temperature is cold white at 5000 Kelvin, but is not too bluish. Also, the color rendering index is very high with a value of over 80 (150Lm/W).



WITHOUT FAN

IP65









No. 51833556

#### FUTURELIGHT LED PRO IP Flood 72

Weather-proof outdoor floodlight (IP65) with 72 cold white high-power LEDs



WITHOUT FAN











No. 51833557

#### **FUTURELIGHT LED PRO IP Flood 96**

Weather-proof outdoor floodlight (IP65) with 96 cold white high-power LEDs

eurolite® **OUTDOOR** Floodlights



## **LED IP Outdoor spots**

Especially in the mobile sector, it is important that you remain flexible and have the right answers for the corresponding tasks. For example, if you are required to illuminate outdoor areas and buildings from outside you can rely on a choice of outdoor PAR spots, the IP PAR series.

The IP PARs combine state-of-the-art technology with aesthetically designed housings. All spotlights fall under protection class IP 65, so they can even be operated in the pouring rain. There are versions with single color LEDs (RGB and warm white), with 3in1 LEDs (RGB) or with 6in1 LEDs (RGBAW+UV). You can even find an IP spotlight with DMX controllable zoom in this line. The entire series is equipped with weatherproof connectors, which of course are compatible with each other.

In addition are the new IP T-spotlight bars. These bars are available in 50 and 100 centimeters in length and are equipped with a variety of LEDs. The connectors are identical to the IP PAR range, so the two series can be easily combined as desired.

#### **OUTDOOR** Floodlights









No. 51914123

#### **EUROLITE LED IP T1000 TCL Bar**

Weather-proof bar (IP44) with 9 x 3 W 3in1 LED (RGB), 52 cm



WITHOUT FAN

#### **EUROLITE LED IP T2000 TCL Bar**

DMX

Weather-proof bar (IP44) with 18 x 3 W 3in1 LED (RGB), 100 cm

IP44





#### EUROLITE LED IP T1000 QCL Bar

Weather-proof bar (IP65) with 8 x 10 W 4in1 LED (RGBW), length 52 cm



#### EUROLITE LED IP T2000 QCL Bar

Weather-proof bar (IP65) with 16 x 10 W 4in1 LED (RGBW), 100 cm





No. 51914109

#### EUROLITE LED IP T1000 WW Bar

Weather-proof bar (IP65) with 8 x 5 W warm white LED, length 52 cm



#### EUROLITE LED IP T2000 WW Bar

Weather-proof bar (IP65) with 16 x 5 W LED (warm white), 100 cm





No. 51914121

#### EUROLITE LED IP T1000 HCL 9x12W

Weather-proof bar (IP65) with 9 x 12 W 6in1 LED (RGBAW+UV), 52 cm





No. 51914118

#### EUROLITE LED IP T2000 HCL Bar

Weather-proof bar (IP65) with 16 x 10 W 6in1 LED (RGBAW+UV), 100 cm





No. 51914158

#### EUROLITE LED IP PAD 9x8W QCL

Weather-proof DMX spot (IP65) with 9 x 8 W 4in1 LED (RGBW)





No 51914159

#### EUROLITE LED IP PAD 9x8W HCL

Weather-proof DMX spot (IP65) with 9 x 8 W 6in1 LED (RGBAW+UV)





No. 51914160

#### EUROLITE LED IP PAD 24x8W QCL

Weather-proof DMX spot (IP65) with 24 x 8 W 4in1 LED (RGBW)





No. 51914164

#### EUROLITE LED IP PAD 60x3W CW/WW

Weather-proof DMX spot (IP65) with 40 x 3 W LED (cold and warm white)

#### eurolite<sup>®</sup> **OUTDOOR PAR Spots**



WITHOUT FAN

RGB

DMX





No. 51914165

#### **EUROLITE LED IP PAD COB RGB 60W**

Weather-proof DMX spot (IP65) with 60 W COB LED (RGB)



WITHOUT FAN

DMX IP65

**RGB** No. 51914167

#### **EUROLITE LED IP PAD COB RGB 180W**

Ultra-flexible architectural spot



No. 51914169

**EUROLITE Barndoors for IP PAD 150** 

Spare part for LED IP PAD



WITHOUT FAN



No. 51914189

#### **EUROLITE LED IP PAR 5x5W WW**

Compact, weather-proof DMX spot (IP65) with 5 x 5 W LED (warm white)





No. 51914188

#### **EUROLITE LED IP PAR 3x12W HCL**

Compact, weather-proof DMX spot (IP65) with 3 x 12 W 6in1 LED (RGBAW+UV)



WITHOUT FAN

No. 51914174

#### EUROLITE LED IP PAR 36x1W RGB

Weather-proof DMX spot (IP65) with 36 x 1 W LED in red, green and blue



DMX

IP65



RGB



No. 51914175

#### **EUROLITE LED IP PAR 12x3W TCL**

Weather-proof DMX spot (IP65) with 12 x 3 W 3in1 LED (RGB)





RGBW









No. 51914178

#### **EUROLITE LED IP PAR 14x8W QCL**

Weatherproof (IP65) spotlight with RGBW color mixing, incl. diffuser discs

## Weatherproof and versatile in use

You can easily use this spotlight for a wide variety of purposes: Whether as basic light on festival stages, architectural light or as decorative light for outdoor events. Thanks to its IP65 protection, the spotlight won't let you down in the rain.

## **EQUIPMENT**

14 powerful 8W RGBW LEDs provide homogeneous color mixing. With the aid of the included diffuser discs, the beam angle of the spot can be changed from approx. 28° to approx. 60°.







#### **OUTDOOR**

#### **PAR Spots**

## eurolite®













#### EUROLITE LED IP PAR 12x12W HCL

Weather-proof DMX spot (IP65) with 12 x 12 W 6in1 LED (RGBAW+UV)



DMX

IP65







No. 51914192

#### **EUROLITE LED IP PAR Z60 RGBW**

Weather-proof DMX spot (IP65) with 60 W LED with RGBW and zoom (4 to 32°)



IP65

No. 51914140 No. 51914141. No. 51914142. .10 m

EUROLITE DMX-Cable for LED Par/Flood IP65



IP65

No. 51914148

EUROLITE End Cap for LED IP-Pad (230V)



IP65

No. 51914149

EUROLITE 230V Cable for LED IP PAR/IP Pad 5m



IP65

No. 51914150

EUROLITE DMX-Cable for LED IP Par, 5m



IP65

No. 51914151

EUROLITE Power cable IP-Par, 1,8m, 230V



IP65

No. 51914152

EUROLITE DMX-Adapter OUT LED IP-Par 1m



IP65

No. 51914153

EUROLITE DMX-Adapter IN LED IP-Par, 1m



IP65

No. 51914154

**EUROLITE End Caps for LED IP-Par DMX** 

eurolite® **OUTDOOR** Floodlights



WITHOUT FAN	IP56	D 30°	
lo. 51914510			6400
lo. 51914520			3000
lo. 51914527			re
lo. 51914530			gree
lo. 51914533			blu
lo. 51914536			yellov

#### **EUROLITE LED IP FL-8 30°**

Outdoor spotlight (IP56) with 8 x 1 W LED and 30° beam



	IP56 1 60°	WITHOUT FAN
6400 K		No. 51914515
3000 K		No. 51914525
red		No. 51914528
green		No. 51914531
blue		No. 51914534
yellow		No. 51914537
· ·		

#### **EUROLITE LED IP FL-8 60°**

Outdoor spotlight (IP56) with 8 x 1 W LED and 60° beam




WITHOUT FAN IP54 WW	CVV D 120°
No. 519145626400 No. 519145633000	

#### EUROLITE LED IP FL-10 COB 120° classic

Outdoor spotlight (IP54) with 10 W LED









#### EUROLITE LED IP FL-50 COB 120° classic

Outdoor spotlight (IP54) with 50 W LED





Outdoor spotlight (IP54) with 30 W LED

No. 51914680

#### EUROLITE LED IP FL-10 COB RGB IR + Stake

Outdoor spotlight (IP65) with 10 W COB LED (RGB), IR remote control





No. 51914600

#### EUROLITE LED IP FL-10 COB RGB 120° RC

Outdoor spotlight (IP65) with 10 W COB LED (RGB) and IR remote control





No. 51914605

#### EUROLITE LED IP FL-30 COB RGB 120° RC

Outdoor spotlight (IP65) with 30 W COB LED (RGB) and IR remote control





No. 51914610

#### EUROLITE LED IP FL-50 COB RGB 120° RC

Outdoor spotlight (IP65) with 50 W COB LED (RGB) and IR remote control





No. 51914612

#### EUROLITE LED IP FL-80 COB RGB 120° RC

Outdoor spotlight (IP65) with 80 W COB LED (RGB) and IR remote control





No. 51914614

#### EUROLITE LED IP FL-100 COB RGB 120° RC

Outdoor spotlight (IP65) with 100 W COB LED (RGB) and IR remote control





No. 51914616

#### EUROLITE LED IP FL-150 COB RGB 120° RC

Powerful outdoor floodlight with 150 W RGB LED

## **OUTDOOR**

## eurolite<sup>®</sup>





#### **EUROLITE LED IP FL-10 SLIM**


Flat outdoor spotlight (IP65) with 20 SMD LEDs



Floodlights







#### EUROLITE LED IP FL-30 COB 120° SLIM

Flat outdoor spotlight (IP65) with 30 W LEDs





WITHOUT FAN






#### **EUROLITE LED IP FL-100**

Flat outdoor spotlight (IP65) with 20 SMD LEDs





Flat outdoor spotlight (IP65) with 36 SMD LEDs



No. 51914702	.45	x 210	mm
No. 51914704	.60	x 265	mm

#### **EUROLITE Stake**

210 mm ground stake for outdoor floodlight





#### **EUROLITE Outdoor Spot 150W WFL A**

Asymmetrical outdoor spot (IP65) for 150 W discharge lamp



No.	51837250	single
No.	51837260	double

#### **EUROLITE Rain Cover Clamp**

Rain cover for small and medium-sized LED spots









WITHOUT FAN	• WW	√ €0°	
No. 41600461 No. 41600462 No. 41600463			black

#### EUROLITE LED KKL-12 Floodlight 3200K

Warm white 12 W LED light on the extension arm with clamp holder

#### Moving Messages









#### EUROLITE LED KKL-30 Floodlight 4100K

30 W LED floodlight with extension arm and screw clamp for fixation



WITHOUT FAN

CRI>90

.silver white

#### **EUROLITE LED KKL-50 Floodlight 4100K**

50 W LED floodlight with extension arm and screw terminal for fixation



WITHOUT FAN 120°

No. 41600480 silver No. 41600482 No. 41600484 white

#### **EUROLITE KKL-300 Halogen Floodlight**

 $300\;W$  halogen floodlight with extension arm and screw terminal for fixation, silver







No. 41600495

#### **EUROLITE LED CSL-70 Spotlight**

Bright, neutral white spotlight, wide beam angle and 70





No. 51931980

#### EUROPALMS LED Advertising Board 58 x 42 cm

LED-illuminated Advertising/Writing Board in a picture frame design



No. 51931996

EUROPALMS Pen for LED Lightboard (UV active white)

Accessory for 51931991, 51931992 and 51931993



● ● ● RBY

No. 80500106

EUROLITE ESN 7x80 5mm LED red/green/yello

Professional Moving Message







No. 80500120

EUROLITE ESN 16x128 5mm LED red/green/yellow

Professional Moving Message





No. 80500125

EUROLITE ESN 16x256 5mm LED red/green/yel

Professional Moving Message



No. 80500129

**EUROLITE ESN Remote control (IR)** 

Keyboard-like remote-control






No. 80500303

**EUROLITE LED Sign OPEN classic** 

Compact LED sign OPEN classic

# **LIGHTING CONTROLLERS**

Color Chief	210
Bigfoot	212
DMX Controllers	213
DMX Tools	216
DMX Splitters	218
DMX Tools	219
MADRIX	220
DMX Controllers	224
Dimmer Packs	225





# **COLOR CHIEF**

## eurolite® DMX Controller



## Innovative control concept for colored spot lights

The Color Chief offers you an innovative control concept combining easy handling with astounding results. The DMX controller has been developed especially for both colored spot lights and simpler light effects. What makes the Color Chief so special is that it cannot only control individual spot lights but also fixtures with up to 4 individual segments. Thus you can easily control your KLS system or your light bars with 4 seaments.

Color Chief

Altogether, the Color Chief can control a total of 8 spot lights with up to 4 segments each.



## The power of colors

As the name suggests, the Color Chief's strong suit is its colors. It supports up to 6 colors, thus it does not matter whether you have a simple RGB spot light or a complex light effect unit with red, green, blue, amber, white and UV. Spot lights with individual colors, e.g. white light spot lights, can be integrated as well. The Color Chief's clear design makes it particularly easy to be always in control.

## Smart color effects

Do you have a color effect with only one channel for various colors? Thanks to the color wheel function, this is not a problem for the Color Chief. The 8 already recorded smart color effects make the configuration even easier for you. It has never been easier to create such impressive color effects.

## **Special features**

Of course, the Color Chief offers more than color control. You can also adjust the dimmer, shutter and three free channels, thus you can also control simple beam effects, lasers and projectors.





### Easy memory procedure

Memorizing your scenes is just as easy. When you have created a nice scene and want to memorize it as a new step you just press the store button. This way you can easily create individual scenes and chases which can be stored on up to 24 memory banks. However, you can also easily add steps at any position, edit previously memorized scenes or delete steps.

# Simultaneously running chases

With the Color Chief you can run more than one chase, thus you can use several chases and scenes simultaneously. What is more, every chase can have its own running time and fade time, i.e. you can determine for each chase how fast it should run and if the fade effect should be hard or soft. Of course, you can change these settings anytime.



### **Everything safe**

The Color Chief has a USB interface that can be used to memorize the entire control panel with all its settings and programs. You can memorize up to 24 complete setups on a USB flash drive. This way you can easily manage different shows or fixture arrangements







# IT IS REALLY ALIVE! DMX Move **BIGFOOT** Foot Controller 192

A full-fledged DMX light controller in a foot bar – with FX generator

- · Quick programming thanks to the integrated FX generator with movement patterns and color effects
- For 12 fixtures with max. 16 control channels each
- · Save shows on an USB-stick
- Solid metal housing with handle
- · Simply preselect the desired program by foot and trigger it with the GO button



DMX USB

**EUROLITE DMX Move Bigfoot Foot Controller 192** 

A full-fledged DMX light controller in a foot bar, with FX generator

# eurolite®



### **DMX LED EASY Operator Deluxe**

Simply control either one spot system with 4 segments (a KLS system for example) or 4 single spots. For these two tasks the Easy Operator Deluxe has been developed.

You can adjust and save the 12 colors and the brightness – steplessly - for all spots or all segments. Then you can run them and adjust the speed or let the music take control. Smooth blendings and fast stroboscope blinking can be realized as well.





### DMX LED EASY Operator 4x6

Lighting control is unlikely to be easier than with the Easy Operator 4x6. You can control 4 single spots with up to 6 colors each. And the spots do not have to be the same, they can be different types.

The key feature of this Easy Operator: Control is a child's play and still you have plenty of options to be creative. You can manually set the colors, choose chasers or let the light blink like a stroboscope.

### DMX LED EASY Operator 4x4

This simple control helps you to operate spotlights with 4 colors each. This means you can control lights with RGB, RGBW and RGBA color mixture.





DMX

No. 70064574

**EUROLITE DMX LED EASY Operator Deluxe** 

Controller for 4 colored LED spotlights or one KLS set with 4 segments



DMX

No. 70064565

EUROLITE DMX LED EASY Operator 4x4

Compact DMX controller for 4 LED spotlights with up to 4 colors each



DMX

No. 70064570

EUROLITE DMX LED EASY Operator 4x6

Compact DMX controller for 4 LED spotlights with up to 6 colors each

**DMX Controllers** 







DMX

USB

**EUROLITE DMX Move Controller 512** 

Controller with color & motion effects (28 fixtures, 18 control channels each)



DMX

USB

No. 70064516

**EUROLITE DMX Move Controller 512 PRO** 

DMX controller with FX generator for motions

## Unique in its class

Such a quality has never been there for light controllers of this size. The Move Controller scores with its equipment, conception and a special feature: motorized faders.

With the DMX Move Controller 512 Pro, 24 DMX lighting effect devices with up to 34 channels per device can be controlled. It is perfectly suited for use with moving lights and devices having RGB or RGBW LEDs. The compact measurements make it the perfect companion for mobile users.



DMX

USB

No. 70064518

**EUROLITE DMX Operator 240 Controller** 

Console for 12 light effect units (max. 20 DMX channels), 2 jog wheels



DMX

19"

No. 70064520

**EUROLITE DMX Operator 192 Controller** 

DMX controller for 12 devices with max. 16 DMX channels



DMX USB

No. 70064522

**EUROLITE DMX Operator 1610 Controller** 

Compact console for 16 lighting effect units with up to 10 DMX channels and USB



DMX

19"

No. 70064526

**EUROLITE DMX Scan Control 192 MK2 Controller** 

USB

Console for 12 lighting effect units with up to 16 DMX channels, joystick



DMX

USB



No. 70064835

EUROLITE DMX AIO Recorder, Merger, Artnet Node, Signal Converter

DMX recorder for 2 universes



DMX

No. 70064504

**EUROLITE DMX LED Operator 4 Controller** 

Simple controller for 4 RGB spots as well as RGB KLS systems





DMX

No. 51860130

Steinigke Light'J

The most intuitive light controlling app

# **YOU'RE** you have ever seen **WELCOME**, LIGHT'J MANKIND





Eurolite freeDMX - Wireless and easy

Control your spots, flowers, bars or even moving heads simply via tablet or smartphone. The only thing you need besides the freeDMX\_AP: Light'J- the most innovative light controlling app.

> Just take the DMX cable from a spot and plug it into the freeDMX\_AP interface. Then connect freeDMX AP with your mobile device via the integrated Wi-Fi module. Now you can run your own show, as simple as that!



DMX

USB

WLAN

EUROLITE freeDMX AP Wi-Fi Interface

**PC**CONTROL

Wireless WLAN DMX interface for apps & programs like

No. 51860156

**EUROLITE SAP-512 MK2 Standalone Player** 

USB-interface with software for lighting programming and control with the computer





USB PCCONTROL

EUROLITE SAP-1024 MK2 Standalone Player

USB-interface with software for lighting programming and control with the computer



DMX

USB

**PC**CONTROL

No. 51860158

EUROLITE LED SAP-1024 Slim Standalone Player

Stand-alone player incl. DMX control software PC-Control 1024



DMX

USB

**PC**CONTROL

No. 51860159

**EUROLITE LED SAP-1024 HTS Standalone Player** 

USB DIN rail interface with software for light programming with the computer



DMX USB

7 1,8 cm

No. 51860118

EUROLITE USB-DMX512 Interface/Update Adaptor

USB DMX interface without software for use with lighting control programs



DMX

USB



No. 51860122

**EUROLITE USB-DMX512 PRO Cable Interface** 

USB DMX interface with integrated processor for steady DMX output



DMX

USB

**PC**CONTROL

No. 51860121

EUROLITE USB-DMX512 PRO Interface MK2

USB DMX interface with integrated processor for steady DMX output



DMX

USB **PC**CONTROL

No. 51860150

**EUROLITE LED PC-Control 512** 

Lighting control software with USB interface to create professional shows





DMX

USB

**PC**CONTROL

No. 51860116

**EUROLITE Pro Control DMX Software 1024** 

Lighting control software with USB interface and 2 DMX universes





USB

**PC**CONTROL

EUROLITE PC Control 2x512-DMX/Artnet USB-Interface incl. 32x512-DMX Control Software

Lighting control software with licence for output of 32 DMX universes



ILDA

DMX

RJ45

No. 51743200

LASERWORLD Showeditor Set - Lasershow Software

Set with Laserworld Showeditor 2015 and Laserworld ShowNET Network Interface



DMX

No. 70063802

**EUROLITE FD-6+1 DMX Dimmer Panel** 

Basic DMX controller for 6 channels with master fader



DMX

No. 70063830

**EUROLITE FD-32+1 DMX Dimmer Panel** 

Basic DMX controller for 32 channels with master fader



DMX 19"

No. 70064540

**EUROLITE DMX Scene Setter Controller** 

Theater light console for 24 DMX channels, brightness control for each scene



DMX

19"

No. 70064545

**EUROLITE DMX Scene Setter 24/48** 

Theater light console for 48 DMX channels, brightness control for each scene



DMX

19"

No. 70064550

**EUROLITE DMX Commander 24/48 Controller** 

Theater light console for 48 DMX channels, brightness control for each scene



DMX

No. 70064810

**EUROLITE DMX Split 4 Splitter** 

Splitter with 4 galvanized isolated outputs, 3-pin & 5-pin XLR sockets



DMX

No. 70064820

**EUROLITE Split 6X DMX Splitter** 

Splitter with 6 galvanized isolated outputs, 3-pin & 5-pin XLR sockets



DMX Quick**DMX** 

No. 70064825

**EUROLITE DMX Split 8X Splitter** 

Splitter with 8 galvanized isolated outputs, 3/5-pin & QuickDMX XLR sockets



RDM Quick**DMX** (...)



DMX No 70064826

**EUROLITE DMX Split 8X RDM Splitter** 

Splitter with 8 galvanically isolated outputs, 3/5-pin & QuickDMX XLR sockets





# Find us online

f /mondodr



@mondo\_dr



# **Eurolite DXT-Series - Made in Germany**

The Eurolite DXT series consists of four RDM DMX splitters, a DMX truss splitter and a DMX merger. The special thing about the products: The series was completely developed and manufactured in Germany. It is primarily aimed at professional users who value quality and reliability.

### Stable and reliable

The high-quality components catch the observer's eye right from the first glance at the devices of the DXT series: The developers have chosen the proven quality of PowerCon and Neutrik for the connections. The housings of the devices are very stable, some of them already prepared for mounting on trusses and suitable for the hard use on tour.





### More functions for comfortable working

In addition to their high manufacturing quality, the devices of the DXT series also impress with their range of functions: four of the RDM splitters, for example, feature LED control indicators for the output channels and selectable functions

for a possible failure of the DMX signal. Thanks to their well thought-out concept, operation of the devices remains simple and convenient. In case of any problems, their partially modular design makes repair easier.





**DMX Tools** 













EUROLITE DXT-TSP 1in/2out PRO DMX Truss Splitter

Splitter for truss mounting with 2 galvanically isolated outputs









No. 70064866

EUROLITE DXT-SP 1in/2out PRO DMX RDM Splitter

RDM-capable DMX splitter, 1 in/2 out with signal boost







No. 70064867

EUROLITE DXT-SP 1in/4out PRO DMX RDM Splitter

RDM-capable DMX splitter, 1 in/4 out with signal boost



DMX

RDM



No. 70064868

EUROLITE DXT-ME PRO DMX merger

Professional DMX merger to combine 2 DMX signals into 1



19"

DMX

**RDM** 

No. 70064869 No. 70064870

3pol XI R . 5pol XLR

EUROLITE DXT-SP 1in/8out PRO DMX RDM Splitter

RDM-capable DMX splitter, 1 in/8 out with signal boost





No. 70064872

**EUROLITE Mounting frame for DXT serie** 



No. 70064873

EUROLITE Blind plate for DXT mounting plate





RJ45

No. 70064842 EUROLITE Art-Net/DMX Node 1

LED controller and Art-Net/DMX converter





RJ45



19"



No. 70064843

EUROLITE Art-Net/DMX Node 8 MK2

Art-Net interface distributes 8 universes to XLR



USB

RJ45



No. 70064844

MADRIX LUNA 4 Port USB / Art-Net Node

19"

Artnet and USB interface to issue 4 DMX universes



RJ45

19"

**USB** 



No 70064845

MADRIX LUNA 8 Port USB / Art-Net Node

Artnet and USB interface to issue 8 DMX universes



RJ45



No. 70064846

MADRIX LUNA 16 Port USB / Art-Net Node

Artnet and USB interface to issue 16 DMX universes





## MADRIX - Lighting Control

MADRIX® is a high-performance software solution to control your LEDs. The brand does not only offer the software. It also produces hardware products, which perfectly complement the software. MADRIX® runs on Windows® and above all is user friendly – and it is equipped with numerous innovations.

A multitude of well-known industry standards are supported by MADRIX®, such as: DMX512, Art-Net, Streaming ACN, DVI, Eurolite T9, ColourSmart Link, Colorlight 5A, Colorlight A8, Philips Hue, and Philips Color Kinetics KiNET. MADRIX® is both a generator for real-time effects as well as a media server. The software thus features unique possibilities to display effects live and pixel by pixel.

You can control applications both in regular 2D as well as 3D projects in all three levels without any difficulty. To control your installations, you can use MADRIX® alone or integrate it into extensive productions via Art-Net Remote, CITP, DMX-IN, MA-Net, MIDI-IN, Streaming ACN, Remote HTTP, and Time Code.

With matching hardware products, you can control all LED installations reliably on the basis of the MADRIX® software, the core of the MADRIX® product range. You can integrate software and hardware smoothly and thus create extraordinary effects.

You can find the complete overview over the current MADRIX® range of products in our online shop.









### **DMX CONTROLLERS**

### **MADRIX**









No. 51860340

MADRIX KEY

MADRIX 5 KEY - Without license



LICENSE



No. 51860450

MADRIX 5 License start

MADRIX 5 Software License without MADRIX KEY





No. 51860451

MADRIX 5 License entry

MADRIX 5 Software License without MADRIX KEY



LICENSE



No. 51860346

MADRIX 5 KEY basic

MADRIX KEY + MADRIX 5 License basic



LICENSE



LICENSE



No. 51860453

MADRIX 5 License professional

MADRIX 5 Software License without MADRIX KEY





No. 51860349

MADRIX 5 KEY ultimate

MADRIX KEY + MADRIX 5 License ultimate





LICENSE



No. 51860455

MADRIX 5 License maximum

MADRIX 5 Software License without MADRIX KEY









No. 51860355

MADRIX USB ONE

USB DMX cable to send/receive DMX signals with the MADRIX software







RJ45

No. 51860360

MADRIX NEBULA

USB and network interface to control pixels of LED strips, LED stripes, and LED tape









No. 51860361 MADRIX ORION

Powerful A/D converter











No. 51860365

MADRIX STELLA

USB and network interface to control two DMX universes











MADRIX PLEXUS

USB and Art-Net interface for stand-alone control of two DMX universes

### **MADRIX**









No 51860380

### MADRIX USB light sensor

Light sensor to trigger the MADRIX software







No 51860381

### MADRIX USB temperature sensor

Temperature sensor to trigger the MADRIX software







No. 51860382

#### MADRIX USB contact closure

Input device to trigger the MADRIX software









No. 51860383

### MADRIX USB SMPTE

USB cable for sending SMPTE time code to the MADRIX software





No. 51860500

#### MADRIX 5 Software Update start

Update from start or dvi start (MADRIX 2 or MADRIX 3) to MADRIX 5 License start





No 51860501

### MADRIX 5 Software Update entry

Update from entry or dvi entry (MADRIX 2 or MADRIX 3) to MADRIX 5 License entry





No. 51860502

### MADRIX 5 Software Update basic

Update from basic or dvi (MADRIX 2 or MADRIX 3) to MADRIX 5 License basic





No. 51860503

### MADRIX 5 Software Update professional

Update from professional (MADRIX 2 or MADRIX 3) to MADRIX 5 License professional





No. 51860504

### MADRIX 5 Software Update ultimate

Update from ultimate (MADRIX 2 or MADRIX 3) to MADRIX 5 License ultimate





No. 51860550

### MADRIX 5 License Upgrade start > entry

Upgrade from MADRIX 5 License start to MADRIX 5 License entry





No. 51860551

### MADRIX 5 License Upgrade start > basic

Upgrade from MADRIX 5 License start to MADRIX 5 License basic





No. 51860552

### MADRIX 5 License Upgrade start > professional

Upgrade from MADRIX 5 License start to MADRIX 5 License professional

### **DMX CONTROLLERS**

### **MADRIX**







No. 51860553

### MADRIX 5 License Upgrade start > ultimate

Upgrade from MADRIX 5 License start to MADRIX 5 License ultimate





No. 51860554

### MADRIX 5 License Upgrade start > maximum

Upgrade from MADRIX 5 License start to MADRIX 5 License maximum





No. 51860555

### MADRIX 5 License Upgrade entry > basic

Upgrade from MADRIX 5 License entry to MADRIX 5 License basic





No. 51860556

### MADRIX 5 License Upgrade entry > professional

Upgrade from MADRIX 5 License entry to MADRIX 5 License professional





No 51860557

### MADRIX 5 License Upgrade entry > ultimate

Upgrade from MADRIX 5 License entry to MADRIX 5 License ultimate





No 51860558

### MADRIX 5 License Upgrade entry > maximum

Upgrade from MADRIX 5 License entry to MADRIX 5 License maximum





No. 51860559

### MADRIX 5 License Upgrade basic > professional

Upgrade from MADRIX 5 License basic to MADRIX 5 License professional





No. 51860560

### MADRIX 5 License Upgrade basic > ultimate

Upgrade from MADRIX 5 License basic to MADRIX 5 License ultimate





No. 51860561

### MADRIX 5 License Upgrade basic > maximum

Upgrade from MADRIX 5 License basic to MADRIX 5 License maximum





No. 51860562

### MADRIX 5 License Upgrade professional > ultimate

Upgrade from MADRIX 5 License professional to MADRIX 5 License ultimate





No. 51860563

### MADRIX 5 License Upgrade professional > maximum

Upgrade from MADRIX 5 License professional to MADRIX 5 License maximum





No. 51860564

### MADRIX 5 License Upgrade ultimate > maximum

Upgrade from MADRIX 5 License ultimate to MADRIX 5 License maximum





Cables can be annoying sometimes. With the Eurolite DMX system, you can forget the cables; the DMX signal is transmitted wirelessly. The signal can be sent to several receivers and several systems with different DMX universes can be operated simultaneously.

The new EUROLITE QuickDMX Wireless transmitter/receiver can be used as transmitter or as receiver. It makes the wireless transmission of up to 512 DMX channels possible and switches automatically between transmitting and receiving operation. Besides eliminating the cable chaos, it saves you time and nerves.



Quick**DMX** 

DMX

**2,4** GHz

No. 70064700

**EUROLITE QuickDMX Wireless Transmitter** 

Wireless DMX transmitter 2.4 GHz



Quick**DMX** 

DMX

**2,4** GHz

No. 70064701 No. 70064701

phantom power

**EUROLITE QuickDMX Wireless Receiver** 

Compact wireless DMX receiver 2.4 GHz



Quick**DMX** 

No. 70064704

EUROLITE QuickDMX USB Wireless Transmitter/Receiver

Wireless miniature DMX transceiver 2.4 GHz, phantom powered



Quick**DMX** No. 70064703

DMX **2,4** GHz

EUROLITE QuickDMX Wireless Transmitter/Receiver

Wireless DMX system 2.4 GHz



WDMX DMX



No. 51834024

FUTURELIGHT WDS-G4 Duo TX Wireless DMX

Wireless DMX system 2.4 GHz - two transceivers with W-DMX unit in one 19" housing



WDMX

DMX RDM



EUROPE

No. 51834021

FUTURELIGHT WDR-G4 wireless DMX receiver PCB

Wireless DMX receiver, 2.4 GHz



WDMX



**2,4** GHz

No. 51834023

FUTURELIGHT WDR-G4 RX Wireless-DMX-Receiver

DMX wireless receiver with technology from Wireless Solution



**WDMX** 







No. 51834022

FUTURELIGHT WDS-G4 TX Wireless-DMX-Transceiver

Wireless DMX system 2.4 GHz - compact transceiver with W-DMX unit by Wireless Solution







No. 70064512

### EUROLITE DMX LED Operator IR2DMX + IR RC

IR control module set with remote to control 4 RGB spots and KLS sets



DMX

19"

No. 70064120

### **EUROLITE DPX-610 DMX Dimmer Pack**

6 x 10A dimmer for DMX & analog signals, connection via terminal blocks



DMX 19"

No. 70064122

### **EUROLITE DPX-610 S DMX Dimmer Pack**

6 x 10A dimmer for DMX & analog signals with safety out-sockets



DMX | 19"

No. 70064125

### **EUROLITE DPX-610 MP DMX Dimmer Pack**

6 x 10A dimmer for DMX & analog signals with two 16pin multipin outs



DMX 19"

No. 70064130

### **EUROLITE DPX-620 DMX Dimmer Pack**

Digital 6-channel dimmer pack



DMX

19"

No. 70064136

### **EUROLITE DPX-1216 MP DMX Dimmer Pack**

12 x 16A dimmer with two 16-pin multipin outs



DMX

No. 70064180

19"

### **EUROLITE DPMX-1216 DMX Dimmer Pack**

12 x 16A dimmer, service friendly modules, connection via terminal block



DMX 19"

No. 70064182

### **EUROLITE DPMX-1216 S DMX Dimmer Pack**

12 x 16A dimmer, service friendly modules, 12 safety sockets



DMX 19"

No. 70064183

### **EUROLITE DPMX-1216 CEE DMX Dimmer Pack**

12 x 16A dimmer, service friendly modules, 12 CEE sockets



DMX

19"

No. 70064185

### EUROLITE DPMX-1216 MP DMX Dimmer Pack

 $12 \times 16 A$  dimmer, service friendly modules, 2 16-pin multipin sockets







No. 70064192

EUROLITE DPMX Dimmer-Modul 1216 MK1

Replacement module for DPMX-1216 dimmer packs



No. 70064193

**EUROLITE DPMX Dimmer-Modul 1216 MK2** 

Replacement module for DPMX-1216 dimmer packs



DMX

No. 70064210

**EUROLITE ERX-4 DMX Switch Pack** 

4-channel switch pack, up to 5 A load per channel, control with relay



DMX

RDM

**EUROLITE ESX-4R DMX RDM Switch Pack** 

4-channel DMX switch pack, up to 5 A load per channel, control per Triac



DMX

No. 70064065

**EUROLITE EDX-1 MK2 DMX Dimmer Pack** 

1-channel DMX dimmer pack



RDM DMX

No. 70064073

**EUROLITE EDX-4R DMX RDM Dimmer Pack** 

4-channel dimmer pack, single phase connection, max. output power 5A/channel



DMX

RDM

No. 70064074

EUROLITE EDX-4RT DMX RDM Truss Dimmer Pack

4-channel DMX dimmer pack



USB

No. 51836903

FUTURELIGHT ULB-2 USB Upload Box

Upload box for fixture software upgrades




No. 70008271

**EUROLITE Board 6 with 6x Safety-Outlets** 

Power distributor with switching panel with 6 safety sockets

# **SHOW EFFECTS**

	000
Fog Machines	228
Hazers	238
Low Fog Machines	239
Accessories	242
Fluids	246
Snow Machines	249
Bubble Machines	250
Confetti Machines	252
Blowers	260







**EUROLITE N-10 Fog Machine silver** 

Compact 400 W fog machine with cable remote control



No. 51701944

**EUROLITE N-10 Fog Machine black** 

Compact 400 W fog machine in black with cable remote control







EUROLITE N-11 LED Hybrid blue Fog Machine

Compact 400 W fog machine with blue LEDs







**EUROLITE N-11 LED Hybrid amber Fog Machine** 

Compact 400 W fog machine with amber LEDs



No. 5170195A

**EUROLITE N-19 Smoke Machine black** 

Compact 700 W fog machine in black



No. 5170195B

**EUROLITE N-19 Smoke Machine silver** 

Compact 700 W fog machine in silver



REMOTE

No. 51701964

EUROLITE N-110B Fog Machine black

Powerful 1250 W fog machine in black



REMOTE CONTROL

No. 51701965

**EUROLITE N-110 Fog Machine** 

Powerful 1250 W fog machine



REMOTE DMX REMOTE

No. 51701981

EUROLITE N-150 MK2 Fog Machine

DMX controllable fog machine with powerful 1500 watts



No. 51701963

**EUROLITE N-200 Smoke Machine** 

Powerful fog machine with 1800 watts





RGB

No. 51701896

**EUROLITE LED FF-5 Hybrid Fog Flower** 

450 W fog machine and lighting effect in one device





No. 51705145

EUROLITE LNB-600 LED Hybrid Fog Bubble

Effect with haze, fog-filled bubbles and LED illumination

eurolite® **FOG MACHINES** Fog Machines



# **FOG YOU!**

For that wow-effect on stage, fireworks are not always necessary. Fog "gushers" like the NSF machines are more than an attractive alternative: much less security restrictions, less expensive than pyro effects, more flexible and certainly as impressive.

The machines do not only create vertical fog fountains with several meters of height. They also bathe the geyser in colored light and thus create stunning effects. Precisely because they are such good alternatives to pyro effects, they can be found on numerous music stages, even on very big festival stages.











No. 51701961

EUROLITE NSF-100 LED DMX Hybrid Spray Fogger

DMX fog machine with 850 W, LED illumination, vertical fog output



DMX REMOTE CONTROL

No. 51701966

EUROLITE NSF-250 LED DMX Hybrid Spray Fogger

DMX fog machine with 1000 W, LED illumination, vert./ horiz. fog output



DMX 🖺







No. 51701977

**EUROLITE NSF-350 LED Hybrid Spray Fogger** 

DMX fog machine with 1500 W, LED illumination, vert./ horiz. fog output





# New looks - better technology

Eurolite's Dynamic series has a name which is to the point, as dynamics is what the new foggers are delivering. One main feature: the high quality technnology inside the units. To have an even more powerful and even more reliable smoke machine with really low maintenance, an excellent pump system has been built in – an update of the already proven Eurolite quality.





Also characteristic about Dynamic: the looks. With the grill, based a bit on a radiator grill from a car, and its soft blue LED illumination, the series also directs in a new, modern way.

The different models of the series cover large fields of applications. There are Dynamics for large live stages, discotheques and clubs as well as small party rooms. The series consists of two hazers and 5 foggers.



Some units offer more control options than the classic cable remote or an DMX interface. The Fog 1200, 1500, 2000 and the Faze 1000 are also equipped with a wireless remote. The Fog 2000 has a control module, that is attached to the machine. But it can easily be loosened via four screws and then serves as cable remote with ample options.



No. 51702030

**EUROLITE Dynamic Fog 600 Fog Machine** 

Compact fog machine with 600 W power and cable remote control



DMX

No. 51702037

**EUROLITE Dynamic Fog 700 Fog Machine** 

Compact DMX fog machine with 700 W power





**EUROLITE Dynamic Fog 1200 Fog Machine** 

DMX machine with 1200 W power, wireless remote control and timer



REMOTE DMX

No. 51702045

**EUROLITE Dynamic Fog 1500 Flex Fog Machine** 

DMX machine with 1500 W power, adjustable output angle, timer and remote



DMX

No. 51702050

**EUROLITE Dynamic Fog 2000 Fog Machine** 

DMX fog machine with 2000 W power, timer and wireless remote



No. 51702055

**EUROLITE Dynamic Faze 700 Fazer** 

Compact fazer produces fine haze, operates with standard fluid



DMX

No. 51702057

**EUROLITE Dynamic Faze 1000 Fazer** 

DMX fazer produces fine haze, operates with standard fluid

#### **FOG MACHINES** Fog Machines







OPTIONAL WDMX

DMX

No. 51701904

ANTARI M-4 Stage Fogger

Powerful 1500 W fog machine with DMX, vertical or horizontal operation





No. 51701925

ANTARI M-1 Mobile Fogger

Compact fog machine with rechargeable battery, charger, smoke fluid and case







DMX

No. 51701905

ANTARI M-5 Stage Fogger with Controller

DMX controllable, high-performance 1500 W fog machine









OPTIONAL WDMX No. 51701907

ANTARI M-7 Stage Fogger with RGBA-LEDs

DMX

1500 W fog machine with LED illumination, vertical & horizontal operation





No. 51701908

ANTARI M-8 Stage Fogger with Controller

DMX controllable, high-performance 1800 W fog machine





DMX

No. 51701910

ANTARI M-10 Stage Fogger with Controller

DMX controllable, high-performance 3000 W fog machine

### Fog Machines









No. 51702608

ANTARI FT-20S Power Base

Power base for mains operation of model FT-20S





No. 51702606

### ANTARI FT-20 Fogger

Battery-powered fog machine for fire drills and show events





No. 51702604

### ANTARI FT-50 Fogger

Portable battery fog machine for fire departments and rescue services





No. 51702602

### ANTARI FT-100 Fogger

1500 W fog machine for fire departments and rescue services





No. 51702603

### ANTARI FT-200 Fogger

1600 W fog machine, vertical output, for fire and rescue services




No. 51703100

### ANTARI FLP-700 Fire Fog Liquid

Fog liquid for model FT-50









No. 51702923

ANTARI F-80/Z Fog Machine

Compact fog machine with 700 W heater



No. 51702607

### ANTARI Z-800 MK2 + Z-10 ON/OFF-Controller

Compact 800 W fog machine, extremely fast heat-up time & remote control



DMX

ANTARI Z-1000 MK2 + Z-10 ON/OFF-Controller

DMX controlled fog machine with 1000 W heater





DMX

ANTARI Z-1200 MK2 with Z-8 Timer controller

DMX controlled fog machine with 1200 W heater



REMOTE DMX

No. 51702616

ANTARI Z-1500 MK2 with Controller Z-20

DMX controlled fog machine with 1500 W heater



REMOTE DMX

No. 51702617

ANTARI Z-3000 MK2 with Controller Z-20

DMX controlled fog machine with 3000 W heater



DMX REMOTE ONTROL RGB





No. 51702618

ANTARI Z-1520 LED Spray Fogger

1500 W machine, extremely powerful vertical fog output with LED illumination



### **FOG MACHINES**

### Fog Machines









DMX

No. 5170261A

ANTARI Z-1020 with Z-10 ON/OFF-Controller

DMX controlled machine with 1000 W and vertical fog output



REMOTE CONTROL

No. 51702705

ANTARI W-508 Fogger

Compact 800 W machine, extremely fast heat-up time and remote control



DMX REMOTE CONTROL

No. 51702707

ANTARI W-510 Fogger

DMX controlled machine with 1000 W heater power and wireless remote control



WDMX

DMX REMOTE CONTROL

No. 51702710

ANTARI W-515D Fogger

Controllable machine with 1500 W and built-in wireless DMX receiver



WDMX DMX REMOTE CONTROL

No. 51702712

ANTARI W-530D Fogger

Controllable machine with 3000 W and built-in wireless DMX receiver



DMX REMOTE CONTROL

No. 51702716

ANTARI W-715 Spray Fogger

Powerful 1600 W DMX fog machine with vertical fog output



IP63

No. 51702805

ANTARI IP-1000 Fog Machine IP63

Spray water protected 1000 W machine with cable remote control



DMX

IP63

No. 51702815

ANTARI IP-1500 Fog Machine IP63

Spray water protected 1500 W machine with digital wireless control & DMX



### hazebase — the upper class of professional foggers, Made in Germany

hazebase produces all its devices in Germany and pays major attention to high quality. For their fog machines, they set a high value on reliability and robustness. From a thick fog effect to the perfect haze for your moving head lights and lasers, hazebase has a machine for the right emotion and atmosphere. From the smallest venue to the largest stadium and festival there is a hazebase hazer or fogger that meets your needs.

In addition to the great variety of hazebase machines, there are accessories like fluid distribution systems, flying racks, road cases, remote controls and many different fluid choices to create the perfect atmosphere.









HAZEBASE Base\*Classic Fogger

Professional 1300 W fog machine with DMX connection







HAZEBASE Base\*Highpower Fogger

Professional 2600 W fog machine with MDX connection







DMX



No. 51700115

**HAZEBASE Base\*Battery Fogger** 

Professional battery fog machine for up to 10 minutes of continuous fog







No 51700120

HAZEBASE Base\*Classic\*cased Fogger

Professional 1300 W fog machine in its own case with DMX connection









No. 51700125

HAZEBASE Base\*Highpower\*cased Fogger

Professional 2600 W fog machine in its own case with DMX connection



DMX



No. 51700130

HAZEBASE Base\*Cap Fogger

Professional, compact fog machine with 650 watts of



DMX





No. 51700135

HAZEBASE Base\*Cap\*Cased Fogger

Professional, compact fog machine in its own case with 650 watts of power



DMX

No. 51700145

HAZEBASE Base\*Touring\*Cased Fogger

Professional 2600 W fog machine with fan in its own case and DMX connection



DMX



No. 51700150

HAZEBASE Base\*Low\*Pro CO-2 Fogger

Fog cooling unit for ground fog with CO-2 bottle and riser



#### eurolite® Fog Machines **FOG MACHINES**







No. 51701946

### EUROLITE NH-10 Hazer

Compact hazer with 400 W, remote control & adjustable output volume







No. 51701948

### EUROLITE NH-30 MK2 DMX Hazer

Extremely compact, powerful machine (720 W) with timer, wireless remote & DMX











No. 51701989

### EUROLITE NH-110 Tour Hazer

Powerful 1000 W hazer (DMX/manual operation), in its own case

#### **FOG MACHINES** Hazers





OPTIONAL WDMX DMX

No. 51702673

ANTARI F-4 Fazer

Silent fazer in flightcase



WDMX DMX

No. 51702676

ANTARI F-5D Fazer

Silent fazer in flightcase with wireless DMX receiver



DMX

No. 51702677

ANTARI Z-350 Fazer

Extremely efficient fazer with DMX interface



DMX

No. 51702674

ANTARI Z-380 Fazer

Extremely compact fazer with adjustable output volume & DMX



OPTIONAL WDMX

DMX

No. 51702678

ANTARI F-1 Fazer

Silent fazer with 700 W & optional wireless control system



WDMX DMX

No. 51702679

ANTARI F-7 Fazer

Heavy-duty fog machine with flightcase and adjustable output angle



REMOTE CONTROL

No. 51702682

ANTARI HZ-100 Hazer

Compact hazer with cable remote control



DMX REMOTE

No. 51702685

ANTARI HZ-350 Hazer

Hazer with digital wireless control system and DMX interface



REMOTE DMX

No. 51702690

ANTARI HZ-400 Hazer with Timer Controller

Powerful hazer with DMX interface and timer



DMX

OPTIONAL WDMX

No. 51702697

ANTARI HZ-1000 Hazer

Heavy-duty hazer with flightcase



DMX

No. 51702695

ANTARI HZ-500 Hazer

Silent hazer in flightcase





No. 51700100

HAZEBASE Base\*Hazer\*Pro Hazer

Professional 1500 W hazer with DMX, installed in its own case







No. 51701986

### EUROLITE NB-40 MK2 ICE Low Fog Machine

Compact machine (450 W), 1.2 liter tank, remote control, ice cube cooling

eurolite<sup>®</sup>



No. 51701984

### **EUROLITE NB-60 ICE Low Fog Machine**

Compact low fog machine with 600 W, timer, ice cube cooling




DMX

No. 51702664

### ANTARI ICE-101 Low Fog Machine

Floor fog machine with remote control or DMX, ice cube cooling





No. 51701988

### **EUROLITE Mini Dry Ice 1 Ground Fog Machine**

Compact ground fog machine for dry ice operation





No. 51701983

### EUROLITE NB-150 ICE Low Fog Machine

Simple floor fogger with 1500 W, ice cube cooling





No. 51702962

### ANTARI DNG-100 Fog Cooler

Accessory for creating floor-fog, can be installed in front of the smoke machine



# **EUROLITE WLF-1500**

### Low fog, easier than ever

Low fog is used everywhere: at weddings as well as in television studios, theatres, musical and show stages. Until now, the use of low fog machines used to be complicated or even risky because dry ice was used. With the WLF-1500 from Eurolite, these concerns are a thing of the past: The machine works with water.



Thanks to the built-in ultrasonic technology, dry ice or ice is no longer necessary for operation. The water is atomized by ultrasound and mixed with the fog generated from conventional fluid. This makes the fog cooler and heavier - it stays on the ground.





### Robust and uncomplicated

The fog machine is built into a robust case. The fluid tank is removable and thanks to a drain valve for the water tank, the machine can easily be emptied and cleaned. This makes it suitable for use in discotheques and at weddings as well as on tours.











No. 51701993

EUROLITE WLF-1500 Water Low Fog PRO

DMX machine installed in a sturdy case creates waterbased floor fog









No. 51700241

### HAZEBASE HB-0716 remote Control

Radio remote-control with sender and receiver



No. 51700242

### HAZEBASE Base\*Radio remote Control

Radio remote-control with sender and receiver



Made in Germany

No. 51700260

HAZEBASE Base\*mounting Set for Classic and Highp.

Flying bracket



Made in Germany

No. 51700261

HAZEBASE Base\*flyer for Base \*Hazer Pro\*

Flying bracket



No. 51701949

### **EUROLITE WRC-2 Wireless Remote Control**

Wireless control for EUROLITE fog machines



No. 51701962

### **EUROLITE WRC-4 Wireless Remote Control**

Wireless control for EUROLITE fog machines



No. 51701997

### **EUROLITE Timer-Controller LCD-1**

Controller for Eurolite fog machines with 5-pin XLRsocket



No. 51701998

### **EUROLITE Timer-Controller LCD-2**

Controller for Eurolite NB-150 Ice



No. 51702027

### **EUROLITE WRC-4 Wireless Remote Control with Receiver**

Wireless control for NSF-100



No. 51702028

### **EUROLITE WRC-3 Wireless Remote Control**

Wireless control for Dynamic Fog 1200 Fog Machine



No. 51702961

### ANTARI LCU-1SE Liquid Control unit

Handy fluid distributor with DMX interface



No. 51702963

### ANTARI LCU-2S Liquid Supply System

Handy fluid distributor





No. 51702971 ANTARI FTA-664 T-Piece, 2x6mm / 1x4mm Hose



No. 51702973 ANTARI FTA-64 Reducer 1x6mm / 1x4mm



No. 51702975 ANTARI FTA-66 Adapter 1x6mm / 1x6mm



No. 51702976 ANTARI FTA-200 Fog Hose Adapter Fog hose adapter for DNG-200 Low Fog Generator



No. 51702977. .6mm/10m No. 51702979...

ANTARI FT-6 Fog Hose

Hose



No. 51702980 ANTARI ST-10 Hose Extension black, 10m Hose Extension for S-500 Snow Machine



No. 51702981 ANTARI FT-10 Fog Hose, 10cm/10m Fog hose for fog cooler DNG-100



**ANTARI Z-9 Wireless Controller** Wireless controller set for ANTARI unit Z-1200II

No. 5170298D



No. 5170298G **ANTARI Z-6 Timer Controller** 

Cable remote control with timer function for Z-300II



No. 5170298N **ANTARI SC-3 Timer Remote Controller** 

Cable remote control for S-500 Snow Machine



No. 5170298R ANTARI Z-10 Controller

Cable remote control for Z-800II, Z-1000II, Z-1020, B-200



No. 5170299R **ANTARI Z-3 Volume Controller** 

Cable remote control for Z-350





No. 51702998

ANTARI EXT-4 Extension Cord 3-pin XLR

Extension cable



No. 51702997

ANTARI EXT-3 Extension Cord for 5-pin XLR

Extension cable



No. 51702995

ANTARI EXT-1 Extension Cord, 6.3mm jack

Extension cable



No. 5170299A

ANTARI Z-30 Wireless Controller

Wireless controller for ANTARI units Z-1500II and Z-3000II



No. 5170299B

ANTARI Z-50 Wireless Controller

Wireless controller set for ANTARI units Z-800II. Z-1000II, Z-1020



No. 5170299C

ANTARI M-30 Wireless Controller

Wireless controller set for ANTARI units M-5 and M-10



No. 5170299J

ANTARI MCR-1 Wireless Controller

Wireless controller set for ANTARI M-1 fogger



No. 5170299K

ANTARI BCR-1 Wireless Controller

Wireless controller set for ANTARI B-200T



No. 5170299L

ANTARI HCR-1 Wireless controller

Wireless controller set for ANTARI unit HZ-400



No. 5170299P

ANTARI M-31 Wireless controller

Wireless controller set for ANTARI M-8 Stage Fogger



No. 51707008

**EUROLITE WRC-8 Wireless Remote Control with** Receiver

Wireless control for EUROLITE LED Confetti Storm



No. 51707815

**EUROLITE WRC-9 Wireless Remote Control with** Receiver

Wireless control for EUROLITE Spark Master





No. 51706306

**EUROLITE** Remote control for Snow 7001 Snow Machine

Spare part for model Snow 7001



No. 5170299S

ANTARI HC-1 Timer Remote Controller

Cable remote control with timer function for HZ-100, HZ-350 and HZ-400



No. 5170299T

ANTARI BCT-1 Timer Remote Controller

Cable remote control with timer function for B-200 Bubble Machine



No. 5170299V

ANTARI Z-40 Timer-Controller

Cable remote control with timer function for diverse ANTARI fog machines



No. 5170298X

**ANTARI Z-4 Timer Controller** 

Cable remote control with timer function for EUROLITE N-100 and ANTARI Z-800 fog machines



No. 5170298Y

**ANTARI Z-8 Timer Controller** 

Cable remote control with timer function for Z-1200II and ICE-101



No. 5170299M

ANTARI W-1 Wireless Controller

Wireless remote control for diverse ANTARI devices



No. 5170299W

ANTARI W-2 Wireless Controller

Wireless remote control for fog machines FT-100, M-7 RGBA and Z-1520





No. 5170299X

ANTARI WTR-20 Wireless Module

Wireless control module (transmitter + receiver) for several Antari devices



No. 51702994

ANTARI FTA-3 Fog Hose Adapter

Adapter for fog machines





No. 51702992

ANTARI FTA-1 Fog Hose Adapter

Adapter for fog machines



No. 5170299N

ANTARI FTA-2A Fog Hose Adapter

Adapter for fog machines

### Fluids

## eurolite®







No. 517041981	LI
No. 517041995	iΙ
No. 5170420025	iΙ

### **EUROLITE Smoke Fluid -B- Basic**

Fog effect with medium density and hang time





No. 51704201	1	I
No. 51704203	5	Į
No. 517042052	25	I

### **EUROLITE Smoke Fluid -C- Standard**

Long-lasting fog effect with medium density





No. 51704209	. 1	I
No. 51704210	5	I
No 51704239	5	ī

### **EUROLITE Smoke Fluid -P- professional**

Long-lasting fog effect with high density



No.	51704324	1	I
No.	51704325	5	I
NI-	E1704334	) [	ı

### EUROLITE Smoke Fluid -E- Extreme

Extremely long-lasting fog effect with high density



No.	51704354	1	
	51704355		
No.	517043562	5	

### EUROLITE Smoke Fluid -X- Extreme A2

Extremely long-lasting fog effect with extremely high density



No. 51704359	
No. 5170435A	51
No. 5170435C	251
No. 5170435D	200 I

### EUROLITE Smoke fluid -DSA- effect

Very short-lasting fog effect with extreme density



No 51704368 No. 51704370..

### **EUROLITE D-5 Hazer-Fluid**


Hazer fluid for hazer machines



No. 51704245

EUROLITE Tap for 25I and 30I Tank

Tap for big tanks





# Without diethylene glycol (DEG)



Diethylene glycol, a substance which is often used in smoke fluids, was rated as hazardous substance by the European Union and classified higher regarding toxicity in 2015. According to this, new tightened labeling obligations have already come into force.

We reacted on that a developed an additional fluid without DEG. It has the same effect as the ones with DEG, but with this fluid you ensure legal security and prevent legal disputes, liability claims, stiff penalties and health problems – this is why we really warmly recommend to use these fluids.

At Eurolite, we test our fluids stringently. And in addition, we let independent bodies continuously check the liquids.

Everyone using our smoke fluids places his trust in us. We pay it back with rigid controls of these liquids - and both sides win.





EUROLITE Smoke Fluid -A2D- Action Smoke Fluid

Fog effect with low density and hang time





Fog effect with medium density and hang time





EUROLITE Smoke Fluid -C2D- Standard

Fog effect with medium density and hang time





EUROLITE Smoke Fluid -P2D- professional

Long-lasting fog effect with high density



Germany		
No. 51703844	11	I
No. 51703846	55	I
No. 51703848	325	I
No. 51703850	)200	I

EUROLITE Smoke Fluid -E2D- extreme

Extremely long-lasting fog effect with high density





## Fluids

# eurolite®





No. 51704592

**EUROLITE Smoke Machine Cleaner, 1L** 

Suitable for almost all modern smoke-machines



No. 51703110

ANTARI FLM-05 Fluid

Antari FLM-05 fog fluid for Antari FT-20



No. 51700200. No. 51700202.

HAZEBASE Base\*S Fog Fluid

Quick smoke liquid



No. 51700205. No. 51700207..

HAZEBASE Base\*M Fog Fluid

Medium lasting smoke liquid



No. 51700209. No. 51700211..

HAZEBASE Base\*L Fog Fluid

Long lasting dust liquid



No. 51700214. No. 51700216....

HAZEBASE Base\*XL Fog Fluid

Extreme long lasting smoke liquid



No. 51700218. No. 51700220.

HAZEBASE Base\*Hazer Special Fluid

Special liquid for the base\*hazer



No. 51700224.. No. 51700226..

HAZEBASE Base\*Battery Special Fluid

Special liquid for the base\*battery



No. 51704655Fog fragrance set with all 14 typ	es
No. 51704695liı	me
No. 51704700 m	int
No. 51704705strawbe	rry
No. 51704710che	rry
No. 51704715tutti-fru	ıtti
No. 51704720van	illa
No. 51704725ap	ole
No. 51704740cocor	nut
No. 51704755dis	со
No. 51704760pina cola	da
No. 51704765 caipirin	ha
No. 51704770pea	ıch
No. 51704775cc	ke
No. 51704780raspbe	rry

EUROLITE Smoke Fluid Fragrance, 20ml

Fragrance for smoke fluid



## **SPECIAL MACHINES**



## **Snow Machines**







No. 51706290

**EUROLITE Snow 3001 Snow Machine** 

Powerful mini snow machine







RGB

No. 51706300

**EUROLITE Snow 3010 LED Hybrid Snow Machine** 

Powerful small LED hybrid snow machine





No. 51706310

**EUROLITE Snow 5001 Snow Machine** 

Mid-sized snow machine with cable remote control



DMX

No. 51706320

**EUROLITE Snow 6001 Snow Machine** 

Mid-sized DMX controllable machine with cable remote control



optional REMOTE

No. 51706321

EUROLITE Remote Controller (DIN) for Snow 6001

Spare part for model Snow 6001



DMX REMOTE CONTROL

No. 51706305

**EUROLITE Snow 7001 Snow Machine** 

Mid-sized DMX snow machine with particularly large tank volume



No. 51706330

**EUROLITE Big Snow Machine** 

Snow cannon for big events incl. flightcase



DMX

No. 51706251

ANTARI S-100X DMX Snow Machine

Compact snow machine with cable remote control and DMX



DMX

No. 51706261

ANTARI S-200X silent Snow Machine

Silent snow machine with cable remote control and DMX



DMX REMOTE CONTROL

No. 51706268

ANTARI SW-250 Snow Machine

Compact machine with digital wireless control system and DMX interface



DMX

No. 51706270

ANTARI SW-250X Snow Machine

Compact machine with DMX interface and control module



WDMX

DMX

No. 51706272

ANTARI S-500 Snow Machine

Heavy-duty snow machine with flightcase for touring



## **Bubble Machines**





Made in Germany	
No. 51706348	1
No. 51706350	5
No. 51706352	25

### **EUROLITE Snow Fluid**

Snow fluid for artificial snow



Made in EUROPE	
No. 51706349 No. 51706351	
No. 51706353	25
EUROLITE S-2 Snow Fluid, 5I	

Snow fluid for artificial snow



DMX

No. 51706273

ANTARI PM-1 Moving PAN-Motor for S-500

Pan motor for S-500 snow machine



REMOTE CONTROL

No. 51707700

**EUROLITE Foam 1500 MK2 Foam Machine** 

Foam machine with 5-liter tank and remote control



No. 51707703

#### **EUROLITE Foam 1200 Cannon**

Foam machine for big partys, directly connected with the fluid can







No. 51705060

## EUROLITE B-5 LED Bubble Gun

Bubble gun with LED illumination, operation with 3 x AA battery





No.	51707708	1 I
No.	51707710	5 I
No.	51707712	25 I
Nο.	51707714	200 I

#### **EUROLITE Foam Concentrate**

Foam concentrate for all machines



No. 51705070

## **EUROLITE B-50 Mini Bubble Machine**

Bubble machine for battery or adapter operation



No. 51705075

#### **EUROLITE B-55 Bubble Machine**

Compact bubble machine for battery or adapter operation



No. 51705080

#### **EUROLITE B-60 Junior Bubble Machine**

Compact bubble machine for battery or adapter operation



No. 51705090

## **EUROLITE B-80 Bubble Machine**

Small and compact bubble machine

## **Bubble Machines**





No. 51705100

## **EUROLITE B-90 Bubble Machine black**

Bubble machine for hanging or standing installation



DMX

No. 51705103

#### EUROLITE B-100 Bubble Machine black DMX

Bubble machine for hanging or standing installation





No. 51705124

#### **EUROLITE BW-100 Bubble Machine**

Compact, powerful machine with wireless remote control



DMX

No. 51705130

#### **EUROLITE BW-200 Bubble Machine**

Powerful DMX machine for hanging or standing operation



DMX

No. 51705141

## EUROLITE SD-201 DMX Super-Bubble Machine

Extremely powerful machine for floor use with DMX



No. 51705115

## ANTARI W-101 Bubble Machine

Professional, compact bubble machine with digital wireless control system



No. 51705120

#### ANTARI B-100 Bubble Machine

Compact, powerful bubble machine with two rotating



DMX

No. 51705125

## ANTARI B-200 Bubble Machine

Powerful DMX machine for hanging or standing installation



yellow	No. 51705210
red	No. 51705212
blue	No. 51705214
Set 3x1 I	No. 51705215

## **EUROLITE UV Bubble Fluid 1I yellow**

Ready-to-use UV-active bubbles



No.	51705220	yellow
No.	51705222	red
No.	51705224	blue

## EUROLITE UV Bubble Fluid 5I yellow

Ready-to-use UV-active bubbles



Made in Germany

No. 51705280	1
No. 51705300	5
No. 51705308	25
No. 51705310	200

#### **EUROLITE Bubble Fluid**

Bubble fluid for all machines







## **LED Confetti Storm**

A different kind of storm. This is what you will experience with the LED Confetti Storm machine. Confetti is blown out up to 5 meters high and wide, producing a real confetti whirl. Whether you use it for award ceremonies, for carnival parties or parades, this effect will impress everybody.

You control the machine with a remote control or via DMX. Refilling the tank is so easy and done within a minute. In addition, the confetti can be illuminated with 6 powerful LEDs, which are placed on the machine's nose. The color mixture is made out of red, green, blue and amber.



DMX







No. 51707007

**EUROLITE LED Confetti Storm** 

DMX confetti machine with LED illumination and wireless controller



No. 51707000

**EUROLITE SW-1 Confetti Machine** 

Ceiling mountable confetti machine



No. 5170700B

**EUROLITE Confetti machine** 

Large, ceiling mountable confetti machine



Made in Germany

No. 5170730R

ACCESSORY Confetti, multicolor, 7mm, 10kg

Accessory for EUROLITE Confetti Machine and SW-1 Confetti Machine



Made in Germany

No. 51707599

ACCESSORY Confetti, UV-active white, 7mm 10kg

Accessory for EUROLITE Confetti Machine and SW-1 Confetti Machine







No. 51708000

TCM FX E-Shot

Electric firing unit for confetti and streamers












No. 51708005

TCM FX WI-Shot

Electric firing unit with battery operation for confetti and streamers







# Confetti and fog effects by and for professionals!

Special effects are the wow factor at many shows. The use of confetti, CO2 fog bursts and flames turns your ordinary show into a really spectacular one.

But especially when such effects are in use, the topic of security is, of course, plays a vital role. In the end, the technology and the used substances are not exactly without danger. That's why we work closely with the company "The Confetti Maker". They are experts for their field and their products are known for their excellent quality and security features.

In this way we can offer you a wide selection of high quality equipment and accessories. Examples are a handheld confetti shooter for small parties, a fog shooter for extremely high and far flying fog fountains or a huge confetti cannon for sport arenas.

## **SPECIAL MACHINES**

## Confetti Machines







No. 51708010

TCM FX Confetti Gun

Portable firing unit for confetti and streamers



No. 51708020

TCM FX Confetti Booster 1, manual

Manual confetti blower, CO2 is needed for firing



No. 51708025

TCM FX Confetti Booster 2, manual

Large manual confetti blower, CO2 is needed for firing







No. 51708035

TCM FX Confetti Booster 2, electric

Large confetti blower for electric triggering, CO2 is needed for firing







No. 51708060

TCM FX Stage Cannon

Confetti cannon for electric triggering, compressor needed for firing







No. 51708070

TCM FX Stadium Cannon 2

Large confetti cannon for electric triggering, compressor needed for firing







No. 51708075

TCM FX Mega Cannon

Very large confetti cannon for electric triggering, compressor needed







No. 51708100

TCM FX CO2 Jet

Produces up to 8 meter long fog bursts, adjustable shooting angle



No. 51708105

TCM FX CO2 Gun

Produces up to 8 meter long fog bursts, hand held













No. 51708110

TCM FX CO2 LED

Produces up to 10 meter long, illuminated fog bursts, adjustable angle







No. 51708115

TCM FX Turbo Jet

Produces up to 20 meter long fog bursts, adjustable shooting angle



No. 51708200

TCM FX Dropper

Triggering device can bear a load up to 30 kg, i.e. to throw off a curtain

## **SPECIAL MACHINES**

## Confetti Machines





No. 51708250

#### TCM FX FX-Control

Controller to fire off up to 4 separate devices





No. 51708255

#### TCM FX Wireless-Control

Battery control for electric firing unit (WI-Shot), 500 m range









No. 51708260

## TCM FX DMX Switchpack I

DMX control for electric firing unit (eg. E-Shot)







No. 51708265

## TCM FX DMX Switchpack II

DMX control with 19" for electric firing unit (eg. E-Shot)



No. 51708300

## TCM FX Groundplate

Mounting plate for electric fire unit



No. 51708302

#### TCM FX Groundplate XL

Mounting plate for electric fire unit



Nο.	51708350	5	m
Nο.	51708352	.10	m
Nο.	51708354	.15	m

## TCM FX CO2 Hose (3/8)

No. 51708356	5 m
No. 51708358	10 m
No. 51708360	15 m

TCM FX CO2 Hose (3/4)



۷o.	51708372	(4x3/8 in to 1x3/8 out)
۷o.	51708374	(4x3/8 out to 1x3/8 in)
۷o.	51708376	(4x3/8 in to 1x3/4 out)
۷o.	51708378	(4x3/8 out to 1x3/4 in)

TCM FX CO2 Distribution Block



No.	51708380	male
No.	51708382	female

TCM FX CO2 Quick Connector Male (Update Part)



No. 51708368

TCM FX CO2 Splitter (2 CO2 Jets to 1 CO2 Bottle)



No. 51708370

TCM FX CO2 Manual Release Valve



No. 51708362 No. 51708364

TCM FX CO2 Bottle to Hose Quick Connector



No. 51708366

TCM FX CO2 Combiner (2 CO2 Bottles to 1 CO2 Jet)







white	. 51708500	٧o.
white/silver		
black	. 51708504	٧o.
red		
pink	. 51708508	٧o.
purple	. 51708510	٧o.
orange	. 51708513	٧o.
yellow	. 51708514	٧o.
dark green	. 51708516	٧o.
light green	. 51708518	٧o.
dark blue	. 51708520	٧o.
light blue	. 51708522	٧o.
multicolor	. 51708524	٧o.
gold	. 51708526	٧o.
silver	. 51708528	٧o.
red metallic	. 51708530	٧o.
green metallic	. 51708532	٧o.
blue metallic	. 51708534	٧o.
pink metallic	. 51708536	٧o.
multicolor metallic	. 51708538	٧o.
red Hearts	. 51708540	۷o.

## TCM FX Electric Confetti Cannon 50cm

Electric confetti cannon



white	No. 51708550
white/silve	No. 51708552
black	No. 51708554
red	No. 51708556
pink	No. 51708558
purple	No. 51708560
orange	
yellow	No. 51708564
dark greer	
light greer	No. 51708568
dark blue	
light blue	
mulitcoloi	
golc	
silve	No. 51708578
metallic, rec	No. 51708580
metallic, greer	No. 51708582
metallic, blue	
metallic, pink	
metallic, multicolor	No. 51708588
metallic. red Hearts	No. 51708590

## TCM FX Electric Confetti Cannon 80cm

Electric confetti cannon



No. 51708600	
No. 51708602	white/silver
No. 51708604	black
No. 51708606	red
No. 51708608	pink
No. 51708610	purple
No. 51708612	orange
No. 51708614	
No. 51708616	dark green
No. 51708618	light green
No. 51708620	dark blue
No. 51708622	light blue
No. 51708625	mulitcolor
No. 51708626	gold
No. 51708628	silver
No. 51708631	metallic, red
No. 51708632	metallic, green
No. 51708635	metallic, blue
No. 51708636	metallic, pink
	motallia mulitaalar

## TCM FX Electric Streamer Cannon 50cm

Electric streamer cannon



1708650white
1708652white/silver
1708654black
1708656red
1708658pink
1708660purple
1708662orange
1708664yellow
1708666dark green
1708668light green
1708670dark blue
1708672light blue
1708674multicolor
1708676gold
1708678silver
1708680metallic, red
1708682metallic, green
1708684metallic, blue
1708686metallic, pink
1708688metallic. multicolor

## TCM FX Electric Streamer Cannon 80cm

Electric streamer cannon



١о.	51708690	40	cm
J۸	51708692	an	cm

## TCM FX Electric Universal Cannon, empty

Electric effect cannon



white	No. 51708850
silver	No. 51708852
gold	No. 51708854
black	No. 51708856
red	No. 51708858
green	No. 51708860
blue	No. 51708862
orange	No. 51708864
purple	No. 51708866
pink	No. 51708868
multicolor	No 51708870

## TCM FX Metallic Confetti rectangular 55x18mm, 1kg

High-quality PVC confetti



No. 51/08800	white
No. 51708802	black
No. 51708804	brown
No. 51708806	dark green
No. 51708808	light green
No. 51708810	dark blue
No. 51708812	light blue
No. 51708814	multicolor
No. 51708816	red
No. 51708818	pink
No. 51708820	purple
No. 51708822	orange
No. 51708824	yellow
No. 51708826	white/silver

## TCM FX Slowfall Confetti rectangular 55x18mm, 1kg

High-quality paper confetti





neon-orange	No. 51708900.
neon-green	No. 51708902.
neon-pink	No. 51708904.
neon-yellow	
neon-blue	No. 51708908.
neon-nurnle	No 51709010

## TCM FX Slowfall Confetti rectangular 55x18mm, uv active, 1kg

High-quality paper confetti



No.	51708930	silver
No.	51708932	.gold

## TCM FX Metallic Confetti rectangular 55x18mm, laser effect, 1kg

High-quality PVC confetti



white	No. 51709000.
black	No. 51709002.
dark green	No. 51709004.
light green	No. 51709006.
dark blue	No. 51709008.
light blue	No. 51709010.
multicolor	No. 51709012.
red	No. 51709014.
pink	No. 51709016.
purple	No. 51709018.
orange	No. 51709020.
vollov	No E1700022

## TCM FX Slowfall Confetti round 55x55mm, 1kg

High-quality paper confetti



No. 51709050	silver
No. 51709052	gold

TCM FX Metallic Confetti round 55x55mm, 1kg

High-quality PVC confetti





No.	51709200v	vhite
No.	51709202	red

## TCM FX Slowfall Confetti Hearts 55x55mm, 1kg

High-quality paper confetti



No.	51709350	silber
No.	51709352	gold

## TCM FX Metallic Confetti Raindrops 6x6mm, 1kg

High-quality PVC confetti



No. 51709370

## TCM FX Slowfall Confetti Snowflakes 10x10mm, white, 1kg

High-quality paper confetti



silver	. 51709230	No.
aold	. 51709232	No.
	51709234	

## TCM FX Metallic Confetti Hearts 55x55mm, 1kg

High-quality PVC confetti



white	51709400	٧o.
black	51709402	٧o.
dark greer	51709404	٧o.
light greer	51709406	٧o.
dark blue	51709408	٧o.
light blue	51709410	٧o.
multicoloi	51709412	٧o.
rec	51709414	٧o.
pink	51709416	٧o.
purple	51709418	٧o.
orange	51709420	٧o.
vellow	51709422	Nο

## TCM FX Slowfall Streamers 5mx0.85cm, 100x

High-quality paper streamers





50white	No. 51709450
52blac	No. 51709452
54dark greei	No. 51709454
.56light greer	No. 51709456
58dark blu	No. 51709458
.60light blu	No. 51709460
62multicolo	No. 51709462
.64red	No. 51709464
.66pinl	No. 51709466
.68purple	No. 51709468
70orang	No. 51709470
72 vollov	No 51700472

## TCM FX Slowfall Streamers 10mx1.5cm, 32x

High-quality paper streamers



No. 51709500	white
No. 51709502	black
No. 51709504	dark green
No. 51709506	light green
No. 51709508	dark blue
No. 51709510	light blue
No. 51709512	multicolor
No. 51709514	red
No. 51709516	pink
No. 51709518	purple
No. 51709520	orange
No. 51709522	vellow

## TCM FX Slowfall Streamers 10mx5cm, 10x

High-quality paper streamers



No. 51709600	5mx0.85cm, 100x, red
No. 51709602	5mx0.85cm, 100x, green
No. 51709604	5mx0.85cm, 100x, blue
No. 51709606	5mx0.85cm, 100x, pink
No. 51709608	5mx0.85cm, 100x, multicolor
No. 51709610	5mx0.85cm, 100x, gold
No. 51709612	5mx0.85cm, 100x, silver
No. 51709650	10mx1.5cm, 32x, red
	10mx1.5cm, 32x, green
No. 51709654	10mx1.5cm, 32x, blue
No. 51709656	10mx1.5cm, 32x, pink
	10mx1.5cm, 32x, multicolor
No. 51709660	10mx1.5cm, 32x, gold
	10mx1.5cm, 32x, silver
No. 51709700	10mx5cm, 10x, red
No. 51709702	10mx5cm, 10x, green
No. 51709704	10mx5cm, 10x, blue
	10mx5cm, 10x, pink
	10mx5cm, 10x, multicolor
No. 51709710	10mx5cm, 10x, gold
No. 51709712	

## **TCM FX Metallic Streamers**

High-quality PVC streamers



white	o. 51709800	No.
multicolor	o. 51709802	No.
gold	o. 51709804	No.
silver		
white/silver		

## TCM FX Handheld Confetti Cannon 28cm

Handheld confetti cannon



No.	. 51711100	28 cm
Nο	51711104	80 cm

## TCM FX Handheld Universal Cannon, empty

Handheld effect cannon



white	No. 51709950
white/silver	No. 51709952
black	No. 51709954
red	No. 51709956
pink	No. 51709958
purple	No. 51709960
orange	No. 51709962
yellow	No. 51709964
dark green	No. 51709966
light green	No. 51709968
dark blue	No. 51709970
light blue	No. 51709972
multicolor	No. 51709974
gold	No. 51709976
silver	No. 51709978
red	No. 51709980
green	No. 51709982
blue	No. 51709984
pink	No. 51709986
multicolor	No. 51709988
red Hearts	No. 51709990

## TCM FX Handheld Confetti Cannon 80cm

Handheld confetti cannon



white	No. 51709850	No.
white/silver	No. 51709852	No.
black	No. 51709854	No.
red	No. 51709856	No.
pink	No. 51709858	No.
purple	No. 51709860	No.
orange	No. 51709862	No.
yellow		
dark green		
light green	No. 51709868	No.
dark blue		
light blue	No. 51709872	No.
multicolor		
gold	No. 51709876	No.
silver		
metallic, red	No. 51709880	No.
metallic, green	No. 51709882	No.
metallic, blue		
metallic, pink		
metallic, multicolor	No. 51709888	No.
red hearts	No 51709890	No.

## TCM FX Handheld Confetti Cannon 50cm


Handheld confetti cannon

## **SPECIAL MACHINES**

## Confetti Machines









Handheld streamer cannon



white	
white/silver	r
black	(
red	i
pink	(
purple	1
orange	1
yellow	/
dark green	1
light green	1
dark blue	1
light blue	,
multicolor	-
gold	i
silver	-
metallic, red	i
metallic, green	1
metallic, blue	,
metallic. pink	
metallic. multicolor	-

TCM FX Handheld Streamer Cannon 80cm

Handheld streamer cannon



No. 51711510

**GLITTERGUN Electric Glitter Cannon 50cm** 

Glitter cannon, electrical, 50 cm



No. 51711500

**GLITTERGUN Glitter Cannon 30cm** 

Glitter cannon, handheld, 30 cm



No. 51711515

**GLITTERGUN Electric Glitter Cannon 80cm** 

Glitter cannon, electrical, 80 cm



No. 51711505

**GLITTERGUN Glitter Cannon 80cm** 

Glitter cannon, handheld, 30 cm



Made in Germany

No. 51711520

**GLITTERGUN Glitter Powder 250g** 

Glitter Powder, 250 g



## **Blowers**

# eurolite®







No. 80208047

**EUROLITE AF-1 Axial Blower DMX** 

Compact axial blower with DMX control



DMX



No. 80208048

**EUROLITE AF-2 Axial Blower DMX** 

DMX controllable wind machine with adjustable fan speed



DMX



No. 80208049

ANTARI AF-3X Effect Fan

Compact DMX controllable wind machine with adjustable air discharge angle



DMX



No. 80208052

ANTARI AF-3R Effect Fan

Compact wind machine with wireless controller and DMX interface



DMX

No. 80208057

**EUROLITE AF-7 Axial Blower DMX** 

DMX controllable axial wind machine with rack







No. 80208056

ANTARI AF-4R Effect Fan

Wind machine with rack, controllable via DMX or wireless remote control







No. 51707800

**EUROLITE Spark Master** 

DMX spark effect without pyrotechnics for indoor fireworks



No. 51707810

**EUROLITE Powder for Spark Master** 

Titanium-alloyed granules for use with the Spark Master



STAND ALONE

No. 80208051

**EUROLITE RF-1200 Radial Blower** 

Powerful radial wind machine



No. 80208054

**EUROLITE RF-300 Radial Blower** 

Compact radial wind machine



DMX

No. 80208053

ANTARI AF-5R Effect Fan


DMX controllable radial wind machine



# **ARTIFICIAL PLANTS**

Solitary Plants	262
Trees	264
Tendrils & Grasses	266











## **Artificial plants**

## Solitary plants

## **JROPALMS**



No. 82600112

EUROPALMS Geranium, artificially, red, 42cm

Red geranium





No. 82532006

EUROPALMS Dahlia (EVA), artificially, orange, 100cm

Dahlia with long stem



No. 82530589

EUROPALMS Buriti Branch (EVA), artificially, orange

Twig of the buriti palm



No. 82530361

EUROPALMS Orchid, artificial plant, cream, 80cm

Orchid with cream-coloured flowers in a natural stone optic decorative pot





No. 82540347

EUROPALMS Mini Calla, artificial plant, white, 43cm

Houseplant - ready to use



No. 82600211

EUROPALMS Lavender, artificial plant, purple, 45cm

Little plant in pot for beautiful accents



No. 82507247

EUROPALMS Oleander tree, artificial plant, pink, 150 cm

Oleander tree with rose blossoms



No. 82540502

EUROPALMS Bird-of-paradise flower, artificial plant, 90cm

Bird of paradise flower made of high-quality PEVA





No. 82510722

EUROPALMS Phoenix palm tree luxor, artificial plant, 240cm

Phoenix palm



No. 82506350

EUROPALMS Ficus longifolia, artificial plant, 165cm

Ficus Benjamini with natural stems and long leaves



EUROPALMS Canary date palm, artificial plant, 240cm

Canary date palm with flame-retardant textile leaves



No. 82505779

EUROPALMS Dracena, artificial plant, 120cm

Dracaena tree made of high-quality PE



No. 82506738

EUROPALMS Willow tree, artificial plant, 215cm

Willow Tree multi leaf



No. 82509537

EUROPALMS Banana tree, artificial plant, 120cm

Strong banana plant with leaves made of high-quality PEVA



No. 82801073

EUROPALMS Mexican cactus, artificial plant, green,

Decorative cactus with side twigs made of high-quality plastic



No. 82506720

EUROPALMS Mango tree, artificial plant, 165cm

Mango tree with fruits





No. 82509166

EUROPALMS Bamboo, artificial plant, 150cm

Natural trunk bamboo with leaves of high-quality PEVA



No. 82600117

EUROPALMS Pine bonsai, artificial plant, 70cm

Decorative bonsai with attractive PE growth habit



No. 82509261

EUROPALMS Bamboo, artificial plant, 120cm

Bamboo tree, in Bowl, top quality



No. 82600009

EUROPALMS Spiral Tree, artificial plant, 61cm

Spiral tree with bay leaves



No. 82505232

EUROPALMS Birch Tree, artificial plant, 210cm

Birch tree for various decoration ideas



No. 82600150

EUROPALMS Rubber tree, artificial plant, 120cm

Rubber tree



## **Artificial plants**

## Tendrils & grasses





No. 82502503

EUROPALMS Pothos Bush Tendril Premium, artificially, 170cm

Pothos bush garland made of high quality PEVA





No. 82502511

EUROPALMS Hollan Ivy Bush, Premium, artificially, 100cm

Holland Ivy bush garland made of high quality PEVA



No. 82502507

EUROPALMS Ivy Bush, Premium, artificially, 50cm

lvy bush made of high quality PEVA



No. 82600130

EUROPALMS Bulrush, artificial plant, 120cm

Herbaceous growing plastic marsh and aquatic plant





No. 82519950

EUROPALMS Forest fern, artificial plant, 30cm

Small lady fern, ideal for arrangements



No. 82519422

EUROPALMS Sword Fern, artificial plant, 70cm

Natural color composition for an individual decoration



No. 82530573

EUROPALMS Houseleeks (EVA), artificial plant, yellow,

Houseleeks made of soft new material - very classy




No. 82505661


EUROPALMS Epiphyllum bush, artificial plant, 36cm

Epiphyllum plant









## **MIRROR EFFECTS**

## Mirror Balls

# eurolite<sup>®</sup>

.5 cm 10 cm

.15 cm

.20 cm

.30 cm

.40 cm

.50 cm

.75 cm

100 cm

.20 cm. matt



No. 50100110	5 cm, in blister
No. 50100115	5 cm
No. 50100130	10 cm
No. 50100210	15 cm
No. 5010030A	20 cm
No. 5010040A	30 cm
No. 5010100A	40 cm
No. 5010110A	50 cm
No. 50101150	75 cm
No. 5010150A	100 cm
No. 5010160A	150 cm

#### **EUROLITE Mirror Ball**

Classic mirror ball

No. 50120005

No. 50120006.


No. 50120009.

No. 50120021

No. 50120023

No. 50120025.

No. 50102120...



.5 cm, multicolor

.20 cm, multicolor

..5 cm, red

.5 cm, blue

15 cm, gold

20 cm, gold

.30 cm, gold

40 cm, gold

.50 cm, gold

40 cm



No. 50200620	30 cm
No. 50200622	60 cm
No E0200624	90 cm

## **EUROLITE Mirror Cylinder**

**EUROLITE Mirror Ball black** 

No. 50120050 No. 50120052

No. 50120054

No. 50120056

No. 50120057

No. 50120058

No. 50120060.

No. 50120065

No. 50120070

No 50120075

Black mirror hall

Mirror cylinder for hanging on a mirror ball motor



No. 50101950	20 cm
No. 50102050	

#### **EUROLITE Half Mirror Ball motorized**

Half mirror ball with motor



No. 50101855	20 cn
No. 50101860	30 cn

#### **EUROLITE Mirror Ball Set with Pinspot**

Set comprised of motor, mirror ball, chain, pinspot and color wheel





#### **EUROLITE Mirror Ball Set with LED Spot**

Set comprised of motor, mirror ball, chain, and white pinspot





STAND ALONE

EUROLITE Mirror Ball Set 20cm with LED RGB Spot RC

Set comprised of motor, mirror ball, chain, color pinspot and IR remote





No. 50101862

#### EUROLITE Mirror Ball Set 30cm with LED RGB Spot RC

Set comprised of motor, mirror ball, chain, color pinspot and IR remote





No. 42109215

## EUROLITE Mirror Ball 20cm with MD-1015 Motor

Set comprised of motor, mirror ball and chain



No 42109225 30 cm No. 42109230...

## **EUROLITE Mirror Ball with MD-1515 Motor**

Set comprised of motor, mirror ball and chain





No. 42109267

## **EUROLITE LED Mirror Ball 13cm with Base**

Rotating desktop mirror ball with LED lighting

## **Rotary Motors**





No. 50301090

#### **EUROLITE Motor for Mirror Ball LED FC**

Motor for mirror balls up to 20 cm with colored illumination



No. 50301100. without plug No. 50301150.

## **EUROLITE MD-1015 Rotary Motor**

Motor for mirror balls up to 30 cm with 1.5 RPM



No. 50301200 No. 50301205 .with plug

## **EUROLITE MD-1030 Rotary Motor**

Motor for mirror balls up to 30 cm with 3 RPM



No. 50301092. No. 50301093.

## EUROLITE MD-1015 Rotary Motor 3x1W LEDs

Motor for mirror balls up to 30 cm with 1.5 RPM



No. 50301210. No. 50301211

#### **EUROLITE MB-1010 Battery Motor**

Battery operated motor for mirror balls up to 1 kg



No. 50301300

## EUROLITE MD-1515 Safety Rotary Motor

Mirror ball motor for up to 40 cm diameter



No. 50301500

## EUROLITE MD-2010 Safety Rotary Motor

Mirror ball motor for up to 50 cm diameter



DMX

No. 50301503

## EUROLITE MD-2030 DMX Safety Rotary Motor

DMX-controlled motor for mirror balls up to 50 cm, up to 5 RPM



No. 50301510

## **EUROLITE MD-3010 Safety Rotary Motor**

Mirror ball motor for mirror balls up to 100 cm



DMX

No. 50301530

## EUROLITE MD-3030 DMX Safety Rotary Motor

DMX controlled motor for mirror balls up to 100 cm, up to 5 RPM



No. 50301540

## EUROLITE MD-3050 Safety Rotary Motor

Mirror ball motor for mirror balls up to 150 cm



No.	5040003W	200	х	200	mm
No.	5040004W	400	x	200	mm
No.	5040005W	400	x	400	mm
No.	5040006W	800	х	800	mm

## EUROLITE Mirror Mat, 10x10mm mirrors

Mirror mat on flexible carrier material

## Accessories







....without mounting screws No. 50301586.. ..with mounting screws

EUROLITE Mounting Plate MD-1015/MD-1030/ MD-1515

Practical helper





No. 50301589. with mounting screws No. 50301590... ..without mounting screws

**EUROLITE Mounting Set for MD-2010** 

Practical helper





No. 50301591

**EUROLITE Screw Set for MD Mounting Plates** 

Complete set of screws (4 x screw, 4 x nut, 4 x washer)



No. 5030160033 c	m
No. 503016051 c	m

EUROLITE Double Loop Chain 2.5mm, WLL 20kg

Attachment chain



No. 5030160B.		m, 6 m	m
No. 5030160C.	0,5	m, 6 mi	m
No. 5030160D	0,3	m, 6 mi	m
No. 5030160E.		m, 8 mi	m
No. 5030160F.	0,5	m, 8 mi	m
No 5020160G	0.3	m Q m	m

## **ACCESSORY Link Chain**

Link chain EN 818-2



No. 50301612	33 cm, 4 mm
No. 50301614	1 m, 4 mm
No. 50301615	1 m, 8 mm
No. 50301616	1 m. 8 mm

#### **EUROLITE Link Chain WLL 80kg**

Link chain



No.	. 51202702	2 ı	m
Nο	51202704	4	m

## EUROLITE Tubing 14x5.5mm clear LED Strip

Clear tubing



clear, 2 m	No.	
clear, 4 m	No.	
UV light blue, 2 m	No.	
UV light blue, 4 m	No.	
milky, 2 m	No.	
milky, 4 m	No.	

**EUROLITE Tubing 10x10mm** 





No. 51210602	2 m
No. 51210604	4 m

## EUROLITE Step Profile 10x10mm silver

Special step profiles for Tubelights etc.





No. 51210862. No. 51210864.

#### EUROLITE U-profile for LED Strip silver

Aluminum profile for LED strips



No. 51210865

EUROLITE U-profile 20mm for LED Strip silver 2m

Aluminum profile for LED strips



No. 51210866

EUROLITE Cover for U-Profile 20mm milky 2m

Cover for aluminium profile for LED strips

## **TUBE & ROPE LIGHTS**

## **LED Strips**













STAND ALONE

No. 50499715

EUROLITE Controller Pro LED Neon Flex 230V EC RGB

Clever Controller for LED Neon Flex EC RGB







RGB

No. 50499801

EUROLITE LED Neon Flex 230V Slim RGB 100cm

Flexible tube with neon LEDs for decorative lighting





No. 50499810

**EUROLITE Controller Basic for LED Neon Flex 230V Slim** RGB

Basic controller with 8 programs for the RGB LED neon tube (item 50499801)



DMX

No. 50499811

EUROLITE Controller PRO with DMX for LED Neon Flex 230V Slim RGB

blue

Controller with DMX interface for the RGB LED neon tube (item 50499801)



IP44

No. 50499815

EUROLITE LED Neon Flex 230V Slim Power Cord with Plug

Accessory for LED Neon Flex 230V Slim



IP44

No. 50499816

EUROLITE LED Neon Flex 230V Slim RGB flexible Connector

Accessory for the neon tube with RGB LEDs (item 50499801)





IP44

No. 50499817

**EUROLITE LED Neon Flex 230V Slim flexible Connector** 

Accessory for the neon tube



IP44

No. 50499818

**EUROLITE LED Neon Flex 230V Slim RGB splice** Connector

Accessory for the neon tube with RGB LEDs (item 50499801)



IP44

No. 50499819

**EUROLITE LED Neon Flex 230V Slim splice Connector** 

Accessory for the neon tube



No. 50499821

**EUROLITE LED Neon Flex 230V Slim End Cap** 



No. 50499820

**EUROLITE LED Neon Flex 230V Slim RGB Connection** Cord with open wires

Accessory for the neon tube with RGB LEDs (item 50499801)



IP44

No. 50499822

EUROLITE LED Neon Flex 230V Slim Heat Shrink Tube



IP44

No. 50499823

EUROLITE LED Neon Flex 230V Slim Aluminium Channel 5cm



IP44

No. 50499824

**EUROLITE LED Neon Flex 230V Slim Aluminium Channel** 100cm



No. 50530063 .2 Pin, 8 mm No. 50530067 .3 Pin, 10 mm No. 50530071 .4 Pin, 10 mm No. 50530075 5 Pin, 12 mm No. 50530079. .2 Pin, 10 mm

**EUROLITE LED Strip felxible Connector** 



IP44

No. 50499825

**EUROLITE LED Neon Flex 230V Slim Power Contact Pin** 



IP44

No. 50499826

EUROLITE LED Neon Flex 230V Slim RGB Power

Accessory for the neon tube with RGB LEDs (item 50499801)



No. 50530061	2 Pin, 8 mm
No. 50530065	3 Pin, 10 mm
No. 50530069	4 Pin, 10 mm
No. 50530073	5 Pin, 12 mm
No 50520077	2 Pin 10 mm

**EUROLITE LED Strip Connector** 



No. 50530062	2 Pin. 8 mm
No. 50530066	
No. 50530070	4 Pin, 10 mm
No. 50530074	5 Pin, 12 mm
No. 50530078	2 Pin, 10 mm

**EUROLITE LED Strip Power Contact** 



# Design your rooms with light!

LED strips are versatile and convertible: Use them as eye-catching accents or as ambient light in the background! Depending on the type and shape of the strips, they are ideal for designing your rooms or outdoor areas with light.

The LED strips can be divided, connected and extended. You can either solder them or string them together with the optional connectors available for many models. Just pay attention to the width and the contacts of your strips. As a general rule: Strips with 12 V power supply can be divided at shorter intervals than strips with 24 V. However, the latter are better suited for longer distances (more than 5 meters).

The closer the individual LED dots are to each other on a strip, the more flat the lighting appears. If the individual LEDs sit further apart, they appear more like dots. Both can be advantageous depending on the application.







## White strips


Use white light to create the atmosphere in your rooms. Create a cosy atmosphere with warm white LEDs or a neutral cool impression with cold white LEDs:

1800-2500 K: extra warm light - makes you feel comfortable, cozy

2700-3200 K: warm light - like a conventional bulb

4000 K: neutral light - well suited for workstations

5000-6500 K: cold light - has a vitalising and modern effect



## **Colored strips**

Colored LED strips bring your design to life. Whether as ambient light behind pieces of furniture or as bar lighting in the discotheque: With coloured LED strips you set shining accents! In our assortment you will find strips with different color mixtures. In addition to the classic RGB strips, we also offer strips with RGBW LEDs (with cold white LEDs) and RGBWW LEDs (with warm white LEDs).

**LED Strips** 







## Strips with high CRI

The CRI (Color Rendering Index) indicates how lifelike colors are reproduced in light. LED strips with a high CRI are characterised by the fact that the colors of the illuminated surfaces are reproduced very naturally.

## **Constant current strips**

If an LED strip is to be drawn over long distances, it is best to use so-called Constant Current Strips. They allow the illumination of long distances up to 15 meters without loss of brightness.





No. 50530101

EUROLITE LED Strip 1320 5m 2216 2700K 24V

Flexible LED strip with 4.5 mm width and a CRI >90



	CW CRI>90
No. 50530103	2700 k
No. 50530105	3000 K, constant current
No. 50530106	3000 k
No. 50530107	3000 K, bendable
No. 50530109	4000 k
No 50530112	5700 k

EUROLITE LED Strip 300 5m 3528 12V

Flexible LED strip with a CRI >90



CW/WW

No. 50530115

EUROLITE LED Strip 600 5m 3528 2700+5700K 24V

Flexible LED stripe, warm white + cold white, CRI >90





No. 50530130

EUROLITE LED Strip 600 5m 2835 1800+5700K 24V

Flexible LED stripe, extra warm white + cold white, CRI >90



WW

No. 50530132

EUROLITE LED Strip 300 5m 3014 3000K 12V Side View

Flexible, side-emitting LED strip



No. 50530133

EUROLITE LED Strip 300 5m 3528 UV 24V


Flexible LED strip with ultraviolet light color

## **TUBE & ROPE LIGHTS**

## LED Strips

# eurolite<sup>®</sup>





## Bendable strips

Thanks to their flexible circuit board, you can attach these flexible LED strips even in tight curves. So you can easily design lettering, for example.





No. 50530136

EUROLITE LED Strip 300 5m 5050 RGB 12V

Flexible LED strip with RGB LEDs

## Side view strips

You can even bring light into narrow slots with little room: So-called side-view strips take up very little space during installation. They radiate evenly and powerfully sideways. This allows you to create luminous accents even when space is limited.





No. 50530141

EUROLITE LED Strip 300 5m RGBWW 24V

Flexible LED strip with RGB and warm white LEDs







No. 50530190

EUROLITE LED IP Strip 150 5m RGB

Flexible LED strip for indoor and outdoor use




IP67

RGB

EUROLITE LED IP Pixel Strip 160 5m RGB 12V

Digital LED pixel strip for indoor and outdoor use





No. 50530205 No. 50530210

**EUROLITE LED Pixel Strip 150 RGB 5V** 

Digital LED pixel strip with RGB LEDs for indoor use

.5 m





No. 50530215

EUROLITE LED Pixel Strip 150 5m CW/WW/A 5V

Digital LED pixel strip with RGB LEDs for indoor use





No. 50530550

EUROLITE LED Strip 240 5m 5050 RGB 24V

Flexible LED strip for indoor use





No. 50530553

EUROLITE LED Strip 150 5m 5050 RGB 12V

Flexible LED strip for indoor use





No. 50530555

## **EUROLITE LC-1 LED Strip RGB Controller**

Control unit for RGB LED strips



No. 50530558

#### **EUROLITE IR-3 Remote Control**

Control unit with IR control for 12 V RGB LED strips



No. 50530559

## **EUROLITE IR-5 Remote Control**

Control unit with IR control for RGB LED strips 12-24V



No. 50530566

#### **EUROLITE IR-11 Remote Control**

IR remote control for light effect units



DMX

No. 50530595

## **EUROLITE LC-4 LED Strip RGB DMX Controller**

3-channel LED controller with DMX interface for RGB LEDs 12-24 V



No. 50531100

## **EUROLITE LED Strip RGBW 4-Channel DMX Controller**

4-channel LED controller with DMX interface for RGB LEDs 12-24 V



No. 50531103

## **EUROLITE LED Strip RGB RF Controller**

3-channel LED controller with wireless remote control for RGB LED strips 12-24V



No. 50531106

## **EUROLITE LED Strip Single Color RF Controller**

3-channel LED controller with wireless remote control for 3 single-colored LED strips 12-24V



No. 50531109

## **EUROLITE LED Strip Single Color Controller**

1-channel LED controller single-colored LED strips 12-24V



No. 50531112

## **EUROLITE LED Strip RGB WiFi Controller**

3-channel wireless LED controller



No. 50531115

## **EUROLITE LED Strip Pixel 5V Controller**

Compact controller for digital LED pixel strips 5 V



No. 50531118

## **EUROLITE LED Strip Wall Panel for RGB RF Controller**

Wireless wall dimmer for RGB LED strips





No. 50531121.. ....Zone Single Color No. 50531124..... .....Zone Tunable White

**EUROLITE LED Strip Receiver Zone Tunable White** 

Wireless receiver for controlling white LED strips 12-24 V



..Zone Tunable White No. 50531130..... .....Zone Single Color

**EUROLITE LED Strip Remote Control Zone** 

Wireless remote control for LED strips 12-24 V



IP44

No. 50532012 No. 50532013 30 cm

**EUROLITE LED IP Strip Extension** 

Extension cable for LED IP strips



IP44

No. 50532015

**EUROLITE LED IP Strip Connector RGB 12V** 

Link connector for RGB LED strips



No. 51210868. . Metal No. 51210869. . Plastic

**EUROLITE Mounting Bracket for U-Profil 20mm** 

Holder for aluminium profile for LED strips



No. 50532020 No. 50532025

**EUROLITE Adapter Hollow Plug Screw Terminal** 



No. 50533000

**EUROLITE LED Strip Amplifier** 

RGB amplifier for LED strips



No. 51210867

**EUROLITE End Caps for U-Profil 20mm silver** 

End cap for aluminium profile for LED strips







IP44

EUROLITE BL-10 E-27 Belt Light Chain with 12 Bulbs

Outdoor light chain with 12 colored lamps



IP44

No. 50499027

EUROLITE LED BL-20 G50 Belt Light Chain

Colorful party LED light chain for the ideal decoration





IP44

No. 50499021

## EUROLITE BLN-10 E-27 Belt Light Chain classic

Outdoor party light chain for E-27 lamps (not included)







No 50499024

## **EUROLITE LED BL-10 Lounge Decoration Light Chain**

Vintage outdoor light chain with 10 LED lamps





No. 50499170

## EUROLITE LED PAL-10 Battery-Powered Light Chain

Party light chain with 10 LED lamps









## EUROLITE 500 LED Cluster String Lights 5m

LED cluster string lights, IP44



IP44 WW •	
No. 50499271warm white	
No. 50499273multicolor	r

## **EUROLITE 360 LED Cascading Lights 3m**

LED cascading lights, IP44



□ REMOTE	IDCO		DCD	
CONTROL	1268		RGB	

No. 50630236. No. 50630237

## **EUROLITE LED Puck Light multicolor**

LED mood light with color change, IP68, battery operation





## EUROPALMS LED Christmas Ball 6cm, 6x

Christmas baubles with LEDs



	<b>IP44 Ø</b> 1,3 cm
clear	No. 50506013
yellow	No. 50506023
green	No. 50506033
red	No. 50506043
blue	No. 50506053
violet/pink	No. 50506063
orange	No. 50506083
	No. 50506093

## **EUROLITE RUBBERLIGHT RL1-230V 5m**

Flexible tube for decorative lighting

		• • • • [	ww CW
		No. 50506201	3000 K
4		No. 50506210	6400 K
//2	STATE OF THE PARTY	No. 50506220	yellow
	MARKET CHARGE	No. 50506230	
contains built in LEG lange.		No. 50506240	red
} <u></u>	Man 1	No. 50506250	blue
		EUROLITE RUBBERLIGH	IT LED RL1-230V 9m
lamps in the luminane can- be replaced.		Flexible LED tube for dec	orative lighting
		I ICAIDIC LED tabe for acc	orative lightning

**Ø** 1,3 cm IP44



<b>1</b> ,3 cm IP44	
• • • •	WW CW
	6400 K yellow green red
110. 30300233	blue

## **EUROLITE RUBBERLIGHT LED RL1-230V 44m**

Flexible LED tube for decorative lighting

clear	No. 50506010
yellow	No. 50506020
green	No. 50506030
red	No. 50506040
blue	No. 50506050
violet/pink	No. 50506060
orange	No. 50506080
multicolor	No. 50506090
BERLIGHT RL1-230V 9m	EUROLITE RU

Flexible tube for decorative lighting

clear	No. 50506015
yellow	No. 50506025
green	No. 50506035
red	No. 50506045
blue	No. 50506055
violet/pink	No. 50506065
orange	No. 50506085
multicolor	

## **EUROLITE RUBBERLIGHT RL1-230V 44m**

Flexible tube for decorative lighting





IP44

No. 50506302

**EUROLITE RUBBERLIGHT LED RL1 connector 5mm** 



No. 50510100

**EUROLITE RUBBERLIGHT Mounting Clip 50 pieces** 



No. 50510112

**EUROLITE RUBBERLIGHT RL1 Power Cable** 

Connection cable



No. 50510114

**EUROLITE RUBBERLIGHT RL1 Connection Tap** 



No. 50510160

**EUROLITE RUBBERLIGHT RL1 straight Connector** 



No. 50510120

**EUROLITE RUBBERLIGHT End Cap** 



No. 50510150

**EUROLITE RUBBERLIGHT Tie Strap 10x** 



No. 51928721

**EUROLITE 10x Mounting Clip** 



**EUROLITE 10x Mounting Clip for 50mm Tube** 



No. 50510170

**EUROLITE RUBBERLIGHT Channel 180cm** 










No. 50520240

**EUROLITE FIB-206 LED Fiber Light Color Change** 

Fiber light with RGB color change and IR remote control

















No. 50520260

EUROLITE FIB-450 LED Fiber Light RGB DMX

Fiber light with RGB color change programs and DMX control

## **LIGHT DECORATIONS**

## Decoration

# eurolite®



## 2 mm STAND ALONE

red	50520300	No.
yellow	50520302	No.
blue	50520304	No.
light blue	50520305	No.
green	50520306	No.
orange		
6400 K		




## EUROLITE EL-Wire 2mm, 2m

Flexible electroluminescent lighting wire, battery operation



The Lorentze of Contract Labor	Ø3,1 cm STAND ALONE	
Date of the American Clark  State Service Clark  St	No. 52207011	
Q-4*	No. 52207014 No. 52207015	
7	No. 52207017 No. 52207018	
	No. 52207050 No. 52207051	
	No. 52207053 No. 52207054	36 W, 134 cm, blue36 W, 134 cm, turquois36 W. 134 cm, areen
	No. 52207056 No. 52207057	
	No. 52207059	36 W, 134 cm, pink 36 W, 134 cm, UV 36 W, 134 cm, multicolor
	FLIDOLITE Noon Stick	T9 19\M/ 70cm



#### EUROLITE Neon Stick T8 18W 70cm

Colored neon tube





EUROLITE Neon Stick T8 58W 170cm white

White neon-tube









**Ø** 7 cm

No. 8350123N

## EUROPALMS Deco Ball 7cm, clear, diverse designs 6x

Decoration ball made of plastic for indoor and outdoor decoration



Ø 6 cm

gold metallic	No. 8350123A
red metallic	
pink metallic	No. 8350123C.
blue metallic	No. 8350123D
purple metallic	No. 8350123E.
conner metallic	No 8350123E

## EUROPALMS Deco Ball 6cm, 6x

Decoration ball made of plastic for indoor and outdoor decoration



**Ø** 7 cm

No. 8350123G	gold matt
No. 8350123H	red matt
No. 8350123J	pink matt
No. 8350123K	
No. 8350123L	purple matt
	conner matt

## EUROPALMS Deco Ball 7cm, matt 6x

Decoration ball made of plastic for indoor and outdoor decoration



**Ø** 7 cm

No. 83501250red
No. 83501251gold
No. 83501252silver
No. 83501253black
No. 92501254 white

## EUROPALMS Deco Ball 7cm, 6x

Decoration ball made of plastic for indoor and outdoor decoration



Ø 10 cm

purple glitter	No. 83501259
red	No. 83501260
gold	No. 83501261
silver	No. 83501262
black	No. 83501263
white	No. 83501264
applegreen glitter	No. 83501265
blue glitter	No. 83501266
silver glitter	No. 83501267
black glitter	No. 83501268
gold glitter	No. 83501269

## EUROPALMS Deco Ball 10cm, 4x

Decoration ball made of plastic for indoor and outdoor decoration



Ø 20 cm

No. 8350126A	cappuccino
No. 8350126B	turquoise
No. 8350126D	copper
No. 83501270	red
No. 83501271	gold
No. 83501272	silver
No. 83501273	black
No. 83501274	white
No. 83501275	applegreen glitter
No. 83501276	blue glitter
No. 83501277	silver glitter
No. 83501278	black glitter
No. 83501279	gold glitter
No. 83501285	purple glitter

## EUROPALMS Deco Ball 20cm

Decoration ball made of plastic for indoor and outdoor decoration



Ø 30 cm

cappuccino	No. 8350127A
turquoise	No. 8350127B
copper	No. 8350127D
red	No. 83501280
gold	No. 83501281
silver	No. 83501282
black	No. 83501283
white	No 02E01204

## EUROPALMS Deco Ball 30cm

Decoration ball made of plastic for indoor and outdoor decoration







EUROPALMS LED Glass 2oz with Dice Play, red, 3x

LED glasses for your next party




**Ø** 90 cm No. 81201860 ACCESSORY Jumbo Jelly Ball with LED, 90cm, 12x Inflatable mega balloons with LED



No. 81201840 ACCESSORY Jumbo Jelly Ball, 90cm, 12x Inflatable mega balloons







<b>Ø</b> 1,9 cm	IP68	
No. 51111102 No. 51111103 No. 51111104		green
EUROPALMS Glow rod, 15cm, 12x		

Classic glowstick



N 0220010E	200 200
No. 83309105	snow, 300 x 200 cm
No. 83309109	balkan, 600 x 300 cm
No. 83309110	US woodland, 600 x 300 cm
No. 83309111	desert, 600 x 300 cm
No. 83309112	sky, 600 x 300 cm
No. 83309113	snow, 600 x 300 cm
No. 83309114	dark green, 600 x 300 cm
No. 8330911N	night, 600 x 300 cm
No. 8330911U	urban, 600 x 300 cm

## **EUROPALMS Decoration Net**

Decoration net











No. 26218164 JOZSI LAK Foxywave

Whether for beginners or semi-professionals, for more than 15 years Dimavery has been standing for quality instruments at very attractive prices. Developed in Germany, the products are manufactured in China. The assortment covers nearly everything from the guitar, through the violin, the cajon to the trumpet.

Joszeph "Jozsi" Lak is a luthier from Waldbrunn-Lahr in Hesse. His passion is the making of instruments with excellent quality, special materials and innovative designs.

May lay



## **INSTALLATION & TOOLS**

Barriers	286
Stagetape	287
Cable Holders	288
Cable Bridges	280



**SECURITY Barriers** 







No. 8070297A

GUIL PST-11 Barrier System with Retractable Belt (red)

Barrier system





No. 8070297B

GUIL PST-11N Barrier System with Retractable Belt (black)

Barrier system





No. 8070297C

**GUIL PST-41 Barrier System** 

Barrier system





No. 8070297F

**GUIL PST-CT1 Barrier Rope** 

Barrier rope for PST-30





No. 8070297K

GUIL PST-CB/PL Wall Mounting

Wall mounting for PST-10, black





**Ø**5 cm

No. 8070297L

GUIL PST-CB/P 3m red

Retractable belt wall mount





No. 8070297P

GUIL PST-AV/2 Sign 25x33cm

Stainless steel sign holder adaptor (A4) for Guil barrier systems



No. 30005945

ACCESSORY Writing Tape white 19mmx33m

Writeable tape



silver	No. 3000
black	No. 3000
white	No. 3000
red	No. 3000
yellow	No. 3000
green	No. 3000
blue	No. 3000
black matt	No. 3000
silver matt	No. 3000
white matt	No. 3000

ACCESSORY Gaffa Tape Pro 50mm x 50m

Professional textile tape



GAFER.PL MAX Gaffa Tape, black matt		
No. 30005468 No. 30005469		



No. 30005471	neon-yellow
No. 30005472	neon-green
No. 30005473	
No. 30005474	neon-orange

ACCESSORY Gaffa Tape 50mm x 25m uv active

25 m adhesive tape for decoration and marking





No. 30005481	neon-yellow
No. 30005482	neon-green
No. 30005483	neon-pink
No. 30005484	neon-orange

#### ACCESSORY Gaffa Tape 19mm x 25m UV-active

25 m adhesive tape for decoration and marking



No. 30005566	glow at night
No. 30005567	black

#### **ACCESSORY Antislip-Strips**

Self-adhesive strips





No. 30005930 .50mmx50m No. 30005935 .25mmx50m

#### **ACCESSORY Carpet Tape Mesh**

Carpet adhesive



No.	30005950	olack
No.	30005960	.arev

#### ACCESSORY Electrical Tape 19mmx25m

Electrical tape



No. 30005955

ACCESSORY Electrical Tape 19mmx10m 10x

Electrical tape



Made in Germany

No. 30005490	5m, blue
No. 30005491	10m, red
No. 30005492	15m, white
No. 30005493	20m, yellow
No. 30005494	

#### **ACCESSORY Cable Marking**

Color marking for cables



No. 3000575K

#### **ACCESSORY Marking Tape Antislip**

High quality marker tape made of PVC foil



No. 3000580K

#### ACCESSORY Marking Tape PVC yellow/bl

High quality marker tape made of PVC foil



No. 3000582K

#### ACCESSORY Marking Tape PVC red/white

High quality marker tape made of PVC foil



Made in Germany

No. 3000596K

ACCESSORY Barrier Tape red/wh 500mx75mm

Barrier tape

#### Cable Holders







No. 3000601D

ACCESSORY Tie Straps 13x200mm

Tie strap





No. 3000601E	20x150mm
No. 30006020	20x200mm
No. 30006021	20x330mm

#### ACCESSORY Tie Straps

Tie strap



No. 30006023	25x195mm
No. 30006031	25x300mm
No. 30006041	25x480mm

#### ACCESSORY BS-1 Tie Straps

Hook-and-loop cable fastener back strap



Made in
<b>EUROPE</b>

No. 30006022	25x195mm
No. 30006030	25x195mm
No 30006040	25x195mm

#### **ACCESSORY Tie Straps**

Tie strap



_	
	Made in
	<b>EUROPE</b>

No. 30006072	80mm 50x
No. 30006073	160mm 50x
No. 30006074	230mm 50v

GAFER.PL T-Fix rubber cable tie 50x





No. 3000608L	25x550mm
No. 3000608T	25x260mm
No. 3000608Y	25x400mm

#### GAFER.PL Tie Straps5 pieces yellow

Tie strap with labeling area





No. 3000608M	25x550mm
No. 3000608S	25x260mm
No. 30006087	25v400mm

#### GAFER.PL Tie Straps 5 pieces green

Tie strap with labeling area





No	. 3000608R	25x260mm
No	. 30006092	25x400mm
No	3000608N	25v550mm

#### GAFER.PL Tie Straps 5 pieces blue

Tie strap with labeling area





No.	3000608U	25x260mm
No.	30006094	25x400mm
No.	3000608Q	25x550mm

#### GAFER.PL Tie Straps 5 pieces red

Tie strap with labeling area





No.	3000608V	25x260mm
No.	30006093	25x400mm
No.	3000608P	25x550mm

#### GAFER.PL Tie Straps 5 pieces black

Tie strap with labeling area





No. 30006095	silve
	black
No. 30006097	light silve
No. 30006098	light black

#### SNAP Mounting clamp 4x

Truss clamp



No. 30006110

#### SNAP O-ring black 25x

Rubber ring for Snap truss clamps

#### **SECURITY**

#### Cable bridges





No. 30005534

ACCESSORY Cable Tape yellow/black 150mm x 15m





No. 80702920

EUROLITE Cablebrigde 2 Channels 1000x250mm

Rugged cable crossover with antislip yellow cover and 7.5



No. 8070293B

EUROLITE Cablebridge 5 Channels 900x500x50mm

Rugged cable crossover with yellow cover and 9 t maximum load



No. 80702921

**EUROLITE KB-2 Cablebrigde 2 Channels** 1010x240x45mm

Rugged cable crossover with antislip yellow cover and 5 t maximum load



No. 80702935

EUROLITE Cablebridge 4 Channels 800mm x 550mm

Rugged cable crossover with antislip yellow cover and 3 t maximum load



No.	78020396	М
No.	78020401	.L
No.	78020403	ίL

HASE Gloves 3 Finger, size M

Professional gloves for roadies



S	No. 78020410
M	No. 78020411
L	No. 78020412
XL	No. 78020413

GAFER.PL Lite glove Gloves

Professional gloves for roadies



Nο.	. 78020415	S
Nο.	. 78020416	M
Nο.	. 78020417	L
\la	70020410	VI

**GAFER.PL Grip Glove** 

Professional gloves for roadies



No. 10360620

**EUROLITE LM-50 Lux Meter** 

Digital light meter for a fast illumination measurement



No. 10360630

EUROLITE LM-200 Lux Meter

Digital light meter for a fast illumination measurement





WITHOUT FAN







No. 50605210

**EUROLITE LED Solar Work Light** 

Solar LED floodlight with cold white COB LED



# **POWER**







Multipin socket / plug











IEC socket / plug



Safety socket / plug



CEE socket / plug 3-pin



CEE socket / plug 5-pin





••

**..** 





XLR socket / plug 3-pin



XLR socket / plug 5-pin



HanQ connector



Bulgin connector

#### **POWER DISTRIBUTORS**

#### **Power Distributors**





No. 30245501

**EUROLITE SBP-1610 Power Distributor** 

Power distributor 2 x 16 A, 4 x 230 V







No. 30245561

**EUROLITE SBP-3280 Power Distributor** 

Power distributor 1 x 32 A, 1 x 16 A, 8 x 230 V







IP44

No. 30245581

**EUROLITE SBPO-1640B Power Distributor** 

Power distributor with RCD 16 A







IP44

No. 30245585

**EUROLITE SBPO-3240 Power Distributor** 

Power distributor with RCD 32 A







No. 30248010

**EUROLITE SB-42/19 Power Distributor** 

Practical distributor in 483 mm housing (19")













No. 30248300

**EUROLITE SB-65 Power Distributor** 

Practical CEE distributor







No. 30248305

**EUROLITE SB-65/19 Power Distributor** 

Practical 16A split box in 483 mm housing (19")













No. 30248340

**EUROLITE SB-652X Power Distributor** 

Practical CEE distributor









No. 30248370

**EUROLITE SB-1000 Power Distributor** 

Practical 16 A distributor in 483 mm housing (19")





No. 30248372

**EUROLITE SB-1050 Power Distributor** 

Practical 32 A distributor in 483 mm housing (19")







No. 30248375

**EUROLITE SB-1100 Power Distributor 32A** 

Practical 32 A distributor in 483 mm housing (19")

















No. 30248378

**EUROLITE SBT-3216 Power Distributor** 

Practical 32 A distributor in 483 mm housing (19")











#### **POWER DISTRIBUTORS**

#### **Power Distributors**





No. 30248380

#### EUROLITE SB-1200 Power Distributor 63A

Practical 63 A distributor in 483 mm housing (19")











No. 30248390

#### **EUROLITE SBM-16 Power Distributor**

Practical 16 A distributor in 483 mm housing (19")













No. 30248400

#### **EUROLITE SBM-32 Power Distributor**

Practical 32 A distributor in 483 mm housing (19")















No. 30248410

#### **EUROLITE SBM-63 Power Distributor**

63 A power distributor with multimeter













No. 30248499

#### **EUROLITE SBL-2000 Power Distributor**

Practical 32 A distributor in 483 mm housing (19")









No. 30248800

#### **EUROLITE PDM 2U-6S 16A**

Power distributor module for rack installation













No. 30248820

#### EUROLITE PDM 3U-6CEE 16A 3pin

Power distributor module for rack installation















No. 30248840

#### EUROLITE PDM 3U-4CEE 16A 5pin

Power distributor module for rack installation











No 30248850

#### **EUROLITE PDM 3U-4CEE 32A 5pin**

Power distributor module for rack installation











No. 30248880

#### EUROLITE PDM 6U-4CEE 32A 5pin

Power distributor module for rack installation











No. 30248910

#### EUROLITE PDM 3U-32A 5pin RCD

Power distributor module for rack installation





No. 30248920

#### EUROLITE PDM 4U-63A 5pin RCD

Power distributor module for rack installation







No. 30248930

#### EUROLITE PDM 3U-9x16A FB

Power distributor module for rack installation



No. 30248940

#### EUROLITE PDM 3U-18x16A FB

Power distributor module for rack installation



No. 30248950

#### EUROLITE PDM 3U-4x16A FB 3pin

Power distributor module for rack installation



No. 30248960

#### EUROLITE PDM 3U-4x32A FB 3pin

Power distributor module for rack installation



No. 30249100

#### **PSSO CEE Compact Distributor CEE 3SK**

Compact distributor











No. 60003735

#### **EUROLITE SAB-162 Power Split Box**

Heavy-duty power split box with CEE input









#### **EUROLITE SAB-322 Power Split Box**

Heavy-duty power split box with CEE input









#### No. 60003745

#### **EUROLITE SAB-61 Power Split Box**

Heavy-duty power split box with P-Con input and output















No 60003755

#### **EUROLITE SAB-62X Power Split Box**

Heavy-duty power split box with CEE input and output



















No 60003760

#### **EUROLITE SAB-42X Power Split Box**

Heavy-duty power split box with P-Con input and output









No. 60003761

#### **EUROLITE SAB-82X Power Split Box**

Heavy-duty power split box with P-Con input and output



































Made in **EUROPE** 

No. 6000385B



RIGPORT CEE16+ Power Distributor











RIGPORT Clamp for Rigport Distributors

Rigport accessory



No. 60003865

RIGPORT RPL-16 MK2 Power Distributor

Rigport CEE line













No. 60003866

RIGPORT RPL-16S MK2 Power Distributor

Rigport CEE line











No. 60003851

RIGPORT L-1 Power Distributor

Rigport baseline























#### APSA Distributor PVC bk

Apsa 5000/3 installation distributor











No.	30240070	4-fold
No.	30240080	6-fold
Nο	30240090	8-fold

#### **EUROLITE Distributor ALU bk**

Power distributor









000	00
000	0000

No. 30240072	. 4-fold
No. 30240082	.6-fold

#### APSA Distributor ALU bk

Apsa Octagon 60 D6000/4 installation distributor









No. 30240100

PSSO Safety Connector 3-fold bk







No. 30240115	1,5 m
No. 30240119	5 m
No. 30240117	3 m

#### EUROLITE Distributor 3-fold IP44 bk

Power distributor









No. 3	30240153	3 m
No. 3	30240154	. 1,5 m
No. 3	30240156	5 m
No. 3	30240158	10 m

#### EUROLITE Distributor 6-fold IP44 bk

Power distributor













No. 30240155

EUROLITE Distributor 6-fold + 2 USB bk

Power distributor











No. 30240215

EUROLITE Distributor R19-8 1U bk 2.7m

Attachable power distributor











No. 30207210

**EUROLITE Fuseholder R3-11** 

Chassis mount fuseholder with nut




No. 30207561	F6.3A
No. 30207630	T5A
No. 30207631	T6.3A
No. 30207640	T3.15A

ACCESSORY Fuse 5x20mm 10x

Set of ten fuses











PSSO PowerCon TRUE Power Cable 3x1.5



No. 30235005

EUROLITE T-Con Power Cable 3x1.5 1,5m



## Made in **EUROPE**

No. 30235029	1 m
No. 30235030	1.5 m
No. 30235032	3 m
No. 30235034	5 m
No. 30235037	10 m

PSSO PowerCon Power Cable 3x1.5 H07RN-F





No. 30235031	1.5 m
No. 30235033	3 m
No. 30235035	5 m
No. 30235036	10 m
No. 30235038	15 m

PSSO PowerCon Power Cable 3x2.5 H07RN-F



## Made in **EUROPE**

No. 3023503J	0,5 m
No. 3023503K	1 m
No. 3023503L	1,5 m
No. 3023503R	3 m
No. 30235040	5 m
No. 30235042	10 m
No. 30235044	15 m

PSSO PowerCon Connection Cable 3x1.5





No. 30235064	0.5 m
No. 30235065	1 m
No. 30235066	1.5 m
No. 30235068	3 m
No. 30235070	5 m
No. 30235072	10 m
No. 30235074	15 m

PSSO PowerCon Connection Cable 3x2.5





No. 30235104	1 m
No. 30235107	1.5 m
No. 30235103	0.6 m

OMNITRONIC IEC Extension 3x0.75 bk



No. 30235199	0.6 m
No. 30235200	1 m
No. 30235201	3 m
No. 30235202	5 m

#### OMNITRONIC IEC Extension 3x1.0 bk

Universal IEC cable



No. 30235203

OMNITRONIC IEC Extension 3x1.5 10m bk



No. 30235205

OMNITRONIC Adaptercable IEC(M)/Safety plug(F) 1m

Adaptercable from a IEC(M) to a Safety plug(F)



No.	3023520L	0.6 m
No.	3023520M	0.9 m
No.	3023520N	1.5 m

OMNITRONIC IEC Power Cable 3x0.75 bk

Universal IEC cable



No. 30235214

OMNITRONIC IEC Power Cable 3x1.5 10m bk

Universal IEC cable



No. 302352	1A	0.6 m
No. 302352	1E	1.5 m
No. 302352	1G	3 m
No 302352	11	5 m

OMNITRONIC IEC Power Cable 3x1,0 bk



No. 30235222

OMNITRONIC IEC Extension 3x0.75 90° 1.5m

Universal IEC cable



No. 3023540N	1.5 m
No. 3023540P	3 m

**OMNITRONIC Euro Power Cable bk** 

Universal Euro cable



No.	51100665	E-14
No.	51100666	E-27

EUROLITE Socket Power Cable, Plug, Switch

Socket with power cable



No. 51100667

EUROLITE GU-10 Socket Power Cable, Plug, Switch

GU10 socket with power cable



No. 30235010

EUROLITE P-Con Power Cable 3x1 1,2m

## eurolite<sup>®</sup>

.3 m .5 m

.10 m

#### Power Cable with Plug





No.	30245693	1,5 m
No.	30245695	3 m
No.	30245696	5 m
No.	30245697	10 m
	20242606	

#### **EUROLITE Extension 3x1.5**



Made in Germany	
No. 3024569X	1,5 m
No. 3024569Y	3 m
No. 30245700	5 m
No. 30245705	10 m
No. 30245708	15 m
No. 30245709	20 m

PSSO Extension 3x1.5 bk



Made in Germany
No. 30245750
No. 30245752
No. 30245754
No. 30245756
No. 30245758

PSSO Extension 3x2.5 bk



Made in Germany	
No. 3024581A	1.5 m
No. 3024581B	3 m
No. 3024581C	5 m
No. 3024581D	10 m
No. 3024581F	15 m

#### PSSO PowerCon TRUE extension 3x1.5

High-quality Powercon power supply cable



Made in Germany	
No. 30245850	
No. 30245852	10 m
No. 30245854	15 m
No. 30245856	20 m

#### PSSO Combi Cable Safety Plug/XLR

High-quality power + signal cable



Germany	
No. 30247010	1 m
No. 30247011	3 m
No. 30247012	5 m
No. 30247013	10 m

#### PSSO Extension 3x1.5 3-fold bk

The 3-fold extension cable for the entertainment industry



Made in



No. 30247014	1 m
No. 30247015	3 m
No. 30247016	5 m
No. 30247017	10 m

#### EUROLITE Extension 3x1.5 3-fold





No.	3024701D	3	m
No.	3024701E	5	m

#### **EUROLITE Extension 3x2.5 3-fold**





Made in Germany	
No. 30247022	5 m
No. 30247024	10 m
No. 30247025	15 m

#### PSSO Extension 3x2.5 3-fold bk

The 3-fold extension cable for the entertainment industry





#### **Extension Cables**





No. 30247042

PSSO Adaptercable Safety Plug(M)/CEE 1.5



No. 30247054

PSSO Adaptercable Safety Plug(M)/CEE 2.5 90°



No. 30247040 No. 30247050.

PSSO Adaptercable Safety Plug(F)/CEE



No 30245601 16A 3x2.5. 10 m ... 32A 3x6, 5 m No. 30245605. No. 30245607 .32A 3x5, 10 m

**PSSO CEE Extension blue** 



No. 30245620. No. 30245622 15 m No. 30245624 .20 m No. 30245625. .25 m

PSSO CEE Extension 16A 5x2.5 red

High-quality extension cable



No. 30245628. .. 10 m No. 30245629. .25 m

PSSO CEE Extension 32A 5x6 red



1	No. 3024563E	5	m
1	No. 3024563F	10	m
1	No. 3024563G	25	m

PSSO CEE Extension 16A 5x2.5 Black Edition

The very extension cable for the entertainment industry





**2**3,3 cm

No. 30307501

SCHILL Cable Drum GT 235.RM

Cable reel





**2**8 cm

No. 30307510

SCHILL Cable Drum IT266.RM A=280/C=11

Cable reel



**3**0,5 cm

No. 30307516

SCHILL Cable Drum IT300.SO A=305/C=125

Cable reel





**Ø** 31 cm

No. 30307517

SCHILL Cable Drum GT 310.SO

Cable reel

#### Cable Reel





No. 30307518

SCHILL Cable Drum GT 310.RM

Cable reel



**3**8 cm

No. 30307519

SCHILL Cable Drum GT 380.RM

Cable reel



Made in Germany 38,5 cm

No. 30307520

SCHILL Cable Drum IT380.RM A=385/C=142

Cable reel



No. 30307521

SCHILL Cable Drum GT 380.SO

Cable reel



Made in Germany No. 30307523

SCHILL Cable Drum GT 450.RM

Cable reel



Ø 30 cm

No. 30307526

SCHILL Cable Drum HT300.SO A=300/C=125

Cable reel





No. 30307535

SCHILL Cable Drum HT480.RM A=460/C=142

Cable reel



No. 30307536

SCHILL Cable Drum HT480.RM A=460/C=142 black

Cable reel



Made in Germany 46 cm

No. 30307540

SCHILL Cable Drum SK4602.RM A=460/C=500

Cable reel



No. 30307543

SCHILL SO Cable Drum Cover





No. 30307544

SCHILL RM Cable Drum Cover



#### **Control Cables**





	Made in Germany		
۱o. :	30227797	 	

No. 30227797	1,5 m
No. 30227799	3 m
No. 30227801	5 m
No. 30227803	10 m

#### PSSO Combi Cable DMX PowerCon/XLR

High quality power DMX cable



Made in Germany	
No. 30307380	2.5 m
No. 30307382	5 m
No. 30307384	10 m

#### SOMMER CABLE Combi Cable DMX PowerCon/XLR

High-quality power + signal cable









No. 30306216 25 m No. 30306217. 50 m

HELUKABEL Control Cable 7x1.0





No. 30306241 No. 30306242 50 m No. 30306243... 100 m

HELUKABEL Control Cable 14x1.5





No. 30306251 25 m No. 30306252 .50 m

HELUKABEL Control Cable 18x1.5





No. 30306320

HELUKABEL Combi Cable 1x2x0.25+3G1.5 100m

High quality power DMX cable





No. 30306324

SOMMER CABLE Combi Cable 1x2x0,25+3G1,5 SC-Monolith Power DMX 100m

High quality power DMX cable



Vo.	30307301	25 m
۷o.	30307302	50 m
۷o.	30307303	100 m

HELUKABEL Power Cable 3x1.5 bk Silicone H05SS-F

Heat-resistant to 180° C



#### Made in EUROPE

No 30306921 25 m No. 30306922.

HELUKABEL Power Cable 3x1.5 H07RN-F





No. 30306923

ACCESSORY Power Cable 3x1.5 100m H07RN-F









No. 3030697A	25	m
No. 3030697B	50	m
No. 3030697C	100	m

TITANEX Power Cable 3x1.5 H07RN-F

High-quality Titanex power cable





No. 3030697E	25 m
No. 3030697F	50 m
No. 3030697G	100 m

TITANEX Power Cable 3x2.5 H07RN-F

High-quality Titanex power cable



### Made in **EUROPE**

No. 30350200	6-pin. PG 13.5
No. 30350600	
No. 30350950	16-pin, PG 21
No. 30351351	24-pin. PG 21

ILME Socket Casing, straight

Absolutely reliable



## Made in **EUROPE**

No. 30350220	6-pin, PG 13,5
	10-pin, PG 16
No. 30350970	16-nin PG 21

ILME Socket Casing, angle



## Made in **EUROPE**

No. 30350250	6-pin, PG 16
No. 30350650	10-pin, PG 16
NI 20251000	10 . 00 01

ILME Coupling Casing, straight



## Made in **EUROPE**

۷o.	30350300	6-pin
Vο.	30350700	10-pin
Nο.	30351050	16-pin

ILME Plug Insert 16A, Screw Terminal



## Made in **EUROPE**

No. 30350350	6-pin
No. 30350750	10-pin
No. 202E1100	16 nin

ILME Socket Insert 16A, Screw Terminal



## Made in **EUROPE**

No. 30350400	6-pin
No. 30350790	10-pin
No. 30351150	16-pin

ILME Attachment Casing open below



## Made in **EUROPE**

6-pin	No. 30350450
10-pin	No. 30350800
16-pin	
24-pin	No. 30351600

ILME Base Casing, 1x PG 16



**	Made in
*	ELIDODE

No. 30351060.. ..Plug Insert No. 30351065.. ..Socket Insert

ILME Squich 16-pin 16A 500V





No. 30351350

ILME Socket Casing TG-24-108, PG 21, straight





No 30351450 ...Plug Insert No. 30351500..... .....Socket Insert

ILME 24-pin 16A, Screw Terminal





No. 30247652. . 10 m No. 30247656..

PSSO Multicore 16pin gy



Made in Germany

No 30307100 white No. 30307105.. .black

EUTRAC Multi adapter, 3 phases

Multi adapter with data bus option



Made in Germany

No. 30307110.. white No. 30307115...

EUTRAC Retaining collar for multi adapter

Retaining collar



Made in EUROPE

No. 30358550 .PG 16 No 30358600 PG 21

**ILME Circular Metal Screw Connection** 



No. 85056615

**EUROLITE Black PG11 Strain relief** 

Strain relief



Made in **EUROPE** 

No 30208540 blue No. 30208541.....

NEUTRIK PowerCon Cable Plug NAC3FCA

Cable plug for 5 - 15 mm cable O.D. range



**EUROPE** 

No. 30208543... blue No. 30208544.....

NEUTRIK PowerCon Mounting Connector NAC3MPA-1

Mounting connector for 5 - 15 mm cable O.D. range



Made in **EUROPE** 

No. 30208546

NEUTRIK PowerCon Connection Adapter NAC3MM-1

Adapter for NAC3MPA onto NAC3MPB chassis plug



EUROPE

No. 3020854E... ... N-NAC3MX P-in .....N-NAC3FX-W P-out No. 3020854D .....

NEUTRIK PowerCon TRUE 1









No. 3023610A No. 3023620A . Plug .. Connector

ACCESSORY Safety Plastic bk



No. 30236231 blue No. 30236236.

**BALS Safety Outlet 16A** 

Blue safety outlet 16 A 250 V IP54



Made in **EUROPE** 

No. 30236210

PC ELECTRIC Safety Plug Rubber bk



Made in **EUROPE** 

No. 30236220

PC ELECTRIC Safety Connector Rubber bk/bu



Made in Germany

No. 30236218

BALS Safety Plug durable gy



Made in Germany

No. 30236216

BALS Safety Plug durable bk MK2



Made in **EUROPE** 

No. 30236221

PC ELECTRIC Safety Connector Rubber bk



No. 30236227

BALS 7488 Safety Connector durable bk



No. 30236255

**OMNITRONIC Weather-Proof Protection Box outdoor** 



No. 30236262

OMNITRONIC Adapter EU/CH Plug 10A bk

Practical adapter for abroad



No. 30236260

OMNITRONIC Adapter EU/UK plug 13A bk



female

..male

.blue









No. 30350030 No. 30350032

WIELAND Power connector IP RST20i3S 250V/20A

Outdoor connector black



IP66 No. 30350034 No. 30350036.

WIELAND DMX Connector IP RST20i3S 50V/20A

Outdoor connector brown



Made in EUROPE No. 30236316.. No. 30236321..

PC ELECTRIC CEE Plug 16A 3pin



Made in **EUROPE** 

No. 30236326

PC ELECTRIC CEE Plug 32A 5pin rd



No. 30236323 . Plug No. 30236336 .Socket



BALS CEE 32A 3pin bu



Made in **EUROPE** 

No. 30236332

PC ELECTRIC CEE Plug 63A 5pin rd



Made in EUROPE

No. 30236339 No. 30236341.



PC ELECTRIC CEE Socket 16A 3pin



No. 30236340

MENNEKES CEE Socket 16A 5pin rd



Made in **EUROPE** 

No. 30236351

PC ELECTRIC CEE Socket 32A 5pin rd



No. 30236360

BALS CEE Socket 63A 5pin rd



Made in **EUROPE** 

No. 30236370

PC ELECTRIC CEE Wall Mounting Plug 16A 5pin



Made in Germany

No. 30236378

BALS CEE Wall Mounting Plug 32A 3pin



Connectors









**BALS CEE Mounting Plug** 



Made in Germany

**MENNEKES CEE Mounting Plug 5pin** 





PC ELECTRIC CEE Wall Mounting Outlet 5pin



Made in Germany

No. 30236445

MENNEKES CEE Mounting Connector 32A 5pin







IP67

No. 51402223

EUROLITE Electr. LED Transformer, 12V, 3A IP67



IP67

No. 51402227

EUROLITE Electr. LED Transformer, 12V, 16,66A IP67



IP67

No. 51402224

EUROLITE Electr. LED Transformer, 12V, 8A, IP67

Stabilized LED power supply unit DC 12 V, 8 A



IP67

No. 51402228

EUROLITE Electr. LED Transformer, 24V, 5A, IP67

Stabilized LED power supply unit DC 24 V, 5 A



No. 51402237

EUROLITE Electr. LED Transformer, 5V, 20A

Stabilized LED power supply unit DC 5 V, 20 A



No. 51402238

EUROLITE Electr. LED Transformer, 24V, 2A

Stabilized LED power supply unit DC 24 V, 2 A



No. 51402239

EUROLITE Electr. LED Transformer, 12V, 4A

Stabilized LED power supply unit DC 12 V, 4 A



No. 51402253. No. 51402257.

EUROLITE Electr. LED Transformer, 12V



No. 51402254

EUROLITE Electr. LED Transformer, 12V, 10A

Electronic converter



No. 51402259

EUROLITE Electronic LED Transformer, 24V, 8,3A



No. 51403845

**EUROLITE Transformer DC 12V, 2.5A** 

Safety transformer DC 12V



No. 51406012

EUROLITE Electronic Power Supply Unit DC 12V, 1A

# **CABLES & PLUGS**

RCA / Jack Cables	310
XLR Cables	311
Adapter Cables	312
XLR Connectors	314
Jack Connectors / Jack Adapters	315
Jack Adapters /XLR Adapters	316
Jack Cables	317
Adapter Cables	318
Cable Rolls	319
Connection Cables	321
Speaker Cables	322
XLR Plugs	323
Jack Plugs	324
XLR Plugs	325
Plugs and Sockets	326



#### RCA / Jack Cables





No. 30209352	0.3 m
No. 30209354	0.6 m
No. 30209356	0.9 m
No. 30209360	1.5 m
No. 30209370	3 m
No. 30209375	5 m
No. 30209380	10 m
No. 30209382	15 m

OMNITRONIC RCA cable 2x2



No. 3020940N

OMNITRONIC RCA cable 2x2 ground 1.5m



No. 302100211.5	m
No. 302100223	m

OMNITRONIC Jack cable 2x2 Jack mono



No. 30210031

OMNITRONIC Jack cable 6.3 Patchcord mono 6x0.6m



No. 30210500	0.5
No. 3021050A	1
No. 3021050D	1.5
No. 3021050N	3
No. 3021150N	5
No. 3021151N	10

OMNITRONIC Jack cable 6.3 mono bk



No. 30211610	2 x 90° 0.3 m
No. 30211623	1 x 90° 3 m
No. 30211624	1 x 90° 5 m

OMNITRONIC Jack cable 6.3 mono bk



No. 30211650	mono, 1 m
No. 30211652	mono, 1.5 m
No. 30211654	mono, 3 m
No. 30211656	mono, 6 m
No. 30211658	mono, 10 m
No. 3021165D	stereo, 1 m
No. 3021165G	stereo, 3 m
No. 3021165K	stereo. 6 m


OMNITRONIC Jack cable 6.3 bk ROAD



No. 30211600	
No. 30211605	Cable 3,5 - 13 m
No. 30210060	Extension 3,5 - 3 m
No. 30211678	Extension 6,3 - 3 m
No. 30211680	Extension 6,3 - 6 m
No. 30211682	Extension 6,3 - 10 m

OMNITRONIC Jack cable stereo bk







No. 30220401	0.5 m
No. 30220406	1 m
No. 3022045R	1.5 m
No. 3022047R	3 m
No. 3022050R	5 m
No. 3022055R	10 m
No. 3022052R	7.5 m

OMNITRONIC XLR cable 3pin bk/rd



OMNITRONIC XLR cable 5pin bk





No. 30225203	0.5 m
No. 30225204	1 m
No. 30225205	1,5 m
No. 30225206	3 m

#### OMNITRONIC Adaptercable XLR(F)/2xXLR(M) bk



No. 30225207	0.5 m
No. 30225208	1 m
No. 30225210	1.5 m

#### OMNITRONIC Adaptercable XLR(M)/2xXLR(F) bk



No. 3022785F	1 m, 3pin
No. 3022785H	3 m, 3pin
No. 3022785K	5 m, 3pin
No. 3022785N	10 m, 3pin
No. 3022785Q	15 m, 3pin
No. 3022785S	20 m, 3pin
No. 30227860	1 m, 5pin
No. 30227862	3 m, 5pin
No. 30227864	5 m, 5pin
No. 30227866	10 m Enin

EUROLITE DMX cable XLR bk



No. 3030744U

EUROLITE DMX cable 2x0.22 100m bk



No. 3030744V

HELUKABEL DMX cable 2x0.34 100m bk



No. 30225008	0.5 m 90%2 x RCA
No. 30225009	1 m 90%2 x RCA
No. 30225010	1.5 m 90%2 x RCA
No. 30225012	3 m 90%2 x RCA
No. 30225148	6 m Jack/2 x RCA
No. 30225149	3 m Jack/2 x RCA
No. 3022514X	0.5 m Jack/2 x RCA
No. 3022514Z	1 m Jack/2 x RCA
No. 20225151	1.5 m lack/2 v BCA

OMNITRONIC Adaptercable 3.5 Jack



No. 30225118

OMNITRONIC Adaptercable RCA/Jack 0.9m rd



No. 30225153	1,5 m Jack / 2 x Jack
No. 30225155	3 m Jack / 2 x Jack
No. 30225156	6 m Jack / 2 x Jack
No. 30225157	3 m Jack / 2 x XLR (M)
No. 30225158	1,5 m Jack / 2 x XLR (M)
No. 3022515B	1,5 m Jack / 2 x Jack
No. 30225234	1 m Jack / 2 x Jack ECO
NI- 2022F22F	2 m look / 2 v look ECO

OMNITRONIC Adaptercable bk



No. 30225212	1 m
No. 30225213	1.5 m
No. 30225214	3 m
No. 2022E21E	6 m

OMNITRONIC Adaptercable 2xJack/2xRCA bk



No. 30225223

OMNITRONIC Adaptercable Jack stereo/2xRCA 1.5m

#### Adapter Cables





No. 30225219.. No. 30225220.

OMNITRONIC Adaptercable Jack/2xJack



No. 30225125.....

OMNITRONIC Adaptercable RCA/XLR(M)



No. 30224028

OMNITRONIC Adaptercable RCA/XLR(F) 2m bk



No. 3022075H

OMNITRONIC Adaptercable XLR(M)/RCA(M) 0.2m bk



No. 3022075J

OMNITRONIC Adaptercable XLR(F)/RCA(M) 0.2m bk



No.	3022522B	1 m
No.	3022522C	1.5 m
No.	3022522D	3 m
	2022525	

OMNITRONIC Adaptercable 2xXLR(M)/2xRCA bk



No. 3022075E	0.2 m stereo
No. 30225195	0.9 m stereo
No. 30225196	2 m stereo
No. 30225197	5 m stereo
No. 3022519A	0.9 m mono
No. 3022519B	2 m mono
No. 3022519C	5 m mono
No. 3022519D	10 m mono

OMNITRONIC Adaptercable XLR(M)/Jack bk



No. 3022075F	0.2 m stereo
No. 30225180	0.9 m stereo
No. 30225182	2 m stereo
No. 3022516L	0.9 m mono
No. 3022516M	2 m mono
No. 30225170	5 m mono

OMNITRONIC Adaptercable XLR(F)/Jack bk



No. 30225090

OMNITRONIC Adaptercable Mini XLR(F)/Jack 0.8m bk



No. 3022075A

OMNITRONIC Adaptercable XLR(M)/XLR(M) 0.2m bk



No. 3022075C

OMNITRONIC Adaptercable XLR(F)/XLR(F) 0.2m bk



No. 3022075B

OMNITRONIC XLR cable 3pin 0.2m bk





No. 30225590

OMNITRONIC Adaptercable Speaker(F)/XLR(M) 1m bk



No. 30225600

OMNITRONIC Adaptercable Speaker(F)/XLR(F) 1m bk



No. 30225610

OMNITRONIC Adaptercable 2xSpeaker(M) 2pin/4pin 1m bk



No. 3021169M

OMNITRONIC Speaker cable Jack 2x1.5 1.5m bk



No. 3022102N	2 x 2.5 - 1.5 m
No. 3022110M	2 x 1.5 - 5 m
No. 3022110N	2 x 2.5 - 5 m
No. 3022120M	2 x 1.5 - 10 m
No. 3022120N	2 x 2.5 - 10 m
No. 3022130N	2 x 2.5 - 15 m
No. 3022130P	2 x 2 5 - 20 m

OMNITRONIC Speaker cable Speaker bk



Vo.	3020910N	.1.2 m
Vo.	30209150	3 m
Vo.	30209152	6 m

OMNITRONIC DIN cable 5pin MIDI



No. 30209160

OMNITRONIC DIN cable 8pin 3m



No.	30222050	.1 m
Nο	30222070	5 m

OMNITRONIC CAT-5 cable bk



No. 3030011K	2 x 1.5 - 100 m, durable
No. 3030011L	2 x 1.5 - 50 m, durable
No. 3030021K	2 x 2.5 - 100 m, durable
No. 3030021L	2 x 2.5 - 50 m, durable
No. 30300501	2 x 1.5 - 100 m, black
No. 30300502	2 x 1.5 - 100 m, white
No. 30300511	2 x 2.5 - 100 m, black
No. 30300601	2 x 1.5 - 100 m, clear
No. 30300611	2 x 2.5 - 100 m. clear

**OMNITRONIC Speaker cable** 



No. 30300753	black
No. 30300755	red
No. 30300757	blue
No. 30300759	green
No. 30300780	

OMNITRONIC Microphone cable 2x0.22 100m



No. 30303093	4 x 2 x 0.12 - 25 m
No. 30303096	4 x 2 x 0.12 - 50 m
No. 30303099	4 x 2 x 0.12 - 100 m
No. 30303103	8 x 2 x 0.12 - 25 m
No. 30303106	8 x 2 x 0.12 - 50 m
No. 30303109	8 x 2 x 0.12 - 100 m

OMNITRONIC Multicore





No. 30200083. ...plug No. 30200096.

OMNITRONIC XLR 3pin black housing 10x



No. 30200089..... No. 30200111.... .. black, plug .... black, socket

OMNITRONIC XLR 3pin 10x



No. 30200097

OMNITRONIC XLR socket/plug set 3pin black housing 5x



No. 30200125

OMNITRONIC Mini XLR socket 3pin



No. 30200126

OMNITRONIC Mini XLR plug 3pin



No. 30208420

OMNITRONIC XLR plug 5pin



No. 30208425

OMNITRONIC XLR socket 5pin bk



No. 30208430

OMNITRONIC XLR plug 3pin 110 ohms



No. 30200694 No. 30201594

OMNITRONIC Jack plug 6.3 bk ROAD 10x



No. 3020070N

OMNITRONIC Jack plug 6.3 mono 10x



OMNITRONIC RCA plug gold-plated rd/bk 2x



No. 30203585

OMNITRONIC Speaker mounting socket 4pin square 10x





No. 30203513.. No. 30203515..

OMNITRONIC Speaker cable plug



No. 30203530 OMNITRONIC Speaker cable socket 4pin



No. 30226150. . RCA(F)/Jack(M) ..RCA(F)/Jack(M) met No. 3022615M.

**OMNITRONIC Adapter 10x** 



OMNITRONIC Adapter Jack(M)/3.5 Jack(F) 10x

No. 30226120



No. 30226210 OMNITRONIC Adapter 2xRCA(F)/2xRCA(F) 10x



OMNITRONIC Adapter 2xRCA(F)/3.5 Jack stereo 10x



No. 3022631Z OMNITRONIC Adapter 6.35 Jack(M)/3.5(F) stereo 10x



OMNITRONIC Adapter 3.5 Jack(M)/6.35(F) stereo 10x



No. 30226550. No. 30226555.

OMNITRONIC Adapter XLR(F)/Jack(F)



No. 30226400..

OMNITRONIC Adapter XLR(F)/Jack(M)



No. 30226450. .mono No. 30226455

OMNITRONIC Adapter XLR(M)/Jack(M)



No. 30226500 No. 30226505.

OMNITRONIC Adapter XLR(M)/Jack(F)





No. 30226560

OMNITRONIC Adapter RCA(M)/XLR(F)



No. 30226577

OMNITRONIC Adapter 3pin XLR(F)/5pin XLR(M)



No. 30226562

OMNITRONIC Adapter RCA(M)/XLR(M)



No. 30226564

OMNITRONIC Adapter RCA(F)/XLR(F)



No. 30226566

OMNITRONIC Adapter RCA(F)/XLR(M)



No. 30226570

OMNITRONIC Adapter XLR(M)/XLR(M)



No. 30226572

OMNITRONIC Adapter 3pin XLR(F)/3pin XLR(F)



No. 30226575

OMNITRONIC Adapter 3pin XLR(M)/5pin XLR(F)



No. 13055190

**RELACART WGC-1 Adapter Cable** 

#### **Jack Cables**





Made in Germany
No. 30307390
No. 30307392

No. 30307394. SOMMER CABLE RCA cable 2x2 bk Hicon

0.5 m

...1 m



Made in
Germany

No. 30227515	2 x 90°, 0.3 m, Hicon
No. 30227520	
No. 30227522	1 x 90°, 6 m, Neutrik
No. 30227524	1 x 90°. 10 m. Neutrik

SOMMER CABLE Jack cable 6.3 mono bn



Germany	
No. 30227532	

No. 30227532	3 m
No. 30227534	6 m
No. 30227536	10 m

SOMMER CABLE Jack cable 6.3 mono bn Hicon





No. 30307455	1 m black, 3pi
No. 30307456	1,5 m black, 3pi
No. 30307457	3 m black, 3pi
No. 30307458	5 m black, 3pi
No. 30307459	10 m black, 3pi
No. 3030745A	15 m black, 3pi
No. 3030745C	
No. 3030745D	
No. 3030746A	
No. 3030746B	3 m blue, 3pi
No. 3030746C	
No. 3030746D	
No. 3030746E	
No. 3030746G	
No. 3030746J	
No. 3030746K	
No. 3030746L	
No. 3030746M	
No. 2020746NI	20 LII. E-:



Made in Germany

No. 3022754Y	0.5 m
No. 30227550	0.9 m
No. 30227552	1.5 m
No. 30227554	
No. 30227556	6 m
No. 30227558	10 m
No. 30227559	
No. 30227560	20 m

SOMMER CABLE XLR cable 3pin bk Neutrik



SOMMER CABLE DMX cable XLR Hicon





No. 3030746Y	1.5 m, 3pin
No. 3030746Z	3 m, 3pin
No. 30307471	5 m, 3pin
No. 30307472	10 m, 3pin
No. 30307473	15 m 3nin

SOMMER CABLE DMX cable XLR bk Neutrik



Made in **EUROPE** No. 3030744X

SOMMER CABLE DMX cable 2x0.22 100m bk SC-Semicolon



Made in EUROPE

		_	
No.	30307450	)BINAR	Y 234
No.	30307452	BINARY	FRNC

SOMMER CABLE DMX cable 2x0.34 100m bk





No. 3030741M

SOMMER CABLE Adaptercable XLR(F)/RCA(M) 0.15m bk



Made in Germany

No. 3030741U

SOMMER CABLE Adaptercable XLR(F)/Jack stereo 0.15m





No. 3030741N

SOMMER CABLE Adaptercable XLR(M)/RCA(M) 0.15m bk





No. 3030741W

SOMMER CABLE Adaptercable XLR(M)/Jack stereo 0.15m bk



Adapter Cables





No. 3030741C

SOMMER CABLE Adaptercable XLR(F)/Speakon NL2FC 0.15m



No. 3030741G

SOMMER CABLE Adaptercable XLR(M)/XLR(F) Ground



No. 3030741L

SOMMER CABLE Adaptercable 3pin XLR(M)/5pin XLR(F) bk



SOMMER CABLE Adaptercable XLR(M)/XLR(M) 0.15m bk



No. 3030741T

SOMMER CABLE Adaptercable 3pin XLR(F)/5pin



No. 3030741E

SOMMER CABLE Adaptercable Jack/Speakon NLT4MX 0.15m



No. 30227650

SOMMER CABLE Adaptercable Speakon/2xSpeakon 1m bk



SOMMER CABLE Adaptercable XLR(M)/Speakon NL2FX-SOM



No. 30227610	1 m
No. 30227612	2,5 m
No. 30227614	5 m
No. 30227616	10 m
No. 30227618	15 m
No. 30227620	20 m

SOMMER CABLE Speaker cable Speakon 2x2.5 bk



No. 30227630... ....0.5 m

SOMMER CABLE Speaker cable Speakon 4x2.5 bk



No. 30227640	5 m
No. 30227642	10 m
No. 30227644	15 m

SOMMER CABLE Speaker cable Speakon 2x4 bk

#### Cable Rolls





No. 3030744C

SOMMER CABLE Microphone cable 2x0.50 100m bk SC-Primus

Microphone Cable SC-Primus



SOMMER CABLE Microphone cable 2x0.50 100m bk SC-Primus FRNC

Microphone Cable SC-Primus





No. 3030744E

SOMMER CABLE Microphone cable AES/EBU 2x0.14 100m bk SC-Micro-Stage

Microphone cable SC-MICRO-STAGE





No. 3030744L

SOMMER CABLE Microphone cable 2x0.22 100m bk Stage 22

High quality microphone cable





No. 3030744P

SOMMER CABLE Microphone cable 2x0.34 100m bk CLUB

High quality microphone cable





No. 3030744S

SOMMER CABLE Microphone cable 2x0.14 100m bk CICADA

High quality cable





No. 30300714	Tricone MKII
No. 30300715	Tricone XXL
No. 30300716	The Spirit
No. 30300717	The Spirit XXI

SOMMER CABLE Instrument cable 100m bl



No. 3030021N	orange, E-30 FRNC
No. 3030021P	black. FRNC
No. 3030021R	black, Meridian Install FRNC

SOMMER CABLE Speaker cable  $2x2,5\ 100m$ 





No. 30300401

HELUKABEL Speaker cable 2x4 100m bk





No. 30300435

HELUKABEL Speaker cable 4x4 50m bk





No. 30300450	2x1,5
No. 30300451	2x2,5
No. 30300452	2×4

HELUKABEL Speaker cable 100m bk FRNC



No. 30303160

HELUKABEL Audiocable 2x2x0.25 AES/EBU 100m



No. 30303162

HELUKABEL Audiocable 4x2x0.25 AES/EBU 100m



No. 30303167

HELUKABEL Audiocable 12x2x0.25 AES/EBU 100m



No. 30303164

HELUKABEL Audiocable 8x2x0.25 AES/EBU 100m

#### Connection Cables





Mad Geri		
No. 3022	27670	 
No. 3022	27671	 
No 302	27672	

.1 m 1.5 m ..3 m

.5 m

.10 m

PSSO Jack cable 6.3 mono bl Neutrik



Germany	
No. 30227840	1 m
No. 30227842	1.5 m
No. 30227844	3 m
No. 30227846	
No. 30227848	7.5 m
No. 30227850	10 m
No. 30227852	15 m
No. 30227854	20 m

PSSO XLR cable 3pin bk Neutrik



No. 30227673

No. 30227675

No. 30227880

PSSO Patch Kabel XLR(M)/XLR(F) S 1m bk



No. 30227881

PSSO Patch Cable XLR(F)/XLR(M) S 1m bk



Germany	
No. 30227845	3m
No. 30227847	5m
No. 30227849	10m
No. 30227853	15m
No. 30227855	20m

PSSO XLR cable COL 3pin bk Neutrik

Microphone cable with color code



Made in Germany

No. 30227882

PSSO Patch Cable XLR(F)S/1xXLR(M),1xXLR(M)S 1m



Made in Germany No. 30227804 .0.5 m No. 30227806 No. 30227808. . 1.5 m No. 30227810. .3 m No. 30227812 .5 m No. 30227814 .10 m No. 30227816 15 m

.20 m

PSSO DMX cable XLR 3pin bk Neutrik



Made in Germany No. 3022781A No. 3022781B No. 30227810 1.5 m No. 3022781D ..3 m No. 3022781E .5 m No. 3022781F .10 m No. 3022781G .15 m No. 3022781H .20 m

PSSO DMX cable XLR 3pin bk Neutrik black connectors



Made in Germany No. 30227821 .0.5 m No. 30227822 ..1 m No. 30227823 No. 30227825 ..3 m No. 30227827 ..5 m No. 30227829 10 m No. 30227831 .15 m No. 30227833 .20 m

PSSO DMX cable XLR 5pin bk Neutrik



No. 3030745H

PSSO DMX cable drum XLR 30m bk Neutrik 2x0.22

.50 m



Made in Germany No. 30227835

No 30227818

PSSO Adaptercable DMX XLR 3pin/5pin 0.3m bk



Made in Germany No. 30227836

PSSO Adaptercable DMX XLR 5pin/3pin 0.3m bk



No. 3030745K.

No. 3022780C	3m
No. 3022780E	5m
No. 3022780G	10m
No. 3022780H	15m
No. 3022780K	20m

PSSO DMX cable XLR COL 3pin bk Neutrik

DMX cable with color code



Made in Germany	IP65	

No.	3022783A	1.5m
No.	3022783C	3m
No.	3022783D	5m
No.	3022783E	7.5m
No.	3022783G	. 10m

PSSO DMX cable IP65 3pin bk

Dependable DMX cable for outdoor use

#### Speaker Cables







No. 30227985	1.5 m
No. 30227986	3 m
No. 30227987	5 m
No. 30227988	10 m

PSSO Speaker cable Jack 2x2.5 bk



Made	in
Germ	an

No. 3022790A	1.5 m
No. 3022790B	
No. 3022790C	5 m
No. 3022790F	10 m
No. 3022790H	15 m

PSSO Speaker cable Speakon 2x1.5 bk



No. 3022790K	1.5	m
No. 3022790M	3	m
No. 30227910	5	m
No. 30227912	.10	m
No. 30227915	.15	m
No. 30227916	.20	m

PSSO Speaker cable Speakon 2x2.5 bk



Made in Germany	
No. 3022791A	1.5 m
No. 3022791C	3 m
No. 3022791E	5 m
No. 3022791G	10 m
No. 3022791H	15 m
No. 3022791J	20 m

PSSO Speaker cable Speakon 2x4 bk



_	
	Made in
	Germany

No. 30227930	5 m
No. 30227931	10 m
No. 30227932	15 m
No. 30227933	20 m

PSSO Speaker cable Speakon 4x2.5 bk



Made in
Germany

No. 3	022793E	5 m
No. 3	022793K	.10 m
NIo 2	02270214	1 =

PSSO Speaker cable Speakon 4x4 bk



No.	30227980	3	m
No.	30227981	5	m
	20227022	40	

PSSO Speaker cable XLR 2x2.5 bk





No. 30227890

PSSO Patch Cord Speakon/Speakon S 4pin 1m





No. 30227891

PSSO Patch Cord Speakon/Speakon S 2pin 1m





No. 30200480	HI-X3DM
	HI-X3DM-M
No 20200496	TI ASDM C

HICON XLR mounting plug 3pin HI-X3DM



Nο.	30200481	HI-X3DF. silver
	30200483	,
Nο	30200487	HI-X3DF black

HICON XLR mounting plug 3pin HI-X3DF



No. 3020050B.. No. 3020050D . ..HI-X3CM ...HI-X3CM-V

HICON XLR plug 3pin HI-X3CM



No. 3020050C. No. 3020050E. ..HI-X3CM-BLK ...HI-X3CM-B

HICON XLR plug 3pin HI-X3CM



No. 3020050G. No. 3020050H . .. HI-X3CF-BLK .. HI-X3CF-B

HICON XLR plug 3pin HI-X3CF



No. 3020050K. No. 3020050L. HI-X3CF-V .....HI-X3CF

HICON XLR plug 3pin HI-X3CF



No. 3020050P

HICON XLR plug 3pin HI-X3RF-M



No. 3020050Q

HICON XLR plug 3pin HI-X3RM-M



No. 3020050R.. ..3pin, HI-CM-M No. 3020050S 4pin, HI-X4CM-G No. 3020050U .. 5pin, HI-X5CM-B .. 5pin, HI-X5CM-G No. 3020050W.

HICON XLR plug HI-CM



No. 3020050T... No. 3020050V... . 4pin, HI-X4CF-G ...5pin, HI-X5CF-B .. 5pin, HI-X5CF-G No. 3020050X.

HICON XLR socket HI-XCF

#### Jack Plugs





black	No. 3020051A
red	No. 3020051B
orange	No. 3020051C
green	No. 3020051E
	No. 3020051G
transparent	No. 3020051H
violet	No. 3020051J
white	No. 3020051K

HICON HI-XC marking ring for Hicon XLR straight



No. 30200658

HICON Jack plug 6.3 mono 90° HI-J63MA01



No. 30200659

HICON Jack plug 6.3 mono 90° HI-J63MA05



No. 3020065A

HICON Jack plug 6.3 HI-J63MP-B



No. 3020065E

HICON Jack plug 6.3 HI-J63SA06



No. 3020065D

HICON Jack plug 6.3 HI-J63MA06



No. 3020065K

HICON Jack plug 6.3 HI-J63SA05 90°



No. 3020065M

HICON Jack plug 6.3 HI-J63M14



No. 3020065Q

HICON Jack plug 6.3 HI-J63SP



No. 3020065P

HICON Jack plug 6.3 HI-J63MP



No. 30204057. ..HI-CM06-NTL

HICON RCA plug HI-CM06



No. 30204059.. ...HI-CM03-NTL

HICON RCA plug HI-CM03



XLR Plugs





No. 30200520 .NС3МХ No. 30200522 .. NСЗМХХ

NEUTRIK XLR plug 3pin



NEUTRIK XLR plug 3pin NC3MXX-BAG



No. 30200540. .NC3FX No. 30200542 NC3FXX

NEUTRIK XLR socket 3pin



No. 30200543 NEUTRIK XLR socket 3pin NC3FXX-BAG





No. 30200560. ..NC3MDL-1 No. 30200562 .NC3MDL-BAG

NEUTRIK XLR mounting plug 3pin



No. 30200580. .NC3FDL-1 No. 30200582. ..NC3FDL-1-BAG

NEUTRIK XLR mounting socket 3pin



No. 30200585

NEUTRIK XLR socket 3pin NC3FRX



No. 30200586

NEUTRIK XLR plug 3pin NC3MRX



No. 30200621 4pin, NC4MXX No. 30200630. 5pin, NC5MX No. 30200631 5pin, NC5MXX

NEUTRIK XLR plug



No. 30200635 .NC5FX No. 30200636 .NC5FXX

NEUTRIK XLR socket 5pin




No. 30200637

NEUTRIK XLR socket 5pin NC5FXX-B



No. 3020058X **NEUTRIK DBA-BL** 









No. 30200629

NEUTRIK XLR mounting socket 4pin NC4FDL-1



No. 30200638

NEUTRIK XLR mounting plug 5pin NC5MDL-1



No. 30200639

NEUTRIK XLR mounting socket 5pin NC5FDL-1



No. 30200642

NEUTRIK Mounting frame MFD



No. 30200648

NEUTRIK Jack plug 3.5 stereo 90° NTP3RC



No. 30200654

NEUTRIK Jack plug 6.3 mono NP2X



No. 30200661

NEUTRIK Jack plug 6.3 mono 90° NP2RX



No. 30201524

NEUTRIK Jack plug 6.3 stereo NP3X



No. 30200655

NEUTRIK Jack plug 6.3 mono NP2X-B



No. 30202450

NEUTRIK Jack mounting socket stereo NJ3FP6C



No. 30204054

NEUTRIK RCA mounting socket bk NF2D0



No. 30204055

NEUTRIK RCA mounting socket rd NF2D2





No. 30208474

**NEUTRIK CAT-5 Mounting socket NE8FDP** 

Made in

EUROPE



No. 30208476

NEUTRIK CAT-5 Mounting socket NE8FDV-YK



No. 30208470

NEUTRIK CAT-5 plug NE8MC



No. 30208481

NEUTRIK Adapter USB NAUSB-W



No. 30208525. No. 30208526.

NEUTRIK Speakon cable 4pin NLT4FX



No. 30208531	.2pin	NL2FX
No. 30208532	.4pin	NL4FX
No 20200E22	Onin	NII OEV

NEUTRIK Speakon cable plug



No. 30208522

NEUTRIK Speakon cable plug 4pin NL4FX



No. 3020853B

NEUTRIK Speakon mounting socket 2pin NL2MP



No. 30208534

NEUTRIK Speakon mounting socket 4pin NL4MP



No. 30208535

NEUTRIK Speakon mounting socket 8pin NL8MPR



No. 30208538

NEUTRIK Speakon mounting socket 4pin NLT4MP



No. 3020853A

NEUTRIK Speakon mounting socket 4pin N-NL4MPR







No. 30226700 FF No. 30226702... .MM

NEUTRIK Adapter 3pin XLR/3pin XLR



No. 30226706

NEUTRIK Adapter XLR(M)/6.35 Jack mono NA2MP



No. 30226708. No. 30226710..

NEUTRIK Adapter XLR/Jack stereo



....FPMF, female No. 30226718.... ... MPMF, male

NEUTRIK Adapter NA2MPMF



No. 30226724. F5M No. 30226726.. . M5F

NEUTRIK Adapter NA3F5M



No. 30208536

NEUTRIK Adapter Speakon/Speakon NL4MMX



No. 30226701

NEUTRIK Adapter 3pin XLR(F)/3pin XLR(M) NA3FDM

No. 30226703

NEUTRIK Adapter 3pin XLR(M)/3pin XLR(F) NA3MDF

# **FLIGHTCASES**

Turntable Cases / Mixer Cases	332
Mixer Cases	333
Racks	334
Combo Cases	335
Flightcases	337
Cases & Racks	338
CD and Record Cases	339
Universal Cases	340
Transport Bags	344
For Eurolite Equipment	345
For Futurelight Equipment	354
Universal Cases	356
DIY Accessories	358









It is innate: the protective instinct. It's just natural that we hold the hands of our children when they take their first steps and give them the feeling of reliability. Roadinger carries this natural instinct over to the show industry. Whether you send your devices on the road or just want to stow them properly – we provide security that you can rely on! There are Roadinger cases and racks in several hundred variations. From simple CD or document cases, amplifier and mixer racks to universal cases or special solutions like foldable DJ tables: The variety is enormous!

### Proven quality

Our cases are made in Europe as well as in Asia. Those made in Europe are called Roadinger PRO and differ in their higher quality hardware components and higher quality birch multiplex wood. Both of them absolutely meet professional demands. In general, the strength of the side panels varies between 7 and 9 mm. Smaller record cases may have 3 mm panels, big universal cases, LCD or roadie cases are also available with 10 mm panels.



## Own security philosophy

When we indicate the load, we always have the people in mind that work with the material. Their protection is our main focus, that is why our load indications are often lower than what the cases could really bear - that contributes to safety at work and protects those working with the cases.

Our Roadinger PRO cases made in EU are stackable - despite their wheels. These wheels sink into swilleys at the top of the case beneath. This way, several cases can be combined securely.





### Shock proof and impact resistant

Specially tailored product cases from Roadinger are furnished with a particular EVA foam, which cushions shocks excellently and protects the content. Many of our amplifier racks are shock absorbent – so you can be sure that your technical gear is travelling safely.





### Futurelight- and Eurolite-Cases

There are special Roadinger cases for almost every device from Eurolite and Futurelight. This way, Moving Heads, PAR spots and light effects can be stowed and transported properly without big efforts. Specially tailored cases also offer the best possible protection for your device.



### Elaborate components

Erectable rack rails, adjustable trays for laptops, cases which can be modified to tables: Roadinger offers clever solutions for different users. DJs, bands or hire companies, every one will find a case tailored to his demands. Especially expedient for hire companies are our extendable cases. In a modular system, several levels can be combined to one case. Those levels can be parted in different segments, each individually. This way, hire companies can stow the equipment easier and in less cases. Individual combinations for different customers are easy to realize.



#### Turntable- / Mixer Cases





No. 30110105

#### **ROADINGER Case for 3 Turntable Systems**

Case for three pickup systems - case in aluminum look





No. 30123110

#### **ROADINGER Turntable Case Tour ALU black**

Professional flightcase for one turntable (up to 450 mm





No. 30123222

**ROADINGER Turntable Case -S-**

Flightcase for one turntable with S tone arm (up to 450 mm width)





No. 30124550. No. 30124560.

#### ROADINGER Double CD Player Case Tour Pro

DJ flightcase for DJ dual CD-players with separate control unit





No. 30123310

ROADINGER Turntable Case Tour Pro black -B-

Flightcase for one turntable (up to 450 mm width)





No. 30124830

ROADINGER CD Player Carrying Case, black, type 2

DJ flightcase for tabletop DJ CD players







No. 30124880

**ROADINGER Flightcase DJS-2000** 

Flightcase for DJS-2000





ROADINGER Mixer Case Road MCR-10 sloping, bk

Flightcase for 254 mm units (10")





No. 30111600

**ROADINGER Mixer Case DJM-800** 

Flightcase for DJM-800





No. 31005140

ROADINGER Flightcase TRM-202 MK3

PRO flightcase for one Omnitronic TRM-202 Rotary mixer МК3





No. 3011151A No. 30111561 .12 U No 30111567

ROADINGER Mixer Case Pro MCB-19, sloping

Flightcase for 483 mm units (19")





No. 30111565

ROADINGER Mixer Case Pro MCB-19, sloping

Flightcase for 483 mm units (19")







ROADINGER Mixer Case Pro MCBL-19, 12U

Flightcase for 483 mm units (19")





No. 3011155X

ROADINGER Mixer Case Pro MCBL-19, 8U

Flightcase for 483 mm units (19")





No. 30111572

**ROADINGER Mixer Case Pro MCA-19** 

Flightcase for 483 mm units (19")





No. 30111563

ROADINGER Mixer Case Pro LS-19 Laptop Tray bk

Flightcase for 483 mm units (19"), with notebook tray





No. 301115796 U	
No. 3011157A8 U	
No. 3011157D12 U	

ROADINGER Mixer Case Pro MCV-19, variable

Flightcase for 483 mm units (19")







No. 30103634	4 U
No. 30103635	6 U
No. 30103636	8 U
No. 30103637	1011

**ROADINGER Effect Rack Studio** 

Studio effect rack for 483 mm units (19")





ROADINGER Mixer Case Pro MCB-27, sloping, bk, 7U

Flightcase for 686 mm units (27")





No. 30107190	2 U, 24 cm
No. 30107192	3 U, 24 cm
No. 30107200	2 U, 40 cm
No. 30107217	4 U, 24 cm
No. 3010721A	6 U, 24 cm
No. 3010721D	8 U, 24 cm
No. 30107220	4 U, 38 cm
No. 30107240	6 U, 38 cm
No. 30107260	8 U, 38 cm
No. 30107270	10 U, 38 cm
No. 20107274	12 II 20 cm

ROADINGER Effect Rack CO DD, black

Flightcase for 483 mm units (19")





Made in	9 mr	n
EUROPE	$\rightarrow$	

No. 30109160. No. 30109161. 2U No. 30109163.

ROADINGER Rack Profi 25cm

PRO flightcase for 483 mm units (19")






Made in EUROPE









PRO flightcase for 483 mm units (19")





_	+ +	9 mn -	n	

No. 30109190	6 U
No. 30109192	8 U
No. 30109194	10 U
No. 30109196	12 U
No. 30109198	16 U

ROADINGER Rack Profi KM 55cm with wheels

PRO flightcase for 483 mm units (19")





No.	30109782	2	U
No.	3010980P	3	U
Nο	30109783	4	U

ROADINGER Amplifier Rack PR-1, 47cm deep

Flightcase for 483 mm units (19")





No. 30109784 No. 30109786

ROADINGER Amplifier Rack PR-2, 47cm deep

Flightcase for 483 mm units (19")





No. 30109785. No. 30109787.

ROADINGER Amplifier Rack PR-2ST, 57cm deep

Flightcase for 483 mm units (19")





No. 301097888	U
No. 3010979010	U

ROADINGER Amplifier Rack PR-2, 47cm deep

Flightcase for 483 mm units (19")



No. 30109	9789	8U
No. 30109	9791	10U
No. 30109	793	12U

ROADINGER Amplifier Rack PR-2ST, 57cm deep

Flightcase for 483 mm units (19")





No. 3010980M

ROADINGER Amplifier Rack PR-2ST, 18U, 57cm with

Flightcase for 483 mm units (19"), castors



No. 3010982C

ROADINGER Amplifier Rack PR-2, 14U, 47cm with

Flightcase for 483 mm units (19"), castors





, —	`	
No. 301	09710	 4 U
No. 301	09712	 6 U
No. 301	09714	 8 U
No 301	09716	10 U

ROADINGER Amplifier Rack SP-2, shock-proof

Flightcase for 483 mm units (19"), shock-proof



	1,5	mm
→	 _	

No.	30106020	2 U
No.	30106024	4 U
No.	30106028	6 U
No.	30106032	8 U

ROADINGER Plastic-Rack KR-19, DD, black

Hard-sided flightcase for 483 mm units (19")

#### **EQUIPMENT CASES**

#### Combo Cases







No. 30106060

ROADINGER Plastic-Rack 19, 7U, DD/trolley

Hard-sided flightcase for 483 mm units (19")





No.	3010999A	3/7/4	U
No.	3010999B	3/7/6	Ú
No.	3010999C	3/7/8	U

#### ROADINGER Special Mixer/CD Player Case

Flightcase for 483 mm units (19"), with notebook tray





ROADINGER Special Combo Case Pro, 6U

Flightcase for 483 mm units (19")





No. 3010999M	8 U
No. 3010999N	10 U
No. 30110001	12 U
No. 3010999P	14 U
No. 30110000	17 U
No. 30110004	20 U

ROADINGER Special Combo Case Pro, with wheels

Flightcase with castors





No. 30110003

ROADINGER Special-Combo-Case Pro, 4U

Flightcase for 483 mm units (19")





No.	3011000A	6 U
No.	3011000G	8 U
No.	30110001	12 U
No.	3011000N	14 U
	3011000P	

ROADINGER Special Combo Case LS5 Laptop-Desk

Flightcase for 483 mm units (19"), with notebook tray





No. 3011000Q

ROADINGER Special Combo Case U 4U

Flightcase for a complete DJ setup





No. 3011000R	8U
No. 3011000T	12U
No. 3011000U	14U

ROADINGER Special Combo Case U

Flightcase with castors for a complete DJ setup





No. 30112010 No. 30112030

**ROADINGER Combo Case Carpet black** 

DJ case for 483 mm units (19")





ROADINGER Special Combo Case TA-1, 18U with wheels

Stage case with castors





No. 32000200

ROADINGER Special Stage Case Pro with wheels

Stage case with integrated desk





No. 30109891

**ROADINGER Microphone Case Road 6 Microphones** black

Flightcase for microphones

#### Combo Cases







No. 30109895

**ROADINGER Microphone Case Road 12 Microphones** 

Flightcase for microphones





ROADINGER Microphone Case SC-12 Microphones black

Flightcase for microphones






**ROADINGER Microphone Case Road 7 Microphones** 

Flightcase for microphones





PRO flightcase



No. 26341026. No. 26341027.

DIMAVERY Wooden Case, rectangular

E-Gitarren-Case right-angle



No. 26348130

**DIMAVERY Stand Case for 6 Guitars** 

Guitar stand for up to 6 guitars



No. 26380050 No. 26380060.

**DIMAVERY Effector Case** 

Transport and stage case





No. 30110109

ROADINGER Sixpack Case 6x 0.50l Bottle/Can

Sixpack case for 6 x 0.5 I and 0.33 I bottle/can



No. 30110110

ROADINGER Cigarette Case, bk

Mini case



No. 3100042C

ROADINGER Transportcase for Effect Pedals EF-2

Flightcase for effect pedals





No. 31000429

ROADINGER Flightcase Mirror Ball 30cm

Flightcase for mirror balls





No. 31000430. No. 31000431

**ROADINGER Flightcase Mirror Ball** 

Flightcase for mirror balls

### **EQUIPMENT CASES**



#### Flightcases







No. 31000432

ROADINGER Flightcase Mirror Ball 75cm

Flightcase with castors for mirror balls





No. 31000433

ROADINGER Flightcase Mirror Ball 100cm

Flightcase with castors for mirror balls





No. 31000450.. No. 31000451

**ROADINGER Flightcase** 

Flightcase for 2 x PAS-212/215, with castors





ROADINGER Special Stage Case TD-3 with wheels

Stage case with integrated desks







No. 31000118

ROADINGER Flightcase ANTARI M-5/M-8/M-10

Flightcase for ANTARI M-5, M8 and M-10





No. 31000100

ROADINGER Flightcase X-310/X-310 MK2

Flightcase for ANTARI X-310I/II







No. 51702665

ROADINGER Flightcase ICE-100/ICE-101

Practical transport case for ANTARI ICE-100/ICE-101









No. 31998015

ROADINGER Flightcase 2x LCD ZL70

Flightcase with wheels for 2 LCD screens up to 70"







No. 31998012

ROADINGER Flightcase 2x LCD ZL50

Flightcase with wheels for 2 LCD screens up to 50"



No. 31005129

ANTARI FX-4 Flightcase



No. 31005130

ANTARI FX-5 Flightcase







No. 31998011

#### ROADINGER Flightcase LCD ZL60-2

Flightcase with wheels for LCD screens up to 152 cm







No. 31998014

#### ROADINGER Flightcase 2x LCD ZL60

Flightcase with wheels for 2 LCD screens up to 60"







#### ROADINGER Flightcase 2x LCD ZL55

Flightcase with wheels for 2 LCD screens up to 55"





No. 30103060

### OMNITRONIC Rack Stand 12U/10U adjustable on

The solution for fixed installations



No. 30103300

#### ROADINGER Steel Cabinet SRT-19, 20U with Door

Powder-coated steel cabinet, ideal for permanent installations



No. 30103163	4 U
No. 30103164	6 U
No. 30103166	8 U
No. 30103168	10 U, with wheels
No. 30103170	12 U, with wheels
No. 30103171	14 U, with wheels
No. 30103172	16 U, with wheels
No. 30103190	18 U, with wheels
No. 30103195	20 U, with wheels
No. 30103196	22 U, with wheels
No. 30103198	24 U, with wheels
No. 30103210	30 U, with wheels
No. 30103215	36 U, with wheels
No. 30103220	40 U, with wheels

#### **ROADINGER Steel Rack SR-19**

Powder-coated steel rack, ideal permanent installations





No. 30122050

#### **ROADINGER CD Case black 150 CDs Trolley**

CD-Case with trolley function





No. 30122053.

#### **ROADINGER CD Case ALU for 100 CDs**

CD case in polished aluminum housing





#### ROADINGER CD Case ALU Digital Booking rounded

CD case in aluminum housing for about 90 CDs





camo	No. 30122058
red	No. 3012205A
black	No. 3012205B
	No. 3012205C

#### ROADINGER CD Case ALU Digital Booking rounded sil

CD case in aluminum housing for about 90 CDs

#### CD and Record Cases







No. 30122077

ROADINGER CD Case Pro black

Professional flightcase for up to 100 CDs





No. 30122079

ROADINGER CD Case Pro ALU silver

Professional flightcase for up to 100 CDs





No. 30122087

ROADINGER CD Case 120 CDs with Trolley

CD case in black aluminum housing and telescopic handle





No. 30122092

ROADINGER CD Case, black, 200 CDs, with Trolley

CD case black with trolley function





No. 30110025

ROADINGER Record Case Pro ALU 50/50, 100LPs

Record case in aluminum housing





No. 30110026

ROADINGER Record Case ALU Battle/Booking, rounded

Record case in aluminum housing for 40-50 LPs





No. 30110029

ROADINGER Record Case ALU Maxi Booking, rounded

Record case in aluminum housing for 80 LPs





No. 30110030

ROADINGER Record Case ALU 50/50, rounded

Record case in black aluminum housing for 80 LPs







black	. 30110035	Nο.
	. 30110036	
silver	. 30110037	No.
acryl	30110038	Nο

ROADINGER Record Case ALU 75/25, rounded

Record case in black aluminum housing for 80 LPs



No. 3011003R

**ROADINGER Record Case SI-1** 

Record case for 7" vinyl records






No. 30126008

ROADINGER Case for Tablets up to 190x245x20mm

Flightcase for one iPad or other tablets







### **Pick Cases**

This is new: the first Roadinger Cases with pickfoam and with dividers. The pick cases thus combine two ideas. The cases are completely filled inside with pickfoam, a foam material that consists of many small blocks. These little blocks are stuck together, but you can easily pick them out and customize to your needs.

These types of cases are really popular and have been in our program for many years. What is new about it now is, that also dividers are included. Dividers are wooden slats that you can fix between the walls of the cases or with each other. If you want to create separate areas in the case, dividers are the appropriate means.

The pick cases now combine these two ideas. You create your desired areas and then line them with the pickfoam. So now you can stow your sensitive equipment or other items optimally protected and well-packed.





No. 30126100	52x42x18 cm
No. 30126101	42x36x18 cm
No. 30126102	70x50x17 cm
No. 30126103	62x47x19 cm
No 30126104	42x32x14 cm

#### ROADINGER Universal Case Pick

Flightcase for all purposes with customizable pickfoam and dividers







No.	30126009	for	13"
No.	30126010	for	15"
Nlo	30126012	for	17"

#### ROADINGER Laptop Case LC maximum

Flightcase for one laptop





No. 30126014.

#### **ROADINGER Laptop Case LC-A**

Flightcase for one laptop





No. 30126025 No. 30126026.

#### **ROADINGER Universal Case Tour**

Flightcase Tour Pro





No. 30126178 .54x42x25 cm

#### **ROADINGER Universal Case Tour Pro**

Flightcase Tour Pro for all purposes

#### **MSC. FLIGHTCASES**

#### **Universal Cases**







No 30126195

**ROADINGER Universal Tool Case** 

Flightcase for tools





No 3012619D

**ROADINGER Universal Case BU-1** 

Flightcase for all purposes with bag for documents





No. 3012619Y	blue
No. 3012619Z	red
No. 30126200	black
No. 30126201	alu

#### **ROADINGER Universal Case Tour Pro**

Flightcase Tour Pro



	No. 30126205	black
	No. 30126206	blue
ò	No. 30126207	
8	No. 30126208	rec

#### **ROADINGER Universal Case FOAM**

Flightcase with padded interior,  $420 \times 120 \times 295 \text{ mm}$ (inside dimension)





No. 30126209 .black No. 30126211

#### **ROADINGER Universal Case FOAM GR-1**

Flightcase with flexible padded interior and  $480 \times 380 \times$ 140 mm (inside dimensions)





No. 3012620G

**ROADINGER Universal Case Tour Lock Pro** 

Flightcase Tour with lock





No. 30126213 No. 30126214.

#### ROADINGER Universal Case FOAM, black, GR-2

Flightcase with flexible padded interior and 650 x 450 x 105 mm (inside dimensions)





No. 30126215

ROADINGER Universal Case FOAM, black, GR-3

Flightcase with flexible padded interior and 380 x 325  $\times$ 110 mm (inside dimensions)





No. 30126217

#### ROADINGER Universal Case FOAM, black, GR-4

Flightcase with flexible padded interior and 580 x 425 x 120 mm (inside dimensions)





No. 30126218

#### ROADINGER Universal Case FOAM, black, GR-5 black

Flightcase with flexible padded interior and 375 x 285 x 70 mm (inside dimensions)





No. 3012621F

#### **ROADINGER Universal Case K-1**

Flightcase with flexible padded interior, accessory compartment and  $425 \times 300 \times 140$  mm (inner dimensions)





No. 3012621G

#### **ROADINGER Universal Case K-2**

Flightcase with flexible padded interior, accessory compartment and  $680 \times 475 \times 140$  mm (inner dimensions)

#### **Universal Cases**









No. 30126220

ROADINGER Universal Divider Case, black

Flightcase with individually adjustable dividers





No. 3012622A

**ROADINGER Universal Case with Trolley** 

Flightcase for tools with telescopic handle





ROADINGER Universal Tray Case AM-1, bk

Universal tray case





**ROADINGER Universal Roadie Case Double Drawer** DD-1

Flightcase with 6 drawers and castors





No. 3012643D

ROADINGER Universal Roadie Case Double Drawer

Flightcase with 8 drawers and castors





No. 30127200

ROADINGER Universal Case Pick TDV-1

Universal case with flexible foam dividers



No. 32000014

ROADINGER DJ Desk foldable 148x51cm

Portable DJ desk





ROADINGER Console Road Table 2xTT with Laptop Tray

DJ work desk with castors and laptop tray









No. 30125340 No. 30125342

ROADINGER Universal Console DIGI-1 2xCD/1xM-10

DJ flightcase for 2 CD players and one mixer (10")





No. 30125345. No. 30125346.

ROADINGER Universal Console DIGI-1 2xCD/1xM-12

DJ flightcase for 2 CD players and one mixer (12")





ROADINGER Universal Console DS-1 2xCD/1xM-19 LT

DJ flightcase for 2 CD players and one mixer (19") with notebook tray





No. 3012534B

ROADINGER Universal Console DI-1 2xCD/1xM-19

Professional DJ flightcase





No. 30125356

ROADINGER Universal Console DIGI-2 2xCD/1xM-12

DJ flightcase for 2 CD players and one mixer (12")





No. 30125362

ROADINGER Universal Console 1090x480x155 foam si

DJ flightcase with flexible padded interior







No. 30130498. No. 30130508. 30 cm 50 cm

**EUROLITE SB-32 Soft Bag** 

Black softbag for a mirror ball



No. 30130500 **EUROLITE SB-10 Soft Bag** 

Black softbag with divider, 330 x 330 x 355 mm



No. 30130501

EUROLITE SB-4 Soft Bag M

Black softbag for up to four devices (Akku UP-4/TL-3 TCL)



No. 30130502

EUROLITE SB-4 Soft Bag L

Black softbag for up to 4 devices, 320 x 320 x 200 mm



No. 30130510

**EUROLITE SB-53 Soft Bag** 

Black softbag with divider, 500 x 470 x 530 mm



No. 30130555

**EUROLITE SB-18 Soft Bag** 

Softbag with 5 adjustable dividers, for 4 PRO Pixel Slim PAR-12/ SLS-400



No. 30130562

**EUROLITE SB-14 Soft-Bag** 

Practical black softbag, divided in 4 compartments, for 4 **AKKU Flat Lights** 



No. 30130560

**EUROLITE SB-12 Soft Bag** 

Practical black softbag for LED bars (1 m length), adjustable divider



No. 30130580

**EUROLITE SB-205 Soft Bag** 

Universal softbag, 575 x 170 x 120 mm



No. 30130565

**EUROLITE SB-50 Soft Bag** 

Universal softbag, 165 x 165 x 50 mm



No. 60005900

**OMNITRONIC Bag for 6 Microphone Stands** 

Bag for 6 microphone stands with carrying straps

#### For Eurolite Equipment







No. 31000565 No. 31000570.

ROADINGER Flightcase EP-56 4x PAR-56 Spot

Practical flightcase for PAR-56 spots





No. 31000580

ROADINGER Flightcase EP-64 4x PAR-64 Spot long

Practical flightcase for PAR-64 spots









No. 31000602

ROADINGER Flightcase 4x Audience Blinder 2xCOB

PRO flightcase for 4 COB Audience Blinders









No. 31000604

ROADINGER Flightcase 8x Audience Blinder 2xCOB

PRO flightcase for 8 COB Audience Blinders





ROADINGER Flightcase 2x TS-150/TS-7/TS-255

Flightcase for 2 TS scanners - with case handle





ROADINGER Flightcase 8x ML-56/ML-64

Flightcase for 8 x ML-56/ML-64, with castors





No. 31000631 ..2 x TSL-100/200

**ROADINGER Flightcase TSL-100/200** 

Flightcase for 1 x TSL-100 or TSL-200







No. 31000700... No. 31000710..... No. 31000715..

ROADINGER Flightcase 4x PAR-56 Spot

PRO flightcase for 4 PAR-56 spots









No. 31000800. No. 31000810.. No. 31000815..

ROADINGER Flightcase 4x PAR-64 Spot

PRO flightcase for 4 PAR-64 spots





No. 31000820

ROADINGER Flightcase 8x PAR-64/ML-56

Flightcase for 8 x PAR-56/PAR-64/ML-56, with castors







No. 31000900

ROADINGER Flightcase 4x SLS Size M

PRO flightcase for 4 SLS spots





Made in **EUROPE** →



No. 31000901

ROADINGER Flightcase 8x SLS Size M

PRO flightcase for 8 SLS spots

#### For Eurolite Equipment







No. 31000910

ROADINGER Flightcase 4x SLS Size L

PRO flightcase for 4 SLS spots







No. 31000911

ROADINGER Flightcase 8x SLS Size L

PRO flightcase for 8 SLS spots







No. 31001050

ROADINGER Flightcase 4x LED BAR-252 RGB

PRO flightcase for 4 x LED BAR-252 RGB







No. 31001062

ROADINGER Flightcase 2x TMH-6/7/8/9

PRO flightcase for 2 TMHs (6-9)







No. 31001064

ROADINGER Flightcase 4x TMH-6/7/8/9

PRO flightcase for 4 TMHs (6-9)







No. 31001066

ROADINGER Flightcase 6x TMH-6/7/8/9

PRO flightcase for 6 TMHs (6-9)







No. 31001070

ROADINGER Flightcase KLS Compact Light Sets

PRO flightcase for one KLS compact light set, with telescopic handle









No. 31001084

ROADINGER Flightcase 4x TMH-30/TMH-40/TMH-60

PRO flightcase with castors for 4 x TMH-30/TMH-40/ TMH-60





No. 31001072

**ROADINGER Flightcase 2x TMH-X12** 

Flightcase for 2x TMH-X12





No. 31001073

ROADINGER Flightcase 2x TMH-X20

Flightcase for two TMH-X20







No. 31001080

ROADINGER Flightcase 2x TMH-30/40/60

PRO flightcase for 2 x EUROLITE LED TMH-30/TMH-40/ TMH-60 Moving Head









No. 31001082

ROADINGER Flightcase 2x TMH-30/40/60 with wheels

PRO flightcase with castors for 2 x TMH-30/TMH-40/ TMH-60

#### For Eurolite Equipment











No. 31001090

ROADINGER Flightcase 12x LED Bar Size L

PRO flightcase for 12 LED bars







No. 31001091

ROADINGER Extension Module Flightcase 31001090

Stackable module for 4 LED bars







No. 31001220

**ROADINGER Flightcase 4x PMB-4** 

PRO flightcase for 4 PMB-4







No. 31001218

ROADINGER Flightcase 2x PMB-4

PRO flightcase for 2 PMB-4









**ROADINGER Flightcase 4x PMB-8** 

PRO flightcase for 4 PMB-8





ROADINGER Flightcase EC-SL4M 4x SLS size M

Practical flightcase for 4 SLS spots





ROADINGER Flightcase EC-B252 4x LED BAR-252 RGB

Practical flightcase for 4 x LED BAR-252 RGB







No. 31005060

ROADINGER Flightcase EP-64 4x PAR-64 Spot short

Practical flightcase for 4 PAR-64 spots







No. 31005074

ROADINGER Flightcase 4x AKKU UP-4

PRO transport case for 4x AKKU UP-4







No. 31005075

ROADINGER Flightcase 8x AKKU UP-4

PRO transport case for 8x AKKU UP-4







No. 31005078

ROADINGER Flightcase SL-160/SL-350

Flightcase for SL-160/SL-350

#### For Eurolite Equipment









ROADINGER Flightcase 2x TMH-X12 with wheels

Professional flightcase for two TMH-X12









ROADINGER Flightcase 4x TMH-X12 with wheels

PRO flightcase for 4 TMH-X12





No. 31005082

ROADINGER Flightcase 2x TMH-X25

PRO flightcase for 2 x TMH-X25









No. 31005084

ROADINGER Flightcase 2x TMH-X5 with Wheels

PRO flightcase for 2x TMH-X5









No. 31005085

ROADINGER Flightcase 2x TMH FE-600

PRO flightcase for 2 TMH FE-600









ROADINGER Flightcase 4x TMH FE-600 with wheels

PRO transport case for 4 TMH FE-600







No. 31005088

**ROADINGER Flightcase 2x TMH FE-1800** 

PRO flightcase for 2 TMH FE-1800







No. 31005092

ROADINGER Flightcase 2x TMH-14/FE-300

PRO flightcase for 2 TMH-14/FE-300







No. 31005093

ROADINGER Flightcase 4x TMH-14/FE-300

PRO flightcase for 4 TMH-14/FE-300









No. 31005094

ROADINGER Flightcase 2x PLB-280

PRO flightcase for 2 PLB-280



Made in EUROPE Wheels





ROADINGER Flightcase 2x PFE-100/120

PRO flightcase for 2 PFE-100/120









ROADINGER Flightcase 2x THA-250F

PRO flightcase for 2 THA-250F

#### For Eurolite Equipment









**ROADINGER Flightcase 4x THA-250F** 

PRO flightcase for 4 THA-250F









No. 31005099

**ROADINGER Flightcase NSF-350** 

PRO flightcase for one NSF-350 fog machine



Made in **EUROPE** 



No. 31005100

**ROADINGER Flightcase 2x THA-50F** 

PRO flightcase for 2 THA-50F





No. 31005101

ROADINGER Flightcase 4x TL-3 TCL

PRO flightcase for 4 EUROLITE TL-3 TCL







No. 31005102

ROADINGER Flightcase 4x TMH FE-1800 with wheels

PRO flightcase for 4 TMH FE-1800 with castors







No. 31005103

ROADINGER Flightcase 2x THA-40 PC

PRO flightcase for 2 THA-40 PC









No. 31005104

ROADINGER Flightcase 4x THA-40 PC with wheels

PRO flightcase for 4 THA-40 PC with castors











No. 31005106

ROADINGER Flightcase 4x PLB-280

PRO flightcase for 4 PLB-280







ROADINGER Flightcase 4x TMH-X5 with wheels

PRO flightcase for 4 TMH-X5 with castors







No. 31005109

ROADINGER Flightcase 2x TSL-750/TSL-1200

PRO flightcase for 2 TSL-750/TSL-1200



Made in **EUROPE** →



No. 31005110

ROADINGER Flightcase 4x AKKU UP 4 QCL Spot QuickDMX

PRO flightcase for 4 AKKU UP 4 QCL Spot QuickDMX









No. 31005111

ROADINGER Flightcase 4x AKKU TL-3 TCL Trusslight

PRO flightcase for 4 AKKU TL-3 TCL Trusslights









No. 31005112

ROADINGER Flightcase 2x LED TMH-X1 Moving-Head

PRO flightcase for 2 TMH-X1









No. 31005113

ROADINGER Flightcase 4x LED TMH-X1 Moving-Head

PRO flightcase for 4 TMH-X1









No. 31005114

ROADINGER Flightcase 2x LED MFX-3

PRO flightcase for 2 LED MFX-3









No. 31005115

ROADINGER Flightcase 4x LED MFX-3 with wheels

PRO flightcase for 4 MFX-3 with castors









No. 31005116

ROADINGER Flightcase 2x LED THA-100F/THA-120PC

PRO flightcase for 2 THA-100/120









No. 31005117

ROADINGER Flightcase 4x LED THA-100F/THA-120PC

PRO flightcase for 4 LED THA-100F or 4 LED THA-120PC





Made in **EUROPE** 

ROADINGER Flightcase 2x LED PFE-50 3000K Profile Spot

PRO Flightcase für 2 LED PFE-50







No. 31005119

ROADINGER Flightcase 4x LED IP PAR 3x12W HCL

PRO flightcase for 4 LED IP PAR 3x12W HCL

#### For Eurolite Equipment









No. 31005123

ROADINGER Flightcase 4x AKKU Flat Light Series

PRO flightcase for 4 AKKU Flat Lights 1/3



Made in **EUROPE** 



No. 31005124

**ROADINGER Flightcase DMX Move Bigfoot** 

PRO flightcase for one DMX Move Bigfoot





No. 31005125

ROADINGER Flightcase 4x AKKU UP-4 QuickDMX with charging function

PRO flightcase for 4 AKKU UP-4, with charging function





ROADINGER Flightcase 4x AKKU TL-3 Trusslight QuickDMX with charging function

PRO flightcase for 4 AKKU TL-3, with charging function





No. 31005127

ROADINGER Flightcase 4x AKKU IP UP-4 QuickDMX with charging function

PRO flightcase for 4 AKKU IP UP-4 QCL Spot QuickDMX, with charging function





No. 31005128

ROADINGER Flightcase 4x LED IP PAR 12x12W HCL with wheels

PRO flightcase for 4 IP PAR 12x12 W HCL, with castors







No. 31005133

ROADINGER Flightcase 2x LED TMH-41

PRO flightcase for 2 x LED TMH-41





Made in **EUROPE** -



No. 31005134

ROADINGER Flightcase 2x LED TSL-150

PRO flightcase for 2 x LED TSL-150





Made in **EUROPE** 



No. 31005135

**ROADINGER Flightcase 2x LED PFE-250** 

PRO flightcase for 2 x LED PFE-250





Made in **EUROPE** 



No. 31005136

ROADINGER Flightcase 4x LED PFE-250

PRO flightcase for 4 x LED PFE-250





ROADINGER Flightcase 4x AKKU BAR-6 Glow QCL Flex QuickDMX with charging function

PRO flightcase for 4 AKKU Bar-6 Glow QCL Flex QuickDMX, with charging function



No. 31005160

ROADINGER Flightcase 4x LED CBB-4

PRO flightcase for 4 x Eurolite LED CBB-4









No. 31005139

#### ROADINGER Flightcase 2x LED TMH-17

PRO flightcase for 2 x Eurolite LED TMH-17



No. 31005162

#### **ROADINGER Flightcase 4x LED STP-7**

PRO flightcase for 4 x Eurolite LED STP-7



No. 31005159

#### ROADINGER Flightcase 2x LED CBB-4

PRO flightcase for 2 x Eurolite LED CBB-4



No. 31005161

#### ROADINGER Flightcase 2x LED STP-7

PRO flightcase for 2 x Eurolite LED STP-7



No. 31005150

#### ROADINGER Flightcase 2x LED TMH-X Bar 5

PRO flightcase for 2 x Eurolite LED TMH-X Bar 5



No. 31005147

#### ROADINGER Flightcase 2x LED TMH-X7 Moving head

PRO flightcase for 2 x Eurolite LED TMH-X7 Moving head



No. 31005149

#### ROADINGER Flightcase 2x LED TMH-X19 Moving head

PRO flightcase for 2 x Eurolite LED TMH-X19 Moving head




No. 31005151

#### ROADINGER Flightcase 4x LED TMH-X Bar 5

PRO flightcase for 4 x Eurolite LED TMH-X Bar 5

### For Eurolite Equipment







No. 31005154 ROADINGER Flightcase 2x LED TMH-75 PRO flightcase for 2 x Eurolite LED TMH-75











ROADINGER Flightcase 2x DMH-75.i/DMH-80/TMH XB-130

Flightcase für 4x LED Umbrella mit Rollen

Flightcase for two DMH-75.i spots



No. 31005142	2x Spark Master with wheels
No. 31005143	2x LED PLL-360
No. 31005146	2x LED STP-10 ABL Sunbar
No. 31005148	4x LED TMH-X7 Moving head
No. 31005152	4x LED TMH-X10
No. 31005153	1x LED SL-400
No. 31005155	1x LED SL-600
No. 31005163	4x AKKU IP UP-4 Plus HCL

#### **ROADINGER Flightcase**







No. 31005091

ROADINGER Flightcase 2x EYE-7 RGBW Zoom

PRO flightcase for 2 EYE-7 Zoom LED Washer









No. 31005095

**ROADINGER Flightcase 4x EYE-19** 

PRO flightcase with castors for 4 x EYE-19 RGBW Zoom LED





No. 31005105

ROADINGER Flightcase 4x EYE-7 RGBW Zoom

PRO flightcase for 4 EYE-7 Zoom LED Washer







No. 51836702

ROADINGER Flightcase 4x PRO Slim Size M

PRO flightcase for 4 PRO Slim spots





No. 51836703

ROADINGER Flightcase 4x PRO Slim Size L

PRO flightcase for 4 PRO Slim spots









No. 51836718

ROADINGER Flightcase 2x Wave

PRO flightcase for 2 FUTURELIGHT Wave LED Moving







No. 51836719

ROADINGER Flightcase 4x Wave

PRO flightcase for 4 FUTURELIGHT Wave LED Moving bars











No. 51836885

ROADINGER Flightcase 4x PLB-130/DMH-80/TMH XB-130

PRO flightcase for 4 x PLB-130

## **TRANSPORT BAGS & CASES**

## For Futurelight Equipment













No. 51836892

ROADINGER Flightcase 2x DMH-90/150/DMB-60/PLB-

PRO flightcase for 2 x FUTURELIGHT DMH-90/DMH-150/DMB-60/PLB-230/EYE-15









No. 51836894

ROADINGER Flightcase 4x DMH-90/150/DMB-160/ PLB-230

PRO flightcase for 4 x FUTURELIGHT DMH-90/DMH-150/DMB-60/DMB-160/PLB-230/EYE-15





**ROADINGER Case for Wireless Microphone Systems** 

Flightcase for wireless microphone systems





ROADINGER Universal Tour Case 120cm with wheels

Flightcase with castors and 2 dividers









No. 31005131

ROADINGER Flightcase 2x DMH-200 LED

PRO Flightcase for 2 x FUTURELIGHT DMH-200 LED







No. 31005132

ROADINGER Flightcase 4x DMH-200 LED

PRO Flightcase for 4 x FUTURELIGHT DMH-200 LED









No. 31005138

ROADINGER Flightcase 2x DMH-300 LED

PRO flightcase for 2x Futurelight DMH-300



No. 31005158

ROADINGER Flightcase 2x EYE-37

PRO flightcase for 2 x Futurelight EYE-37

## Universal Cases







No. 30126412

ROADINGER Universal Tour Case 120cm with wheels ODV-1

Flightcase with castors







No. 30126413

ROADINGER Universal Tour Case 120cm with wheels Pro

PRO flightcase with castors





ROADINGER Universal Tour Case 60cm with wheels

PRO flightcase with castors and 1 divider







No. 30126416

ROADINGER Universal Tour Case 60cm with wheels Pro

PRO flightcase with castors





No 30126417

ROADINGER Universal Tour Case 90cm with wheels

Flightcase with castors and 2 dividers



No. 30126420...

ROADINGER Divider (small) for Universal Tour Case

Accessory for tour case





**ROADINGER Drawer Box for Universal Tour Case** 

Accessory for Universal-Tour-Case





ROADINGER Universal Drawer Case TSF-1 with wheels

Flightcase with castors





No. 30126423

ROADINGER Universal Drawer Case FD-1 with wheels

Flightcase with integrated desk and 4 drawers (2 x 7.5 U, 1 x 6 U, 1 x 4 U)





No. 30126430

**ROADINGER Universal Roadie Case with wheels** 

Flightcase with castors





No. 3012642A

**ROADINGER Universal Drawer Case WDS-1 with** wheels

Flightcase with integrated desk







No. 30126432

ROADINGER Universal Drawer Case ODS-1 with wheels

Flightcase with 4 drawers





ROADINGER Universal Cone Adapter Case UKAC-50

Flightcase for all purposes



ROADINGER Universal cone adapter case UKAC-35/50

Flightcase for all purposes





ROADINGER Universal Document Case GR-2, bk

Flightcase for documents





No. 30126649	40x40x30 cm
No. 30126650	
No. 30126651	80x40x30 cm
No. 30126652	100x40x30 cm
No. 30126653	120x40x30 cm
No. 30126708	40x40x45 cm
No. 30126710	60x40x45 cm
No. 30126715	80x40x45 cm
No. 30126720	80x60x45 cm
No. 30126725	120x40x45 cm

#### **ROADINGER Universal Transport Case**

Flightcase for all purposes





No. 30126	5748	40x40	cm
No. 30126	3750	60x40	cm
No. 30126	3755	80x40	cm
No 30126	760	ยบ^ยบ	cm

#### **ROADINGER Universal Transport Case heavy**

Flightcase





No. 30126729	80x60 cm
No. 30126730	120x40 cm
No. 30126732	120x60 cm

## ROADINGER Universal Transport Case with wheels

Flightcase with wheels, for all purposes





ROADINGER Universal Transport Case heavy 80x60cm with wheels

Flight case with wheels



No. 30126800	60x30x30 cm
No. 30126805	80x30x30 cm
No. 30126810	100x30x30 cm
No. 30126815	120x30x30 cm
No. 30126820	140x30x30 cm
No. 30126825	120x30x30 cm with wheels
	140x30x30 cm with wheels
No. 30126900	60x40x40 cm
	80x40x40 cm
	100x40x40 cm
	120x40x40 cm
	140x40x40 cm
	100x40x40 cm with wheels
	120x40x40 cm with wheels
	140x40x40 cm with wheels
	60x50x50 cm
	80x50x50 cm
	100x50x50 cm
	120x50x50 cm
	140x50x50 cm
	100x50x50 cm with wheels
No. 3012/030	120x50x50 cm with wheels



## **ROADINGER Universal Case Pro**

PRO flightcase







No. 30127035

ROADINGER Universal Case Pro 140x50x50cm with wheels

PRO flightcase





ROADINGER Flightcase Alu-Bar 1.5m 4x PAR-56

Practical alubar case for 4 PAR-56

## **TRANSPORT BAGS & CASES**

## **DIY Accessories**







No. 30128960. No. 30128962

**ROADINGER Rack Unit** 

Rack unit for installing 483 mm devices (19")





No. 32000012

ROADINGER 2 Desks in Case Design 162x62cm

Two desks in case design with wheels



No. 32000411 **ROADINGER CSMC-1 Seat Case Style** Practical stool in flightcase style





No. 32000410

**ROADINGER SMC-1 Seat Case Style** 

Practical seat in flightcase style



No. 32000013

ROADINGER 2 Desks in Case Design 140x50cm

2 desks in case design with wheels



No. 30000600

ROADINGER Butterfly Lock small in Dish sil

Simmons butterfly lock in mounting dish



No. 3000070K

ROADINGER Bar Handle, plastic, MARSHALL

Plastic-bar handles, Marshall-type



No. 30000900

ROADINGER Hinged Case Handle, zinc

Sprung handle



No. 30000920

ROADINGER Hinged Case handle, black



No. 30001110

ROADINGER Corner Handlex 150x55x55mm IR5



No. 30000660

**ROADINGER Spring Lock 96x52** 

Spring-lock - medium model



No. 30000400

**ROADINGER Butterfly Lock Large in Dish** 

Simmons butterfly lock in mounting dish

## **DIY Accessories**





Made in **EUROPE** 

No. 30001202

ROADINGER Rubber Feet 25x25mm



No. 3000130A ROADINGER Rubber Foot, diameter 25mm steel ring



Made in Germany

No. 30001710

ROADINGER Steel Plate Corner, 3 legs, 30mm

Ball corner, three-leg



No. 30001750 ROADINGER Steel Ball Corner, 3 legs, 39mm Ball corner, three-leg



No. 30001755 ROADINGER Steel Call Corner, 3 legs, 41mm Ball corner, three-leg



No. 30001800 ROADINGER Steel Ball Corner, 3 legs 48mm Ball corner, three-leg



No. 30001910 ROADINGER Steel Ball Corner, 3 legs 64mm Ball corner, three-leg



No. 30001920 ROADINGER Steel Ball Corner, 64mm cranked Ball corner



No. 30001922 ROADINGER Steel Ball, 3 legs 64mm Ball corner, three-leg, stackable



No. 30001930 ROADINGER Steel Ball Corner 2 legs 64mm Ball corner, two-leg



No. 30002000 ROADINGER Plastic Corner, 50mm legs, stackable Plastic corner, stackable



No. 30002180 ROADINGER Cross for Dividing Walls 6,7mm

## **DIY Accessories**





No. 30002184

ROADINGER Bracket for Dividing Walls 6,7mm



No. 30003000	25x40 mm
No. 30003200	40x40 mm

**ROADINGER Small Corner Brace** 

L-corner



No. 30003350

ROADINGER Corner Brace round dia = 5 mm

L-corner





No. 30003400

ROADINGER Heavy Duty Hook over hinge, zinc-plated

Hook over hinge





۷o.	30006188	.20x20 mm
٧o.	30006190	.22x22 mm
۷o.	30006200	.25x25 mm
٧o.	30006300	.30x30 mm
J۵	30006350	35v35 mm

ACCESSORY Aluminium Case Angle per m

Aluminum case angle





No. 300063954	mm
No. 30006396	mm
No. 300064007	mm
No 30006470 9	mm

ACCESSORY Aluminium Casemaker 20x20mm/m

Aluminum casemaker





No. 30006600	7 mm
No. 30006602	6,8 mm
No. 30006603	7,1 mm
No. 30006700	9 mm
No. 30006701	11 mm

ACCESSORY Aluminium Hybrid Lid panel per m

Aluminum hybrid lid location



Made in Germany

No. 30007400

ACCESSORY Aluminium Lid single per m

Aluminum rack-rail





No. 30007500

**ACCESSORY Nut for Rack Rail** 

Black for rack-rail



Made in Germany

No. 30007600

ACCESSORY Rack Rail

Aluminum rack-rail





No. 30007601

ACCESSORY Rack Rail AM-6 2 meter

Steel Rack rail







No. 30007700

ACCESSORY Nut for Rail Rack

For rack-rail, punched





No. 30007701

ACCESSORY Nut M-6 for Rail Rack AM-6

Steel Nut





No. 30007702

**ACCESSORY Tool for Cage Nuts** 

Important helper



No. 30007720

ACCESSORY Screw M6 x 12 for Rail-Racks

Black for rack-rail



No. 30007722 ACCESSORY Screw M6 x 20 for Rail-Racks



Made in **EUROPE** 

No. 30007810

ACCESSORY Plastic Washer, black, big (recessed)

U-shaped plastic washer



No. 30100145	0.5 U
No. 30100150	1 U
No. 30100250	2 U
No. 30100350	3 U
No. 30100450	
No. 30100470	


OMNITRONIC Front Panel Z-19U-shaped, steel



No. 30100620

OMNITRONIC Front Panel Z-19U-shaped+ventilation 1U

U-front panel



No. 30100655 No. 30100657

OMNITRONIC Front Panel Z-19 (D-type)



No. 30100656

OMNITRONIC Front Panel Z-19 8x D-Type/4xNL8/T 2U

Useful front panel for amplifier racks



No. 30100660

ACCESSORY Universal XLR Blanking Plate, black plast



No. 30100820

OMNITRONIC Front Panel Z-19 with 2 Fans wired 2U

Rack panel with two ventilation fans, ready for connection to the mains





Made in **EUROPE** 

No. 30100825

OMNITRONIC Front Panel Rackpanel with Brushes 2U





No. 30100830

ACCESSORY Front Panel Ring Cable Manager 1U



No. 30100834

No. 30100836.

ACCESSORY Rackdrawer/Writingtable 1U





No. 30100839

ACCESSORY Rackbase 2U extensile





No. 30100837

ACCESSORY Rackbase 1U extensile





No. 30100838

ACCESSORY Cable Tie Bar Kit 1U



No. 3010092E

OMNITRONIC Front Cover metal/transparent 1U



٧o.	30100935	1 U
٧o.	30100936	2 U
Nο	30100937	3 U

OMNITRONIC Rack Bracket for Amplifier, back



No. 30100951	1 U
No. 30100952	2 U
No. 30100953	3 U
No 30100954	

**OMNITRONIC Rack Drawer with Lock** 

Useful drawer



No. 30100905	1 U Multistandard Holes
No. 30100916	1 U
No. 30100917	2 U

**OMNITRONIC Carrier black** 

Carrier plate for racks



No. 30309250

EUROLITE BF-12 Axial Fan 12V 80x80x25mm 45m³/h

12 V axial fan



**Ø** 38 cm

No. 30004900

OMNITRONIC Speaker-Grille 38 cm

Speaker-grille

## **DIY Accessories**





**Ø** 80 mm

No. 30003895. ..80 mm, blue No. 30003898. ..80 mm, blue, with brake

**ROADINGER Swivel Castor** 



**(7)** 100 mm

No. 30004007

..with brake

ROADINGER Swivel Castor 100mm BLUE WHEEL light blue

100 mm swivel castor



**Ø** 100 mm

No. 3000400A No. 3000400B

.with brake

ROADINGER Swivel Castor 100mm blue shielded

Swivel castor with shielded bearing



**Ø** 50 mm

No. 30004015 No. 30004016.

with brake

**ROADINGER Swivel Castor 50mm grey** 

Rugged swivel castor



Ø 100 mm

No. 30004048

ROADINGER Fixed Castor blue wheelsize:100mm



**Ø** 80 mm

No. 30004052

ROADINGER Corner Castor black 104x81x65mm



No. 30004056

ROADINGER Bolt Set for Wheels

Complete set (4 x screw, 4 x nut, 4 x washer)



No. 30004058

ROADINGER Hexagon Screw M10x50 FK8.8 vz



No. 30109818

ROADINGER Wheel Board MDF 4 wheels 2 brakes

MDF wheel board



No. 30005265

OMNITRONIC Screw M5x20mm black for PA Clamps



**EUROPE** 

No. 8070250A . 10 mm No. 8070250C.

ACCESSORY Soft Foam 120x200cm

Perfect for padding flightcases



No. 30005240. No. 30005250.

OMNITRONIC Nut, 9mm lenght

**DIY Accessories CASEMAKER** 





No. 80702661. No. 80702663. ..561x351x100mm ..576x376x100mm

**ROADINGER Foam Material** 





	Germany	
	No. 80702640	20 mm
ı	No. 80702641	40 mm
ı	No. 80702644	50 mm

ACCESSORY Eggshape Insulation Mat,ht,100x206cm

Eggfoam



No. 30002149	
No. 30002152	
No. 30002153	290x190 mm

ACCESSORY Label Self adhesive

# **STANDS & HARDWARE** Clamps 366 Couplers 368 Safety Bonds 370 Cable Gliders 371 Slings 372 Stands 373 Lifters 375 Stands & Lifters 377 Lifters 378 Accessories for Stands 380 Wallmountings 382 383 Speaker-Stands Mic-Stands & More 384 Diverse Stands 388





No.	58000385	black
Nο	58000390	silve

#### **EUROLITE TH-16 Theatre Clamp**

Mounting clamp for Decotruss



No.	58000450	silver
No.	58000451	black

## **EUROLITE TH-25 Theatre Clamp**

Mounting clamp for 25 mm tube, maximum load WLL



No. 5800057	0	silver
No. 5800057	1	black

#### **EUROLITE TH-40 Theatre Clamp**

Mounting clamp for 40 mm tube, maximum load WLL 30 kg



No.	58000640	silver
No.	58000641	black

#### **EUROLITE TH-51 Theatre Clamp**

Mounting clamp for 50 mm tube, maximum load WLL



No.	58000642	silver
Nο	58000643	black

#### **EUROLITE TH-52 Theatre Clamp**

Mounting clamp for 50 mm tube, maximum load WLL 50 kg



No.	58000650	silver
No.	58000651	black

#### **EUROLITE TH-50 Theatre Clamp**

Mounting clamp for 50 mm tube, maximum load WLL 15 kg



No. 58000655	silver
No. 58000656	black

#### **EUROLITE TCH-50/20 C-Clamp**

Mounting clamp for 50 mm tube, maximum load WLL 30 kg



No. 58000657

## EUROLITE TCH-50/20H C-Clamp silver

Mounting clamp for 50 mm tube, maximum load WLL 100 kg



No. 58000660

## EUROLITE TCH-50/30 C-Clamp silver

Long mounting clamp for 50 mm tube, maximum load WLL 30 kg



No. 58000665

## EUROLITE TCH-50/65 C-Clamp silver

Very long mounting clamp for 50 mm tube, maximum load WLL 30 kg



No. 58000690

#### EUROLITE TCH-50/28 Cable Clamp, silver

Cable clamp for 50 mm tube, maximum load WLL 30 kg



No.	58000705	ōsi	lver
No.	58000707	7b	lack

#### **EUROLITE TH-35 Theatre Clamp**

Mounting clamp for 35 mm tube, maximum load WLL 75 kg





No.	58000720	silver
Nο	58000721	black

#### **EUROLITE TH-90 Theatre Clamp**

Mounting clamp for 50 mm tube, removeable support, max. load WLL 100 kg



No.	58000735	silve
No.	58000736	black

## **EUROLITE TH-150 Theatre Clamp TÜV**

Professional mounting clamp for 50 mm tube, maximum load WLL 200 kg



No. 58000740 silver No. 58000741 .black

## **EUROLITE TH-200 Theatre Clamp TÜV**

Professional mounting clamp for 50 mm tube, maximum load WLL 400 kg



No. 58000751 silver No. 58000752

#### **EUROLITE TH-260 Quick-Lock Coupler**

PRO mounting clamp, QuickLock screw for 50 mm tube, max. load WLL 200 kg



No. 58000760 No. 58000761. .black

#### **EUROLITE TH-250 Quick-Lock Coupler**

PRO mounting clamp, QuickLock screw for 50 mm tube, max. load WLL 250 kg



No. 58000762. hlack No. 58000767 silver

#### **EUROLITE TH-2SC Quick-Lock Coupler**

Mounting clamp for 13-55 mm tube incl. mini TV pin, maximum load WLL 15 kg



No. 58000763

#### **EUROLITE TH35-75 Theatre Clamp silver**

PRO Mounting clamp for 32-35 mm tube, maximum load WLL 75 kg



No. 58000764 No. 58000766 .black

## **EUROLITE TH50-75 Theatre Clamp**

PRO Mounting clamp for 50 mm tube, maximum load WLL 200 kg



**1**9 mm

No. 58000765

#### **EUROLITE Z-2SC Pin for TH-2SC**

Mounting clamp for 13-55 mm tube incl. mini TV pin, maximum load WLL 15 kg



No. 59006859

#### **EUROLITE TPC-20 Coupler, silver**

Mounting coupler for 20 mm tube, maximum load WLL 10 kg



No. 59006868

## EUROLITE TPC-32 Coupler, silver

Mounting coupler for 50 mm tube, maximum load WLL 200 kg



No. 59006960

## EUROLITE DEC-38D Dual-Coupler Ø38/50mm

Plastic coupler for 38/50 mm tube diameter, maximum load 50 kg





**2**0 mm

No 60000745

EUROLITE Mini TV-Pin for TH-2SC

Screw for TH-2SC clamp



No. 59006800 No. 59006802. .schwarz

#### **EUROLITE TPC-50 Half Coupler**

Mounting coupler for 50 mm tube, maximum load WLL 800 ka



No 59006845 silver No. 59006846. .black

## **EUROLITE TPC-55 Swivel Coupler**

Double mounting coupler for 50 mm tube, maximum load WLL 800 kg



No. 59006848. No. 59006849. .silver ..black

#### **EUROLITE TPC-51 Eye ring coupler**

Mounting coupler for 50 mm tube with eyelet, maximum load WLL 800 kg



No 59006850

#### **EUROLITE TPC-56 Coupler Cone silver**

Coupler (50 mm tube) with Quicklock 6082- cone connector, max. WLL 500 kg



No. 59006851

## **EUROLITE TPC-56Q Coupler Cone silver**

Coupler (50 mm tube) with Quicklock cone connector for QL-ET + E-GL truss systems



No. 59006856 .silver No. 59006858. .black

## EUROLITE TPC-10 Coupler

Mounting coupler for 50 mm tube, maximum load WLL 150 kg



No. 5900685E silver No. 5900685F ..black

#### **EUROLITE TPC-15 Swivel Coupler**

Swivel double coupler for 50 mm tube, maximum load WLL 150 kg



No. 59006860 No. 59006862

#### **EUROLITE TPC-30 Coupler**

Mounting coupler for 50 mm tube, maximum load WLL 500 kg



No. 59006865. .silver No. 59006867.

#### **EUROLITE TPC-31 Eye Ring Coupler**

Mounting coupler for 50 mm tube with eyelet, maximum load WLL 500 kg



No. 59006870 silver No. 59006872

#### **EUROLITE TPC-35 Swivel Coupler**

Swivel double coupler for 50 mm tube, maximum load WLL 500 kg



No. 5900687A

#### **EUROLITE TPC-36 Coupler Cone silver**

Coupler (50 mm tube) with Quicklock 6082 cone, max. load WLL 200 kg

## Couplers





No. 59006905 No. 59006908 .black

#### **EUROLITE DEC-30 Coupler, for 35mm**

Mounting coupler for 35 mm tube, maximum load WLL



No. 59006915 No. 59006917

## EUROLITE DEC-30D Clamp, for 35mm

Double coupler for 35 mm tube, maximum load WLL 250 kg



No. 59006920

#### EUROLITE DEC-30E Eye Ring Coupler, silver

Mounting coupler for 35 mm tube with eyelet, maximum load WLL 250 kg



No. 59006925

## EUROLITE TPC-50/35 Swivel Coupler, silver

Swivel, double adapter coupler 35/50 mm, maximum load WLL 150 kg



No. 59006930

#### **EUROLITE TPC-56 Coupler Cone black**

Coupler (50 mm tube) with Quicklock 6082- cone connector, max. WLL 500 kg



No. 59006931

#### **EUROLITE TPC-56Q Coupler Cone black**

Coupler (50 mm tube) with Quicklock cone connector for QL-ET + E-GL truss systems



**1**0 mm

No. 58011058 No. 58011059

## EUROLITE Shackle 10mm

Bow shackle, maximum load WLL 1000 kg



**Ø** 16 mm

No. 58011060 No. 58011061 .. black

## EUROLITE Shackle 16mm

Bow shackle, maximum load WLL 3250 kg



No. 58011070. . 10 mm No. 58011075 No. 58011080.

#### SAFETEX Shackle black with Screwbolt

Bow shackle, maximum load WLL 1 t - 6.5 t



No. 58011085 No. 58011086 .16 mm No. 58011087..

#### SAFETEX Shackle bl with Bolt, Mother, Splint

Bow shackle with bolt, nut & pin, maximum load WLL 1 t - 6.5 t



No. 5801108W. No. 58011090.

#### **EUROLITE Girder Clamp black**

Beam clamp for steel beams




=	
No. 50301638	
No. 50301640	ø 6mm, Mw. 14,5mm, WLL 400kg, Typ B-200
No. 50301642	
No. 50301643	
No. 50301644	Ø 4mm, Mw. 5,5mm, WLL 180kg, Typ A-90
No. 50301648	
No. 5030164B	
No. 50301655	
No. 50301657	Ø 5mm, Mw. 13mm, WLL 280kg, Typ B-140
No. 50301659	
No. 5030165A	
No. 5030165B	

. 5 x 600, max. 60kg, silver

#### **EUROLITE Quick Link**





SAVEKING Safety Bond



No. 58010310	A 3 x 600 mm up to 5 kg, silver
No. 58010320	.A 4 x 1000 mm up to 15 kg, silver
No. 58010330	.A 6 x 1000 mm up to 35 kg, silver
No. 58010331	.B 6 x 1000 mm up to 35 kg, silver
No. 58010341	A 3 x 600 mm up to 5 kg, black
No. 58010344	.A 4 x 1000 mm up to 15 kg, black
No. 58010345	.B 4 x 1000 mm up to 15 kg, black
No 58010347	B 6 x 1000 mm up to 35 kg, black

#### **EUROLITE Safety Bond**

Approved safety rope



No. 58010360.. ..AG-5 3 x 600 mm up to 5 kg ...... AG-15 4 x 1000 mm up to 15 kg ...AG-35FB 6 x 1000 mm up to 35 kg No. 58010369..

#### **EUROLITE Safety Bond silver**

High-quality safety rope



No. 58010373	UNV-5S 3x600mm bis 5kg
No. 58010375	UNV-15S 4x1000mm bis 15kg
No 59010277	LINIV 25EDS 6v1000mm big 25kg

#### **EUROLITE Safety Bond, black**

Safety rope in accordance with DIN 56297, with undetachable connector



No.	58010372	UNV-5 3 x 600 mm up to 5 kg
No.	58010374	UNV-15 4 x 1000 mm up to 15 kg
No.	58010376	UNV-35FB 6 x 1000 mm up to 35 kg

#### **EUROLITE Safety Bond UNV**



No. 58010417	SC, 400 x 3 mm, silver
No. 58010418	FC, 400 x 3 mm, silver
No. 58010419	SC, 400 x 3 mm, black
No. 58010421	SC, 900 x 3 mm, silver
No. 58010422	FC, 900 x 3 mm, silber
No. 58010423	SC, 900 x 3 mm, black
No. 58010425	SC, 400 x 4 mm, silver
No. 58010426	FC, 400 x 4 mm, silver
No. 58010427	SC, 400 x 4 mm, black
No. 58010453	SC, 900 x 4 mm, silver
No. 58010454	FC, 900 x 4 mm, silver
No. 58010455	SC, 900 x 4 mm, black

#### **EUROLITE Steel Rope without quick link**



No. 58010407	SC, 400 x 3 mm, silver
No. 58010409	SC, 400 x 3 mm, black
No. 58010411	SC, 900 x 3 mm, silver
No. 58010413	SC, 900 x 3 mm, black
No. 58010431	SC, 400 x 4 mm, silver
No. 58010433	SC, 400 x 4 mm, black
No. 58010435	SC, 900 x 4 mm, silver
No. 58010437	SC, 900 x 4 mm, black

## **EUROLITE Steel Rope**

Steel rope with 2 loops, grouted with quick link



No. 5801048F	600 x 3 mm, silver
No. 5801048G	1000 x 4 mm, silver
No. 5801048L	1000 x 6 mm, silver
No. 5801049B	SC, 600 x 3 mm, black
No. 5801049C	1000 x 4 mm, black
No. 5801049E	1000 x 6 mm, black

## **EUROLITE Steel Rope with Thimble**

Installation rope, safety bond, safety



No. 58010490	1000 x 10 n	nm
No. 58010491	1500 x 10 n	nm

#### **EUROLITE Lifting rope**

Installation rope, safety bond, safety

## **ATTACHMENT GEAR**

## Cable Glider







No 58010550

REUTLINGER Cable Glider Type 50SVIII-M12BG bk

Cable glider up to 90 kg work load





No. 58010551

REUTLINGER Cable Glider Type 50SVIII-GK14/28W bk

Cable glider, up to 90 kg work load





No. 58010552

REUTLINGER Cable Glider Type 50SVIII-ZW M12i bk

Cable glider, up to 90 kg work load



Made in Germany

No. 58010561

REUTLINGER Cable Glider Type Typ 66 SVIII, M16

Cable glider, up to 150 kg work load





No. 58010553

REUTLINGER Cable Glider Type 50SVIII-RING bk

Cable glider, up to 90 kg work load





No. 58010554

REUTLINGER Cable Glider Type 80SVIII-M20BG bk

Cable glider, up to 240 kg work load





No. 58010555

REUTLINGER Cable Glider Type 80SVIII-GK20/40 bk

Cable glider, up to 240 kg work load





No. 58010556

REUTLINGER Cable Glider Type 80SVIII-ZW M12i bk

Cable glider, up to 240 kg work load





No. 58010557

REUTLINGER Cable Glider Type 80SVIII-RING bk

Cable glider, up to 240 kg work load





No. 58010558

REUTLINGER Cable Glider Type 66SVIII fork

Cable glider, up to 150 kg work load





No. 58010559

REUTLINGER Cable Glider Type SVIII ZW M16i bk

Cable glider, up to 150 kg work load





No. 58010560

REUTLINGER Cable Glider Type 66 SVIII Ring-Integral

Cable glider, up to 150 kg work load

## **ATTACHMENT GEAR**











No. 30001165	8M
No. 30001166	M10

## ACCESSORY Eye Bolt

High-tensile ring bolt



lo. 30001169	M10/50 mm
lo. 30001170	M12/50 mm
lo. 30001172	M8/30 mm
	M8/40 mm
	Hexagonal Screw M10/50 mm

## ACCESSORY Eye Bolt, Stainless Steel

High-tensile ring bolt



No. 58010609	1 m
No. 58010610	2 m

#### EUROLITE Round Sling, max. Load 1000KG

Sling for the event industry



No.	580106191	. 1	m
No.	580106202		m
No.	58010622	5 1	m

#### EUROLITE Round Sling, max. Load 2000KG

Sling for the event industry



No.	. 58010640	.0.5 m
No.	. 58010641	1 m
No.	. 58010642	2 m
Nο	58010643	3 m

SHZ Roundsling 1000KG black



No. 58010644	0.5 m
No. 58010645	1 m
No. 58010646	2 m
No. 58010647	3 m

#### SHZ Roundsling 2000KG black



No. 58010698	0.5 m / 1000 kg
No. 58010700	1 m / 1000 kg
No. 58010705	2 m / 1000 kg
No. 58010710	3 m / 1000 kg
No. 58010713	0.5 m / 2000 kg
No. 58010715	1 m / 2000 kg
No. 58010720	2 m / 2000 kg
No. 58010725	3 m / 2000 kg

#### SHZ Roundsling with Steel Inlay

Roundsling with steel inlay



No. 58010728	0.5 m / 3000 kg
No. 58010730	1 m / 3000 kg
No. 58010735	2 m / 3000 kg
No. 58010740	3 m / 3000 kg
No. 58010743	0.5 m / 4000 kg
No. 58010745	1 m / 4000 kg
No. 58010750	2 m / 4000 kg
No. 58010755	3 m / 4000 kg

#### SHZ Roundsling with Steel Inlay

Roundsling with steel inlay



No.	58000112	6M/1.0T
Nο.	58000113	6M/1.0T black
	58000114	
		10M/1 OT black

#### **EUROLITE Chain Hoist**

Manual chain hoist as installation aid



No.	58000119.		6M/1	.5T	black
Nο	58000121	1	OM/1	5T	hlack

#### **EUROLITE Chain Hoist**

Manual chain hoist as installation aid





No. 58000130	6 m Load chain / 12 m Hand chain
No. 58000131	9 m Load chain / 18 m Hand chain
No. 58000132	12 m Load chain / 24 m Hand chain

#### **SAFETEX Chain Bag**

Chain bag for EUROLITE chain hoists





No. 58000133

## SAFETEX Chain Bag XL universal

Universal chain bag for chain hoists



## Stands





No. 5800013M

#### SAFETEX SAT 08 Wire Rope Hoist

Wire rope hoist





No. 5800013N

#### SAFETEX Cable SZS 080-20 for SAT 08 20m

Accessory for wire rope hoist SAT 08



No. 59006985

#### **EUROLITE A1 Steel Lighting Stand**

Inexpensive steel-stand with crossbeam, max. load 14 kg, max. height 250 cm



No. 59006986

#### **EUROLITE A2 Steel Lighting Stand**

Inexpensive lighting stand with T bar, max. load 14 kg, max. height 260 cm





No. 59006990

#### **EUROLITE LS-1T EU Steel stand**

Lighting stand made in EU, with T-bar, max. load 30 kg, height 145-315 cm





No. 59006991

#### **EUROLITE LS-1 EU Steel stand**

Lighting stand made in EU, w/o T bar, max. load 30 kg, height 145-315 cm





No. 59006996	STV-40S, steel, 10 kg
	STV-40A, alu, 7 kg
No. 59007002	STV-40-WOT, alu without crossbeam
No 59007004	STV-40S-WOT steel without crossbeam

## **EUROLITE STV-40S Steel Lighting Stand**

Steel lighting stand with crossbar, max. load 18 kg, max. height 340 cm





No. 59007120

#### **EUROLITE STV-20 Follow Spot Stand**

Inexpensive follow-stand







No. 59007008

#### **EUROLITE STV-50 EU Steel stand**

Lighting stand with T bar, Made in EU, max. load 30 kg, height 150-315 cm









No. 59007009

#### **EUROLITE STV-50-WOT EU Steel stand**

Lighting stand, made in EU, max. load 30 kg, height 150-315 cm







EUROLITE Carrying Bag for Lighting Stand LS-1/STV-50 EU

Bag for one lighting stand





Made in EUROPE Ø 200 mm

EUROLITE Carrying Bag for 2x Lighting Stand LS-1/ STV-50 EU

Bag for two lighting stands

## Stands

# eurolite®





No. 59007121

#### **EUROLITE STV-150A Follow Spot Stand**


Follow stand with winch, maximum load 35 kg, maximum height 155 cm



No. 59007123

#### EUROLITE STV-200 Follow Spot Stand, Stainless Steel

PRO version with head on ball bearing, max. load 50 kg, max. height 160 cm






No. 59007030

#### **EUROLITE Show Stand III Alu**

Simple stand set up to 320 cm height and 300 cm width, max. load 50 kg





No. 59007032

## **EUROLITE EU Show Stand**

Simple stand set up to 315 cm height and 300 cm width, max. load 60 kg







No. 59007040

#### EUROLITE STT-400/85 Winch Stand TÜV/GS

High-quality winch-stand, max. load 85 kg, max. height 400 cm







No. 59007041

#### EUROLITE STT-400/85 Winch Stand TÜV/GS black

High-quality winch-stand, max. load 85 kg, max. height 400 cm





No. 60000820

#### EUROLITE STW-370A Winch-driven Stand 370cm

High-quality alu winch-stand, max. load 35 kg, max. height 370 cm





No. 60000830

#### EUROLITE STW-370S Winch-driven Stand 370cm Steel

High-quality steel winch-stand, max. load 35 kg, max. height 370 cm



No. 59007075

#### **EUROLITE STR-3550 Adapter, Coupler**

Adapter w/36 mm stand sleeve & clamp for 50 mm tube, max. load WLL 700 kg



No. 59007078

#### **EUROLITE TAH-35S Truss Adapter, small**

Adapter from 80 to 175 mm, 36 mm stand sheath, max. load WLL 400 kg





No. 59007079

## EUROLITE TAH-35M Truss Adapter, large

Adapter from 120 to 350 mm, 36 mm stand sheath, max. load WLL 300 kg



No 59007082

## **EUROLITE TAH-35L-A2 Truss Adapter for STC-550**

Adapter from 150 to 545 mm, 54 mm pin, max. load WLL 500 kg






# **Block & Block**

You want to reach new heights or have to cope with an ambitious task? Well, you should take a closer look at the stands and lifters by Block & Block. They might be just the right coworkers for you. All products are designed and produced in Europe and meet the highest quality standards.

MADEIN SPAIN

In total, you have 5 truss lifters with up to 300 kg bearing load and a stand with 100 kg bearing load at your disposal. Moreover, you can access a large choice of adapters, insertions, crossbars and even a line array adapter. At Block and Block's you will find the right tool for your jobs!









## Lifters







No. 59000408

BLOCK AND BLOCK SIGMA-50 Truss lifter 120kg 5m

High-quality ground support for weights up to 120 kg,





No. 59000404

BLOCK AND BLOCK DELTA-40 Winch Stand 100kg 3m

High-quality winch tripod for low-weight loads, made in





No. 59000410

BLOCK AND BLOCK SIGMA-70 Truss lifter 160kg 5.3m

High-quality ground support for weights up to 160 kg, made in EU



Made in EUROPE

No. 59000412

BLOCK AND BLOCK BETA-70 Truss lifter 230kg 6.5m

High-quality ground support for weights up to 230 kg, made in EU





No. 59000425

BLOCK AND BLOCK OMEGA-30 Truss lifter 220kg 5m

High-quality ground support for weights up to 220 kg, made in EU





No. 59000430

BLOCK AND BLOCK GAMMA-50 Truss lifter 300kg 6.2m

High-quality ground support for weights up to 300 kg, made in EU





No. 6000456F

OMNITRONIC GB-2 Stand Adaptor

Fork to mount two speakers on a stand, width adjustable 310-450 mm





No. 59000449

BLOCK AND BLOCK ATG5 Truss mount adapter for tube insertion of 50x50 Omega Series





No 59000450

BLOCK AND BLOCK ATG1 Truss mount adapter for tube insertion of 50x50 Omega Series





No. 59000451

BLOCK AND BLOCK ATG2 Truss mount adapter for tube insertion of 70x50 Gamma Series





BLOCK AND BLOCK AG-A5 Hook adapter for tube insertion of 50x50 (Omega Series)





No. 59000456

BLOCK AND BLOCK AG-A6 Hook adapter for tube insertion of 70x50 (Gamma Series)

## Stands & Lifters







No. 59000460

BLOCK AND BLOCK AC12 Adapter for follow spot. Insertion 35mm female







BLOCK AND BLOCK AH3506 Crossbar for two speakers insertion 35mm female





No. 59000462

BLOCK AND BLOCK AM3506 Crossbar for two speakers insertion 35mm male



EUROPE

No. 59000465

BLOCK AND BLOCK AM3504 Parallel truss support insertion 35mm male





No. 59000466

BLOCK AND BLOCK AH3504 Parallel truss support insertion 35mm female





No. 59000467

BLOCK AND BLOCK AM3804 Parallel truss support insertion 38mm male





No. 59000469

BLOCK AND BLOCK AM3503 Truss side support insertion 35mm male





No. 59000470

BLOCK AND BLOCK AH3503 Truss side support insertion 35mm female





No. 59000471

BLOCK AND BLOCK AM3803 Truss side support insertion 38mm male





No. 59000474

BLOCK AND BLOCK AM3501 Adjustable support for truss insertion 35mm male





BLOCK AND BLOCK AH3501 Adjustable support for truss insertion 35mm female





No. 59000476

BLOCK AND BLOCK AM3801 Adjustable support for truss insertion 38mm male

## Lifters







No. 59000478

BLOCK AND BLOCK AM3502 fixed support for truss insertion 35mm male





No. 59000479

BLOCK AND BLOCK AH3502 fixed support for truss insertion 35mm female





No. 59000480

BLOCK AND BLOCK AM3802 fixed support for truss insertion 38mm male



BLOCK AND BLOCK AM3505 Crossbar insertion 35mm



Made in **EUROPE** 

No. 59000482

BLOCK AND BLOCK AH3505 Crossbar insertion 35mm



BLOCK AND BLOCK AM3805 Crossbar insertion 38mm





No. 59000485

BLOCK AND BLOCK AM3508 Double Bar support insertion 35mm male





No. 59000486

BLOCK AND BLOCK AH3508 Double Bar support insertion 35mm female





No. 59000487

BLOCK AND BLOCK AM3808 Double Bar support insertion 38mm male





BLOCK AND BLOCK AC-G6 Adaptor for line arrays (GAMMA system)





BLOCK AND BLOCK AC-G5 Adaptor for line arrays (Omega system)

## Lifters

# eurolite®



No. 59006820

#### EUROLITE TAH-52 Truss Adapter w/ TV Pin

Horizontal adapter with TV-pin from 160 to 405 mm, max. load WLL 180 kg



No. 59006825

#### EUROLITE TAV-52 Truss Adapter w/ TV Pin

Vertical adapter with TV-pin from 160 to 405 mm, max. load WLL 180 kg






No. 5900701B

#### EUROLITE LS-1A2 Cross Beam 100cm

Lighting beam for lighting stands LS-1 and LS-1T



Made in **EUROPE** 

No. 5900701C

#### EUROLITE LS-1A3 Cross Beam 120cm

Lighting beam for lighting stands LS-1 and LS-1T







No. 5900701D

#### **EUROLITE STV-50Q Cross Beam**

Crossbeam for STV-50



28 mm

No. 59007026

#### **EUROLITE Cross Beam Q3 with Pin**

Crossbeam with TV-pin for 4 spots





No. 59007076

## **EUROLITE HLQ-306 Crossbar**

Crossbeam with 36 mm stand sleeve for 6 spots



(Ø 35 mm

## EUROLITE HLQ-456 Crossbar, solid

Massive crossbeam with 36 mm stand sleeve for 6 spots, max. load WLL 110 kg







No. 59007081

#### **EUROLITE STV-3529 Adapter long**

Massive adapter for 35 mm tube, with 28 mm TV spigot, max. load WLL 100 kg

**OMNITRONIC** 





No. 6000460N

#### OMNITRONIC SPA-10B Stand Adapter M8

Adapter with stand sleeve for 35 mm tube, M8 thread



No. 60000726

#### **EUROLITE TV-1 TV Spigot M-10**

TV spigot (28 mm) with M10 thread



No. 60000727

#### EUROLITE TV-1 TV Spigot M-12

TV spigot (28 mm) with M12 thread



No. 60000730

#### EUROLITE TV-12 TV Spigot M12 w/head Screw

TV spigot (28 mm) with mounting plate, M12 thread knurled head screw



**Ø** 110 mm

No. 60000735

#### **EUROLITE TV-35 TV-Spigot for Speakers**

Adapter for installing speakers on stands with TV spigot receivers



**6** 50 mm

No. 59007070

#### **EUROLITE TVA-10S Adapter**

With spigot (28 mm) & screw thread (M10 wing bolt), max. load WLL 100 kg



Ø 100 mm

No. 59007071

## **EUROLITE TVA-10L Adapter**

With spigot (28 mm), large mounting plate, max. load WLL 100 kg



Made in **EUROPE** 

No. 5900701A

#### EUROLITE LS-1A1 Adapter for LS-1

Universal adapter for lighting stands LS-1 and LS-1T



**4**8 mm

No. 59007074

#### **EUROLITE STV-3528 Adapter**

For stands with 35 mm tube, with 28 mm TV spigot, max. load WLL 100 kg



**Ø** 60 mm

No. 59007072

## **EUROLITE SPA-10S Adapter**

For 36 mm tube with screw thread and M10 wing bolt, max. load WLL 100 kg



Ø 120 mm

No. 59007073

## **EUROLITE SPA-10L Adapter**

For 36 mm tube with large mounting plate, max. load WLL 100 kg



## Accessories for Stands







No. 8331207C

EXPAND XPSC2 Screen 150x200cm

Projection screen





No. 8331207K

EXPAND XPTOS Deskcover one side open black

For tables up to 2.4x1m





No. 83312082 ..white, one side No. 83312084.. ...white, three sides No. 83312086. ..black, three sides

**EXPAND Cover** 

Cover for lighting stands up to 3.1 m



No 83312083 white No. 83312087..

**EXPAND XPS2GW Tripod Cover two sides** 

Cover for lighting stands up to 3.1 m



No. 83312090. No. 83312092. .... two sides No. 83312093... ..... one side, strechable 0.8 - 1.2 m No. 83312094.. ...three sides

EXPAND XPS1KW Tripod Cover white

Cover for speaker stands up to 2.2 m



Made in Germany

No. 83312071

**EXPAND XPSKP Mounting Disc for 3-Side Cover** 

Fixation accessory for tripod cover



No. 83312102

**EUROPALMS Cover for Keyboard Stand white** 

Flexible keyboard stands cover



Made in Germany

No. 83312100.. . white No. 83312101..

**EXPAND XPXSW Cover for Keyboard Stand** 

Flexible keyboard stands cover



No. 83312104

**EUROPALMS Tripod Cover white three-sides** 

Cover for lighting stands



No. 83312106

**EUROPALMS Tripod Cover white two-sided** 

Cover for lighting stands





No. 59006997

#### OMNITRONIC TV-1 Wall Mount with TV-Spigot

Wall bracket with TV pin, max. load 30 kg



No. 60004610

#### OMNITRONIC WH-4 Wall-Mounting 25 kg max

Extremely stable wall-mounting for speakers systems, maximum load 25 kg



**3.5** cm

No. 60004615

## OMNITRONIC Wall-Mounting N for Speakers

Wall-mounting, inclination angle adjustable, max. load 25 kg



No. 60004616

#### OMNITRONIC WH-1 Wall-Mounting 30 kg max

Wall support for speaker systems, movable and tiltable, maximum load 30 kg



No. 60004618

## OMNITRONIC WH-1L Wall-Mounting 25 kg max

Long wall support for speakers, movable and tiltable, maximum load 25 kg



No. 60004621

#### OMNITRONIC WH-3 Wall Mounting for Speakers

Wall support for speaker systems, movable and tiltable, maximum load 20 kg



No. 60004620

## OMNITRONIC Wall-Mounting XY for Speakers

Fixation with clamp area (130-255 mm), movable & tiltable, max. load 25 kg



No. 11038868

#### **OMNITRONIC Speaker Stand BOB System**

Speaker stand for BOB speakers, extendable up to 170 cm



**Ø** 30 mm

No. 11038869

## OMNITRONIC Distance Tube Subwoofer/Satellite BOB

Variable distance tube for BOB speakers, height adjustable 67-117 cm



No. 60004548	60 cm
No. 60004550	80 cm
No. 60004552	100 cm
No. 60004554	120 cm
No 60004555	140 cm

#### OMNITRONIC Distance Tube Subwoofer/Satellite

Distance tube





No. 60004558

#### OMNITRONIC Distance Tube Subwoofer/Satellite M20

Variable distance tube with M20 thread, height adjustable 75-135 cm

## Speaker-Stands







No. 60004559

OMNITRONIC Distance Tube Subwoofer/Satellite with Crank

Variable distance tube (M20 thread), height adjustable via crank 80-110 cm





No. 60004561

OMNITRONIC DS-1 Distance Tube Subwoofer/Satellite variable

Variable distance tube (standard diameter 35 mm), height adjustable 70-130 cm





No. 60004022

## OMNITRONIC Speaker Stand MOVE Set

2 high-quality stands, extendible up to 180 cm, max. load





## OMNITRONIC Speaker Stand MOVE MK2 set

2 high-quality stands, extendible up to 185 cm, max. load 30 kg + bag





No. 60004085

#### OMNITRONIC BHS-48K Speaker System Stand

Compact stand, extendible (80-135 cm), max. load 30 kg







No. 60004160

#### OMNITRONIC BS-1 EU Loudspeaker Stand

Steel speaker stand, height adjustable 92-140 cm, max. load 50 kg







No. 60004164

#### OMNITRONIC BS-2 EU Loudspeakerstand

High steel speaker stand, height adjustable 117-205 cm, max. load 50 kg





No. 60004182

#### OMNITRONIC M-2 Speaker-System Stand

Simple speaker stand, extendible up to 170 cm, max. load 30 kg





No. 60004183

#### OMNITRONIC M-3 Speaker-System Stand

Speaker stand, extendible up to 170 cm, max. load 30 kg





No. 60004185

#### OMNITRONIC M-4 Speaker-System Stand

Aluminum speaker stand, max. load 18 kg, height 140-345 cm



No. 60004200

#### **OMNITRONIC MO-1 Monitor Stand**

Monitor stand, extendible from 93-148 cm, max. load 18 kg



No. 60004205

#### OMNITRONIC MO-5 Monitor Stand 2x

2 steel monitor stands, extendible from 75-130 cm, max. load each 30 kg





No 60004206

OMNITRONIC MO-6 Monitor Stand

Stand, extendible from 75 - 119 cm, max. load 18 kg



No. 6000450M

OMNITRONIC Speaker System-Stand Flange, M20

Flange with M20 inside thread





**OMNITRONIC Speaker System Stand-Installation Flange** 

Flange for speaker systems without inside thread





No. 6000456E

**OMNITRONIC GB-1 Stand Adapter** 

Fork to mount two speakers on a stand, width adjustable 310-490 mm





No. 60004611

OMNITRONIC BIB-1 Screen Adaptor for Loudspeaker

Adaptor to attach LCD monitors (13-24") to loudspeaker





No. 60004613

GUIL PTR-33 Screen Adaptor for Loudspeaker Stands

Adaptor to attach TV screens to loudspeaker stands





No. 6000490A. .for two BS-1

**OMNITRONIC Carrying Bag for Speaker Stands BS** 



No. 13055198

**RELACART M4 Microphone Clamp** 

Microphone holder for wireless microphones



No. 6000580P

OMNITRONIC Microphone Stand 85-157cm bk

Microphone stand with stable round base, extendible from 85-157 cm



No. 6000580R

OMNITRONIC Microphone Stand 100-170cm bk

Microphone stand with stable round base, extendible from 100-170 cm



No. 60005868

**OMNITRONIC Overhead Microphone Stand bk** 

Overhead microphone stand, max. height 390 cm, long boom and balance



No. 60005835

OMNITRONIC Microphone Tripod MS-1W with Boom Arm white

Microphone tripod with adjustable boom, max. height 220 cm

## Mic-Stands & More





No 60005838

#### OMNITRONIC Microphone Tripod MS-2 with Boom bk

Microphone tripod with adjustable boom, max. height 220 cm



No. 60005839

#### OMNITRONIC Microphone Tripod MS-2A with Boom bk

Simple microphone tripod with adjustable boom, max. height 220 cm



No. 60005844

#### OMNITRONIC Microphone Tripod with Boom, PRO bk

PRO microphone tripod with boom, max. height 220 cm



No. 60005852

#### OMNITRONIC AP-1 Microphone Stand black

Low microphone stand with boom, height adjustable from 50 - 80 cm



No. 60006009

#### OMNITRONIC Table Microphone Arm TMA-1N

Telescope arm with XLR cable, can be flexibly mount to tabletop



No. 60006010

#### OMNITRONIC Table-Microphone Arm TMA-1 bk

Telescope arm with XLR cable, can be screwed to tabletop



No. 60006011

## OMNITRONIC Table-Microphone Arm TMA-2 bk

Telescope arm with XLR cable, can be screwed or mount to tabletop



No. 60006014

## OMNITRONIC Holder Type B f. Table-Microphone Arm bk

Screw-on hold for Omnitronic desk microphone arms



No. 6000601R

#### **OMNITRONIC GES-1 Mic Table Stand**

Mic desk stand with 17.5 cm height, also useable for capturing instruments



No. 60006105

#### OMNITRONIC Gooseneck black XLR/XLR, 47cm

Fully wired XLR gooseneck, length 47 cm



No. 6000601P

#### OMNITRONIC Table-Microphone Stand KS-3

Very compact table stand, can be retracted



No. 6000601Q

## OMNITRONIC KS-4 Table Microphone Stand

Compact table stand, can be retracted, extendable from 105-155 mm





No. 6000614N OMNITRONIC MCK-25 Microphone Clamp sw Universal microphone clamp



No. 6000614P OMNITRONIC SLIM-01 Microphone-Clamp bl Universal microphone clamp



No. 6000615N OMNITRONIC MCK-30 Microphone Clamp flexible Universal microphone clamp



No. 6000615P OMNITRONIC Microphone-Shockmount 44-48mm Spider shock mount



No. 6000615T OMNITRONIC MCK-10K Microphone-Clamp flexible Universal microphone clamp



No. 6000615W OMNITRONIC MCK-10G Microphone-Clamp flexible Universal microphone clamp



No. 6000615X OMNITRONIC MCK-15 Microphone-Clamp flexible Universal microphone clamp



No. 6000615Y OMNITRONIC MCK-15G Microphone Clamp flexible Universal microphone clamp



No. 6000616N OMNITRONIC Adapter Screw 1.5 cm to 1cm Knurling 10x Thread reducer



No. 6000618N OMNITRONIC Adapter Screw 1,5cm to 1cm 10x Thread reducer



No. 60006013 OMNITRONIC Holder Type A f. Table-Microphone Arm bk Clamp hold for Omnitronic desk microphone arms





No. 6000620N

OMNITRONIC Microphone Windshield Set, 5 colors

Microphone windscreen



No. 6000621N

OMNITRONIC Microphone Windshield, black, d=40-50 mm

Microphone windscreen



No. 6000624N

OMNITRONIC Microphone-Pop Filter, black

Microphone pop filter for studio applications



No. 60006250

OMNITRONIC Microphone-Pop Filter metal, black

Microphone pop filter for studio applications



No. 60006255

OMNITRONIC DSH-135 Microphone-Popfilter black

Microphone windshield



No. 60006280

**OMNITRONIC Microphone T-Bar for 4 Microphones** 

Universal holder (320 cm) for 4 microphones, with 5/8" thread



No. 60006284

**OMNITRONIC Microphone T-bar for 2 Microphones** 

Universal holder (190 cm) for 2 microphones, with 5/8" thread



No. 6000628D

OMNITRONIC AS-01 Microphone Absorber System

Microphone absorber system for studio and live applications



No. 6000628E

OMNITRONIC AS-02 Microphone-Absorber System

Microphone absorber system for studio and live applications



No. 6000628H

**OMNITRONIC PD-2 Tablet Holder for Microphone Stands** 

Universal tablet holder



No. 60006290

**OMNITRONIC MDP-1 Microphone Holder for Drums** 

Flexible hold for screw mounting, for all drums and toms



No. 60006292

**OMNITRONIC MDP-2 Microphone Holder for Drums** 

Flexible hold for clamp mounting, for all drums and toms

## Diverse Stands





No. 26880012

DIMAVERY NTS-1 Music Stand, black

Music stand with adjustable height in noble black color



No. 26880028

**DIMAVERY Orchestra Stand** 

Orchestra stand with adjustable height in black color



No. 26335010

**DIMAVERY Footstool Iron** 

Footstool for Guitar



No. 26348024

**DIMAVERY Guitar Wall-Mount** 

Stable guitar wall mount



No. 26348025

DIMAVERY Guitar Wall-Mount ECO

Stable guitar wall mount



No. 26348026

DIMAVERY Guitar Wall-Mount ECO II

Stable guitar wall mount



No. 26348035

DIMAVERY Guitar Wall-Mount WOOD

Wall-mount for guitar made of wood



No. 26348045

DIMAVERY Guitar Stand black, ECO

Height adjustable guitar stand



No. 26348046

DIMAVERY Guitar Stand silver, ECO

Height adjustable guitar stand



No. 26348047

DIMAVERY Guitar Stand foldable bk

Stand for electronic and accoustic guitars and electric



No. 26348048

**DIMAVERY Guitar Stand for Accoustic Guitar black** 

Stand for electronic and accoustic guitars and electric bass



No. 26348049

DIMAVERY Guitar Stand for E-guitar black

Stand for electronic and accoustic guitars and electric bass

## Diverse Stands





No. 26348110

DIMAVERY Guitar Stand 3-fold bk

Stand for 3 quitars or basses



No. 26348200

**DIMAVERY Amp Stand heavy** 

Stand for amplifiers



No. 26348202

**DIMAVERY Microphone Holder for Loudspeakers** 

Clamp microphone holder to capture guitar or bass amps



No. 26460056

**DIMAVERY Stand for Cello / Double Bass** 

Instrument stand



No. 26600010

DIMAVERY Stand f. Saxophone + 1 Clarinet

Stand for saxophone and clarinet black



No. 26600030

DIMAVERY Stand for Saxophone, black

Stand for saxophone black





No. 26600061

DIMAVERY Cone for A-and B-Clarinet, bl





No. 26600062

DIMAVERY Cone for Oboe, bl





No. 26600063

DIMAVERY Cone for trumpet, bl





No. 26600064

DIMAVERY Cross shaped stand for wind instrument stands, bl

Stand for items 26600061, 26600062 and 26600063

## **Diverse Stands**





No. 26600070

#### DIMAVERY Stand for Euphonium/Baritone

Stand for euphonium and baritone black



No. 26702052

#### DIMAVERY SV-1 Keyboard Stand with Clamp Lock

Stable Keyboard stand



No. 26702058

#### **DIMAVERY SVT-1 Keyboard Stand**

Stable keyboard stand



No. 26702061

#### **DIMAVERY SL-5 Keyboard Stand**

Keyboard stand



EUROPE

No. 26702063

**DIMAVERY SL-4 Keyboard Stand** 

Stable keyboard stand





No. 26702064

#### **DIMAVERY Extension for SL-4 Keyboard Stand**

Extension for keyboard stands





DIMAVERY Extension (Sheet) for SL-4 Keyboard Stand

Extension (Sheet) for SL-4 Keyboard Stand





No. 26702067

DIMAVERY Bag for SL-4 Keyboard Stand



No. 26702080

#### DIMAVERY Microphone Arm for Keyboard Stands

Extension for keyboard stands



No. 26702082

## **DIMAVERY Expansion for Keyboard Stands**

Expansion for keyboard stands



No. 26702084

## DIMAVERY Expansion for Keyboard Stands flexible

Expansion for keyboard stands



No. 26702102

## **DIMAVERY KEB-1 Keyboard Bench**

Hinged keyboard bench





No. 5900698A	suitable for	spots	up to	10 kg,	black
No. 5900698B	suitable for	spots	up to	10 kg,	silver
No. 5900698D	suitable for	spots	up to	25 kg.	black

#### **EUROLITE FS Floorstand, Steel**

Floor stand for spots



No.	5900698E	silver
No.	5900698G	black

#### **EUROLITE FS Floorstand, Steel**

Floor stand for spots



No. 30103028

#### **OMNITRONIC PD-09 Tablet-Stand**

Practical desktop stand for iPads



No. 30103042

#### OMNITRONIC ELR-12/17 Notebook-Stand

Practical and flexible tool for on the road



.... 170 x 300 x 40 mm, grey .. 265 x 330 x 40 mm, black No. 6000450P. No. 6000450R..

#### **OMNITRONIC Isolator Monitor Speakers**

Pads for acoustical decoupling monitor speaker and underground



.... 170 x 300 x 40 mm, grey ... 265 x 330 x 40 mm, black No. 6000450U No. 6000450V..

#### **OMNITRONIC Isolator Monitor Speakers 2x**

Pads for acoustical decoupling monitor speaker and underground



No. 6000735M

OMNITRONIC Wall-Mount Acoustic Guitar


Guitar wall holder



No. 6000735P

OMNITRONIC E-guitar Wall Mount

Guitar wall holder



#### **TRUSSING DECOTRUSS ST 3** DECOLOCK DQ1 SINGLELOCK SP 1 SINGLELOCK PSP 402 DECOLOCK DQ2 403 BILOCK BQ2 406 **BILOCK E-GL22** 410 DECOLOCK NDQ3 412 DECOLOCK DQ3 413 417 TRILOCK 6082 TRILOCK E-GL 422 DECOLOCK DQ4 426 QUADLOCK 6082 428 TQ-390 431 QUADLOCK QL-ET 432 TOWERTRUSS 434 Stage Elements 436 440 Accessories Conus System Truss Cover 446 Transport System 447 Accessories 448 450 Furniture

### **TRUSSING**

Whether at concerts, shows, galas or exhibitions – many events could hardly be realized without trussing. And what is the consequence of this vital position within the industry? Quality has to be perfect, of course. Long-lived partnerships with renowned suppliers enable us to keep a high standard.

Such a standard also includes the service to paint all our ALU-TRUSS systems in any RAL color and in customized lengths and with a short time delivery. An ample accessory with hooks, clamps, cases, transport carts, lifting towers and so forth tops off the offer.

Among our trussing, you find everything from decoration systems (DECOTRUSS and DECOLOCK) and systems which can also be used for mobile installations to permanent, heavy load systems.

While most of our systems are equipped with cones, pivots and pins for connection, DECOTRUSS, BISYSTEM and TRISYSTEM are connected with bolts and nuts. Please note: This systems must never be combined with any other systems!



- Systems are available in RAL and special varnishing on request
- All sizes available
- Near-term delivery



ALUTRUSS elements are made in Europe

\* Except the EUROLITE Decotruss system!




## alutruss
















No. 60112006ST	-250
No. 60112014ST	-450
No. 60112017ST	-470
No. 60112024ST	-500
No. 60112034ST-	1000
No. 60112044ST-	1500
No. 60112054ST-	2000

**DECOTRUSS Truss silver** 



### **Decotruss**

This truss system is a mere decoration system convincing by its compact dimensions, low storage requirements and easy transportation. It has not been designed for heavy loads.

With its minimal outer dimensions of 150 mm. DECOTRUSS is ideal for creating individual design-elements in decorative areas of private homes, fair booths, shops, discothegues and theatres.

**Technical specifications:** 

Device:	60112006	60112014	60112017	60112024	60112034	60112044	60112054
Longitudinal tubes:	15 x 1.5 mm	15 x 1.5 mm	15 x 1.5 mm				
Cross bracing:	5 mm	5 mm	5 mm				
Dimensions:	250 x 150 x 130 mm	450 x 150 x 130 mm	470 x 150 x 130 mm	500 x 150 x 130 mm	1000 x 150 x 130 mm	1500 x 150 x 130 mm	2000 x 150 x 130 mm
Weight:	0.85 kg	1.18 kg	1.20 kg	1.26 kg	2.30 kg	3.40 kg	4.55 kg







No. 60112074

DECOTRUSS SAC-19 Corner 2-Way 45° silver





No. 60112078

DECOTRUSS SAC-20 corner 2-way 60° silver





No. 60112084

DECOTRUSS SAC-21 corner 2-way 90° silver





No. 60112104

DECOTRUSS SAC-23 Corner 2-Way 135° sil





No. 60112114

DECOTRUSS SAC-24 Corner  $\land$  90° silver





No. 60112174

DECOTRUSS SAL-33 corner 3-way V right si






No. 60112124

DECOTRUSS SAC-25 Corner V 90° silver





No. 60112180

DECOTRUSS SAL-34 corner 3-way V left sil

#### **DECOTRUSS ST 3**





No. 60112134

DECOTRUSS SAC-26 Corner vertical right si





No. 60112194

DECOTRUSS SAC-41 crossing 4-way silver






No. 60112144

**DECOTRUSS SAC-27 Corner vertical left sil** 





No. 60112154

DECOTRUSS SAL-31 Corner 3-Way ∧ right si





No. 60112164

DECOTRUSS SAL-32 Corner 3-Way ∧ left sil





No. 60112224

DECOTRUSS SAT-35 T-piece 3-way vertical





No. 60112234

DECOTRUSS SAT-36 T-piece 3-way horizontal





No. 60112244

DECOTRUSS SAT-42 4-way piece V silver





No. 60112254

DECOTRUSS SAT-43 4-way piece ∧ silver



No. 60112380

**DECOTRUSS Bolt Set** 





No. 60112365

DECOTRUSS Circle-Piece 1570mm for 3 Meter

6 segments are needed for a 3m circle-piece" Alignment circle (3 point systems): Tip in the middle





No. 60112360

DECOTRUSS Circle-Piece 1570mm for 2 Meter

4 segments are needed for a 2m circle-piece" Alignment circle (3 point systems): Tip in the middle



**DECOLOCK DQ1** 



Materials used:


EN-AW 6060 T66 (AlMgSi0,5 T66) Alloy

Main chords 35 x 2 mm

Accessory/truss 1x connecting cone, 2x pivot, 2x pin

Item No. 6030178U

Load table DQ1:			
Span (m) Point load (kg)		UDL (kg/m)	
1	56	113	
2	28	28	
3	19	13	
4	14	7	



#### Maximum system length: 4 meters

No. 60301478	DQ1-250
No. 60301480	DQ1-500
No. 60301481	
No. 60301482	DQ1-1000
No. 60301484	DQ-1500
No. 60301486	DQ1-2000
No. 60301488	DQ1-2500
No. 60301489	DQ1-3000

ALUTRUSS DECOLOCK DQ1 1-way Cross Beam

### **Decolock**

DECOLOCK has been designed for decorative use. Due to its aesthetic optics, it can be used for temporary as well as permanent installations. The advantage of this system is its light weight and its quick and easy installation.

The documentation of this truss system is closely related to the Codes of Practice SQ P1 - Truss Systems published by the IGVW/PLASA.





No. 6030148C

ALUTRUSS DECOLOCK DQ1-C19 2-Way Corner 45°





No. 6030148E

ALUTRUSS DECOLOCK DQ1-C20 2-Way Corner 60°





No. 6030148G

ALUTRUSS DECOLOCK DQ1-C21 2-Way Corner 90°





No. 6030148K

ALUTRUSS DECOLOCK DQ1-C22 2-Way Corner 120°





No. 6030148M

ALUTRUSS DECOLOCK DQ1-C23 2-Way Corner 135°





No. 6030148P

ALUTRUSS DECOLOCK DQ1-T35 3-Way Corner 90°



No. 6030148T

.with Connection Set


ALUTRUSS DECOLOCK DPB Base Plate for DQ1




No. 6030148R ..with Connection Set

ALUTRUSS DECOLOCK DBP-R Base Plate for DQ1







ALUTRUSS SINGLELOCK SP QUICK-LOCK Pipe

Made in **EUROPE** 

## Singlelock

Materials used:

Alloy: EN-AW 6060 T66 (AlMgSi0,5 T66)

Main chords: 50 x 2 mm

Load table SP:				
Span (m)	Point load (kg)	UDL (kg/m)		
0,5	230	465,0		
1,0	115	225,0		
1,5	75	150,0		
2,0	55	110,0		
2,5	45	90,0		
3,0	35	75,0		
3,5	30	63,0		
4,0	25	53,0		

Maximum system-length: 4 meters







ALUTRUSS SINGLELOCK SPAC-19 QUICK-LOCK Corner 45°





ALUTRUSS SINGLELOCK SPAC-20 QUICK-LOCK Corner 60°





ALUTRUSS SINGLELOCK SPAC-21 QUICK-LOCK Corner 90°





ALUTRUSS SINGLELOCK SPAC-22 QUICK-LOCK Corner 120°



No. 60210140

ALUTRUSS SINGLELOCK SPAC-23 QUICK-LOCK Corner 135°





No. 60210142

ALUTRUSS SINGLELOCK SPAL-31 3-way Corner 90°







No. 60210144

ALUTRUSS SINGLELOCK SPAT-36 3-way T-Corner 90°





ALUTRUSS SINGLELOCK SPAC-41 4-way Crosspiece 90°



#### SINGLELOCK SP 1







No. 60210150

ALUTRUSS SINGLELOCK SH-42 4-way Corner 90°







No. 60210152

ALUTRUSS SINGLELOCK SH-90 5-way Corner 90°



No. 6021018A	1,5 m, 90°
No. 6021018B	2 m, 90°
No. 6021018D	3 m, 90°
No. 6021018E	4 m, 90°
No. 6021018G	5 m, 45°
No 6021019V	6 m 45°

ALUTRUSS SINGLELOCK Element f.Circle



	No. 6021018N	1 m
	No. 6021018P	1,5 m
	No. 6021018Q	2 m
h.	No. 6021018R	
P	No. 6021018S	4 m
	No. 6021018T	5 m
	No. 6021018V	6 m

ALUTRUSS SINGLELOCK Circle (inner)





No. 60210132

ALUTRUSS SINGLELOCK SV-22 120° M-12





No. 60210141

ALUTRUSS SINGLELOCK SV-23 135° M-12



No. 6021017M

ALUTRUSS SINGLELOCK Baseplate BPG-1R



No. 60210182

ALUTRUSS SINGLELOCK Base Plate SBPR (round)



No. 60210180

ALUTRUSS SINGLELOCK Base Plate SBP (square)





ALUTRUSS SINGLELOCK Base Plate SBPM (square) MALE





ALUTRUSS SINGLELOCK SBPM Male with Connector Set



No. 6021017N

ALUTRUSS SINGLELOCK Baseplate BPG-1E




No. 60210185 ALUTRUSS SINGLELOCK FC-90 (M-12)

Made in **EUROPE** 






No. 60210190 ALUTRUSS SINGLELOCK water tank Foldable water tank



#### Materials used:

EN-AW 6082 T6 (ASi1MgMn T6) Alloy:

Main chords: 50 x 3 mm





No. 60210195	DCD EUU
No. 60210196	PSP-1000
No. 60210197	PSP-1500
No. 60210198	PSP-2000
No. 60210199	PSP-2500
No 6021019A	PSP-3000

#### ALUTRUSS SINGLELOCK POWER PSP QUICK-LOCK Pipe

# Singlelock PSP





No. 6021019B

ALUTRUSS SINGLELOCK POWER PAC-20 Corner 60°





No. 6021019C

ALUTRUSS SINGLELOCK POWER PAC-21 Corner 90°





ALUTRUSS SINGLELOCK POWER PAC-22 Corner 120°





ALUTRUSS SINGLELOCK POWER PAC-23 Corner 135°





No. 6021019F


ALUTRUSS SINGLELOCK POWER PAL-31 3 Way 90°





**DECOLOCK DQ2** 





Materials used:

EN-AW 6060 T66 (AlMgSi0.5 T66) Alloy

Main chords 35 x 2 mm Braces 10 x 2 mm


2 x connecting cone, 4x pivot, 4x pin

Item No. 60301590

Load table DQ2:			
Span	Point load	UDL	
(m)	(kg)	(kg/m)	
2	196	191	
4	96	48	
6	63	21	
8	44	11	
10	33	7	

Maximum system length: 12 meters

# **Decolock DQ2**








No. 60301531

ALUTRUSS DECOLOCK DQ2-PAC19V 2-way Corner 45°








ALUTRUSS DECOLOCK DQ2-PAC20V 2-way Corner 60°





ALUTRUSS DECOLOCK DQ2-PAC21H 2-way Corner 90°

ALUTRUSS DECOLOCK DQ2-PAC19H 2-way Corner 45°





No. 60301535

ALUTRUSS DECOLOCK DQ2-PAC21V 2-way Corner 90°





ALUTRUSS DECOLOCK DQ2-PAC22H 2-way Corner 120°





ALUTRUSS DECOLOCK DQ2-PAC22V 2-way Corner 120°



#### **DECOLOCK DQ2**







No. 60301539

ALUTRUSS DECOLOCK DQ2-PAC23V 2-way Corner





No. 60301544

ALUTRUSS DECOLOCK DQ2-PAL31H 3-way Corner 90°





ALUTRUSS DECOLOCK DQ2-PAL31V 3-way Corner 90°





ALUTRUSS DECOLOCK DQ2-PAT35H 3-way T-Piece 90°





No. 60301554

ALUTRUSS DECOLOCK DQ2-PAT36V 3-way T-Piece 90°





No. 60301558

ALUTRUSS DECOLOCK DQ2-PAC41H 4-way Cross Piece





ALUTRUSS DECOLOCK DQ2-PAC41V 4-way Cross Piece





No. 60301560

ALUTRUSS DECOLOCK DQ2-PAT42H 4-way T-Piece





No. 60301561

ALUTRUSS DECOLOCK DQ2-PAT42V 4-way T-Piece





No. 60301564

ALUTRUSS DECOLOCK DQ2-PAC44H 4-way Corner





ALUTRUSS DECOLOCK DQ2-PAC44V 4-way Corner



#### **DECOLOCK DQ2**





No. 6030156F	1 m, 4tlg
No. 6030156G	1,5 m, 4tlg
No. 6030156H	2 m, 4tlg
No. 6030156J	3 m, 4tlg
No. 6030156K	4 m, 4tlg
No. 6030156L	5 m, 8tlg
No. 6030156M	6 m, 8tlg

ALUTRUSS DECOLOCK DQ2 Circle (inside) horizontal



No. 6030156P	1 m, 4tlq
No. 6030156Q	1,5 m, 4tlg
No. 6030156R	2 m, 4tlg
No. 6030156S	3 m, 4tlg
No. 6030156T	4 m, 4tlg
No. 6030156U	5 m, 8tlg
No. 6030156W	6 m, 8tlg

ALUTRUSS DECOLOCK DQ2 Circle (inside)vertical



No. 6030156Y	1 m, 90°
No. 60301570	1,5 m, 90°
No. 6030157A	2 m, 90°
No. 6030157B	3 m, 90°
No. 6030157C	4 m, 90°
No. 6030157D	5 m, 45°
No. 6030157F	6 m. 45°

ALUTRUSS DECOLOCK DQ2 ELement f.Circle hor.



No. 6030156Z	1 m, 90°
No. 6030157H	1,5 m, 90°
No. 6030157J	2 m, 90°
No. 6030157K	3 m, 90°
No. 6030157L	4 m, 90°
No. 6030157M	5 m, 45°
No. 6030157N	6 m 45°

ALUTRUSS DECOLOCK DQ2 Element f.Circle vert.



No. 60301580

ALUTRUSS DECOLOCK DQ2-BP Base Plate



No. 60301585

ALUTRUSS DECOLOCK DQ2-BPM Base Plate MALE



No. 60301582

ALUTRUSS DECOLOCK DQ2-WP Wall Mounting Plate



ALUTRUSS DECOLOCK DQ2-WPM Wall Mounting Plate MALE



No. 60301587

ALUTRUSS DECOLOCK DQ2-WPM with Connection Set



No. 60301590

ALUTRUSS DECOLOCK DQ2 Connecting Cone/Pivot/Pin



No. 60301591

ALUTRUSS DECOLOCK Halfconical Adapter Set DQ2 M8



**BILOCK BQ2** 



EN-AW 6082 T6 (AlSi1MgMn T6)

Main chords 50 x 2 mm 16 x 2 mm

Accessory/truss 2 x connecting cone, pivot, pin ltem number 6030199C


		Load table BQ2:		
Span (m)	Point load (kg)	Deflection (mm)	UDL (kg/m)	Deflection (mm)
2	698	2,2	350	1,4
4	396	9,8	174	10,9
6	263	22,1	88	27,6
8	198	39,3	49	49,1
10	158	61,4	32	76,7
12	131	88,4	22	110,5
14	113	120,3	16	150,4
16	99	157,1	12	196,4

Maximum system length: 16 meters



No. 60210204	BQ2-210
No. 60210205	BQ2-290
No. 60210210	BQ2-500
No. 60210211	BQ2-710
No. 60210212	BQ2-1000
No. 60210215	BQ2-1500
No. 60210216	BQ2-2000
No. 60210218	BQ2-2500
No. 60210220	BQ2-3000
No. 60210224	BQ2-4000
No. 60210226	BQ2-5000

ALUTRUSS BILOCK BQ2 2-way Cross Beam







# Bilock BQ2









ALUTRUSS BILOCK BQ2-PAC19H 2-way Corner 45°







No. 60210231

ALUTRUSS BILOCK BQ2-PAC19V 2-way Corner 45°









ALUTRUSS BILOCK BQ2-PAC20H 2-way Corner 60°





ALUTRUSS BILOCK BQ2-PAC20V 2-way Corner 60°





ALUTRUSS BILOCK BQ2-PAC21H 2-way Corner 90°





ALUTRUSS BILOCK BQ2-PAC21V 2-way Corner 90°





ALUTRUSS BILOCK BQ2-PAC22H 2-way Corner 120°





ALUTRUSS BILOCK BQ2-PAC23H 2-way Corner 135°



#### **BILOCK BQ2**








No. 60210239

ALUTRUSS BILOCK BQ2-PAC23V 2-way Corner 135°



ALUTRUSS BILOCK BQ2-PAL31H 3-way Corner 90°





No. 60210245

ALUTRUSS BILOCK BQ2-PAL31V 3-way Corner 90°





No. 60210252

ALUTRUSS BILOCK BQ2-PAT35H 3-way T-Piece 90°





No. 60210254

ALUTRUSS BILOCK BQ2-PAT36V 3-way T-Piece 90°






No. 60210258

ALUTRUSS BILOCK BQ2-PAC41H 4-way Cross Piece





ALUTRUSS BILOCK BQ2-PAC41V 4-way Cross Piece





No. 60210261

ALUTRUSS BILOCK BQ2-PAT42V 4-Way T-Piece





No. 60210264

ALUTRUSS BILOCK BQ2-PAC44H 4-Way Corner





No. 60210266

ALUTRUSS BILOCK BQ2-T-3 Stand



No. 6021027R	1,5 m, 90°
No. 6021027G	
No. 6021027H	
No. 6021027K	4 m, 90°
No. 6021027L	
No. 6021027M	6 m 45°

ALUTRUSS BILOCK Element f.Kreis innen verti.



No. 6021027U	1 m, 90°
No. 6021027T	1,5 m, 90°
No. 6021027A	2 m, 90°
No. 6021027B	
No. 6021027C	4 m, 90°
No. 6021027D	5 m, 45°
No. 6021027E	6 m 45°

ALUTRUSS BILOCK Element f.Circle ins. hori.



#### **BILOCK BQ2**





No. 6021	0261	d=1 n
No. 6021	026V	d=1,5 n
No. 6021	0270	d=2 n
No. 6021	0272	d=3 n
No. 6021	0274	d=4 n
No. 6021	0276	d=5 n
No. 60210	)278	d=6 n


ALUTRUSS BILOCK Circle (inside) horizontal











# alutruss





**BILOCK E-GL22** 




Materials used:

EN-AW 6082 T6 (ASi1MgMn)

Main chords 50 x 2 mm 20 x 2 mm Braces

2 x connecting cone, 4x pivot, 4x pin 60302142

Load table BQ2:			
Span	Point load	Deflection	
(m)	(kg)	(mm)	
2	673	673	
4	333	166	
6	228	76	





### Bilock E-GL22

Maximum system-length: 12 meters



No. 60302065	E-GL22 290
No. 60302068	E-GL22 500
No. 60302072	E-GL22 710
No. 60302076	E-GL22 1000
No. 60302082	E-GL22 1500
No. 60302086	E-GL22 2000
No. 60302091	E-FL22 2500
No. 60302095	E-FL22 3000
No. 60302099	E-GL22 4000
No. 6030209C	E-GL22 5000

ALUTRUSS BILOCK E-GL22 2-way Cross Beam





No. 6030209F

ALUTRUSS BILOCK E-GL22 C19-H 2-way Corner 45°





No. 6030209K

ALUTRUSS BILOCK E-GL22 C19-V 2-way Corner 45°





No 6030209P

ALUTRUSS BILOCK E-GL22 C20-H 2-way Corner 60°





ALUTRUSS BILOCK E-GL22 C20-V 2-way Corner 60°





ALUTRUSS BILOCK E-GL22 C21-H 2-way Corner 90°





ALUTRUSS BILOCK E-GL22 C21-V 2-Way Corner 90°





No. 60302101

ALUTRUSS BILOCK E-GL22 C22-H 2-Way Corner 120°





ALUTRUSS BILOCK E-GL22 C22-V 2-Way Corner 120°





ALUTRUSS BILOCK E-GL22 C23-H 2-Way Corner 135°



#### **BILOCK E-GL22**







No. 60302107

ALUTRUSS BILOCK E-GL22 C23-V 2-Way Corner 135°





No. 60302111

ALUTRUSS BILOCK E-GL22 C31-H 3-way corner 90°





ALUTRUSS BILOCK E-GL22 C31-V 3-way corner 90°





No. 60302115

ALUTRUSS BILOCK E-GL22 T35-H 3-Way Corner 90°





No. 60302117

ALUTRUSS BILOCK E-GL22 T35-V 3-Way Corner 90°





No. 60302119

ALUTRUSS BILOCK E-GL22 C41-H 4-Way Cross





ALUTRUSS BILOCK E-GL22 C41-V 4-Way Cross






ALUTRUSS BILOCK E-GL22 T42-H 4-Way Corner 90°





ALUTRUSS BILOCK E-GL22 T42-V 4-Way Corner 90°





No. 60302127

ALUTRUSS BILOCK E-GL22 C44-H 4-Way Corner 90°





No. 60302129

ALUTRUSS BILOCK E-GL22 C44-V 4-Way Corner 90°



male	No. 60302131
female	No. 60302133
Wallplate	No. 60302135

ALUTRUSS BILOCK E-GL22 Baseplate



Materials used:

EN-AW 6060 T6 (AlMaSi T6)

Main chords 35 x 1,5 mm

8 mm

Accessory/truss 3 x connection cone, pivot, pin

	Load table NDQ3 DECOLOCK			
Span	Distributed load	Deflection	Center point load	Deflection
(m)	(kg/m)	(mm)	(kg)	(mm)
1,0	420	0,1	258	0,1
2,0	208	1,1	198	0,8
3,0	137	3,5	161	2,2
4,0	99	8,1	135	4,4
5,0	65	13,0	117	7,4
6,0	46	19,0	103	11,3
7,0	34	26,0	92	16,0
8,0	26	34,2	83	21,6
9,0	21	43,4	76	28,1
10,0	17	53,8	69	35,4



Maximum system length: 10 meters



No. 60207100	NDQ3-500
No. 60207102	
No. 60207104	NDQ3-1500
No. 60207106	NDQ3-2000
No. 60207108	NDQ3-2500
No. 60207110	NDQ3-3000

#### ALUTRUSS DECOLOCK NDQ3 3-Way Cross Beam

Made in **EUROPE** 

# **Decolock NDQ3 Series**

### "May it be a little less?"

Sounds weird, but with the Decolock NDO3 vou'll have to do without a lot. Above all, the high weight and high price. Compared to the standard system DQ3, the NDQ3 is characterized by lower weight and a lower price. Thus, Alutruss responds to the request of many customers for such a 3-point trussing in exactly this form - but then also slightly less resilient.

Nevertheless, the NDQ3 is by no means a pure decoration system, such as Decotruss. It is tested and official load charts are available. It may and should therefore be used for small functions in event technology and be loaded accordingly.



No. 60207116

ALUTRUSS DECOLOCK NDQ3-PAC21 2-Way Corner 90°



No. 60207118

ALUTRUSS DECOLOCK NDQ3-PAC25 2-Way Corner 90°



No. 60207120

ALUTRUSS DECOLOCK NDQ3-PAL34 3-Way Corner 90°



No. 60207122

ALUTRUSS DECOLOCK NDQ3-PAT35 3-Way T-Piece 90°



No. 60207141

ALUTRUSS DECOLOCK NDQ-3 connection set



**DECOLOCK DQ3** 



Materials used:

EN-AW 6060 T66 (AlMgSi0.5 T66) Alloy Main chords

35 x 2 mm 10 x 2 mm

Accessory/truss 3 x connecting cone, 6x pivot, 6x pin


6030168B Item number Maximum system length: 16 meters

Load table DECOLOCK DQ3:				
Span	Point load	Deflection	UDL	Deflection
(m)	(kg)	(mm)	(kg/m)	(mm)
2	204	1,6	204	1,9
4	102	6,2	51	7,8
6	68	14,0	22	17,4
8	51	24,8	13	31,0
10	41	38,8	8	48,5
12	34	55,8	6	69,8
14	30	76,0	4	95,0
16	25	99,2	3	124,0



No. 60301605	DQ3-200
No. 60301606	DQ3-250
No. 60301610	DQ3-500
No. 60301611	DQ3-750
No. 60301612	DQ3-1000
No. 60301614	DQ3-1500
No. 60301616	DQ3-2000
No. 60301618	DQ3-2500
No. 60301620	DQ3-3000
No. 60201624	DO3 1000

#### ALUTRUSS DECOLOCK DQ3 3-Way Cross Beam









# Decolock DQ3










ALUTRUSS DECOLOCK DQ3-PAC19 2-Way Corner 45°







No 60301632

ALUTRUSS DECOLOCK DQ3-PAC20 2-Way Corner 60°









ALUTRUSS DECOLOCK DQ3-PAC21 2-Way Corner 90°





ALUTRUSS DECOLOCK DQ3-PAC22 2-Way Corner 120°







No. 60301638

ALUTRUSS DECOLOCK DQ3-PAC23 2-Way Corner 135°







No. 60301640

ALUTRUSS DECOLOCK DQ3-PAC24 2-Way Corner 90°







ALUTRUSS DECOLOCK DQ3-PAC25 2-Way Corner 90°







No. 60301644

ALUTRUSS DECOLOCK DQ3-PAL31 3-Way Corner 90°



#### **DECOLOCK DQ3**








No. 60301646

ALUTRUSS DECOLOCK DQ3-PAL32 3-Way Corner 90°





No. 60301648

ALUTRUSS DECOLOCK DQ3-PAL33 3-Way Corner 90°





No. 60301650

ALUTRUSS DECOLOCK DQ3-PAL34 3-Way Corner 90°





No. 60301652

ALUTRUSS DECOLOCK DQ3-PAT35 3-Way T-Piece 90°





No. 60301654

ALUTRUSS DECOLOCK DQ3-PAT36 3-Way T-Piece 90°





No. 60301656

ALUTRUSS DECOLOCK DQ3-PAT37 3-Way T-Piece 90°





ALUTRUSS DECOLOCK DQ3-PAT38 3-Way T-Piece 90°





ALUTRUSS DECOLOCK DQ3-PAC41 4-Way Cross Piece





No. 60301660

ALUTRUSS DECOLOCK DQ3-PAT42 4-Way T-Piece V





No. 60301662

ALUTRUSS DECOLOCK DQ3-PAT43 4-Way T-Piece ∧





No. 60301664

ALUTRUSS DECOLOCK DQ3-PAC44 4-Way Corner left





No. 60301666

ALUTRUSS DECOLOCK DQ3-PAC45 4-Way Corner right
















No. 60301677









No. 60301675

ALUTRUSS DECOLOCK DQ3-PAC24R 2-Way Corner 90°



No. 60301682

ALUTRUSS DECOLOCK DQ3-WP Wall Mounting Plate



ALUTRUSS DECOLOCK DQ3-BP Base Plate



No. 60301685

ALUTRUSS DECOLOCK DQ3-BPM MALE with **Connection Set** 



No. 60301684

ALUTRUSS DECOLOCK DQ3-BPM Base Plate MALE



No. 60207140

ALUTRUSS DECOLOCK NDQ3 base plate



No. 60301686

ALUTRUSS DECOLOCK DQ3-WPM Wall Mounting Plate MALE



No. 6030168B

ALUTRUSS DECOLOCK DQ3 Connecting Cone/Pivot/Pin



No. 6030168C

ALUTRUSS DECOLOCK Halfconical Adapter Set DQ3 M8



### DECOLOCK DQ3







	No. 6030168F	.d=2 m
	No. 6030168G	d=3 m
١	No. 6030168H	d=4 m
J	No. 6030168J	. d=5 m
	No. 6030168K	. d=6 m

Made in **EUROPE** 

#### ALUTRUSS DECOLOCK DQ-3 Circle (inside) $\Lambda$





	No. 6030168L	d=2 m
A	No. 6030168M	. d=3 m
	No. 6030168M No. 6030168N	
1	No. 6030168P	. d=5 m
	No. 6020160D	d_6 m

ALUTRUSS DECOLOCK DQ-3 Circle (inside) <






	No. 6030168S	d=2 m
K	No. 6030168T No. 6030168U	d=3 m
1	No. 6030168V	d=5 m
	No. 6030168W	d=6 m

ALUTRUSS DECOLOCK DQ-3 Circle (inside) >



A	
	d=3 m, 90°


ALUTRUSS DECOLOCK DQ-3 Circle Element  $\Lambda$ 





No. 60301695	d=2 m. 90°
No. 60301696	
No. 60301697	d=4 m, 90°
No. 60301698	d=5 m, 45°
No 6030169A	d=6 m 45°


ALUTRUSS DECOLOCK DQ-3 Circle Element <





No. 6030169B	d=2 m, 90°
No. 6030169C	d=3 m, 90°
No. 6030169D	d=4 m, 90°
No. 6030169E	d=5 m, 45°
No. 6030169F	d=6 m, 45°

ALUTRUSS DECOLOCK DQ-3 Circle Element >





TRILOCK 6082





EN-AW 6082 T6 (AlSi1MgMn) Alloy


Braces 16 x 2 mm

Accessory/truss 3 x connecting cone, 6x pivot, 6x pin

60301895 Item No.

Load table TRILOCK 6082:				
Span	Point load	Deflection	UDL	Deflection
(m)	(kg)	(mm)	(kg/m)	(mm)
2	718	2,2	718	2,8
4	359	8,9	179	11,1
6	240	20,0	80	25,0
8	179	35,6	45	44,5
10	144	55,6	29	69,5
12	119	80,1	20	100,1
14	103	109,0	14	136,3
16	90	142,4	11	178,0

Maximum system length: 16 meters



### Trilock 6082



No. 60302350	6082-210
No. 60302353	6082-290
No. 60302355	6082-500
No. 60302357	6082-710
No. 60302358	6082-1000
No. 60302359	6082-1500
No. 60302360	6082-2000
No. 60302362	6082-2500
No. 60302364	6082-3000
No. 60302365	6082-3500
No. 60302366	6082-4000
No. 60302367	6082-4500
No. 60302368	6082-5000

ALUTRUSS TRILOCK 6082 3-Way Cross Beam



No. 60302530	6082 S-210
No. 60302531	6082 S-290
No. 60302532	6082 S-500
No. 60302534	6082 S-1000
No. 60302535	6082 S-2000
No. 60302536	6082 S-2500
No. 60302537	6082 S-3000
No. 60302538	6082 S-4000
No. 60302539	6082 S-5000

ALUTRUSS TRILOCK 6082 3-Way Cross Beam black






.black


ALUTRUSS TRILOCK 6082AC-19 2-Way Corner 45°





ALUTRUSS TRILOCK 6082AC-20 2-Way Corner 60°






No. 60302384

ALUTRUSS TRILOCK 6082AC-20-3 3-Way Corner 60°






ALUTRUSS TRILOCK 6082AC-20-4 4-Way Corner 60°





No. 6030253H





ALUTRUSS TRILOCK 6082AC-22 2-Way Corner 120°



TRILOCK 6082








No. 6030253K

ALUTRUSS TRILOCK 6082AC-23 2-Way Corner 135°






No. 6030253L


ALUTRUSS TRILOCK 6082AC-24 2-Way Corner 90° /\






ALUTRUSS TRILOCK 6082AC-25 2-Way Corner 90° V






ALUTRUSS TRILOCK 6082AL-31 3-Way Corner ∧ right






ALUTRUSS TRILOCK 6082AL-32 3-Say Corner ∧ left






ALUTRUSS TRILOCK 6082AL-33 3-Way Corner V right














No. 60302405

ALUTRUSS TRILOCK 6082AT-35(50) 3-Way T-Piece





ALUTRUSS TRILOCK 6082AT-36 3-Way T-Piece






No. 60302407

ALUTRUSS TRILOCK 6082AT-37(50) 3-Way T-Piece





ALUTRUSS TRILOCK 6082AT-37 3-Way T-Piece



#### TRILOCK 6082







No. 60302409

ALUTRUSS TRILOCK 6082AT-38(50) 3-Way T-Piece





No. 6030240A

ALUTRUSS TRILOCK 6082AT-39 3-Way T-Piece





ALUTRUSS TRILOCK 6082AT-39(50) 3-Way T-Piece





ALUTRUSS TRILOCK 6082AC-41(50) SU 4-Way Cross





No. 6030240D

ALUTRUSS TRILOCK 6082AT-43(50) 4-Way Piece ∧





No. 6030240E

ALUTRUSS TRILOCK 6082AC-44(50) 4-Way Piece V left






No. 6030240F

ALUTRUSS TRILOCK 6082AC-45(50) 4-Way Piece V right





ALUTRUSS TRILOCK 6082AT-51(50) 5-Way Piece V





No. 6030240H

ALUTRUSS TRILOCK 6082AC-52(50) 5-Way Piece Λ





No. 6030240J

ALUTRUSS TRILOCK 6082AC-53(50) 5-Way Piece V





No. 6030240K

ALUTRUSS TRILOCK 6082AC-61(50) 6-Way Piece





No. 6030240L

ALUTRUSS TRILOCK 6082AT-36(50) 3-Way T-Piece



TRILOCK 6082








No. 60302410 No. 6030253W hlack

ALUTRUSS TRILOCK 6082AT-38 3-Way T-Piece






No. 60302411. No. 6030253X.


ALUTRUSS TRILOCK 6082AC-41 SU 4-Way Cross






ALUTRUSS TRILOCK 6082AC-41 4-Way Cross






ALUTRUSS TRILOCK 6082AT-42 4-Way Piece V












ALUTRUSS TRILOCK 6082AC-44 4-Way Piece V left






















ALUTRUSS TRILOCK 6082AC-61 6-Way Piece













Made in **EUROPE** 

No. 60302432

ALUTRUSS TRILOCK 6082AC-24R 2-Way Corner 90° A





No. 60302434

ALUTRUSS TRILOCK 6082AC-25R 2-Way Corner 90° V





No. 60302450	d=2 m
No. 60302455	d=3 m
No. 60302460	d=4 m
No. 60302465	d=5 m
No. 60302470	d=6 m
No. 60302474	d=7 m
No 60302477	d=8 m

ALUTRUSS TRILOCK 6082 Circle (inside) /\





No. 60302452	d=2 m
No. 60302457	d=3 m
No. 60302462	d=4 m
No. 60302467	d=5 m
No. 60302472	d=6 m
No. 60302475	d=7 m
No 60202479	d=0 m

ALUTRUSS TRILOCK 6082 Circle (inside) <





No. 60302453	d=2 m
No. 60302458	d=3 m
No. 60302463	d=4 m
No. 60302468	d=5 m
No. 60302473	d=6 m
No. 60302476	d=7 m
No. 60202470	d-8 m








No. 60302480	2 m, 90°
No. 60302482	3 m, 90°
No. 60302484	4 m, 90°
No. 60302486	5 m, 45°
No. 60302488	6 m, 45°
No. 60302490	7 m, 45°


ALUTRUSS TRILOCK 6082 Circlepart in. ∧





No. 60302496	2 m, 90°
No. 60302498	3 m, 90°
No. 60302500	4 m, 90°
No. 60302502	5 m, 45°
No. 60302504	6 m, 45°
No. 60302506	7 m, 45°
No. 60302508	8 m 30°

ALUTRUSS TRILOCK 6082 Circlepart inside <





No. 60302516	2 m, 90°
	3 m, 90°
No. 60302520	4 m, 90°
No. 60302522	5 m, 45°
No. 60302524	6 m, 45°
No. 60302526	7 m, 45°
No 60302528	8 m 30°

ALUTRUSS TRILOCK 6082 Circlepart in. >



No. 6030189C

**ALUTRUSS TRILOCK Leveling Pedestral TNF-300** 



No. 6030189A

No. 6030189B.. .... with connector set ALUTRUSS TRILOCK Base Plate QTG-male







No. 60301890. No. 60302550.

ALUTRUSS TRILOCK Base/Wall-Plate QTGP



No. 60301899

ALUTRUSS TRILOCK Wall-Plate QTG-male



TRILOCK E-GL





EN-AW 6082 T6 (AlSi1MgMn T6)

50 x 2 mm

20 x 2 mm 3 x connecting cone, pivot, pin 6030299D


Load table TRILOCK E-GL33				
Span Center point load		Deflection	Distributed load	Deflection
(m)	(kg)	(mm)	(kg/m)	(mm)
2,0	761	2,1	761	2,6
4,0	412	9,3	206	11,5
6,0	277	21,7	92	26,8
8,0	206	39,8	51	48,8
10,0	154	62,0	31	75,2
12,0	117	88,3	20	105,6

#### Maximum system length: 12 meters



No. 60302176	E-GL33 210
No. 60302178	E-GL33 290
No. 60302180	E-GL33 500
No. 60302182	E-GL33 1000
No. 60302184	E-GL33 1500
No. 60302186	E-GL33 2000
No. 60302188	E-GL33 2500
No. 60302190	E-GL33 3000
No. 60302192	E-GL33 3500
No. 60302194	E-GL33 4000
No. 60302196	E-GL33 4500
No. 60302198	E-GL33 5000

#### ALUTRUSS TRILOCK E-GL33 3-Way Cross Beam



Trilock E-GL










No. 60302202

ALUTRUSS TRILOCK E-GL33 C-19 2-Way Corner 45°








No 60302204

ALUTRUSS TRILOCK E-GL33 C-20 2-Way Corner 60°





ALUTRUSS TRILOCK E-GL33 C-21 2-Way Corner 90°





ALUTRUSS TRILOCK E-GL33 C-22 2-Way Corner 120°





No. 60302212

ALUTRUSS TRILOCK E-GL33 C-23 2-Way Corner 135°





No. 60302214

ALUTRUSS TRILOCK E-GL33 C-24 2-Way Corner 90° /\





ALUTRUSS TRILOCK E-GL33 C-25 2-Way Corner 90° V





No. 60302222


ALUTRUSS TRILOCK E-GL33 C-31 3-Way Corner



#### TRILOCK E-GL







No. 60302224

ALUTRUSS TRILOCK E-GL33 C-32 3-Way Corner





No. 60302226

ALUTRUSS TRILOCK E-GL33 C-33 3-Way Corner





No. 60302230

ALUTRUSS TRILOCK E-GL33 C-34 3-Way Corner





ALUTRUSS TRILOCK E-GL33 T-35 3-Way T-Piece





No. 60302234

ALUTRUSS TRILOCK E-GL33 T-36 3-Way T-Piece





No. 60302236

ALUTRUSS TRILOCK E-GL33 T-37 3-Way T-Piece





No. 60302237

ALUTRUSS TRILOCK E-GL33 T-39 3-Way T-Piece





No. 60302238

ALUTRUSS TRILOCK E-GL33 C-41 4-Way Cross






No. 60302240

ALUTRUSS TRILOCK E-GL33 T-42 4-Way Piece V





No. 60302242

ALUTRUSS TRILOCK E-GL33 T-43 4-Way Piece ∧





ALUTRUSS TRILOCK E-GL33 C-44 4-Way Piece V left





No. 60302246

ALUTRUSS TRILOCK E-GL33 C-45 4-Way Piece V right



#### TRILOCK E-GL








No. 60302248

ALUTRUSS TRILOCK E-GL33 C-51 5-Way Piece





No. 60302250

ALUTRUSS TRILOCK E-GL33 T-52 5-Way Piece V





ALUTRUSS TRILOCK E-GL33 T-53 5-Way Piece





ALUTRUSS TRILOCK E-GL33 C-61 6-Way Piece





No. 60302258

ALUTRUSS TRILOCK E-GL33 C-24R 2-Way Corner 90°





No. 60302259

ALUTRUSS TRILOCK E-GL33 C-25R 2-Way Corner 90°




ALUTRUSS TRILOCK E-GL33 Base/Wall-Plate QTGE male



No. 60302292


ALUTRUSS TRILOCK E-GL33 Base/Wall-Plate QTGP-E





	No. 60302301	2 m, 90°
	No. 60302303	3 m, 90°
	No. 60302305	4 m, 90°
	No. 60302307	5 m. 45°
	No. 60302309	6 m. 45°
	No. 6030230B	7 m. 45°
,	No. 6030230D	8 m. 45°

ALUTRUSS TRILOCK E-GL33 Circlepart out ∧





No. 6030230E	2 m. 90°
No. 6030230F	3 m, 90°
No. 6030230G	4 m, 90°
No. 6030230H	5 m, 45°
No. 6030230I	6 m, 45°
No. 6030230J	7 m, 45°
11 000000001/	0 450

ALUTRUSS TRILOCK E-GL33 Circle Part out <






No. 6030230M

ALUTRUSS TRILOCK E-GL33 Circlepart 2m out. 90°>

# alutruss





**DECOLOCK DQ4** 





EN-AW 6060 T66 (AlMgSi0,5) Alloy

Main chords

35 x 2 mm

Braces 10 x 2 mm

Accessory/truss 4 x connecting cone, 8x pivot, 8x pin


Maximum system length: 16 meters

Load table DQ4:				
Span	Point load	Deflection	UDL	Deflection
(m)	(kg)	(mm)	(kg/m)	(mm)
2	472	1,8	472	2,3
4	236	7,2	118	9,0
6	157	16,2	52	20,3
8	118	28,8	30	36,1
10	95	45,1	19	56,3
12	78	64,9	13	81,1
14	67	88,3	9	110,4
16	59	115,4	7	144,2



No. 60301707	DQ4-200
No. 60301708	DQ4-250
No. 60301710	DQ4-500
No. 60301711	DQ4-750
No. 60301712	DQ4-1000
No. 60301714	DQ4-1500
No. 60301716	DQ4-2000
No. 60301718	DQ4-2500
No. 60301720	DQ4-3000
No. 60301724	DO4-4000

#### ALUTRUSS DECOLOCK DQ4 4-Way Cross Beam



# Decolock DQ4







No. 60301730

ALUTRUSS DECOLOCK DQ4-PAC19 2-Way Corner 45°





No. 60301732

ALUTRUSS DECOLOCK DQ4-PAC20 2-Way Corner 60°





ALUTRUSS DECOLOCK DQ4-PAC21 2-Way Corner 90°





No. 60301736

ALUTRUSS DECOLOCK DQ4-PAC22 2-Way Corner 120°





ALUTRUSS DECOLOCK DQ4-PAC23 2-Way Corner 135°





ALUTRUSS DECOLOCK DQ4-PAL30 3-Way Corner 90°







ALUTRUSS DECOLOCK DQ4-PAT35 3-Way T-Piece 90°





ALUTRUSS DECOLOCK DQ4-PAC41 4-Way Cross Piece











No. 60301760

ALUTRUSS DECOLOCK DQ4-PAT42 4-Way T-Piece

Made in **EUROPE** 



No. 60301764


ALUTRUSS DECOLOCK DQ4 Universal Coss Piece



No. 60301765

ALUTRUSS DECOLOCK DQ4 top piece





ALUTRUSS DECOLOCK DQ4-PAT51 5-Way Corner

4-point truss system







No. 60301770

ALUTRUSS DECOLOCK DQ4-PAC21R 2-Way Corner 90°



No. 6030176M

ALUTRUSS DECOLOCK DQ4-BP Base Plate



No. 60301780

No. 60301781

ALUTRUSS DECOLOCK DQ4-BPM Base Plate MALE



No. 60301782

ALUTRUSS DECOLOCK DQ4-WP Wall Mounting Plate




No. 60301784

ALUTRUSS DECOLOCK DQ4-WPM Wall Mounting Plate MALE



No. 6030179A	d=2 n	n
No. 6030179B	d=3 n	n
No. 6030179C	d=4 n	n
No. 6030179D	d=5 n	n
No. 6030179E	d= 6n	_

ALUTRUSS DECOLOCK DQ-4 Circle (inside)



No. 6030179H	d=2 m, 90°
No. 6030179J	d=3 m, 90°
No. 6030179K	d=4 m, 90°
No. 6030179L	d=5 m, 45°
No. 6030179M	d=6 m. 45°

**ALUTRUSS DECOLOCK DQ-4 Circle Element** 



**QUADLOCK 6082** 





EN-AW 6082 T6 (ASi1MgMn) Alloy


Main chords 50 x 2 mm 16 x 2 mm Braces

Accessory/truss 4 x connecting cone, 8x pivot, 8x pin

60302895

Load table QUADLOCK 6082:					
Span	Point load	Deflection	UDL	Deflection	
(m)	(kg)	(mm)	(kg/m)	(mm)	
2	1664	2,6	1655	3,2	
4	832	10,3	416	12,9	
6	555	23,3	185	29,1	
8	416	41,4	104	51,7	
10	332	64,6	66	80,8	
12	277	93,0	46	116,3	
14	238	126,6	34	158,3	
16	208	165,4	27	206,8	

Maximum system length: 16 meters







# Quadlock 6082



No. 6030649A	6082-210
No. 6030649C	6082-290
No. 60306500	6082-500
No. 60306501	6082-710
No. 60306502	6082-750
No. 60306503	6082-875
No. 60306505	6082-1000
No. 60306506	6082-1250
No. 60306508	6082-1500
No. 60306510	6082-2000
No. 60306515	6082-2500
No. 60306520	6082-3000
No. 60306522	6082-3500
No. 60306525	6082-4000
No. 60306527	6082-4500
No. 60306530	6082-5000

ALUTRUSS QUADLOCK 6082 4-Way Cross Beam




No. 60306410	S6082-210
No. 60306412	S6082-290
No. 60306413	S6082-500
No. 60306416	S6082-710
No. 60306418	S6082-750
No. 60306421	S6082-875
No. 60306422	S6082-1000
No. 60306424	S6082-1250
No. 60306426	S6082-1500
No. 60306428	S6082-2000
No. 60306432	S6082-2500
No. 60306436	S6082-3000
No. 60306438	S6082-3500
No. 60306440	
No. 60306442	S6082-4500
No. 60306443	S6082-5000





ALUTRUSS QUADLOCK 6082C-19 2-Way Corner 45°





No. 60306545





No. 60306550 No. 60306448.

ALUTRUSS QUADLOCK 6082C-21 2-Way Corner 90°





No. 60306551

No. 60306450

ALUTRUSS QUADLOCK 6082C-21R 2-Way Corner 90°





No. 60306555

No. 60306452

ALUTRUSS QUADLOCK 6082C-22 2-Way Corner 120°





No. 60306560 No. 60306454.


ALUTRUSS QUADLOCK 6082C-23 2-Way Corner 135°



QUADLOCK 6082









ALUTRUSS QUADLOCK 6082L-30 3-Way Corner 90°



















ALUTRUSS QUADLOCK 6082C-41 4-Way Cross Piece















ALUTRUSS QUADLOCK 6082C-51 5-Way Cross Piece






4-point truss system

ALUTRUSS QUADLOCK 6082C-51(50) 5-Way Cross Piece

4-point truss system





No. 60306590

ALUTRUSS QUADLOCK 6082C-61 6-Way Cross Piece





No. 60306591

ALUTRUSS QUADLOCK 6082C-61(50) 6-Way Cross Piece

4-point truss system









No. 60306594 No. 60306472 hlack

ALUTRUSS QUADLOCK 6082 Universal Cross Piece

Made in **EUROPE** 



No. 60306595 No. 60306474. black


**ALUTRUSS QUADLOCK 6082 Toppart** 

4-point truss system



No. 60306700	d=2 m
No. 60306702	 d=3 m
No. 60306704	 d=4 m
No. 60306706	d=5 m
No 60306708	d=6 m

ALUTRUSS QUADLOCK 6082 Circle d=2m (inside) 4tlg.



No. 60306720	.2 m.	909
No. 60306722	.3 m,	90°
No. 60306724	.4 m,	909
No. 60306726	.5 m,	45°
No. 60306728	6 m	159

ALUTRUSS QUADLOCK 6082 Element f.Circle 2m in.90°



No. 60302995 No. 6030298A .black

ALUTRUSS QUADLOCK End Plate QQGP




No. 60302996 No. 6030299M No. 6030298B. ..black

ALUTRUSS QUADLOCK End Plate QQGP 50cm x 50cm



No. 6030299A No. 6030299B.. ...with Connector Set

ALUTRUSS QUADLOCK End Plate QQGP-Male



No. 6030299N

ALUTRUSS QUADLOCK End Plate QQGP-Male 50cm x 50cm

Robust truss system



No. 6030299C

ALUTRUSS QUADLOCK Leveling Pedestral QNF-300



No. 60206714 ..80 cm No. 60206715.. 100 cm No. 60206716..

**ALUTRUSS COR-2 Corner Brace** 



No. 60303024

ALUTRUSS QUADLOCK 6082 crown Ø 1m



TQ-390






Alloy Main chords EN-AW 6082 T6 (AlSi1MgMn)

Load table TQ390:					
Span	Point load	Deflection	UDL	Deflection	
(m)	(kg)	(mm)	(kg/m)	(mm)	
2	1664	1,4	1664	1,7	
4	832	5,6	416	7,0	
6	555	12,5	185	15,7	
8	416	22,3	104	27,8	
10	332	34,8	66	43,5	
12	277	50,1	46	62,6	
14	238	68,2	34	85,2	
16	208	89.1	27	111 3	

Maximum system-length: 16 meters



No. 60306010	TO390-500
No. 60306015	
No. 60306020	TQ390-2000
No. 60306025	TQ390-2500
No. 60306030	TQ390-3000
No. 60306035	TQ390-4000
No. 60306040	TQ390-5000







TQ-390

ALUTRUSS QUADLOCK TQ390 4-Way Cross Beam





No. 60306070

ALUTRUSS QUADLOCK TQ390-QQC21 2-Way-Corner





No. 60306080

ALUTRUSS QUADLOCK TQ390-QQL30 3-Way-Corner







No. 60306085

ALUTRUSS QUADLOCK TQ390-QQT35 3-Way T-Piece







ALUTRUSS QUADLOCK TQ390-QQT41 4-Way Cross Piece





No. 60306088

ALUTRUSS QUADLOCK TQ390-QQT42 4-Way T-Piece



No. 60306095

ALUTRUSS QUADLOCK TQ390-MCB Universal Crossing



No. 6030609A

ALUTRUSS QUADLOCK TQ390-BP Base Plate



QUADLOCK QL-ET



EN-AW 6082 T6 (AlSi1MgMn)

Main chords 50 x 2 mm


Braces 20 x 2 mm

4 x connecting cone, 8x pivot, 8x pin Accessory/truss

6030199H Item No.

Load table QL-ET34:					
Span Point load		Deflection	UDL	Deflection	
(m)	(kg)	(mm)	(kg/m)	(mm)	
2	1919	2,6	1422	2,4	
4	987	11,0	493	13,7	
6	670	25,6	223	31,8	
8	507	46,9	127	58,0	
10	394	73,6	79	90,5	
12	308	103,6	51	126,4	

Maximum system-length: 12 meters





No. 60306749	QL-ET34-210
No. 6030674B	QL-ET34-290
No. 6030674A	QL-ET34-300
No. 60306752	QL-ET34-500
No. 6030674D	QL-ET34-710
No. 60306753	QL-ET34-800
No. 60306754	QL-ET34-1000
No. 60306756	QL-ET34-1500
No. 60306758	QL-ET34-2000
No. 60306760	QL-ET34-2500
No. 60306762	QL-ET34-3000
No. 60306764	QL-ET34-3500
No. 60306766	QL-ET34-4000
No. 60306768	QL-ET34-4500
No. 60306770	OL-ET34-5000

#### ALUTRUSS QUADLOCK QL-ET34 4-way cross beam









ALUTRUSS QUADLOCK QL-ET34 C-19 2-way-corner 45°





ALUTRUSS QUADLOCK QL-ET34 C-20 2-way-corner 60°





No. 60306780

ALUTRUSS QUADLOCK QL-ET34 C-21 2-way-corner 90°





ALUTRUSS QUADLOCK QL-ET34 C-22 2-Way-Corner 120°





ALUTRUSS QUADLOCK QL-ET34 C-23 2-Way-Corner 135°






ALUTRUSS QUADLOCK QL-ET34 C-30 3-Way-Corner 90°



# QUADLOCK QL-ET







No. 60306800

ALUTRUSS QUADLOCK QL-ET34 T-35 3-Way T-Piece





No. 60306805

ALUTRUSS QUADLOCK QL-ET34 C-41 4-Way Cross Piece






No. 60306810

ALUTRUSS QUADLOCK QL-ET34 T-42 4-Way T-Piece





No. 60306815

ALUTRUSS QUADLOCK QL-ET34 T-51 5-Way T-Piece





No. 60306820

ALUTRUSS QUADLOCK QL-ET34 C-61 6-Way Cross Piece



No. 60306822

ALUTRUSS QUADLOCK QL-ET34 Toppart





ALUTRUSS QUADLOCK QL-ET34 C-30R 2-Way Corner 90°



No. 60303022

ALUTRUSS QUADLOCK QL-ET crown Ø 1m



No. 60306906

ALUTRUSS QUADLOCK QL-ET34 End plate Male



No. 60306905

ALUTRUSS QUADLOCK QL-ET34 End plate QQG34



No. 60306907

ALUTRUSS QUADLOCK QL-ET End Plate QQGP 50cm x 50cm



ALUTRUSS QUADLOCK QL-ET female conical coupler w.screw



## **TOWERTRUSS**



Materials used:


EN-AW 6082 T6 (AlSi1MgMn) Alloy

Main chords 50 x 2 mm 20 x 2 mm

Accessory/truss 4 x connecting cone, 8x pivot, 8x pin Item No. 6030199D

Load table TQTR:					
Span	Point load	Deflection	UDL	Deflection	
(m)	(kg)	(mm)	(kg/m)	(mm)	
2	1664	1,4	1664	1,7	
4	832	5,6	416	7,0	
6	555	12,5	185	15,7	
8	416	22,3	104	27,8	
10	332	34,8	66	43,5	
12	277	50,1	46	62,6	
14	238	68,2	34	85,2	
16	208	89,1	27	111,3	

Maximum system length: 16 meters







# **Towertruss TQTR**



No. 60304470

ALUTRUSS TOWERTRUSS V-Shape Corner

4-Point tower cross beam



No. 60304400	TQTR-500
No. 60304410	TQTR-1000
No. 60304420	TQTR-2000
No. 60304430	TQTR-2500
No. 60304440	TQTR-3000
No. 60304450	TQTR-4000
NI CO20 4 4CO	TOTO FOOD

ALUTRUSS TOWERTRUSS TQTR 4-Way Cross Beam

4-Point tower cross beam



No. 60304100

**ALUTRUSS Tower base** 



No. 60304110

ALUTRUSS Tower corner-block



# **TOWERTRUSS**





No. 60304120 ALUTRUSS Tower sleeve-block



No. 60304130 ALUTRUSS Tower outrigger, short



No. 60304140 ALUTRUSS Tower outrigger, long



No. 60304160 **ALUTRUSS Tower hinge** Tower hinge easy to build for Quadlock 6082 and



No. 60304161 ALUTRUSS Tower hinge QL-ET Tower hinges for Quadlock QL-ET



No. 60304201 **ACCESSORY Tower winch** High quality HAACON tower winch

Towertruss



No. 60304240 ALUTRUSS Tower Steelrope w. clamp



No. 60304510 ALUTRUSS Tower System I 4-Point trussing tower complete set



No. 60304520 ALUTRUSS Tower System II 4-Point trussing tower complete set



# Stage Element

Ready for Open Air! The BE-1 is a stage element that can also be used outdoors. The plate is made of 12 mm thick birch multiplex. It carries 750 kg per square meter.

Made in **EUROPE** 

You can choose from a large number of accessories. There are fixed feet from 20 cm to 120 cm height available as well as telescopic feet up to 140 cm in height. You can join the elements together using retractable connectors and connection clips. Also for the feet there are connection systems for stable constructions.

To avoid falls and to provide additional security, there are various stage railings to choose from. Also, you can rely on an adjustable staircase with matching railing. Of course, various attachment materials for the accessories and a matching trolley for the stage elements are available.





No. 80702706	2v1 m
No. 80702707	·····
No. 80702707	
No. 80702709	

ALUTRUSS Stage element BE-1 750kg/m<sup>2</sup>



No. 80702789 **ALUTRUSS BE-1G2 Handrail** 



No. 80702770 ALUTRUSS BE-1V Clamp connector



No. 8070278A ALUTRUSS BE-1G1 Handrail



No. 80702772 ALUTRUSS BE-1K Clamping clamp



No. 8070278C ALUTRUSS BE-1G3 Handrail



ALUTRUSS BE-1F2 Leg clamp (2 legs)

No 80702774



No 8070278F ALUTRUSS BE-1GK Handrail clamp



# Stage Elements





No. 80702776

ALUTRUSS BE-1F4 leg clamp (4 legs)



No. 8070278H

ALUTRUSS BE-1VK Handrail connection clamp



No.	80702785	40-60	cm
No.	80702787	60-100	cm
No.	80702788	80-140	cm

ALUTRUSS BE-14060 Telescopic foot



•	NORD
	8070276A
	9070276P

No. .40 cm No. 8070276C 60 cm No. 8070276D .80 cm No. 8070276E . 100 cm No. 8070276F .. 120 cm

ALUTRUSS BE-140 Fixed foot

Fixed foot for BE Alutruss stage element



No. 8070278J

ALUTRUSS BE-1V3 connection clamp for BE-1G3



No. 8070278K

ALUTRUSS BE-1V3E connection clamp for BE-1G3



No. 8070278L

ALUTRUSS BE-1T adjustable stairs

No. 8070278T

ALUTRUSS BE-1EN self leveling insert



No. 8070278M

ALUTRUSS BE-1T handrail for BE-1T



No. 8070278S

ALUTRUSS BE-1WG transport system



No. 8070278U No. 8070278V.

ALUTRUSS BE-1VS brace



# Stage Elements





No. 8070280S	1x0.5
No. 8070280T	1×1
No. 8070280U	2x0.5
No. 80702813	

#### GUIL TM-440 Stage Element

Outdoor stage element



No. 80702823

**GUIL TM-TR1 Transport System** 


Transport system for TM-440 stage elements



No. 80702824

**GUIL CRO-07 Transport system** 

Transport system for TM-441 stage elements



..TMQ-01/440, 88 cm No. 80702844... No. 80702846.. .... TMQ-02/440, 188 cm

GUIL TMQ-/440 Stage Rail (Aluminium Version)



No. 80702860

GUIL ECP-04/440 Stage Stair

Stairway for TM-440 and TM-441 stage element



No. 80702862

GUIL ECP-06/440 Stage Stair

Stairway for TM-440 and TM-441 stage element



No. 8070287K

GUIL TMU-04/440 Clamp Connector

Metal clamp for connecting two legs of TM-440 stage element



No. 8070287M

GUIL TMU-02/440 Clamp Connector

Metal clamp for connecting two TM-440 stage elements



No. 8070287N

GUIL TMU-02/441 Clamp Connector

Metallklammer zum Verbinden von zwei TM-441 Bühnenpodesten



No. 80702870

GUIL TMU-02/442 Clamp Connector

Metallklammer zum Verbinden von zwei TM-442 Bühnenpodesten



No. 8070287P

GUIL TMU-01/440 Profile Connector

Metal connector with screw for TM-440 and TM-441 stage element



No. 8070287R

GUIL TMU-09/440 Profile Connector

Plastic connector for TM-440 stage element







No. 8070287T

#### **GUIL TMU-06 handrail Connector**



No. 8070287X	20
No. 80702880	40
No. 80702882	60
No. 80702884	80
No. 80702886	

#### **GUIL PTA-440 Fixed Foot**

Fixed foot for TM-440 stage element



No.	80702888	25-35
No.	8070288A	30-40
No.	8070288C	40-60
No.	8070288E	50-80
No.	8070288F	60-100
No.	8070288G	70-120
No.	8070288H	80-140
No.	8070288J	90-160

# **GUIL PTA-440 Telescopic Foot**


Variable foot for TM-440 stage element



	No. 80702866	L	ste	q
1	No. 80702863	2	ste	as
	No. 807028643			
	No. 807028653			

#### GUIL ECF-20 1 steps modular system

1-step staircase system for TM-440 and TM-441 stage element





# Accessories conus system





No. 60301786

ALUTRUSS DECOLOCK Connection Set for Universal Cr.



No.	60301787	M10
No.	60301788	M8

ALUTRUSS DECOLOCK Halfconical Adapter Set single



No. 60301789

ALUTRUSS DECOLOCK Halfconical Adapter Set DQ4 M8



No. 6030178A	10	mm
No. 6030178B	20	mm
No. 6030178C	30	mm
No. 6030178D	40	mm
No. 6030178E	50	mm
No. 6030178F	60	mm
No. 6030178G	70	mm

**ALUTRUSS DECOLOCK Distance-Part** 



No. 6030178H	60 mm
No. 6030178K	70 mm
No. 6030178L	80 mm
No. 6030178M	90 mm
No. 6030178N	100 mm

**ALUTRUSS DECOLOCK Distance-Part female** 



No. 6030178U

ALUTRUSS DECOLOCK DQ1 Connecting Cone/Pivot/Pin



ALUTRUSS DECOLOCK DQ4 Connecting Cone/Pivot/Pin



No. 60301791

ALUTRUSS DECOLOCK Single Cone



No. 60301792

ALUTRUSS DECOLOCK Single Pin



No. 60301793

**ALUTRUSS DECOLOCK Safety Pin** 



No. 60301795

ALUTRUSS DECOLOCK Endcap



No. 60301895

ALUTRUSS TRILOCK Set Connecting Cone/Pivot/Pin

QUICK-LOCK Connector set





No. 60301900

ALUTRUSS QUICK-LOCK Spare Pivot with Pin



No. 60301902

ALUTRUSS QUICK-LOCK Spare Pivot



No. 60301903

ALUTRUSS QUICK-LOCK Spare Pin



ALUTRUSS QUICK-LOCK Spare Pivot with Nut M8



No. 60301905

ALUTRUSS QUICK-LOCK Connecting Cone



No.	60301980	10	mm
No.	60301981	20	mm
No.	60301982	30	mm
No.	60301983	40	mm
No.	60301984	50	mm
	60301985		
No.	60301986	70	mm
No.	60301987	80	mm
	60301988		
	60201000 1		

ALUTRUSS QUICK-LOCK Distance-Part



No.	60301990	105 mm
No.	60301991	210 mm
Nο	60301992	145 mm

ALUTRUSS QUICK-LOCK Distance-Part female



No. 6030199A

ALUTRUSS QUICK-LOCK Endcap



No. 6030199B

ALUTRUSS SINGLELOCK SP-1 Set cone/pivot/pin



No. 6030199C

ALUTRUSS BILOCK BQ-2 Set cone/pivot/pin



No. 6030199H

ALUTRUSS QUADLOCK QL-ET Set Cone/Pivot/Pin



No. 60302142

ALUTRUSS BILOCK E-GL22 Connecting Cone/Pivot/Pin





No. 6030229D

ALUTRUSS TRILOCK E-GL connecting cone/pivot/pin



No. 60302895

ALUTRUSS QUADLOCK set connecting cone/pivot/pin

OUADSYSTEM Set



No. 60302998

ALUTRUSS QUADLOCK Half Conical Coupler w. Thread



No. 60302999

ALUTRUSS QUADLOCK female conical coupler w.screw



No. 6030299E

ALUTRUSS QUADLOCK Half Cone f.Universalcross Piece



No. 6030299K

ALUTRUSS QUADLOCK QL-ET Half Cone



No. 6030299G

ALUTRUSS Bolt for Quadlock Cone M12x20



No. 6030299H.. No. 6030299F.

ALUTRUSS QUADLOCK Half Cone M-8



No. 6030299J. No. 60303006. .. M-10 No. 60303008.

ALUTRUSS QUADLOCK QL-ET Half Cone



No. 60306862

ALUTRUSS QUICK-LOCK GL33/34 Endcap



No. 60306864

ALUTRUSS QUICK-LOCK GL33/ET34 Connecting Cone



No.	60306880	10 mm
No.	60306882	20 mm
No.	60306884	30 mm
No.	60306886	40 mm
No.	60306888	50 mm
No.	60306890	60 mm
No.	60306892	70 mm
	60306894	
NI -	60306006	00

ALUTRUSS QUICK-LOCK GL33-ET34 Distance-Part







No. 60306898	105 mm
No. 60306899	145 mm
No. 60306900	210 mm

#### ALUTRUSS QUICK-LOCK GL33-ET34 Dist.-Part fem.



No. 60320310

#### ALUTRUSS Base Plate 36x36 5kg for Decolock

Baseplate for mobile use (connectors 6082 included)



No. 60320320. silver No. 60320322.

ALUTRUSS Base Plate BP-30 80x80

Baseplate for mobile use (connectors 6082 included)



No. 60320324 No. 60320326 .black

#### ALUTRUSS Base Plate BP-40 80x80 8mm

Baseplate for mobile use (connectors 6082 included)



No. 60320330. No. 60320331. black

#### ALUTRUSS Steel Base Plate round type A

Baseplate for mobile use (connectors 6082 included)



No. 60320335

# ALUTRUSS Steel Base Plate Rectangle typeB

Baseplate for mobile use (connectors 6082 included)





No. 60320336

#### **ALUTRUSS Conus Set for Steel Plate**

Fixation set for baseplate



No. 60320340

#### ALUTRUSS Dolly for Steel Base Plates Square 80x80

Practical transport box for 80 cm baseplates



No. 60320401

ALUTRUSS Aluminium Shelf 50x45x4.5cm



No. 60320350

#### **ALUTRUSS U-Frame Base Part**

Single tubes with quick-lock



No. 60320351

#### **ALUTRUSS U-Frame Top**

Single tube with quick-lock



# Accessories conus system







No.	60320380	silver
No.	60320379	black

#### ALUTRUSS GI-1 Truss Adapter silver

Truss mounting



Vo.	60320381	silver
NO.	60320385	. biack

#### ALUTRUSS GI-1/Clamps Truss Adapter

Truss mounting



No. 60320386. .64-94 cm No. 60320387.. ..115-195 cm

ALUTRUSS Telescopic Arm G



No. 60320389	G-35A
No. 60320390	G-35B

ALUTRUSS Telescopic Arm G-35



No. 60320382 No. 60320388.. ..black

#### GUIL TTL-02 Telescopic Arm 1150-1950mm

Telescopic arm 115-195 cm





No. 60320391	50 cm
No. 60320392	29 cm
No. 60320393	21 cm

ALUTRUSS AL-50 Boom arm



No. 60320500	2 m/80 cm
No. 60320501	3 m/80 cm
No. 60320502	4 m/80 cm
No. 60320504	2 m/100 cm
No. 60320505	3 m/100 cm
No. 60320506	4 m/100 cm
No. 60320507	5 m/100 cm
No. 60320510	2m/110 cm
No. 60320511	3m/110 cm
No. 60320513	5m/110 cm

# **ALUTRUSS Truckramp**

Practical flightcase ramp



No. 81012451

# ALUTRUSS LCD Truss Plate

Mount for monitors and TV screens



No. 6020676C	1 m
No. 6020676D	1.5 m
No. 6020676E	2 m
No. 6020676F	2,5 m
No. 6020676G	3 m
No. 6020676H	3,5 m
No. 6020676K	4 m

ALUTRUSS Aluminium Tube 6082 35x2mm



No. 6020676R	1 m
No. 6020676S	
No. 60206773	
No. 60206775	2,5 m
No. 60206776	3 m
No. 60206777	3,5 m
No. 60206778	4 m

ALUTRUSS Aluminium Tube 6082 50x2mm



No. 6020677A	1 m
No. 6020677B	1,5 m
No. 6020677C	2 m

ALUTRUSS Aluminium Tube 6082 35x2mm black



No.	6020677F1	m
No.	6020677G1,5	m
No.	6020677H2	m

ALUTRUSS Aluminium Tube 6082 50x2mm black





Made in Germany

No. 78020340

ACCESSORY Copper hammer 500g shaft length 310mm



No. 78020350

**ALUTRUSS Trusstool truss mounting pliers** 

Specially developed tool for the rigging of crossbeam systems with cone connectors



Made in Germany

No. 78020352

**ALUTRUSS Trusstool Stifti Truss Mounting Tool** 

Practical rigging help for crossbeams with cone connectors



No. 78020356

**ALUTRUSS Trusstool Complete Set** 

Truss tool set



No. 78020369

**ALUTRUSS Trusstool Multi-Tool** 

Rigger multi-tool



Made in Germany

No. 60206782

SHZ Clamping Belt S200 lock 5m/25mm black

Clamping belt



Made in Germany

No. 60206787

SHZ Clamping Belt S400 Ratchet 5m/25mm black

Clamping belt



Made in Germany

No. 60206789

SHZ Clamping Belt S800 Ratchet 8m/50mm black

Clamping belt



No. 60206791 .H800 No. 60206793...

SHZ Clamping Belt H800 Ratchet hook black

Clamping belt



No. 58010590. No. 58010591

ACCESSORY Tether 27cm 12x



No 5	58010593	white
	58010594	
	58010596	are

ACCESSORY Holdon midi

Practical aide

# Truss cover





No. 83312054

#### EUROPALMS Sprinkler Stretch FIrDIN4102 wh 300x100cm

Stretch fabric



11 00040000	400 13
No. 83312096	100 cm, white
No. 83312097	100 cm, black
No. 83312098	150 cm, white
No. 83312099	150 cm, black
No. 8331209B	200 cm, white
No. 8331209C	200 cm, black
No. 8331209K	250 cm, white
No. 8331209I	250 cm, black

#### **EXPAND XPTC1 Truss Cover**

Flexible truss cover



No. 83312120	100	cm
No. 83312122	150	cm
No. 83312124	200	cm
No. 83312126	250	cm
No. 83312128	300	cm

#### **EUROPALMS Truss Cover white**

Flexible truss cover



No. 83312165	100 cm
No. 83312166	200 cm
No. 83312167	300 cm

#### **EXPAND BATC1W Truss Cover white**

Flexible truss cover



No. 8331217A	150 cm
No. 8331217B	200 cm
No. 8331217C	250 cm
No. 8331217D	300 cm

#### **EXPAND XPTC15RV Truss Cover white**

Flexible truss cover



No. 8331217N	200	cm
No. 8331217P	250	cm
No. 83312170	300	cm

#### **EXPAND XPTC20RVS Truss Cover black**

Flexible truss cover



No. 8331217W	100 d	cm
No. 8331217X	150 d	cm
No. 8331217Y	200 d	cm
No. 8331217Z	250 d	cm
No. 83312180	300 d	cm

#### EXPAND XPTC10KVS Truss Cover black

Flexible truss cover



No. 83312181	100 cm
No. 83312182	200 cm
No. 83312183	300 cm

#### **EXPAND Truss Cover für Decolock white**

Flexible truss cover







🦣 No. 60320300

#### **ALUTRUSS Truss Transport Ridge Combo**

Stacking ridge for QUADLOCK and TRILOCK truss elements



No. 60320304

#### ALUTRUSS Truss Transport Ridge TRIO

Stacking ridge for TRILOCK truss elements



No. 60320306

#### **ALUTRUSS Truss Transport Board Combo for 3 Wheels**

Practical transport cart for QUADLOCK and TRILOCK truss elements



No. 60320308

#### ALUTRUSS Truss Transport Board TRIO for 3 Wheels

Practical transport cart for TRILOCK truss elements



No. 60320307

#### **ALUTRUSS Truss Transport Board Combo incl 3 Wheels**

Practical transport cart with castors for QUADLOCK and TRILOCK truss elements



No. 60320309

#### **ALUTRUSS Truss Transport Board TRIO incl 3 Wheels**

Practical transport cart with castors for TRILOCK truss elements





Accessories





No. 60303070

TRUSS4BARS Truss tray 210x305x50mm/4mm



No. 60303082

TRUSS4BARS Truss tray for 90° corner left/4mm



No. 60303072

TRUSS4BARS Truss tray 290x305x50mm/4mm



No. 60303084

TRUSS4BARS Truss tray for 120° corner right/4mm



No. 60303074

TRUSS4BARS Truss tray 500x305x50mm/4mm



No. 60303086

TRUSS4BARS Truss tray for 120° corner left/4mm



No. 60303076

TRUSS4BARS Truss tray 710x305x50mm/4mm



No. 60303088

TRUSS4BARS Truss tray for 135° corner right/4mm



No. 60303078

TRUSS4BARS Truss tray 1000x305x50mm/4mm



No. 60303090

TRUSS4BARS Truss tray for 135° corner left/4mm



No. 60303080

TRUSS4BARS Truss tray for 90° corner right/4mm



No. 60303094

TRUSS4BARS Truss tray 210x305x50mm/6mm



#### Accessories





No. 60303096

TRUSS4BARS Truss tray 290x305x50mm/6mm



No. 60303112

TRUSS4BARS Truss tray for 120° corner right/6mm



No. 60303098

TRUSS4BARS Truss tray 500x305x50mm/6mm



TRUSS4BARS Truss tray for 120° corner left/6mm



No. 60303102

TRUSS4BARS Truss tray 710x305x50mm/6mm



No. 60303116

TRUSS4BARS Truss tray for 135° corner right/6mm



No. 60303104

TRUSS4BARS Truss tray 1000x305x50mm/6mm



No. 60303118

TRUSS4BARS Truss tray for 135° corner left/6mm



No. 60303106

TRUSS4BARS Truss tray for 90° corner right/6mm



No. 60303108

TRUSS4BARS Truss tray for 90° corner left/6mm



# Furniture





No. 60320120

**ALUTRUSS Bar Stool with Ground Plate** 

Stable bar stool



No. 60320122.. No. 60320123.. .silver ..black

ALUTRUSS Bar Stool, curved

Stable bar stool



No. 60320125

ALUTRUSS Bistro Table, curved

Bistro table



No. 60320127. ....hinged No. 60320128

ALUTRUSS Brochure Stand

Sturdy truss brochure stand



No. 60320129

**ALUTRUSS RP-1 Lectern** 

Lectern



No. 60320130

**ALUTRUSS RP-2 Lectern** 

Lectern



No. 60320132

ALUTRUSS PG-1 Lectern Top

Lectern



No. 6032013A

ALUTRUSS RP-3 Lectern

Lectern



No. 60320143

ALUTRUSS Wooden Panel 490x490x30mm cable bushing

# **LAMPS**

Replacement Tubes for Strobes	452
Par-20, Socket E-27	452
Par-30, Socket E-27	452
Par-38, Socket E-27	452
Par-46, Socket E-27	452
JTT Halogen	452
HPL Socket 6-C8	452
Par-36, Socket G-53 STC	453
Par-56, Socket G-53 STC / GX-16d	453
Par-64, Socket G-53 STC / GX-16d	453
Socket G-5.3 with 50 mm reflector	454
Socket G-6.35	454
Socket P-28s/P-40s	454
Socket G-9.5	455
Socket GU-10	455
Socket GY-16	455
Socket G-22	456
Socket G-38	456
Socket E-12, E-14	456

Colored Light Socket E-27	456
Fluorescent Tubes	456
UV Tubes	456
UV Light	457
Pole Burners Socket R-7s	457
Socket BA-9s/15s / Protection	457
Socket E-27/-40 Discharge	457
Socket G-9.5 Discharge	457
SFc-10	458
SFa-21	458
RX-7s	458
Socket G-12 Discharge	458
Socket G-22 Discharge	458
Socket G-38 Discharge	458
Double-sided Discharge	458
Special Discharge Lamps	459
Colored Socket R-7s Discharge	459
Adapters	459
Sockets	460





#### Replacement Tubes for Strobes

Article number	Description	Voltage	Power	Flashes	Color temperature	Туре	Socket
# 85010130	OMNILUX Stroboscope	250 V DC	2 W	5.000.000 fl	8000K	mini U-shape	E-12
#85010145	OMNILUX Stroboscope	300 V DC	45 W	500.000 fl	8000K	U-shape	3-pin
# 85010150	OMNILUX Flashtube	230 V AC	75 W	1.000.000 fl	8000K	double coil	3-pin
#85010162	OMNILUX Flashtube	220 - 250 V	40 W	2.000.000 fl	8000K	U-shape	none
#85010165	OMNILUX Flashtube	220 - 250 V	40 W	2.000.000 fl	8000K	U-shape	3-pin
#85010167	OMNILUX Flashtube	230 - 240 V	150 W	500.000 fl	8000K	double coil	3-pin
#85010300	OMNILUX Flashtube	52 V DC	750 W	100.000.000.fl	8000K	XOP-07	3-clamps
# 85010402	OMNILUX Flashtube	100 V DC	1500 W	100.000.000 fl	8000K	XOP-15	3-clamps
# 85010403	OMNILUX Flashtube	100 V DC	1500 W	100.000.000 fl	8000K	XOP-15	flat tab
# 85010500	OMNILUX Flashtube	142 V DC	2500 W	100.000.000 fl	8000K	XOP-25	3-clamps
# 85010510	OMNILUX Flashtube	142 V DC	3000 W	100.000.000 fl	8000K	XOP-25	3-clamps



#### Par-20, Socket E-27



εια	EEK	Article number	Description	Voltage	Power	Life-time	Luminance	Color temperature	Angle	Color
	A**	#88021205	OMNILUX SMD	230V	3W	20000h	250lm	3000K	55°	
	A**	#88021206	OMNILUX SMD	230V	3W	20000h	250lm	6500K	55°	
۱.	A+	#88021210	OMNILUX SMD	230V	6W	20000h	480lm	3000K	50°	
٠,	A+	#88021211	OMNILUX SMD	230V	6W	20000h	480lm	6500K	50°	





#### Par-30, Socket E-27

	EEK	Article number	Description	Voltage	Power	Life-time	Luminance	Color temperature	e Angle	Color
	A++	# 88043005	OMNILUX SMD	230 V	6W	20000h	590Lm	3000K	55°	
Α <sup>+</sup>	A**	# 88043006	OMNILUX SMD	230 V	6W	20000h	590Lm	6500K	55°	
A	A+	#88043010	OMNILUX SMD	230 V	11W	20000h	820Lm	3000K	50°	
	A+	#88043011	OMNILUX SMD	230 V	11W	20000h	820Lm	6500K	50°	




# Par-38, Socket E-27



EEK	Article number	Description	Voltage	Power	Life-time	Luminance	Color temperature	Angle	Color
	# 88081205	OMNILUX	230 V	80 W	2500h	680 Lm		30°/FL	blue
	# 88081305	OMNILUX	230 V	80 W	2500h	680 Lm		30°/FL	yellow
	# 88081405	OMNILUX	230 V	80 W	2500h	680 Lm		30°/FL	green
	# 88081505	OMNILUX	230 V	80 W	2500h	680 Lm		30°/FL	red
A+	#88081876	OMNILUX SMD	100-240 V	15 W	25000h	1250Lm	2700K	60°	white
	#88081882	OMNILUX SMD	100-240 V	15 W	25000h			60°	blue
	#88081883	OMNILUX SMD	100-240 V	15 W	25000h			60°	yellow
	#88081884	OMNILUX SMD	100-240 V	15 W	25000h			60°	green
	#88081885	OMNILUX SMD	100-240 V	15 W	25000h			60°	red
A+	#88081890	OMNILUX SMD	100-240 V	18 W	25000h	1680Lm	4000K	38°	white



#### Par-46, Socket E-27





#### JTT Halogen

Article number	Description	Voltage	Power	Life-time	Luminance	Color temperat	ture Socket
# 88020006	OMNILUX JTT	230 V	1000W	1000h	22000Lm	2800 K	E-40
#88020008	OMNILUX JTT	230 V	2000W	1000h	44000Lm	2800 K	E-40




#### HPL Socket 6-C8

Article number	Description	Voltage	Power	Life-time	Color temperature Luminance	Socket	Color	
# 88315010	OSRAM 93728 HPC	240 V	575 W	300h	3150 K	6-C8	white	
#88315700	GE HPL 575/LL	240 V	575 W	1500h	3050 K	6-C8	white	
#88315720	GE HPL 750	240 V	750 W	300h	3050 K	6-C8	white	

# **REFLECTOR LAMPS**









A 11 1	B : #:	\ / II	5	1:6 1:		611		0.1
Article number	Description	Voltage	Power	Life-time	Luminance	Color temperature	Angle	Color
# 88061000	GE 4515	6.4 V	30 W	100h		3000 K	VNSP	white
# 88061005	OMNILUX	6.4 V	30 W	200h	510Lm	3000 K	VNSP	white
#88061013	OMNILUX	6.4 V	30 W	700h		3000 K	VNSP	white
#88061006	OMNILUX	6.4 V	30 W	200h	510Lm		VNSP	blue
#88061007	OMNILUX	6.4 V	30 W	200h	510Lm		VNSP	red
#88061008	OMNILUX	6.4 V	30 W	200h	510Lm		VNSP	green
#88061010	OMNILUX	6.4 V	30 W	200h	510Lm		VNSP	violet
#88061011	OMNILUX	6.4 V	30 W	200h	510Lm		VNSP	orange
# 88062002	OMNILUX	6 V	30 W	200h		3000 K	VNSP halo	white
# 88062005	OMNILUX	6 V	35 W	3000h		3000 K	VNSP 4°	white
# 88062010	OSRAM 41830ssp	6 V	35 W	3000h		3000 K	VNSP	white
# 88063000	GE 4405	12.8 V	30 W	100h		3000 K	VNSP	white
#88064000	GE H7604 halo	12.8 V	50 W	100h		3000 K	VNSP halo	white
#88068000	GE 4596	28 V	250 W	25h		3000 K	VNSP	white
#88068005	OMNILUX	28 V	250 W	25h		3000 K	VNSP	white
#88061205	OMNILUX	6.4 V	30 W	300h		3000 K	WFL	white
#88066000	GE 4505	28 V	50 W	400h		3000 K	NSP	white
#88067000	GE 4594	28 V	100 W	300h		3000 K	NSP	white
# 88067005	OMNILUX	28 V	100 W	300h		3000 K	NSP	white
#88069000	GE DWE	120 V	650 W	100h		3200 K	WFL	white
#88069005	OMNILUX	120 V	650 W	100h		3000 K	WFL	white

#### Par-56, Socket G-53 STC / GX-16d





Article number	Description	Voltage	Power	Life-time	Socket	Angle	Color temperature
#88122000	GE	12 V	300 W	1000h	G-53 STC	WFL pool lamp	
# 88122005	OMNILUX	12 V	300 W	1000h	G-53 STC	WFL pool lamp	
#88122010	SYLVANIA 4545	12 V	300 W	100h	G-53 STC	NSP pool lamp	3000K
#88126348	GE LED	12 V	16 W	25000h	G-53 STC	90° pool lamp	6500K
#88126352	OMNILUX LED 252	12 V	18 W	30000h	G-53 STC	120° pool lamp	3000K
#88124000	GE	30 V	200 W	500h	G-53 STC	VNSP Locomotive	
#88125000	GE	240 V	300 W	2000h	GX-16 d	NSP	
#88125005	OMNILUX	230 V	300 W	2000h	GX-16 d	NSP Halogen	
#88125006	OMNILUX	230 V	300 W	2000h	GX-16 d	NSP Tungsten	
#88125020	SYLVANIA	240 V	300 W	2000h	GX-16 d	NSP	2750K
#88125100	GE	240 V	300 W	2000h	GX-16 d	MFL	
# 88125105	OMNILUX	230 V	300 W	2000h	GX-16 d	MFL Halogen	
# 88125106	OMNILUX	230 V	300 W	2000h	GX-16 d	MFL Tungsten	
# 88125200	GE	240 V	300 W	2000h	GX-16 d	WFL	
# 88125205	OMNILUX	230 V	300 W	2000h	GX-16 d	WFL Halogen	
# 88125206	OMNILUX	230 V	300 W	2000h	GX-16 d	WFL Tungsten	
# 88126005	OMNILUX	230 V	500 W	2000h	GX-16 d	NSP Halogen	
# 88126006	OMNILUX	230 V	500 W	2000h	GX-16 d	NSP Tungsten	·
# 88126105	OMNILUX	230 V	500 W	2000h	GX-16 d	MFL Halogen	·
# 88126106	OMNILUX	230 V	500 W	2000h	GX-16 d	MFL Tungsten	
# 88126205	OMNILUX	230 V	500 W	2000h	GX-16 d	WFL Halogen	
# 88126206	OMNILUX	230 V	500 W	2000h	GX-16 d	WFL Tungsten	

#### Par-64, Socket G-53 STC / GX-16d





Article number	Description	Voltage	Power	Life-time	Color temperature	Angle	Socket
# 88141000	GE 4552	28 V	250 W	25h	2950 K	VNSP Aircraft	G-53 STC
# 88141005	OMNILUX	28 V	250 W	100h	2800 K	SP Aircraft	G-53 STC
# 88143000	GE FFN	120 V	1000 W	800h	3200 K	NSP	GX-16 d
# 88143100	GE FFP	120 V	1000 W	800h	3200 K	MFL	GX-16 d
# 88145000	GE CP86	240 V	500 W	300h	3200 K	VNSP	GX-16 d
# 88145005	OMNILUX	240 V	500 W	300h	3200 K	VNSP Halogen	GX-16 d
# 88145006	OMNILUX	240 V	500 W	300h	2800 K	VNSP Tungsten	GX-16 d
# 88145100	GE CP87	240 V	500 W	300h	3200 K	NSP	GX-16 d
# 88145105	OMNILUX	240 V	500 W	300h	3200 K	NSP Halogen	GX-16 d
# 88145106	OMNILUX	240 V	500 W	300h	2800 K	NSP Tungsten	GX-16 d
# 88145200	GE CP88	240 V	500 W	300h	3200 K	MFL	GX-16 d
# 88145205	OMNILUX	240 V	500 W	300h	3200 K	MFL Halogen	GX-16 d
# 88145206	OMNILUX	240 V	500 W	300h	2800 K	MFL Tungsten	GX-16 d
# 88147005	OMNILUX	240 V	1000 W	300h	3200 K	VNSP Halogen	GX-16 d
# 88147006	OMNILUX	240 V	1000 W	300h	2800 K	VNSP Tungsten	GX-16 d
# 88147105	OMNILUX	240 V	1000 W	300h	3200 K	NSP Halogen	GX-16 d
# 88147106	OMNILUX	240 V	1000 W	300h	2800 K	NSP Tungsten	GX-16 d
# 88147205	OMNILUX	240 V	1000 W	300h	3200 K	MFL Halogen	GX-16 d
# 88147206	OMNILUX	240 V	1000 W	300h	2800 K	MFL Tungsten	GX-16 d
# 88147300	GE CP60 SUPERPAR	240 V	1000 W	300h	3200 K	VNSP	GX-16 d
# 88147315	PHILIPS CP60	240 V	1000 W	300h	3200 K	VNSP	GX-16 d
# 88147400	GE CP61 SUPERPAR	240 V	1000 W	300h	3200 K	NSP	GX-16 d
# 88147415	PHILIPS CP61	240 V	1000 W	300h	3200 K	NSP	GX-16 d
# 88147500	GE CP62 SUPERPAR	240 V	1000 W	300h	3200 K	MFL	GX-16 d
# 88147515	PHILIPS CP62	240 V	1000 W	300h	3200 K	MFL	GX-16 d
# 88147670	OMNILUX LITE	230 V	1000 W	300h	3000 K	MFL	GX-16 d





#### Socket G-5.3 with 50 mm reflector



Article number	Description	Voltage	Power	Life-time	Color temperature	Socket	Color	Luminance
# 88264005	OMNILUX ELC	24 V	250 W	50h	3300 K	GX-5.3	white	7600 Lm
#88264010	OSRAM ELC	24 V	250 W	50h	3200 K	GX-5.3	white	
#88264015	PHILIPS ELC	24 V	250 W	50h	3400 K	GX-5.3	white	
#88264100	GE ELC 500	24 V	250 W	500h	3250 K	GX-5.3	white	
#88264105	OMNILUX ELC 500	24 V	250 W	500h	3300 K	GX-5.3	white	7600 Lm
#88264115	PHILIPS ELC 500	24 V	250 W	500h	3400 K	GX-5.3	white	
#88264120	SYLVANIA ELC/5H	24 V	250 W	500h	3400 K	GX-5.3	white	
# 88264215	PHILIPS ELC 1000	24 V	250 W	1000h	3200 K	GX-5.3	white	
# 88264220	SYLVANIA ELC	24 V	250 W	1000h	3150 K	GX-5.3	white	
# 88265005	OMNILUX ENH	120 V	250 W	175h	3100 K	GY-5.3	white	6100 Lm
# 88265007	OMNILUX ENH	120 V	250 W	500h	3150 K	GY-5.3	white	
# 88265017	OSRAM ENH	120 V	250 W	175h	3150 K	GY-5.3	white	
# 88266005	OMNILUX ELH	120 V	300 W	300h	3350 K	GY-5.3	white	8000 Lm
# 91205756	OMNILUX MR-16	12 V	50 W	2000h		GX-5.3	blue	· ·

#### Socket G-6.35



Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
#88281000	GE M76	12 V	20 W	3000h	3000 K	300Lm	GY-6.35
#88281005	OMNILUX JC	12 V	20 W	2000h	2800 K		G-6.35
#88282000	GE M95	12 V	35 W	3000h	3000 K	600Lm	GY-6.35
#88283000	GE M32	12 V	50 W	4000h	3000 K	930Lm	GY-6.35
#88283005	OMNILUX JC	12 V	50 W	2000h	2800 K	900Lm	G-6.35
#88283010	OSRAM 64440	12 V	50 W	2000h	3000 K	910Lm	GY-6.35
#88283015	PHILIPS 13102	12 V	50 W	2000h	3000 K	880Lm	GY-6.35
#88283200	GE BRL A1/220	12 V	50 W	50h	3400 K	1400Lm	G-6.35
# 88283205	OMNILUX BRL	12 V	50 W	50h	3400 K	1400LIII	G-6.35
# 88283210	OSRAM 64610 BRL	12 V	50 W	50h	3400 K	1600Lm	G-6.35
		15 V				10001111	
# 88283510	OSRAM 64620 EFR	12 V	150 W 100 W	500h 2000h	3300 K	10001	GZ-6.35
# 88284005	OMNILUX FCR				2800 K	1800Lm	G-6.35
# 88284010	OSRAM 64623HLX EVA	12 V	100 W	2000h	2800 K		GY-6.35
# 88285005	OMNILUX EFP	12 V	100 W	2000h	3400 K	3400Lm	GZ-6.35
# 88285010	OSRAM EFP 64627	12 V	100 W	50h	3200 K		GZ-6.35
# 88285105	OMNILUX EFP	12 V	100 W	500h	3200 K		GZ-6.35
# 88286010	OSRAM EFR 64634	15 V	150 W	50h	3400 K	4600Lm	GZ-6.35
# 88286015	PHILIPS EFR	15 V	150 W	500h	3400 K		GZ-6.35
# 88286105	OMNILUX EFR	15 V	150 W	500h	3400 K		GZ-6.35
# 88287005	OMNILUX	24 V	100 W	2000h	3000 K	31600Lm	GY-6.35
# 88288005	OMNILUX FCS	24 V	150 W	50h	3300 K	4900Lm	G-6.35
# 88288006	OMNILUX FCS	24 V	150 W	500h	3300 K	3100Lm	G-6.35
# 88288010	OSRAM FCS 64640 HLX	24 V	150 W	50h	3200 K		G-6.35
# 88288011	OSRAM FCS 64642 HLX	24 V	150 W	300h	3200 K		G-6.35
#88289000	GE EHJ A1/223	24 V	250 W	50h	3400 K		G-6.35
#88289005	OMNILUX EHJ	24 V	250 W	50h	3300 K	8700Lm	G-6.35
#88289010	OSRAM EHJ 64655	24 V	250 W	50h	3200 K		G-6.35
#88289105	OMNILUX EHJ	24 V	250 W	500h	3000 K		G-6.35
#88290005	OMNILUX EVC	24 V	250 W	300h	3000 K	6600Lm	G-6.35
#88290010	OSRAM 64657 HLX	24 V	250 W	300h	3200 K		G-6.35
# 88290030	OMNILUX FLW	24 V	300 W	50h	3100 K		G-6.35
# 88291005	OMNILUX EVD	36 V	400 W	50h	3300 K	14400Lm	G-6.35
#88291006	OMNILUX EVD	36 V	400 W	500h	3100 K	11000Lm	G-6.35
#88291010	OSRAM EVD 64663	36 V	400 W	50h	3200 K		G-6.35
#88291015	PHILIPS 7787 XHP	36 V	400 W	50h	3400 K		G-6.35
#88294005	OMNILUX	120 V	300 W	75h	3000 K	6400Lm	GX-6.35
#88294006	OMNILUX	120 V	300 W	300h	3200 K	6400Lm	GX-6.35
#88294010	OSRAM 64514	115-120 V	300 W	75h	3400 K	0400EIII	GX-6.35
#88294880	OMNILUX JCD	240 V	28 W	1000h	2800K	360Lm	GX-6.35
#88294890	OMNILUX JCD	240 V	42 W	1000h	2800K	620Lm	GX-6.35
#88294905	OMNILUX JCD	240 V	100 W	1500h	2700 K	1300Lm	GY-6.35
#88295000	GE A1/248	240 V	150 W	50h	3400 K	1300LIII	G-6.35
# 88295005	OMNILUX	240 V	150 W	15h	2750 K	2600Lm	G-6.35
# 88295010	OSRAM 64502	240 V	150 W	25h	3400 K	ZOUULIII	GX-6.35
# 88295015	OSRAM 64502C	240 V	150 W	50h	3400 K		GX-6.35
# 88296010	OSRAM 64515	240 V	300 W	15h	3400 K		GX-6.35
# 88296100	GE A1/249	240 V	300 W	50h	3400 K	72001	G-6.35
#88296105	OMNILUX	240 V	300 W	75h	3200 K	7300Lm	GX-6.35
#88296106	OMNILUX	240 V	300 W	300h	3200 K	7300Lm	GX-6.35
#88296110	OSRAM 64516 CP97	240 V	300 W	75h	3400 K		GX-6.35
#88297005	OMNILUX	240 V	650 W	25h	3200 K	19000Lm	GX-6.35
#88297010	OSRAM BVM P1/13	240 V	650 W	15h	3400 K		GX-6.35
# 88298005	OMNILUX	240 V	1000 W	15h	3400 K		GX-6.35
# 88298006	OMNILUX	240 V	1000 W	100h	3200 K		GX-6.35
# 88298007	OMNILUX	240 V	1000 W	200h	3000 K		GX-6.35
# 88298010	OSRAM 64575	240 V	1000 W	15h	3400 K		GX-6.35
· · · · · · · · · · · · · · · · · · ·	·	· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·	





#### Socket P-28s/P-40s

Article number	Description	Voltage	Power	Life-time	Color temperature Luminance	Socket	
# 88521000	GE T17 FKF	240 V	500 W	750 h	2950 K	P-28s	





#### Socket G-9.5













Article number	Description	Voltage	Power	Life-time	Color temperature	Luminanco	Socket
# 88323000	GE HX600 GKV	240 V	600 W	250h	3200 K	Luminance	G-9,5
						1.40001	
# 88323001 # 88323002	OMNILUX HX600 GKV	240 V 240 V	600 W 600 W	250h	3200 K	14000Lm	G-9,5
	GE HX600 GKV LL			1500h	3000 K	120001	G-9,5
#88323003	OMNILUX HX600 GKV LL	240 V	600 W 600 W	750h 250h	3000 K	12000Lm	G-9,5
# 88323010	OSRAM 64716 GKV	240 V			3200 K		G-9,5
# 88328000	GEHX800 SEQ	240 V	800 W	250h	3200 K		G-9,5
# 88331000	GE CP77 FEP	240 V	1000 W	300h	3200 K		G-9,5
			000111				2112
#88341000	GE CP23	240 V	650 W	100h	3200 K		GX-9,5
#88341005	OMNILUX	240 V	650 W	100h	3200 K		GX-9,5
# 88341010	OSRAM 64720	230 V	650 W	100h	3200 K		GX-9,5
#88341100	GE T12	240 V	650 W	750h	3000 K		GX-9,5
# 88341105	OMNILUX	240 V	650 W	750h	3200 K	9100Lm	GX-9,5
# 88343005	OMNILUX Roundlux	230 V	800 W	50h	3200 K	22000Lm	GX-9,5
# 88344000	GE CP24	240 V	1000 W	250h	3200 K		GX-9,5
# 88344005	OMNILUX	230 V	1000 W	250h	3200 K		GX-9,5
# 88344010	OSRAM 64745	240 V	1000 W	200h	3200 K		GX-9,5
#88344100	GE T19	240 V	1000 W	750h	3050 K		GX-9,5
#88344105	OMNILUX	230 V	1000 W	750h	3200 K		GX-9,5
#88344200	GE T11	240 V	1000 W	750h	3050 K		GX-9,5
#88344300	GE CP70 FVB	240 V	1000 W	200h	3200 K		GX-9,5
#88346005	OMNILUX Roundlux	230 V	1000 W	180h	3200 K		GX-9,5
#88347000	GE T29 FWT	240 V	1200 W	480h	3050 K		GX-9,5
# 88347010	OSRAM 64752	240 V	1200 W	480h	3000 K		GX-9,5
#88344017	PHILIPS 6995IBP	240 V	1000 W	250h	3200 K	25000Lm	GY-9,5
#88344405	OMNILUX H	230 V	1000 W	200h	3200K	20000Lm	GY-9,5
# 88381005	OMNILUX	230 V	100 W	75h	2900 K		GY-9,5
#88382005	OMNILUX	230 V	150 W	25h	3000 K		GY-9,5
#88383000	GE CP81 FSK	240 V	300 W	150h	3200 K		GY-9,5
# 88383005	OMNILUX	230 V	300 W	180h	3200 K	22000Lm	GY-9,5
#88383100	GE M38	240 V	300 W	2000h	2900 K		GY-9,5
#88384000	GE A1/244	240 V	500 W	75h	3200 K		GY-9,5
#88384001	SYLVANIA A1/244	240 V	500 W	75h	3200 K	13000Lm	GY-9,5
#88384005	OMNILUX A1	230 V	500 W	75h	3200 K	7200Lm	GY-9.5
#88384100	GE CP82 FRJ	240 V	500 W	150h	3200 K		GY-9,5
#88384105	OMNILUX FRJ	230 V	500 W	150h	3200 K		GY-9,5
#88384116	GE 88470	240 V	500 W	360h	3000 K		GY-9,5
#88384200	GE M40	240 V	500 W	2000h	2900 K		GY-9,5
# 88384205	OMNILUX	230 V	500 W	2000h	2900 K		GY-9,5
# 88384210	OSRAM 64672	230 V	500 W	2000h	2900 K		GY-9,5
# 88384300	GE T18 GCW	240 V	500 W	400h	3050 K		GY-9,5
# 88385000	GET26 GCS	240 V	650 W	400h	3100 K		GY-9,5
# 88385000	OMNILUX	230 V	650 W	100h	3100 K		GY-9,5 GY-9,5
# 88385005	GE 88469	240 V	650 W	400h	3050 K		GY-9,5 GY-9,5
# 88385016	GE CP89 FRM	240 V	650 W	150h	3050 K		GY-9,5 GY-9.5
# 0030/000	GE CLOS LKM	Z4U V	VV UCO	13011	3200 K		G1-9,5

#### Socket GU-10



Article number	Description	Voltage	Power	Life-time	Luminance	Color temperature	Angle	Color
# 88540641	OMNILUX SMD	230 V	7 W	20000h		6400 K	36°	
# 88540642	OMNILUX SMD	230 V	7 W	20000h		3000 K	36°	
#88540644	OMNILUX SMD	230 V	5 W	20000h			36°	UV
#88540646	OMNILUX SMD	230 V	7 W	20000h			36°	blue
#88540647	OMNILUX SMD	230 V	7 W	20000h			36°	red
#88540648	OMNILUX SMD	230 V	7 W	20000h			36°	green
#88540649	OMNILUX SMD	230 V	7 W	20000h			36°	yellow
#88540650	OMNILUX SMD	230 V	7 W	20000h			36°	orange
# 88541506	OMNILUX	230 V	35 W	2500h	419Lm		25° + CC	blue
# 88541507	OMNILUX	230 V	35 W	2500h	355Lm		25° + CC	red
# 88541508	OMNILUX	230 V	35 W	2500h	645Lm		25° + CC	green
# 88541509	OMNILUX	230 V	35 W	2500h	2260Lm		25° + CC	yellow
# 88541510	OMNILUX	230 V	35 W	2500h	355Lm		25° + CC	violet
#88541511	OMNILUX	230 V	35 W	1500h			45° + CC	orange
#88542506	OMNILUX	230 V	50 W	1500h	710Lm		25° + CC	blue
#88542507	OMNILUX	230 V	50 W	2000h	710Lm		25° + CC	red
#88542508	OMNILUX	230 V	50 W	2000h	1291Lm		25° + CC	green
#88542509	OMNILUX	230 V	50 W	2000h	4585Lm		25° + CC	yellow
#88542510	OMNILUX	230 V	50 W	2000h	710Lm		25° + CC	violet

#### Socket GY-16



Article number	Description	Voltage	Power	Life-time	Color temperature Luminance	Socket	
#88441000	GE CP43	240 V	2000 W	400h	3200 K	GY-16	
#88441005	OMNILUX	230 V	2000 W	400h	3200 K	GY-16	
#88441010	OSRAM 64788	240 V	2000 W	400h	3200 K	GY-16	
#88441015	PHILIPS 6994P	230 V	2000 W	480h	3200 K 50000Lm	GY-16	



#### Socket G-22



Article number	Description	Voltage	Power	Life-time	Color temperature Luminance	Socket
# 88461010	OSRAM 64721	230 V	650 W	100h	3200 K	G-22
#88462000	GE CP40	240 V	1000 W	200h	3200 K	G-22
#88462005	OMNILUX	240 V	1000 W	200h	3200 K	G-22
#88462010	OSRAM 64747	230 V	1000 W	200h	3200 K	G-22
#88463000	GE CP93	240 V	1200 W	200h	3200 K	G-22
#88463010	OSRAM 64756	230 V	1200 W	200h	3200 K	G-22
#88464000	GE CP92	240 V	2000 W	300h	3200 K	G-22
#88464010	OSRAM 64787	230 V	2000 W	400h	3200 K	G-22



#### Socket G-38

Article number	Description	Voltage	Power	Life-time	Color tempera	ture Luminance	Socket	
# 88481010	OSRAM 64789	230 V	2000 W	400h	3200 K		G-38	
# 88481015	PHILIPS 6994Z	230 V	2000 W	480h	3200 K	50000Lm	G-38	





#### Socket E-12, E-14

	Article number	Description	Voltage	Power	Life-time	Color temperature	Socket	Luminance	Туре
	# 92005116	OMNILUX	230 V	7 W	1000h		E-12		candle lamp
	#92005118	OMNILUX	230 V	18 W	1500h	2700 K	E-12		candle lamp
-	# 92005150	OMNILUX	12 V	5 W	1000h		E-14		candle lamp
	# 51929512	OMNILUX Mini	230 V	2 W	20000h	2700 K	E-14		
	# 51929513	OMNILUX Mini	230 V	1 W	20000h	blue	E-14		
	# 51919295	OMNII UX AF	230 V	1 W	20000h	Flamelight	F-14		





Article number	Description	Voltage	Power	Life-time	Type	Color	
# 9210105U	OMNILUX A19	230 V	25 W	800h	Incandescent	red	
# 9210105X	OMNILUX A19	230 V	40 W	1000h	Incandescent	red	
# 9210115U	OMNILUX A19	230 V	25 W	800h	Incandescent	yellow	
#9210115X	OMNILUX A19	230 V	40 W	1000h	Incandescent	yellow	
# 9210125U	OMNILUX A19	230 V	25 W	800h	Incandescent	green	
# 9210125X	OMNILUX A19	230 V	40 W	1000h	Incandescent	green	
# 9210135U	OMNILUX A19	230 V	25 W	800h	Incandescent	blue	
# 9210135X	OMNILUX A19	230 V	40 W	1000h	Incandescent	blue	
# 9210145U	OMNILUX A19	230 V	25 W	800h	Incandescent	orange	
# 9210145X	OMNILUX A19	230 V	40 W	1000h	Incandescent	orange	
# 9210165U	OMNILUX A19	230 V	25 W	800h	Incandescent	violet	
# 9210165X	OMNILUX A19	230 V	40 W	1000h	Incandescent	violet	
# 9210360U	OMNILUX R80	230 V	60 W	1000h	Reflector	red	
# 9210400U	OMNILUX R80	230 V	60 W	1000h	Reflector	yellow	
# 9210410U	OMNILUX R80	230 V	60 W	1000h	Reflector	green	
#9210420U	OMNILUX R80	230 V	60 W	1000h	Reflector	blue	
#9210430U	OMNILUX R80	230 V	60 W	1000h	Reflector	orange	
#9210440U	OMNILUX R80	230 V	60 W	1000h	Reflector	violet	
# 51928564	OMNILUX LED	230 V	3 W	30000h	G45	red	
# 51928565	OMNILUX LED	230 V	3 W	30000h	G45	blue	
# 51928566	OMNILUX LED	230 V	3 W	30000h	G45	green	
# 51928567	OMNILUX LED	230 V	3 W	30000h	G45	yellow	
# 51928568	OMNILUX LED	230 V	3 W	30000h	G45	orange	
# 51919300	OMNILUX LED	230 V	1.5 W	20000h	Flamelight	·	
# 51919310	OMNILUX LED	230 V	1.5 W	20000h	Flamelight	·	
01010010	JEJA EED	200 V	1.5 **	2000011	r iamong it		

## Fluorescent Tubes

Article number	Description	Voltage	Power	Life-time	Socket/Ø	Length	Color	Luminance
# 92001506	OMNILUX	230 V	18 W	5000h	G-13/T8	60 cm	blue	

#### **UV Tubes**

Article number	Description	Voltage	Power	Life-time	Socket	Diameter	Length
# 89500905	OMNILUX UV	240 V	4 W	5000h	G-5	T5	15 cm
# 89501005	OMNILUX UV	240 V	6 W	5000h	G-5	T5	22 cm
# 89501015	PHILIPS UV BLB6	240 V	6 W	5000h	G-5	T5	22 cm
# 89502005	OMNILUX UV	240 V	8 W	5000h	G-5	T5	30 cm
# 89502015	PHILIPS UV BLB8	240 V	8 W	5000h	G-5	T5	30 cm
#89502100	OMNILUX UV	240 V	13 W	5000h	G-5	T5	53 cm
#89502105	OMNILUX UV	240 V	13 W	5000h	G-5	T5	55 cm
#89502205	OMNILUX UV	240 V	13 W	5000h	G-5	T5	115 cm
# 89502505	OMNILUX UV	240 V	15 W	5000h	G-8	T8	45 cm
#89503005	OMNILUX UV	240 V	18 W	5000h	G-13	T8	60 cm
#89503015	PHILIPS UV	240 V	18 W	6000h	G-13	T8	60 cm
# 89505005	OMNILUX UV	240 V	20 W	5000h	G-13	T12	60 cm
# 89508005	OMNILUX UV	240 V	36 W	5000h	G-13	T8	120 cm
# 89508015	PHILIPS UV	240 V	36 W	6000h	G-13	T8	120 cm
# 89509005	OMNILUX UV	240 V	40 W	5000h	G-13	T12	120 cm
# 89509505	OMNILUX UV	240 V	58 W	5000h	G-13	T8	150 cm

# **PIN CAP LAMPS**





#### **UV** Light









0 t =.gt							
Article number	Description	Voltage	Power	Life-time	Socket	Color temperature	Design
# 89510005	OMNILUX UV	240 V	75 W	1000h	E-27	6000 K	R-80
# 89510105	OMNILUX UV	240 V	75 W	1000h	E-27	6000 K	Skull 8cm
#89511005	OMNILUX UV	240 V	75 W	1000h	E-27	6000 K	A 19 Bulb
#89511015	OMNILUX UV	240 V	25 W	1000h	E-14	6000 K	R-50
#89511025	OMNILUX UV	240 V	40 W	1000h	E-14	6000 K	C-35
#89511035	OMNILUX UV	240 V	40 W	1000h	E-14	6000 K	G-45
#89512005	OMNILUX UV	240 V	125 W	2500h	E-27	6000 K	ED17
#89512020	SYLVANIA UV	240 V	125 W	2500h	E-27	6000 K	ED17
# 89513005	OMNILUX UV	240 V	160 W	1500h	E-27	6000 K	ED17
# 89513020	SYLVANIA UV	240 V	160 W	1500h	E-27	6000 K	ED17
# 89513505	OMNILUX UV	240 V	250 W	2500h	E-40	6000 K	ED37
# 89514005	OMNILUX UV	240 V	400 W	2500h	E-40	6000 K	BT56
# 89514010	SYLVANIA UV	240 V	400 W	2500h	E-40	6000 K	BT56
#89540010	OMNILUX SMD 28	240 V	5 W	25000h	E-27	6000 K	
#89540012	OMNILUX SMD 60	240 V	10 W	25000h	E-27	6000 K	3U
#89540015	OMNILUX SMD 60	240 V	12 W	25000h	E-27	6000 K	
#89540020	OMNILUX SMD 80	240 V	15 W	25000h	E-27	6000 K	
#91203464	OMNILUX LED 18	12 V	1.5 W	20000h	GX-5.3		Reflector
#88540464	OMNILUX LED 18	230 V	5 W	20000h	GU-10		Reflector
#88545560	OMNILUX LED 1x3	230 V	3 W	20000h	GU-10		Reflector
#88545562	OMNILUX LED 3x1	230 V	3 W	20000h	GU-10		Reflector
# 88020535	OMNILUX PAR-20 SMD	230 V	3 W	20000h	E-27	·	Reflector
# 88555516	OMNILUX JDR LED 18	230 V	1 W	20000h	E-27		Reflector
#88040510	OMNILUX PAR-30 SMD	230 V	6 W	20000h	E-27		Reflector
# 88081920	OMNILUX PAR-38 SMD	230 V	18 W	20000h	E-27	·	Reflector
#89540030	OMNILUX LED SMD	230 V	27 W	20000h	E-27	·	270°

#### Pole Burners Socket R-7s





EEK	Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
D	# 91100046	OMNII UX 78 mm	230 V	80 W	1000h	2900 K	1440Lm	R-7s
D	# 91100040	OMNILUX 78 mm	230 V	120 W	1000h	2900 K	2230Lm	R-7s
D	# 91100031	OMNII UX 117 mm	230 V	120 W	1000h	2900 K	2230Lm	R-7s
D	# 91100078	OMNILUX 117 mm	230 V	160 W	1000h	2900 K	3100Lm	R-7s
D	# 91100301	OMNILUX 117 mm	230 V	230 W	1000h	2900 K	4650Lm	R-7s
	# 91100301	OMNILUX 117 mm	230 V	400 W	1000h	2900 K	8600Lm	R-7s
	# 91100500	OMNILUX 117 mm	230 V	800 W	1000h	3000 K	13000Lm	R-7s
	# 91100500	SYLVANIA 117 mm	240 V	800 W	1000h	3200 K	13000LIII	R-7s
	# 91100520	GE DXX 79 mm	240 V	800 W	75h	3200 K	21400Lm	R-7s
	# 91100562	OMNILUX DXX 74.9 mm	240 V	800 W	1000h	3200 K	21000Lm	R-7s
	# 91100600	OMNII UX 117 mm	230 V	1000 W	200h	3200 K	19000Lm	R-7s
D	# 91200000	OMNII UX 189 mm	230 V	750 W	1000h	3000 K	11000Lm	R-7s
	# 91200010	OMNILUX 189 mm	230 V	1000 W	1000h	3000 K	18000Lm	R-7s
A+	# 91100030	OMNILUX SMD DIMM	230 V	4 W	20000h	3100 K	290Lm	R-7s
Α	#91100032	OMNII UX SMD DIMM	230 V	10 W	20000h	3100 K	700Lm	R-7s
A	# 91100034	OMNILUX SMD DIMM	230 V	15 W	20000h	3100 K	870Lm	R-7s
	01100004	OTTALEST ON DIMINI	200 .	10 ,,	2000011	010011	0,02	11.79







#### Socket BA-9s/15s / Protection

Article number	Description	Voltage	Power	Life-time	Socket	Color temperature	Luminance
# 90605480	OMNILUX	6 V	3 W	1000h	BA 9s		18Lm
# 90605500	OMNILUX	12 V	5 W	200h	BA 9s		24 Lm
# 90605505	OMNILUX Halogen	12 V	5 W	200h	BA 9s		
#90605600	OMNILUX T20	230 V	15 W	1000h	BA 15d	2000K	25Lm
# 91203050	Tubular bulb	24 V	18 W	var			





# Socket E-27/-40 Discharge

Article number	Description	Voltage	Power	Life-time	Color temperature	Angle	Luminance	Socket	
# 91013201	OMNILUX OQI-T	265 V	1000 W	6000h	6400 K		110000 lm	E-40	
# 91014620	PHILIPS CDM-R PAR-30	240 V	70W	6000h	3000 K	40°		E-27	









# Socket G-9.5 Discharge

Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket	
#89103005	OMNILUX OSR 400	67 V	400 W	650h	6000 K	32000Lm	GX-9.5	
#89103010	OSRAM HSR 400	67 V	400 W	1000h	6000 K	33000Lm	GX-9.5	
#89107015	PHILIPS MSR 575/2	95 V	575 W	1000h	7200 K	49000Lm	GX-9.5	
#89107205	OMNILUX OSD	95 V	575 W	500h	7200 K	47000Lm	GX-9.5	
#89107210	OSRAM HSR 575/72	95 V	575 W	1000h	7200 K	49000Lm	GX-9.5	
# 89102005	OMNILUX OSD	70 V	200 W	2000h	6500 K	13000Lm	GY-9.5	
# 89102015	PHILIPS MSD 200	70 V	200 W	2000h	6000 K	13500Lm	GY-9.5	
# 89106005	OMNILUX OSD	90 V	250 W	1500h	6700 K	16000Lm	GY-9.5	
# 89106015	PHILIPS MSD 250	90 V	250 W	3000h	6700 K	15000Lm	GY-9.5	
#89106105	OMNILUX OSD 250/2	94 V	250 W	1000h	8000 K	15000Lm	GY-9.5	
#89106115	PHILIPS MSD 250/2	90 V	250 W	3000h	8500 K	18000Lm	GY-9.5	
#89106210	OSRAM HSD 250/80	90 V	250 W	3000h	8000 K	17000Lm	GY-9.5	
# 91201327	OSRAM HTI 150W	100 V	150W	750h	6900 K	10000Lm	GY-9.5	
#91201328	GE CSS 150	85 V	150 W	1000h	5000 K	8000Lm	GY-9.5	
# 91201329	OSRAM HTI 152W	95 V	150 W	2000h	5000 K	100001 m	GY-9 5	





#### Socket G-12 Discharge





Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
#89101910	OSRAM HSD	97 V	150 W	3000h	7000 K	12000Lm	G-12
# 91013520	PHILIPS SDW-T		100 W	5000h	2500 K		PG-12
# 91014035	PHILIPS CDM-T 830	>207 V	35 W	6000h	3000 K		G-12
# 91014036	OMNILUX CDM-T 830	198 V	70 W	12000h	3000 K	6600Lm	G-12
# 91014037	OMNILUX CDM-T 942	198 V	70 W	12000h	4200 K	6600Lm	G-12
#91014038	OMNILUX CDM-T 830	198 V	150 W	12000h	3000 K	14000Lm	G-12
# 91014039	OMNILUX CDM-T 942	198 V	150 W	12000h	4200 K	14000Lm	G-12
# 91014044	PHILIPS CDM-T 830	>207 V	70 W	6000h	3000 K	6800Lm	G-12
# 91014045	PHILIPS CDM-T 830	>207 V	150 W	6000h	3000 K	14000Lm	G-12
# 91014046	PHILIPS CDM-SA/T 942	>207 V	150 W	6000h	4200 K	12900Lm	G-12
# 91014049	PHILIPS CDM-T 942	>207 V	150 W	6000h	4200 K		G-12
# 91201794	OSRAM HCI-T150/NDL	240 V	150 W	12000h	4200 K		G-12
# 91201800	GE CMH 150/T 830	240 V	150 W	12000h	3000 K		G-12
#91201801	GE CMH 150/T 942	240 V	150 W	12000h	4200 K		G-12
# 91201803	OMNILUX ODM	90 V	70 W	6000h	4200 K		G-12
#91201804	OMNILUX ODM	90 V	150 W	6000h	6400 K		G-12
#91201805	OMNILUX ODM	90 V	150 W	6000h	4200 K		G-12

#### Socket G-22 Discharge





Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
# 89104005	OMNILUX OSD	72 V	700 W	2000h	6000 K		G-22
#89105016	PHILIPS MSR 700/2	72 V	700 W	1000h	7200 K	55000Lm	G-22
#89108010	OSRAM HMI 575/SE	95 V	575 W	750h	6000 K	49000Lm	G-22
#89108015	PHILIPS MSR 575 HR	95 V	575 W	1000h	6000 K	49000Lm	G-22
#89108020	SYLVANIA BA 575/SE HR	95 V	575 W	750h	6000 K	49000Lm	G-22
#89109015	PHILIPS MSR 1200	100 V	1200 W	800h	5900 K	110000Lm	G-22
# 91201370	OSRAM HTI 1200W/SE	100 V	1200 W	750h	5400 K	105000Lm	GY-22

#### Socket G-38 Discharge





Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket	
#89110010	OSRAM HMI 1200 SE	100 V	1200 W	1000h	6000 K	110000Lm	G-38	
#89111010	OSRAM HMI 2500 SE	115 V	2500 W	500h	6000 K	240000Lm	G-38	
#89111015	PHILIPS MSR 2500 HR S	SE 115 V	2500 W	500h	6000 K	240000Lm	G-38	
#89112010	OSRAM HMI 4000W SE	200 V	4000 W	500h	6000 K	380000Lm	G-38	

# Double-sided Discharge









Article number	Description	Voltage	Power	Life-time	Socket	Color temperature	Luminance	Special
# 89110105	OMNILUX OMI 1200 short	100 V	1200 W	750h	SFc-10-4	6700 K	110000Lm	
#89300995	OMNILUX OMI 300	100 V	300 W	500h	SFc-10-4	6500 K	22000Lm	
#89301000	GE CSR 575 SS DE	100 V	575 W	500h	SFc-10-4	7500 K	44000Lm	
#89301005	OMNILUX OMI 575	95 V	575 W	400h	SFc-10-4	6500 K	49000Lm	
#89301010	OSRAM HMI 575 GS	95 V	575 W	1000h	SFc-10-4	6000 K	49000Lm	
#89301105	OMNILUX Fc2 800	240 V	800 W	150h	SFc-10-4	3100 K	21000Lm	
#89302005	OMNILUX OMI 1200	100 V	1200 W	400h	SFc-15,5	6700 K	110000Lm	
# 89302010	OSRAM HMI 1200/GS	100 V	1200 W	1000h	SFc-15,5	6000 K	110000Lm	
# 89302012	OSRAM HTI SharXS 60	100 V	1200 W	750h	SFc-10-4	6000 K	110000Lm	
# 89302013	OSRAM HTI SharXS 75	100 V	1200 W	750h	SFc-10-4	7500 K	110000Lm	
#89303005	OMNILUX OMI 2500	115 V	2500 W	400h	SFa-21	6000 K	240000Lm	
# 89303010	OSRAM HMI 2500/GS	115 V	2500 W	500h	SFa-21	6000 K	240000Lm	
# 89306015	PHILIPS MHD 1800	240 V	1800 W	600h	SFc-20	5600 K		
# 89311115	PHILIPS MSR 575SA/DE	> 207 V	575 W	750h	SFc-10-4	7500 K		GOLD
# 89312015	PHILIPS MSR 700SA/DE	> 207 V	700 W	750h	SFc-10-4	7500 K	56000Lm	GOLD
#89312115	PHILIPS MSR 300/2	> 207 V	300 W	750h	PGJ-50	9300 K	21000Lm	GOLD Fastfit
# 89312315	PHILIPS MSR 700/2	> 207 V	700 W	750h	PGJ-50	7500 K		GOLD Fastfit
#89313015	PHILIPS MSR 1200SA/DE	100 V	1200 W	750h	SFc-10-4	6000 K	110000Lm	GOLD
#89314015	PHILIPS MSR 1200SA/SE	> 207 V	1200 W	750h	PGJ-50	6000 K		GOLD Fastfit
# 91013100	GE ARC UVC/TD/742	95 V	70 W	6000h	Rx-7s	4200 K		
# 91013105	OMNILUX OQI-TS	95 V	70 W	6000h	Rx-7s	4200 K		
# 91013109	OMNILUX OQI-TS	95 V	70 W	6000h	Rx-7s	6400 K		
# 91013120	GE ARC UVC/TD/742	95 V	150 W	6000h	Rx-7s	4200 K		
# 91013125	OMNILUX OQI-TS	95 V	150 W	6000h	Rx-7s	4200 K		
# 91013165	OMNILUX OQI-TS	95 V	400 W	6000h	Fc-2	4200 K		
# 91013170	OMNILUX OQI-TS	95 V	400 W	6000h	Fc-2	8000 K		
# 91014020	PHILIPS CDM-TD 830	>207 V	70 W	6000h	Rx-7s	3000 K		
# 91014025	PHILIPS CDM-TD 830	>207 V	150 W	6000h	Rx-7s	3000 K		
# 91014026	OMNILUX CDM-TD 830	198 V	150 W	12000h	Rx-7s	3000 K	14000Lm	
#91014027	OMNILUX CDM-TD 942	198 V	150 W	12000h	Rx-7s	4200 K	14000Lm	
#91201336	OSRAM HTI 300W/DX	100 V	300 W	750h	SFc-10-4	6500 K	22000Lm	
#91201337	OMNILUX OTI	100 V	500 W	750h	SFc-10-4	6500 K	22000Lm	

# **DISCHARGE LAMPS**







#### Special Discharge Lamps



Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance Socket
# 91201330	OSRAM HTI 250W/32 Reflector	45 V	270 W	250 h	5600 K	G-6.35
#89101922	OMNILUX OSD 2R	75 V	132 W	5000h	9200 K	6000 Lm
# 89101925	OMNILUX OSD 5R	75 V	200 W	2000h	8200 K	8500 Lm
#89101927	OMNILUX OSD 7R	75 V	230 W	2000h	8000 K	10500 Lm
#89101930	PHILIPS MSD Platinum 5R		190 W	2000h	8000 K	7950 Lm
#89101931	PHILIPS MSD Platinum 15R		300 W	1500h	8000 K	13500 Lm
#89101933	OSRAM Sirius HRI	70 V	132 W	6000h	9200K	5150Lm
#89101935	OSRAM Sirius HRI	70 V	190 W	3000h	8800K	9200Lm
#89101936	OSRAM Sirius HRI	70 V	180 230 W	2500h	8000K	8000 10500Lm
# 89101937	OSRAM Sirius HRI	70 V	280 W	2000h	7800K	11500Lm

#### Colored Socket R-7s Discharge





Article number	Description	Voltage	Current	Power	Life-time	Wave lenght	Color	Luminance
# 91013108	OMNILUX HQI-TS	95 V	1.0 A	70 W	6000h		green	
# 91013123	OMNILUX HQI-TS	95 V	1.8 A	150 W	6000h		red	
# 91013124	OMNILUX HQI-TS	95 V	1.8 A	150 W	6000h		yellow	
#91013126	OMNILUX HQI-TS	95 V	1.8 A	150 W	6000h		blue	
# 91015005	GE ARC150 UVC	95 V	1.8 A	150 W	6000h		green	
# 91015015	GE ARC150 UVC	95 V	1.8 A	150 W	6000h		blue	



No. 94601400

EUROLITE Adapter E-14 to E-27



No. 94601401

**EUROLITE Adapter E-14 to GU-10** 



No. 94601410

**EUROLITE Adapter E-27 to E-14** 



No. 94601411

**EUROLITE Adapter E-27 to GU-10** 



No. 94601420

**EUROLITE Adapter GU-10 to E-14** 



No. 94601421

EUROLITE Adapter GU-10 to E-27




No. 94601430

EUROLITE Adapter E-27 auf GU-10 Schwanenhals



No. 9460120N


**EUROLITE Clamp Lampholder for E-27** 





No. 9460118N

**EUROLITE Clamp Lampholder for GU-10** 





No. 9460119N

**EUROLITE Clamp Lampholder for E-14** 



**SOCKETS OMNILUX®** 



No. 9450010C OMNILUX Base Socket G-5.3 (multi mirror)



No. 94500120 OMNILUX GU-10 Socket (Cable 15cm)



No. 9450012C OMNILUX G-6.35 Socket



No. 9450030C . GX-9.5 & GY-9.5 No. 94501010...

**OMNILUX Base Socket G-9.5** 



No. 9450041C OMNILUX Socket DX-420B for GY16 Base



No. 9450045C. . for G22 Base No. 9450046C. ...for GY22 Base

**OMNILUX Socket DX-124B** 



OMNILUX Socket DX-421 for G38 Base



No. 94501000

OMNILUX Ceramic Luster Terminal, 2 Pins with Fix.



No. 94600100

No. 9450050C

OMNILUX Socket for PAR-56/PAR-64 with Cable Ends



No. 94600101

OMNILUX Socket for PAR-56/64 with Screw Clamp



No. 94600105

OMNILUX Socket f.PAR-56/-64 w.90cm Silicone Cable



No. 94600200

**OMNILUX PAR-SAFE Only Casing** 

For more safety



No. 94600210

OMNILUX PAR-SAFE complete Casing, Socket and Cable

For more safety



No. 94600300

OMNILUX Socket DX-123H for G-9.5 Base



No. 94600350

OMNILUX Socket DX-419 for GX9.5 Base